



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:45 PM GMT

PDB ID : 4MME
Title : Crystal structure of LeuBAT (delta6 mutant) in complex with mazindol
Authors : Wang, H.; Gouaux, E.
Deposited on : 2013-09-08
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	519	<div> <div>8%</div> <div>84%</div> <div>13%</div> <div>•</div> </div>
1	B	519	<div> <div>9%</div> <div>86%</div> <div>11%</div> <div>•</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BOG	A	606	-	-	-	X
4	BOG	B	605	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8318 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	504	Total	C	N	O	S	0	0	0
			4011	2719	627	653	12			
1	B	504	Total	C	N	O	S	0	0	0
			4011	2719	627	653	12			


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	TYR	ASN	ENGINEERED MUTATION	UNP O67854
A	24	ASP	GLY	ENGINEERED MUTATION	UNP O67854
A	254	SER	THR	ENGINEERED MUTATION	UNP O67854
A	256	GLY	SER	ENGINEERED MUTATION	UNP O67854
A	265	PHE	TYR	ENGINEERED MUTATION	UNP O67854
A	359	GLY	ILE	ENGINEERED MUTATION	UNP O67854
A	514	GLY	-	EXPRESSION TAG	UNP O67854
A	515	THR	-	EXPRESSION TAG	UNP O67854
A	516	LEU	-	EXPRESSION TAG	UNP O67854
A	517	VAL	-	EXPRESSION TAG	UNP O67854
A	518	PRO	-	EXPRESSION TAG	UNP O67854
A	519	ARG	-	EXPRESSION TAG	UNP O67854
B	21	TYR	ASN	ENGINEERED MUTATION	UNP O67854
B	24	ASP	GLY	ENGINEERED MUTATION	UNP O67854
B	254	SER	THR	ENGINEERED MUTATION	UNP O67854
B	256	GLY	SER	ENGINEERED MUTATION	UNP O67854
B	265	PHE	TYR	ENGINEERED MUTATION	UNP O67854
B	359	GLY	ILE	ENGINEERED MUTATION	UNP O67854
B	514	GLY	-	EXPRESSION TAG	UNP O67854
B	515	THR	-	EXPRESSION TAG	UNP O67854
B	516	LEU	-	EXPRESSION TAG	UNP O67854
B	517	VAL	-	EXPRESSION TAG	UNP O67854
B	518	PRO	-	EXPRESSION TAG	UNP O67854
B	519	ARG	-	EXPRESSION TAG	UNP O67854

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Na	0	0
			2	2		
2	A	2	Total	Na	0	0
			2	2		

- Molecule 3 is (5R)-5-(4-CHLOROPHENYL)-2,5-DIHYDRO-3H-IMIDAZO[2,1-A]ISOINDOL-5-OL (three-letter code: 29Q) (formula: C₁₆H₁₃ClN₂O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0
			20	16	1	2	1	0
3	B	1	Total	C	Cl	N	O	0
			20	16	1	2	1	0

- Molecule 4 is SUGAR (B-OCTYLGLUCOSIDE) (three-letter code: BOG) (formula: C₁₄H₂₈O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			20	14	6		
4	A	1	Total	C	O	0	0
			20	14	6		
4	A	1	Total	C	O	0	0
			20	14	6		
4	B	1	Total	C	O	0	0
			20	14	6		
4	B	1	Total	C	O	0	0
			20	14	6		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	84	Total	O	0	0
			84	84		
5	B	68	Total	O	0	0
			68	68		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Transporter



• Molecule 1: Transporter



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	84.26Å 92.83Å 87.53Å 90.00° 93.75° 90.00°	Depositor
Resolution (Å)	40.98 – 2.50 49.60 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.5 (40.98-2.50) 99.7 (49.60-2.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.204 , 0.233 0.212 , 0.240	Depositor DCC
R_{free} test set	2354 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	50.2	Xtriage
Anisotropy	0.452	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 49.3	EDS
Estimated twinning fraction	0.009 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	2 of 46581 reflections (0.004%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8318	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, BOG, 29Q

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/4138	0.45	0/5635
1	B	0.29	0/4138	0.44	0/5635
All	All	0.30	0/8276	0.44	0/11270

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4011	0	4084	49	0
1	B	4011	0	4084	38	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	20	0	13	3	0
3	B	20	0	13	2	0
4	A	60	0	84	10	0
4	B	40	0	56	3	0
5	A	84	0	0	3	0
5	B	68	0	0	0	0
All	All	8318	0	8334	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:408:GLY:O	5:A:783:HOH:O	1.99	0.79
1:A:135:THR:N	5:A:727:HOH:O	2.21	0.73
1:A:161:ILE:HD12	4:B:604:BOG:H5'1	1.74	0.69
1:A:226:GLY:HA3	1:A:300:PRO:HA	1.74	0.69
1:A:163:LYS:HE2	4:A:604:BOG:H62	1.75	0.68
1:A:398:LYS:HD3	4:A:606:BOG:H61	1.75	0.67
4:A:604:BOG:H8'2	4:B:604:BOG:H8'2	1.76	0.67
1:B:271:LYS:O	1:B:438:ARG:NH1	2.29	0.64
1:A:155:PRO:HD3	1:A:162:LEU:HD23	1.80	0.63
1:A:22:ALA:HA	3:A:603:29Q:H11	1.82	0.62
1:A:271:LYS:O	1:A:438:ARG:NH1	2.31	0.62
1:B:320:PHE:CD1	4:B:605:BOG:H4'2	2.35	0.61
1:A:391:HIS:CD2	4:A:605:BOG:H4'2	2.36	0.61
1:A:435:GLU:OE2	1:A:438:ARG:NH2	2.34	0.60
1:B:61:ILE:HG22	1:B:65:MET:HE2	1.83	0.60
1:B:155:PRO:HD3	1:B:162:LEU:HD23	1.84	0.60
1:B:359:GLY:HA3	3:B:603:29Q:CL	2.39	0.59
1:A:212:ARG:HD2	1:A:340:LEU:HD21	1.85	0.59
1:A:320:PHE:CD1	4:A:606:BOG:H4'2	2.37	0.59
1:B:226:GLY:HA3	1:B:300:PRO:HA	1.86	0.57
1:A:331:PHE:O	1:A:337:GLY:HA3	2.05	0.56
1:A:161:ILE:HD11	1:B:481:TRP:CE3	2.42	0.55
1:A:475:ILE:HG22	1:A:487:ARG:HH21	1.72	0.55
1:A:481:TRP:CE3	1:B:161:ILE:HD11	2.43	0.54
1:B:104:VAL:HG21	1:B:259:PHE:HE2	1.73	0.53
1:B:364:ILE:HD13	1:B:379:VAL:HG22	1.90	0.52
1:A:57:PRO:HG3	1:A:448:TYR:HE2	1.74	0.52
1:B:302:ALA:HB1	1:B:314:ILE:HD13	1.92	0.52
1:A:65:MET:HE1	1:A:419:GLU:HB3	1.91	0.51
1:A:61:ILE:HG22	1:A:65:MET:HE2	1.90	0.51
1:A:359:GLY:HA3	3:A:603:29Q:CL	2.48	0.51
1:B:254:SER:OG	1:B:290:GLU:OE1	2.28	0.51
1:A:395:PHE:HZ	4:A:605:BOG:O2	1.94	0.51
4:A:605:BOG:H4'1	4:A:605:BOG:H8'3	1.93	0.51
1:B:104:VAL:HG21	1:B:259:PHE:CE2	2.46	0.50
1:A:104:VAL:HA	1:A:107:TYR:CE2	2.47	0.49
1:B:202:LEU:HD12	1:B:347:LEU:HD12	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:PRO:HG3	1:A:448:TYR:CE2	2.47	0.49
1:B:253:PHE:HE2	1:B:467:TRP:HH2	1.62	0.47
1:A:402:GLU:OE2	1:A:406:TRP:NE1	2.40	0.47
1:A:161:ILE:HD11	1:B:481:TRP:CZ3	2.49	0.47
1:A:67:ARG:NH2	1:A:435:GLU:O	2.48	0.47
1:B:140:ILE:HG22	1:B:329:ALA:HB1	1.96	0.47
1:B:331:PHE:O	1:B:337:GLY:HA3	2.15	0.47
1:A:398:LYS:HD3	4:A:606:BOG:C6	2.43	0.46
1:B:214:PHE:CZ	1:B:227:LEU:HD11	2.50	0.46
1:B:218:THR:OG1	1:B:304:ALA:O	2.27	0.46
1:B:104:VAL:HA	1:B:107:TYR:CE2	2.51	0.46
1:A:163:LYS:CE	4:A:604:BOG:H62	2.45	0.46
1:B:148:LEU:HD21	1:B:320:PHE:CZ	2.50	0.46
1:A:367:LEU:HB3	1:A:373:LEU:HD22	1.98	0.46
1:A:202:LEU:HD12	1:A:347:LEU:HD12	1.96	0.46
1:B:331:PHE:CE1	1:B:340:LEU:HD12	2.51	0.46
1:A:254:SER:HA	5:A:713:HOH:O	2.15	0.45
1:A:140:ILE:HG22	1:A:329:ALA:HB1	1.97	0.45
1:A:47:TYR:OH	1:A:290:GLU:OE2	2.26	0.45
1:B:367:LEU:HB3	1:B:373:LEU:HD22	1.98	0.45
1:A:479:THR:HB	1:A:483:VAL:HG11	1.98	0.44
4:A:604:BOG:H1'1	1:B:484:TRP:CE2	2.52	0.44
1:B:65:MET:HE1	1:B:419:GLU:HB3	1.98	0.44
1:B:21:TYR:O	3:B:603:29Q:H10	2.18	0.44
1:B:259:PHE:CE1	1:B:412:VAL:HG11	2.52	0.44
1:B:253:PHE:HE2	1:B:467:TRP:CH2	2.35	0.44
1:A:108:TYR:CE2	3:A:603:29Q:H4	2.53	0.44
1:A:364:ILE:HD13	1:A:379:VAL:HG22	1.98	0.44
1:A:402:GLU:HB3	1:A:486:THR:HG21	1.99	0.43
1:A:475:ILE:HG22	1:A:487:ARG:NH2	2.33	0.43
1:B:218:THR:HG21	1:B:305:PHE:HA	2.01	0.43
1:A:420:LEU:HD11	1:A:456:THR:HG22	2.01	0.43
1:A:232:THR:HA	1:A:233:PRO:HD3	1.85	0.43
1:A:77:THR:HG21	1:A:415:PHE:HZ	1.83	0.43
1:B:287:GLU:O	1:B:291:VAL:HG13	2.19	0.42
1:A:337:GLY:HA2	1:A:340:LEU:HB2	2.00	0.42
1:B:151:TYR:HD2	1:B:152:ILE:HD13	1.84	0.42
1:B:447:ILE:HD12	1:B:450:TYR:CD2	2.54	0.42
1:A:38:ASN:HB3	1:A:243:VAL:HG13	2.01	0.42
1:B:435:GLU:OE2	1:B:438:ARG:NH2	2.53	0.41
1:A:107:TYR:HB3	1:A:393:VAL:HG21	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:423:PHE:O	1:A:427:PHE:HB3	2.20	0.41
1:B:217:GLU:HG2	1:B:222:THR:HG22	2.02	0.41
1:B:47:TYR:OH	1:B:287:GLU:OE1	2.38	0.41
1:A:160:PRO:HG2	1:A:482:THR:HG21	2.02	0.41
1:A:506:ARG:HD3	1:A:506:ARG:HA	1.75	0.41
1:B:110:TYR:CZ	1:B:394:MET:HG2	2.56	0.41
1:A:159:GLU:HA	1:A:160:PRO:HD3	1.88	0.40
1:B:501:VAL:O	1:B:505:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	500/519 (96%)	489 (98%)	11 (2%)	0	100	100
1	B	500/519 (96%)	487 (97%)	13 (3%)	0	100	100
All	All	1000/1038 (96%)	976 (98%)	24 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/419 (97%)	400 (98%)	6 (2%)	72	91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	406/419 (97%)	401 (99%)	5 (1%)	78	93
All	All	812/838 (97%)	801 (99%)	11 (1%)	74	91

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	LEU
1	A	212	ARG
1	A	265	PHE
1	A	291	VAL
1	A	340	LEU
1	A	424	PHE
1	B	58	LEU
1	B	212	ARG
1	B	291	VAL
1	B	340	LEU
1	B	424	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	29Q	A	603	-	22,23,23	1.73	4 (18%)	21,35,35	2.47	4 (19%)
4	BOG	A	604	-	20,20,20	1.23	2 (10%)	25,25,25	1.33	4 (16%)
4	BOG	A	605	-	20,20,20	1.22	2 (10%)	25,25,25	1.43	4 (16%)
4	BOG	A	606	-	20,20,20	1.09	1 (5%)	25,25,25	2.01	7 (28%)
3	29Q	B	603	-	22,23,23	1.67	4 (18%)	21,35,35	2.34	5 (23%)
4	BOG	B	604	-	20,20,20	1.15	2 (10%)	25,25,25	1.17	3 (12%)
4	BOG	B	605	-	20,20,20	1.04	2 (10%)	25,25,25	1.82	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	29Q	A	603	-	-	0/6/32/32	0/4/4/4
4	BOG	A	604	-	-	0/11/31/31	0/1/1/1
4	BOG	A	605	-	-	0/11/31/31	0/1/1/1
4	BOG	A	606	-	-	0/11/31/31	0/1/1/1
3	29Q	B	603	-	-	0/6/32/32	0/4/4/4
4	BOG	B	604	-	-	0/11/31/31	0/1/1/1
4	BOG	B	605	-	-	0/11/31/31	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	603	29Q	C1-N	-4.78	1.31	1.39
3	A	603	29Q	C1-N	-4.58	1.31	1.39
3	A	603	29Q	C3-N	-3.27	1.43	1.47
4	A	604	BOG	O5-C5	-2.55	1.38	1.44
3	B	603	29Q	C3-N	-2.38	1.44	1.47
4	A	606	BOG	O2-C2	-2.37	1.37	1.43
4	B	604	BOG	O5-C5	-2.35	1.38	1.44
4	A	605	BOG	O2-C2	-2.33	1.37	1.43
4	B	605	BOG	O2-C2	-2.16	1.37	1.43
4	A	604	BOG	O2-C2	-2.07	1.38	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	605	BOG	O5-C5	-2.06	1.39	1.44
4	B	604	BOG	O2-C2	-2.06	1.38	1.43
4	B	605	BOG	C4-C5	-2.03	1.48	1.53
3	B	603	29Q	C1-N1	2.47	1.36	1.30
3	A	603	29Q	C1-N1	2.60	1.37	1.30
3	A	603	29Q	C13-CL	3.14	1.81	1.74
3	B	603	29Q	C13-CL	3.26	1.82	1.74

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	603	29Q	C5-C4-C1	-7.30	100.45	107.08
3	A	603	29Q	C5-C4-C1	-7.19	100.55	107.08
4	A	605	BOG	C4-C3-C2	-4.08	103.18	110.79
4	A	606	BOG	C4-C3-C2	-3.80	103.70	110.79
4	A	606	BOG	C1-O5-C5	-3.68	106.61	113.75
4	B	605	BOG	C1-O5-C5	-3.60	106.75	113.75
3	A	603	29Q	C6-C5-C4	-3.56	117.51	120.59
4	B	605	BOG	C6-C5-C4	-3.55	104.25	113.02
4	B	605	BOG	C4-C3-C2	-3.47	104.31	110.79
3	B	603	29Q	C6-C5-C4	-3.11	117.90	120.59
4	A	604	BOG	C1-O5-C5	-2.71	108.49	113.75
4	A	606	BOG	C1-C2-C3	-2.40	105.23	109.97
4	B	605	BOG	C3-C4-C5	-2.39	106.03	110.20
4	A	606	BOG	O4-C4-C3	-2.19	105.41	110.34
4	A	605	BOG	C1-O5-C5	-2.15	109.57	113.75
4	B	605	BOG	O6-C6-C5	-2.13	104.28	111.33
4	A	605	BOG	C3-C4-C5	-2.12	106.51	110.20
4	A	604	BOG	C6-C5-C4	-2.05	107.96	113.02
4	B	604	BOG	C1-O5-C5	-2.03	109.81	113.75
4	A	604	BOG	C1'-O1-C1	2.37	118.08	113.94
3	B	603	29Q	C9-C4-C1	2.39	135.03	131.72
4	A	605	BOG	C1'-O1-C1	2.61	118.50	113.94
4	B	604	BOG	O1-C1-C2	2.71	111.46	108.04
4	A	606	BOG	O5-C1-O1	2.85	116.91	110.05
4	B	604	BOG	C1'-O1-C1	2.96	119.12	113.94
3	B	603	29Q	C9-C4-C5	3.08	124.52	121.34
3	A	603	29Q	C9-C4-C1	3.14	136.07	131.72
4	A	604	BOG	O1-C1-C2	3.28	112.18	108.04
4	A	606	BOG	O5-C5-C6	3.59	115.42	106.36
4	B	605	BOG	C1'-O1-C1	4.59	121.96	113.94
4	A	606	BOG	C1'-O1-C1	4.82	122.37	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	B	603	29Q	C3-N-C1	4.92	117.63	107.73
3	A	603	29Q	C3-N-C1	5.82	119.44	107.73

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	603	29Q	3	0
4	A	604	BOG	4	0
4	A	605	BOG	3	0
4	A	606	BOG	3	0
3	B	603	29Q	2	0
4	B	604	BOG	2	0
4	B	605	BOG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	504/519 (97%)	0.38	42 (8%) 14 15	21, 34, 70, 107	0
1	B	504/519 (97%)	0.48	48 (9%) 10 11	21, 40, 71, 99	0
All	All	1008/1038 (97%)	0.43	90 (8%) 12 13	21, 37, 71, 107	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	475	ILE	10.0
1	A	479	THR	9.5
1	A	478	GLU	9.3
1	A	472	ILE	8.6
1	A	474	LYS	8.5
1	A	471	TYR	7.8
1	B	510	HIS	7.4
1	B	137	PRO	7.0
1	A	450	TYR	7.0
1	A	508	ARG	6.6
1	A	447	ILE	6.3
1	B	472	ILE	6.1
1	B	450	TYR	5.8
1	A	446	ARG	5.7
1	B	447	ILE	5.5
1	A	476	MET	5.3
1	A	511	GLU	5.3
1	B	158	ASP	5.3
1	B	156	LYS	4.6
1	B	475	ILE	4.5
1	A	453	ARG	4.3
1	A	510	HIS	4.1
1	B	511	GLU	4.0
1	A	103	VAL	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	131	PRO	3.9
1	B	242	GLY	3.7
1	A	454	TYR	3.7
1	B	104	VAL	3.6
1	B	103	VAL	3.6
1	B	239	LYS	3.5
1	B	214	PHE	3.4
1	A	448	TYR	3.4
1	B	219	PRO	3.4
1	B	309	ALA	3.4
1	B	241	PRO	3.3
1	B	220	ASN	3.2
1	A	429	ALA	3.1
1	B	509	ASN	3.1
1	B	231	TRP	3.0
1	B	312	VAL	3.0
1	A	507	ARG	3.0
1	B	230	LEU	2.9
1	B	157	GLY	2.9
1	A	468	ALA	2.9
1	B	45	ILE	2.9
1	A	104	VAL	2.9
1	B	215	LEU	2.9
1	B	107	TYR	2.9
1	A	449	TYR	2.8
1	B	228	ASN	2.8
1	A	392	LEU	2.7
1	B	474	LYS	2.7
1	B	322	LEU	2.7
1	A	495	LEU	2.7
1	B	491	ILE	2.6
1	A	489	TYR	2.6
1	B	320	PHE	2.6
1	A	259	PHE	2.6
1	B	471	TYR	2.6
1	A	455	ILE	2.5
1	B	308	VAL	2.5
1	B	490	ILE	2.5
1	B	310	ASN	2.5
1	B	229	PHE	2.5
1	B	303	VAL	2.4
1	B	340	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	100	ILE	2.4
1	A	237	LYS	2.4
1	A	101	PRO	2.3
1	A	464	LEU	2.3
1	B	454	TYR	2.3
1	B	493	LEU	2.3
1	B	489	TYR	2.3
1	A	309	ALA	2.2
1	A	214	PHE	2.2
1	B	486	THR	2.2
1	B	193	ARG	2.2
1	A	430	ASP	2.2
1	B	140	ILE	2.1
1	A	258	GLY	2.1
1	B	335	ALA	2.1
1	B	244	TRP	2.1
1	B	492	GLY	2.1
1	A	462	VAL	2.1
1	B	327	LEU	2.0
1	A	37	GLU	2.0
1	A	407	ALA	2.0
1	A	490	ILE	2.0
1	A	229	PHE	2.0
1	A	389	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	BOG	B	605	20/20	0.77	0.52	6.13	38,45,55,55	0
4	BOG	A	606	20/20	0.89	0.36	5.19	30,39,51,58	0
4	BOG	A	604	20/20	0.80	0.25	0.62	31,59,69,81	0
4	BOG	A	605	20/20	0.82	0.22	0.33	37,48,56,63	0
3	29Q	B	603	20/20	0.84	0.22	0.14	40,48,52,54	0
4	BOG	B	604	20/20	0.85	0.21	0.08	31,53,63,63	0
2	NA	A	601	1/1	0.98	0.17	0.06	24,24,24,24	0
3	29Q	A	603	20/20	0.86	0.19	-0.44	29,45,50,57	0
2	NA	A	602	1/1	0.91	0.14	-0.88	36,36,36,36	0
2	NA	B	602	1/1	0.86	0.10	-1.72	40,40,40,40	0
2	NA	B	601	1/1	0.94	0.06	-3.36	26,26,26,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.