



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:47 PM GMT

PDB ID : 4MRV  
Title : Structure of a bacterial Atm1-family ABC transporter  
Authors : Lee, J.Y.; Yang, J.G.; Zhitnitsky, D.; Lewinson, O.; Rees, D.C.  
Deposited on : 2013-09-17  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	614	<div> <div>4%</div> <div>78%</div> <div>20%</div> <div>.</div> </div>
1	B	614	<div> <div>4%</div> <div>76%</div> <div>21%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HGD	A	701	-	-	-	X
3	LDA	A	702	-	-	-	X
3	LDA	A	703	-	-	-	X
3	LDA	B	701	-	-	-	X
3	LDA	B	702	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9734 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ABC transporter related protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	600	Total	C	N	O	Se	0	0	0
			4658	2970	828	848	12			
1	B	598	Total	C	N	O	Se	0	0	0
			4645	2963	825	845	12			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	609	HIS	-	EXPRESSION TAG	UNP Q2G506
A	610	HIS	-	EXPRESSION TAG	UNP Q2G506
A	611	HIS	-	EXPRESSION TAG	UNP Q2G506
A	612	HIS	-	EXPRESSION TAG	UNP Q2G506
A	613	HIS	-	EXPRESSION TAG	UNP Q2G506
A	614	HIS	-	EXPRESSION TAG	UNP Q2G506
B	609	HIS	-	EXPRESSION TAG	UNP Q2G506
B	610	HIS	-	EXPRESSION TAG	UNP Q2G506
B	611	HIS	-	EXPRESSION TAG	UNP Q2G506
B	612	HIS	-	EXPRESSION TAG	UNP Q2G506
B	613	HIS	-	EXPRESSION TAG	UNP Q2G506
B	614	HIS	-	EXPRESSION TAG	UNP Q2G506

- Molecule 2 is MERCURY BIS(L-GAMMA-GLUTAMYL-3-SULFIDO-L-ALANYLGLYCIN E) (three-letter code: HGD) (formula: C<sub>20</sub>H<sub>32</sub>HgN<sub>6</sub>O<sub>12</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Hg	N	O	S	0	0
			41	20	1	6	12	2		

- Molecule 3 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula:  $\text{C}_{14}\text{H}_{31}\text{NO}$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 16	C 14	N 1	O 1	0	0
3	A	1	Total 16	C 14	N 1	O 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	0	0
			16	14	1	1		
3	B	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	149	Total	O	0	0
			149	149		
5	B	157	Total	O	0	0
			157	157		

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:
- 

- Chain B:
- 
- Legend: 4%, 76%, 21%
- X-axis labels (from left to right):
- MSE, PRO, PRO, GLU, THR, THR, ASN, P9, K10, D11, A12, H13, H14, W17, Q18, R21, F23, W28, V39, N45, K50, L56, P57, Y60, K61, V64, M67, T68, L69, G70, G71, G72, A73, Q74, P75, A76, L77, L81, A80, V95, D98, I99, L100, R101, V104, E105, E106, T113, R114, H115, L116, V120, R123, L124, S128, L129, R130, L133, A134, R135, R136, T137, G138, E139, T140, T141, K147, T148, T153, M154, E168, A171, V172, I173, W174, I175, F176, W177, F180, G181, L182, T188, I189, L190, T203, R206, L209, R215, L216, D217, R223, A224, V225, R230, R242, R246, A258, E262, A273, L279, M280, R284, A285, W286, V298, G299, D300, R305, T306, Y307, L308, T309, R310, L311, F312, R313, D316, R317, Y322, R323, T324, X332, A333, E334, R335, F336, R337, L338, T339, E344, F363, V367, Y370, D371, R372, I376, L377, R378, A398, W414, E415, I418, L446, D449, T450, R459, E466, D478, F479, I480, A481, R482, L483, P484, E493, R494, G495, L496, K497, L498, T511, L512, L519, T525, T530, E533, Q534, V543, L566, V567, L568, I569, Q570.





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	322.44Å 95.62Å 78.91Å 90.00° 101.52° 90.00°	Depositor
Resolution (Å)	39.49 – 2.50 39.49 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.3 (39.49-2.50) 84.4 (39.49-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.36 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, $R_{free}$	0.206 , 0.234 0.212 , 0.234	Depositor DCC
$R_{free}$ test set	4014 reflections (6.14%)	DCC
Wilson B-factor (Å <sup>2</sup> )	51.9	Xtriage
Anisotropy	0.329	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 49.7	EDS
Estimated twinning fraction	0.023 for -h-2*k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 80521 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	9734	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.46% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, HGD, LDA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.47	0/4732	0.64	0/6408
1	B	0.47	0/4719	0.66	1/6389 (0.0%)
All	All	0.47	0/9451	0.65	1/12797 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	332	MSE	CG-SE-CE	-5.28	87.30	98.90

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4658	0	4733	108	1
1	B	4645	0	4723	103	1
2	A	41	0	29	9	0
3	A	32	0	62	8	0
3	B	32	0	62	6	0
4	A	10	0	0	1	0
4	B	10	0	0	1	0
5	A	149	0	0	11	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	157	0	0	10	1
All	All	9734	0	9609	199	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:376:ILE:O	5:B:839:HOH:O	1.81	0.99
1:A:64:VAL:HA	1:A:67:MSE:HE2	1.51	0.92
1:A:146:ARG:NH1	5:A:948:HOH:O	2.03	0.90
1:B:61:LYS:NZ	1:B:300:ASP:OD1	2.07	0.88
1:A:494:ARG:HG3	1:B:136:ARG:HH22	1.47	0.79
1:A:374:ARG:NH1	5:A:922:HOH:O	2.15	0.78
1:B:215:ARG:NH2	5:B:877:HOH:O	2.15	0.77
1:A:317:MSE:HG2	2:A:701:HGD:H25	1.66	0.77
1:A:61:LYS:NZ	1:A:300:ASP:OD1	2.19	0.75
1:B:68:THR:HG21	1:B:298:VAL:HG11	1.68	0.74
1:B:128:SER:OG	5:B:924:HOH:O	2.07	0.73
1:A:67:MSE:HE3	1:B:298:VAL:HG23	1.71	0.72
1:A:424:ASP:OD2	5:A:817:HOH:O	2.07	0.72
1:A:136:ARG:NH2	1:B:493:GLU:OE1	2.23	0.71
1:B:284:MSE:HE3	1:B:305:ASN:HB2	1.70	0.71
1:B:130:ARG:NH2	1:B:370:TYR:O	2.23	0.70
1:B:206:ARG:NH2	4:B:704:PO4:O4	2.24	0.70
1:A:123:ARG:NH2	1:A:341:THR:O	2.24	0.70
1:B:180:PHE:O	5:B:925:HOH:O	2.09	0.70
1:A:334:GLU:HG2	3:A:702:LDA:H12	1.74	0.69
1:B:23:PHE:CD1	1:B:332:MSE:HE1	2.28	0.69
1:A:223:ARG:NE	5:A:913:HOH:O	2.25	0.69
1:B:566:LEU:HD23	1:B:576:GLN:HG3	1.75	0.68
1:B:223:ARG:HD3	1:B:246:ARG:HG2	1.75	0.68
1:A:566:LEU:HD23	1:A:576:GLN:HG3	1.74	0.67
1:B:50:LYS:NZ	1:B:168:GLU:OE2	2.27	0.66
1:A:525:THR:HB	1:A:533:GLU:HG3	1.76	0.66
1:A:101:ARG:NH2	5:A:909:HOH:O	1.99	0.66
1:A:316:ASP:O	2:A:701:HGD:N6	2.30	0.65
1:A:323:ARG:NH2	4:A:705:PO4:O3	2.29	0.65
1:B:575:GLU:OE1	1:B:588:LEU:N	2.29	0.65
1:A:223:ARG:NH1	5:A:910:HOH:O	2.29	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:ARG:NH1	1:A:261:SER:O	2.30	0.64
1:B:74:GLN:HB3	1:B:75:PRO:HD2	1.79	0.62
1:B:147:GLY:HA3	3:B:702:LDA:H32	1.81	0.62
1:B:493:GLU:HA	1:B:495:GLY:N	2.14	0.62
1:A:147:GLY:HA3	3:A:702:LDA:H41	1.81	0.62
1:B:45:MSE:HE3	1:B:100:LEU:HB3	1.82	0.61
1:A:146:ARG:HH22	3:A:702:LDA:HM22	1.66	0.61
1:B:398:ALA:HB1	1:B:568:LEU:HB2	1.83	0.60
1:A:501:GLY:O	1:A:505:ARG:HG3	2.00	0.60
1:A:398:ALA:HB1	1:A:568:LEU:HB2	1.84	0.60
1:A:177:TRP:CZ3	1:A:182:LEU:HD22	2.37	0.60
1:B:446:LEU:O	5:B:846:HOH:O	2.17	0.59
1:A:64:VAL:HA	1:A:67:MSE:CE	2.31	0.59
1:A:223:ARG:NH1	1:A:250:ALA:HB2	2.18	0.58
1:B:98:ASP:O	1:B:101:ARG:HG2	2.03	0.58
1:A:68:THR:HG21	1:A:298:VAL:HG11	1.85	0.58
1:A:530:THR:O	1:A:534:GLN:HG2	2.03	0.58
1:B:148:THR:HG23	3:B:702:LDA:H112	1.85	0.58
1:B:511:THR:HG21	1:B:519:LEU:HD13	1.86	0.58
1:B:116:LEU:HD22	1:B:332:MSE:HE3	1.85	0.58
1:B:334:GLU:HG2	3:B:702:LDA:HM11	1.85	0.57
1:B:493:GLU:HA	1:B:495:GLY:H	1.68	0.57
1:A:146:ARG:NH2	3:A:702:LDA:HM22	2.20	0.56
1:A:359:PRO:HD2	1:A:386:ALA:HB1	1.88	0.56
1:A:297:THR:HG23	1:A:300:ASP:H	1.70	0.56
1:B:242:ARG:NH2	5:B:876:HOH:O	2.38	0.56
1:A:154:MSE:HB2	1:A:325:ILE:HA	1.88	0.55
1:B:114:ARG:NE	5:B:850:HOH:O	2.04	0.55
1:B:23:PHE:HB2	1:B:332:MSE:HE1	1.88	0.55
1:A:154:MSE:HG2	1:A:328:GLY:HA3	1.89	0.55
1:A:206:ARG:NH1	1:A:264:SER:OG	2.39	0.55
1:A:65:ASP:OD1	1:A:297:THR:OG1	2.18	0.54
1:B:130:ARG:HD2	1:B:344:GLU:OE1	2.06	0.54
1:B:313:ARG:NH2	5:B:838:HOH:O	2.14	0.54
1:B:124:LEU:HD21	1:B:338:LEU:HD13	1.90	0.54
3:A:702:LDA:H112	5:A:912:HOH:O	2.07	0.54
1:B:57:PRO:HG2	1:B:307:TYR:HE1	1.73	0.54
1:B:181:GLY:H	1:B:286:TRP:HH2	1.55	0.53
1:A:154:MSE:HE2	1:A:155:LEU:HA	1.91	0.53
1:A:246:ARG:NH1	5:A:928:HOH:O	2.41	0.53
1:A:136:ARG:O	1:A:140:VAL:HG23	2.09	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:446:LEU:HD11	1:B:498:LEU:HD12	1.89	0.53
1:A:284:MSE:HE3	1:A:305:ASN:HB2	1.89	0.53
1:B:512:LEU:HD21	1:B:543:VAL:HG13	1.90	0.52
1:A:231:TYR:OH	1:A:235:LYS:HE2	2.09	0.52
1:A:91:ARG:NH1	1:B:280:MSE:HE3	2.23	0.52
2:A:701:HGD:SG2	1:B:317:MSE:HG2	2.49	0.52
1:A:91:ARG:HH12	1:B:280:MSE:HE3	1.74	0.52
1:A:174:VAL:O	1:A:177:TRP:HB3	2.09	0.52
1:A:62:LYS:HB3	1:A:83:PHE:CE2	2.44	0.52
1:A:74:GLN:HA	1:A:75:PRO:C	2.30	0.51
1:A:155:LEU:HD11	1:A:332:MSE:HE1	1.92	0.51
1:B:172:VAL:HG22	1:B:307:TYR:CD2	2.45	0.51
1:A:262:GLU:HG3	1:B:106:GLU:OE2	2.11	0.51
1:B:258:ALA:O	1:B:262:GLU:HG2	2.11	0.51
1:B:13:ARG:NE	5:B:807:HOH:O	2.19	0.51
1:A:258:ALA:O	1:A:262:GLU:HG2	2.11	0.51
1:B:372:ARG:HD2	1:B:414:TRP:CZ2	2.46	0.50
1:A:176:PHE:HE2	1:A:188:THR:HG21	1.76	0.50
1:A:317:MSE:HE2	2:A:701:HGD:SG5	2.51	0.50
1:B:120:VAL:O	1:B:124:LEU:HG	2.12	0.49
1:A:298:VAL:HG23	1:B:67:MSE:HE2	1.94	0.49
1:A:95:VAL:HG11	1:B:273:ALA:HB2	1.94	0.49
1:B:493:GLU:OE2	1:B:497:LYS:HE2	2.12	0.49
1:B:28:TRP:HZ3	1:B:39:VAL:HB	1.77	0.49
1:B:68:THR:C	1:B:70:GLY:HA3	2.33	0.49
1:A:292:SER:OG	1:B:77:LEU:HD13	2.13	0.49
1:B:174:VAL:O	1:B:177:TRP:HB3	2.13	0.48
1:B:182:LEU:HA	5:B:925:HOH:O	2.13	0.48
1:B:305:ASN:O	1:B:309:THR:HG23	2.13	0.48
1:A:154:MSE:HE1	1:A:158:LEU:HD12	1.95	0.48
1:A:197:TRP:O	1:A:201:THR:HG23	2.12	0.48
1:A:317:MSE:HE1	2:A:701:HGD:H16	1.96	0.48
1:B:56:LEU:HD12	1:B:57:PRO:HD3	1.94	0.48
1:A:445:VAL:HG11	1:B:230:ASN:OD1	2.14	0.48
1:A:67:MSE:CE	1:B:298:VAL:HG23	2.41	0.48
1:B:56:LEU:N	1:B:57:PRO:HD2	2.29	0.48
1:B:64:VAL:HG12	1:B:298:VAL:HG13	1.96	0.48
1:A:123:ARG:HA	1:A:123:ARG:HD2	1.55	0.47
1:B:332:MSE:HE2	1:B:336:PHE:CE2	2.49	0.47
1:A:223:ARG:CZ	5:A:910:HOH:O	2.62	0.47
1:B:153:THR:HG22	1:B:324:THR:HG21	1.97	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188:THR:HG22	1:B:279:LEU:HD11	1.97	0.47
1:B:134:ALA:O	1:B:135:ARG:HG3	2.14	0.47
1:B:177:TRP:CZ3	1:B:182:LEU:HD22	2.50	0.46
1:B:74:GLN:C	1:B:76:ALA:H	2.17	0.46
1:B:23:PHE:CG	1:B:332:MSE:HE1	2.50	0.46
1:A:203:THR:HG21	1:A:322:TYR:HD2	1.78	0.46
1:A:176:PHE:CE2	1:A:188:THR:HG21	2.51	0.46
1:B:113:THR:HB	3:B:702:LDA:H111	1.96	0.46
1:A:289:TYR:O	1:A:292:SER:HB2	2.16	0.46
1:B:530:THR:O	1:B:534:GLN:HG2	2.16	0.46
1:A:62:LYS:HB3	1:A:83:PHE:CD2	2.51	0.45
1:B:176:PHE:HE2	1:B:188:THR:HG21	1.80	0.45
1:A:525:THR:CB	1:A:533:GLU:HG3	2.46	0.45
1:A:273:ALA:HB2	1:B:95:VAL:HG11	1.97	0.45
1:B:100:LEU:O	1:B:104:VAL:HG23	2.16	0.45
1:A:46:VAL:HA	1:A:101:ARG:HH11	1.82	0.45
1:A:528:LEU:HD13	1:A:532:THR:HG22	1.99	0.45
1:A:335:MSE:HE3	3:A:702:LDA:H51	1.99	0.45
1:B:123:ARG:HD2	1:B:339:ILE:HA	1.98	0.45
1:B:217:ASP:OD1	3:B:701:LDA:HM13	2.16	0.45
1:B:525:THR:HB	1:B:533:GLU:HG3	1.98	0.45
3:A:702:LDA:H112	5:A:914:HOH:O	2.18	0.44
1:A:87:TYR:CZ	1:A:91:ARG:HD2	2.52	0.44
1:A:54:LEU:O	1:A:57:PRO:HD2	2.17	0.44
1:B:334:GLU:HG2	3:B:702:LDA:H11	1.99	0.44
1:A:74:GLN:HA	1:A:76:ALA:N	2.33	0.44
1:B:203:THR:HG21	1:B:322:TYR:HD2	1.82	0.44
1:B:12:ALA:HB3	1:B:18:GLN:NE2	2.33	0.44
1:A:268:LEU:HD23	2:A:701:HGD:H26	1.98	0.44
1:B:367:VAL:HB	1:B:415:GLU:HB2	2.00	0.44
1:A:316:ASP:O	2:A:701:HGD:H33	2.17	0.44
1:A:297:THR:O	1:A:300:ASP:HB2	2.17	0.44
1:B:23:PHE:CB	1:B:332:MSE:HE1	2.48	0.44
1:B:68:THR:O	1:B:69:LEU:HD23	2.18	0.43
1:A:61:LYS:HZ1	1:A:297:THR:CG2	2.31	0.43
1:A:306:THR:O	1:A:310:GLN:HG3	2.18	0.43
1:B:378:HIS:HD2	1:B:570:GLN:O	2.01	0.43
1:B:363:PHE:CE1	1:B:418:ILE:HD12	2.54	0.43
1:A:61:LYS:HZ1	1:A:297:THR:HG21	1.82	0.43
1:A:101:ARG:NE	5:A:909:HOH:O	2.52	0.43
1:A:217:ASP:HB2	1:A:254:TYR:CE1	2.54	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:478:ASP:O	1:B:482:ARG:HG3	2.18	0.43
1:B:177:TRP:HZ3	1:B:182:LEU:HD22	1.83	0.43
1:A:478:ASP:O	1:A:482:ARG:HG3	2.18	0.43
1:B:216:LEU:HA	1:B:216:LEU:HD23	1.86	0.43
1:B:136:ARG:O	1:B:140:VAL:HG23	2.19	0.43
1:A:450:THR:HA	1:A:490:GLU:HA	2.01	0.43
1:A:184:LEU:O	1:A:188:THR:HG23	2.19	0.42
1:A:500:GLY:O	1:A:504:GLN:HG2	2.19	0.42
1:A:35:LEU:O	1:A:39:VAL:HG23	2.19	0.42
1:A:419:LEU:HD23	1:A:424:ASP:HA	2.00	0.42
2:A:701:HGD:N1	1:B:316:ASP:O	2.52	0.42
1:A:493:GLU:O	1:A:494:ARG:HB2	2.19	0.42
1:A:33:ALA:HA	1:A:36:ARG:CZ	2.50	0.42
1:A:494:ARG:CG	1:B:136:ARG:HH12	2.32	0.42
1:A:137:THR:HG23	1:B:225:VAL:HG11	2.00	0.42
2:A:701:HGD:H11	2:A:701:HGD:H16	1.63	0.42
1:A:67:MSE:HE3	1:B:298:VAL:CG2	2.47	0.42
1:A:123:ARG:HG3	1:A:339:ILE:HA	2.01	0.42
1:A:305:ASN:O	1:A:309:THR:HG23	2.20	0.42
1:A:206:ARG:HG2	1:A:264:SER:OG	2.20	0.42
1:A:163:ALA:HB3	1:A:164:PRO:HD3	2.01	0.42
1:B:171:ALA:O	1:B:175:ILE:HG13	2.19	0.42
1:A:186:THR:O	1:A:190:LEU:HG	2.19	0.42
1:A:512:LEU:HD23	1:A:512:LEU:HA	1.93	0.41
3:A:703:LDA:H22	3:A:703:LDA:HM11	1.83	0.41
1:A:228:LEU:HD23	1:A:228:LEU:HA	1.94	0.41
1:A:100:LEU:O	1:A:104:VAL:HG23	2.21	0.41
1:A:297:THR:HG23	1:A:300:ASP:N	2.34	0.41
1:A:561:ASP:OD1	1:A:561:ASP:N	2.41	0.41
1:B:449:ASP:OD1	1:B:450:THR:N	2.45	0.41
1:A:374:ARG:NH1	1:A:376:ILE:HD11	2.35	0.41
1:A:202:ILE:HG21	1:A:268:LEU:HB2	2.03	0.41
1:A:30:ALA:HA	1:A:36:ARG:NH1	2.35	0.41
1:B:81:LEU:HD23	1:B:81:LEU:HA	1.88	0.41
1:B:69:LEU:N	1:B:70:GLY:HA3	2.36	0.41
1:A:288:VAL:HG21	1:B:80:ALA:HB1	2.01	0.41
1:B:181:GLY:HA3	1:B:182:LEU:HA	1.83	0.41
1:B:372:ARG:HA	1:B:414:TRP:CH2	2.56	0.41
1:B:459:ARG:NH2	1:B:466:GLU:OE2	2.43	0.40
1:A:154:MSE:CB	1:A:325:ILE:HA	2.51	0.40
1:A:120:VAL:O	1:A:124:LEU:HG	2.22	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:LEU:HD23	1:A:100:LEU:HA	1.94	0.40
1:B:311:LEU:HD23	1:B:312:PHE:CE1	2.56	0.40
1:B:137:THR:O	1:B:141:THR:OG1	2.34	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:ARG:NH2	1:B:591:GLU:OE1[4_547]	2.08	0.12
5:A:855:HOH:O	5:B:824:HOH:O[4_547]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	598/614 (97%)	591 (99%)	7 (1%)	0	100	100
1	B	596/614 (97%)	581 (98%)	15 (2%)	0	100	100
All	All	1194/1228 (97%)	1172 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	478/478 (100%)	472 (99%)	6 (1%)	76	92
1	B	477/478 (100%)	470 (98%)	7 (2%)	72	91
All	All	955/956 (100%)	942 (99%)	13 (1%)	74	91

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	TYR
1	A	69	LEU
1	A	84	VAL
1	A	154	MSE
1	A	307	TYR
1	A	556	LEU
1	B	60	TYR
1	B	101	ARG
1	B	123	ARG
1	B	154	MSE
1	B	190	LEU
1	B	307	TYR
1	B	332	MSE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	74	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	HGD	A	701	-	26,40,40	2.34	5 (19%)	30,51,51	1.56	7 (23%)
3	LDA	A	702	-	15,15,15	3.82	2 (13%)	16,17,17	0.64	0
3	LDA	A	703	-	15,15,15	3.99	2 (13%)	16,17,17	0.78	0
4	PO4	A	704	-	4,4,4	0.45	0	6,6,6	0.27	0
4	PO4	A	705	-	4,4,4	0.49	0	6,6,6	0.27	0
3	LDA	B	701	-	15,15,15	3.98	2 (13%)	16,17,17	0.44	0
3	LDA	B	702	-	15,15,15	3.82	2 (13%)	16,17,17	0.43	0
4	PO4	B	703	-	4,4,4	0.44	0	6,6,6	0.27	0
4	PO4	B	704	-	4,4,4	0.48	0	6,6,6	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HGD	A	701	-	-	0/36/52/52	0/0/0/0
3	LDA	A	702	-	-	0/13/13/13	0/0/0/0
3	LDA	A	703	-	-	0/13/13/13	0/0/0/0
4	PO4	A	704	-	-	0/0/0/0	0/0/0/0
4	PO4	A	705	-	-	0/0/0/0	0/0/0/0
3	LDA	B	701	-	-	0/13/13/13	0/0/0/0
3	LDA	B	702	-	-	0/13/13/13	0/0/0/0
4	PO4	B	703	-	-	0/0/0/0	0/0/0/0
4	PO4	B	704	-	-	0/0/0/0	0/0/0/0

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	703	LDA	O1-N1	-15.10	1.25	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	701	LDA	O1-N1	-15.00	1.25	1.39
3	B	702	LDA	O1-N1	-14.42	1.25	1.39
3	A	702	LDA	O1-N1	-14.41	1.25	1.39
3	B	701	LDA	C1-N1	-3.06	1.45	1.51
3	B	702	LDA	C1-N1	-2.68	1.46	1.51
3	A	702	LDA	C1-N1	-2.60	1.46	1.51
3	A	703	LDA	C1-N1	-2.29	1.47	1.51
2	A	701	HGD	CG1-CD1	2.16	1.55	1.51
2	A	701	HGD	CD6-N5	5.15	1.44	1.34
2	A	701	HGD	C2-N3	5.49	1.45	1.33
2	A	701	HGD	CD1-N2	5.85	1.45	1.34
2	A	701	HGD	C5-N4	6.06	1.46	1.33

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	HGD	CA2-CB2-SG2	-2.75	104.29	114.20
2	A	701	HGD	CA3-N3-C2	-2.46	118.96	122.34
2	A	701	HGD	O6-CD6-CG6	-2.25	118.09	121.98
2	A	701	HGD	O1-CD1-CG1	-2.20	118.19	121.98
2	A	701	HGD	CB5-CA5-C5	2.08	114.56	109.59
2	A	701	HGD	CG6-CD6-N5	2.90	120.56	115.83
2	A	701	HGD	CG1-CD1-N2	3.00	120.72	115.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	HGD	9	0
3	A	702	LDA	7	0
3	A	703	LDA	1	0
4	A	705	PO4	1	0
3	B	701	LDA	1	0
3	B	702	LDA	5	0
4	B	704	PO4	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	588/614 (95%)	0.19	27 (4%)	36 41	30, 58, 95, 133	0
1	B	586/614 (95%)	0.27	27 (4%)	36 41	26, 55, 97, 164	0
All	All	1174/1228 (95%)	0.23	54 (4%)	36 41	26, 57, 96, 164	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	72	GLY	22.7
1	B	71	GLY	13.4
1	B	73	ALA	9.1
1	B	70	GLY	7.6
1	B	74	GLN	6.2
1	A	604	SER	5.0
1	A	494	ARG	4.8
1	A	605	GLU	4.7
1	A	136	ARG	4.5
1	B	11	ASP	4.3
1	A	603	VAL	4.3
1	B	13	ARG	4.1
1	A	138	GLY	4.0
1	A	133	LEU	3.9
1	B	138	GLY	3.8
1	B	133	LEU	3.8
1	A	137	THR	3.5
1	A	132	HIS	3.5
1	A	601	ALA	3.5
1	A	177	TRP	3.4
1	A	9	PRO	3.3
1	B	137	THR	3.3
1	B	136	ARG	3.3
1	A	32	ASN	3.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	604	SER	3.2
1	B	14	HIS	3.0
1	A	14	HIS	3.0
1	B	75	PRO	2.9
1	A	602	GLU	2.8
1	A	134	ALA	2.7
1	B	12	ALA	2.7
1	B	601	ALA	2.6
1	B	21	LYS	2.5
1	A	607	ALA	2.5
1	A	267	LEU	2.5
1	B	181	GLY	2.5
1	B	76	ALA	2.5
1	A	606	ALA	2.4
1	B	605	GLU	2.3
1	A	17	TRP	2.3
1	A	482	ARG	2.3
1	B	69	LEU	2.2
1	A	205	TRP	2.2
1	B	480	ILE	2.2
1	A	472	LYS	2.2
1	A	580	LEU	2.2
1	B	484	PRO	2.2
1	A	135	ARG	2.2
1	B	10	LYS	2.1
1	B	209	LEU	2.1
1	A	208	HIS	2.1
1	A	464	ARG	2.1
1	B	494	ARG	2.0
1	B	17	TRP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	HGD	A	701	41/41	0.79	0.47	11.12	34,103,115,274	41
3	LDA	A	702	16/16	0.76	0.41	6.81	60,69,83,84	0
3	LDA	B	701	16/16	0.96	0.38	6.67	44,52,61,62	16
3	LDA	A	703	16/16	0.92	0.32	6.53	56,58,65,65	0
3	LDA	B	702	16/16	0.79	0.29	5.59	59,64,81,82	0
4	PO4	B	703	5/5	0.85	0.17	0.66	112,116,117,118	0
4	PO4	A	704	5/5	0.89	0.12	-1.43	113,115,115,115	0
4	PO4	B	704	5/5	0.79	0.31	-	157,157,157,158	0
4	PO4	A	705	5/5	0.71	0.38	-	148,148,149,149	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.