



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:42 AM GMT

PDB ID : 3MVR
Title : Crystal Structure of cytochrome P450 2B4-H226Y in a closed conformation
Authors : Shah, M.B.; Stout, C.D.; Halpert, J.R.
Deposited on : 2010-05-04
Resolution : 1.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1609 (1.76-1.76)
Clashscore	102246	1730 (1.76-1.76)
Ramachandran outliers	100387	1711 (1.76-1.76)
Sidechain outliers	100360	1711 (1.76-1.76)
RSRZ outliers	91569	1610 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	<div> <div>3%</div> <div>89%</div> <div>7%</div> <div>..</div> </div>
1	B	476	<div> <div>4%</div> <div>88%</div> <div>9%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CM5	A	601	X	-	-	X
3	CM5	A	602	X	-	-	X
3	CM5	B	603	X	-	-	X
3	CM5	B	604	X	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8375 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2B4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	463	Total	C	N	O	S	0	0	0
			3710	2391	643	665	11			
1	B	463	Total	C	N	O	S	0	0	0
			3714	2394	644	665	11			

There are 30 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	20	MET	-	EXPRESSION TAG	UNP P00178
A	21	ALA	-	EXPRESSION TAG	UNP P00178
A	22	LYS	GLY	ENGINEERED	UNP P00178
A	23	LYS	HIS	ENGINEERED	UNP P00178
A	24	THR	PRO	ENGINEERED	UNP P00178
A	25	SER	LYS	ENGINEERED	UNP P00178
A	26	SER	ALA	ENGINEERED	UNP P00178
A	27	LYS	HIS	ENGINEERED	UNP P00178
A	29	LYS	ARG	ENGINEERED	UNP P00178
A	221	SER	PRO	ENGINEERED	UNP P00178
A	226	TYR	HIS	ENGINEERED	UNP P00178
A	492	HIS	-	EXPRESSION TAG	UNP P00178
A	493	HIS	-	EXPRESSION TAG	UNP P00178
A	494	HIS	-	EXPRESSION TAG	UNP P00178
A	495	HIS	-	EXPRESSION TAG	UNP P00178
B	20	MET	-	EXPRESSION TAG	UNP P00178
B	21	ALA	-	EXPRESSION TAG	UNP P00178
B	22	LYS	GLY	ENGINEERED	UNP P00178
B	23	LYS	HIS	ENGINEERED	UNP P00178
B	24	THR	PRO	ENGINEERED	UNP P00178
B	25	SER	LYS	ENGINEERED	UNP P00178
B	26	SER	ALA	ENGINEERED	UNP P00178
B	27	LYS	HIS	ENGINEERED	UNP P00178
B	29	LYS	ARG	ENGINEERED	UNP P00178
B	221	SER	PRO	ENGINEERED	UNP P00178

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	226	TYR	HIS	ENGINEERED	UNP P00178
B	492	HIS	-	EXPRESSION TAG	UNP P00178
B	493	HIS	-	EXPRESSION TAG	UNP P00178
B	494	HIS	-	EXPRESSION TAG	UNP P00178
B	495	HIS	-	EXPRESSION TAG	UNP P00178

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 5-CYCLOHEXYL-1-PENTYL-BETA-D-MALTOSIDE (three-letter code: CM5) (formula: $C_{23}H_{42}O_{11}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			34	23	11		
3	A	1	Total	C	O	0	0
			34	23	11		
3	B	1	Total	C	O	0	0
			34	23	11		
3	B	1	Total	C	O	0	0
			34	23	11		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	338	Total	O	0	0
			338	338		
4	B	391	Total	O	0	0
			391	391		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cytochrome P450 2B4



• Molecule 1: Cytochrome P450 2B4



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	91.47Å 91.47Å 150.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	150.00 – 1.76 22.61 – 1.76	Depositor EDS
% Data completeness (in resolution range)	97.8 (150.00-1.76) 97.9 (22.61-1.76)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.83 (at 1.77Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.196 , 0.224 0.199 , 0.225	Depositor DCC
R_{free} test set	6792 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	22.1	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 40.6	EDS
Estimated twinning fraction	0.020 for -h,-k,l 0.479 for h,-h-k,-l 0.021 for -k,-h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 135622 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8375	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CM5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/3803	0.68	0/5148
1	B	0.63	0/3807	0.68	2/5152 (0.0%)
All	All	0.63	0/7610	0.68	2/10300 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	443	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	B	443	ARG	NE-CZ-NH2	-5.36	117.62	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3710	0	3713	32	0
1	B	3714	0	3724	34	0
2	A	43	0	30	1	0
2	B	43	0	30	2	0
3	A	68	0	84	3	0
3	B	68	0	84	1	0
4	A	338	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	391	0	0	5	0
All	All	8375	0	7665	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:422:ARG:HG3	1:B:422:ARG:HH21	1.40	0.84
1:A:57:ARG:HG2	1:A:57:ARG:HH11	1.44	0.82
1:A:57:ARG:CG	1:A:57:ARG:HH11	1.94	0.81
1:A:57:ARG:HG2	1:A:57:ARG:NH1	1.95	0.80
1:B:422:ARG:CG	1:B:422:ARG:HH21	1.95	0.78
1:A:423:ASN:HB2	4:A:1016:HOH:O	1.87	0.75
1:B:423:ASN:HB2	4:B:824:HOH:O	1.89	0.73
1:A:308:ARG:NH2	1:A:481:PRO:HG2	2.09	0.68
1:A:491:ARG:O	1:A:492:HIS:CB	2.43	0.67
1:B:215:GLN:HE21	1:B:476:GLY:HA2	1.63	0.64
1:A:61:LYS:HD2	1:A:62:TYR:CE1	2.33	0.63
1:B:422:ARG:HG3	1:B:422:ARG:NH2	2.10	0.63
1:A:362:LEU:HA	1:A:479:ASN:HB2	1.81	0.61
1:A:119:GLU:OE1	1:A:122:ARG:NH1	2.33	0.61
1:A:491:ARG:O	1:A:492:HIS:HB3	2.02	0.59
1:B:215:GLN:NE2	1:B:476:GLY:HA2	2.18	0.59
1:B:475:SER:O	1:B:478:GLY:O	2.21	0.58
1:A:491:ARG:O	1:A:492:HIS:CG	2.56	0.58
1:B:183:VAL:HG23	1:B:184:PHE:N	2.19	0.57
1:B:423:ASN:HA	4:B:836:HOH:O	2.06	0.56
1:B:302:THR:HG22	4:B:920:HOH:O	2.05	0.56
1:A:132:MET:CE	1:A:437:LEU:CD2	2.86	0.54
1:B:362:LEU:HA	1:B:479:ASN:HB2	1.90	0.53
1:B:179:ILE:O	1:B:183:VAL:HG22	2.09	0.53
1:A:57:ARG:HH11	1:A:57:ARG:CB	2.23	0.52
1:A:145:ARG:NH2	1:A:182:ILE:HG12	2.25	0.51
1:B:273:GLU:O	1:B:276:LYS:HD2	2.10	0.51
1:B:401:TYR:HB3	1:B:423:ASN:OD1	2.11	0.50
1:A:276:LYS:HG2	1:A:277:SER:N	2.27	0.50
1:A:401:TYR:HB3	1:A:423:ASN:OD1	2.13	0.48
3:A:601:CM5:O21	3:A:601:CM5:H29	2.13	0.48
1:B:137:MET:HB3	1:B:145:ARG:HD3	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:86:GLU:O	1:A:90:ASP:HB2	2.13	0.48
1:A:475:SER:HB3	1:A:479:ASN:OD1	2.14	0.47
1:A:120:ARG:HA	1:A:282:GLU:HG3	1.96	0.47
1:B:362:LEU:O	1:B:478:GLY:HA2	2.15	0.47
3:A:601:CM5:H26	3:A:601:CM5:H16	1.97	0.46
1:B:139:LYS:HG3	1:B:139:LYS:O	2.16	0.46
1:B:302:THR:HG21	1:B:363:ILE:HD11	1.98	0.46
1:B:86:GLU:O	1:B:90:ASP:HB2	2.15	0.45
1:B:44:LEU:HD22	3:B:603:CM5:H192	1.97	0.45
1:A:299:GLY:HA2	2:A:500:HEM:C2C	2.52	0.45
1:A:94:ALA:O	1:A:371:VAL:HA	2.18	0.44
1:B:436:CYS:HB2	2:B:500:HEM:NA	2.32	0.44
1:B:299:GLY:HA2	2:B:500:HEM:C2C	2.53	0.44
1:B:199:LEU:C	1:B:199:LEU:HD23	2.38	0.44
1:A:219:LEU:HD22	3:A:602:CM5:H82	1.98	0.44
1:A:345:LYS:HD2	4:A:966:HOH:O	2.17	0.44
1:A:362:LEU:O	1:A:478:GLY:HA2	2.18	0.43
1:B:477:VAL:HG23	4:B:931:HOH:O	2.18	0.43
1:B:239:GLN:NE2	4:B:959:HOH:O	2.51	0.43
1:B:191:LYS:HE2	1:B:191:LYS:HA	2.00	0.43
1:A:308:ARG:CZ	1:A:481:PRO:HG2	2.49	0.42
1:B:429:PHE:HB3	1:B:436:CYS:HB3	2.00	0.42
1:A:91:GLN:HG3	4:A:730:HOH:O	2.18	0.42
1:A:57:ARG:HH11	1:A:57:ARG:HB3	1.84	0.42
1:A:471:THR:O	1:A:482:PRO:HD3	2.19	0.42
1:A:475:SER:CB	1:A:479:ASN:OD1	2.68	0.42
1:B:142:VAL:HG11	1:B:441:ILE:HG12	2.01	0.42
1:A:98:ARG:HG2	1:A:115:PHE:HA	2.01	0.42
1:B:42:ASN:O	1:B:46:MET:HG2	2.20	0.41
1:B:308:ARG:NH2	1:B:481:PRO:HG2	2.35	0.41
1:B:94:ALA:O	1:B:371:VAL:HA	2.21	0.41
1:B:422:ARG:NH2	1:B:422:ARG:CG	2.65	0.41
1:B:268:TYR:CE1	1:B:288:LEU:HB2	2.56	0.41
1:A:199:LEU:HD23	1:A:199:LEU:C	2.42	0.41
1:B:251:LYS:HE3	1:B:251:LYS:HB2	1.78	0.40
1:A:132:MET:HE1	1:A:437:LEU:CD2	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	459/476 (96%)	448 (98%)	11 (2%)	0	100	100
1	B	459/476 (96%)	446 (97%)	12 (3%)	1 (0%)	52	32
All	All	918/952 (96%)	894 (97%)	23 (2%)	1 (0%)	56	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	430	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	408/421 (97%)	401 (98%)	7 (2%)	68	49
1	B	409/421 (97%)	400 (98%)	9 (2%)	60	35
All	All	817/842 (97%)	801 (98%)	16 (2%)	63	39

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	ARG
1	A	274	LYS
1	A	276	LYS
1	A	362	LEU
1	A	424	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	475	SER
1	A	489	LEU
1	B	48	ARG
1	B	49	LYS
1	B	53	ARG
1	B	239	GLN
1	B	276	LYS
1	B	362	LEU
1	B	376	GLN
1	B	422	ARG
1	B	430	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	500	1	30,50,50	2.20	10 (33%)	24,82,82	2.40	10 (41%)
3	CM5	A	601	-	36,36,36	1.06	3 (8%)	49,49,49	1.62	10 (20%)
3	CM5	A	602	-	36,36,36	1.09	3 (8%)	49,49,49	1.43	7 (14%)
2	HEM	B	500	1	30,50,50	2.28	9 (30%)	24,82,82	2.42	11 (45%)
3	CM5	B	603	-	36,36,36	1.14	3 (8%)	49,49,49	1.28	5 (10%)
3	CM5	B	604	-	36,36,36	0.98	2 (5%)	49,49,49	1.84	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	500	1	-	0/10/54/54	0/0/8/8
3	CM5	A	601	-	4/4/11/11	0/17/65/65	0/3/3/3
3	CM5	A	602	-	4/4/11/11	0/17/65/65	0/3/3/3
2	HEM	B	500	1	-	0/10/54/54	0/0/8/8
3	CM5	B	603	-	4/4/11/11	0/17/65/65	0/3/3/3
3	CM5	B	604	-	4/4/11/11	0/17/65/65	0/3/3/3

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	HEM	C3B-C4B	-7.47	1.45	1.51
2	A	500	HEM	C3B-C4B	-7.08	1.45	1.51
2	B	500	HEM	C3D-C4D	-4.48	1.45	1.51
2	A	500	HEM	C2C-C1C	-3.99	1.45	1.52
2	B	500	HEM	C2C-C1C	-3.84	1.45	1.52
2	A	500	HEM	C3D-C4D	-3.70	1.46	1.51
2	A	500	HEM	C2D-C1D	-2.34	1.44	1.51
2	B	500	HEM	C2D-C1D	-2.22	1.44	1.51
2	B	500	HEM	C2B-C1B	-2.14	1.44	1.51
2	A	500	HEM	C1C-NC	2.02	1.38	1.36
3	A	601	CM5	O14-C13	2.08	1.47	1.41
3	B	604	CM5	O23-C24	2.09	1.47	1.41
2	A	500	HEM	FE-ND	2.10	2.08	1.97
2	A	500	HEM	FE-NB	2.19	2.09	1.97
2	A	500	HEM	CMA-C3A	2.19	1.56	1.51
3	A	601	CM5	O23-C24	2.27	1.47	1.41
3	B	603	CM5	O23-C24	2.31	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	HEM	CAA-C2A	2.31	1.56	1.52
2	B	500	HEM	C4C-NC	2.42	1.39	1.36
2	B	500	HEM	FE-NB	2.55	2.11	1.97
3	A	602	CM5	O25-C24	2.72	1.48	1.41
3	A	602	CM5	O14-C13	2.74	1.48	1.41
2	A	500	HEM	C4C-NC	2.77	1.39	1.36
2	A	500	HEM	FE-NC	2.82	2.06	1.95
3	B	604	CM5	O25-C24	2.82	1.49	1.41
3	A	601	CM5	O25-C24	2.85	1.49	1.41
3	A	602	CM5	O12-C13	2.90	1.45	1.40
3	B	603	CM5	O25-C24	3.09	1.49	1.41
3	B	603	CM5	O12-C13	3.28	1.46	1.40
2	B	500	HEM	FE-NC	3.28	2.08	1.95

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	604	CM5	O14-C13-O12	-6.98	93.24	110.05
2	B	500	HEM	CAA-CBA-CGA	-3.10	107.06	112.75
2	A	500	HEM	CAA-CBA-CGA	-3.08	107.09	112.75
3	A	601	CM5	C13-O14-C15	-2.97	107.99	113.75
3	B	604	CM5	O14-C15-C19	-2.82	99.23	106.36
2	A	500	HEM	CBD-CAD-C3D	-2.61	105.95	113.55
2	A	500	HEM	C3B-C4B-NB	-2.48	106.89	111.63
2	B	500	HEM	CBD-CAD-C3D	-2.41	106.54	113.55
3	A	601	CM5	C1-O12-C13	-2.36	109.82	113.94
2	B	500	HEM	C3B-C4B-NB	-2.25	107.32	111.63
3	B	603	CM5	C1-O12-C13	-2.12	110.25	113.94
3	A	601	CM5	C29-C28-C27	2.06	114.64	110.79
3	A	602	CM5	C29-C28-C27	2.07	114.66	110.79
3	B	603	CM5	O23-C24-O25	2.07	115.93	110.68
3	A	601	CM5	C30-C26-C27	2.08	118.14	113.02
2	A	500	HEM	C2D-C3D-C4D	2.08	105.03	101.50
2	B	500	HEM	C2C-C1C-CHC	2.18	127.00	123.68
3	B	603	CM5	O23-C16-C17	2.20	112.86	107.17
3	A	601	CM5	O22-C18-C13	2.22	114.88	110.02
3	A	601	CM5	C9-C8-C7	2.23	116.11	111.44
3	B	604	CM5	O23-C24-C29	2.32	113.76	108.10
3	B	604	CM5	O25-C26-C30	2.42	112.47	106.36
3	B	604	CM5	O14-C13-C18	2.45	115.30	110.28
3	A	602	CM5	O25-C26-C30	2.49	112.64	106.36
2	B	500	HEM	C2D-C3D-C4D	2.49	105.72	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	HEM	C2C-C1C-CHC	2.56	127.58	123.68
2	B	500	HEM	C3B-C4B-CHC	2.62	126.85	123.16
3	A	601	CM5	O14-C15-C19	2.68	113.12	106.36
2	A	500	HEM	CMD-C2D-C3D	2.82	126.82	114.35
3	B	604	CM5	C17-C16-C15	2.87	117.33	110.84
3	A	602	CM5	O14-C13-C18	2.91	116.26	110.28
2	B	500	HEM	CMD-C2D-C3D	3.02	127.72	114.35
3	A	602	CM5	C24-C29-C28	3.11	116.10	109.97
3	B	604	CM5	O14-C15-C16	3.22	116.54	109.75
3	B	604	CM5	C13-O14-C15	3.34	120.24	113.75
3	B	603	CM5	O25-C26-C30	3.46	115.10	106.36
2	B	500	HEM	CAD-C3D-C4D	3.83	125.99	112.47
3	A	601	CM5	C24-C29-C28	3.86	117.57	109.97
2	A	500	HEM	CMC-C2C-C3C	3.89	126.24	116.53
3	A	602	CM5	O14-C15-C16	3.98	118.16	109.75
3	A	602	CM5	C13-O14-C15	4.05	121.61	113.75
2	A	500	HEM	CAD-C3D-C4D	4.10	126.92	112.47
2	B	500	HEM	CMB-C2B-C3B	4.21	127.05	116.53
3	A	602	CM5	O25-C24-C29	4.32	119.14	110.28
3	A	601	CM5	O25-C24-C29	4.38	119.26	110.28
2	B	500	HEM	CMC-C2C-C3C	4.38	127.47	116.53
3	B	603	CM5	O12-C13-C18	4.58	113.83	108.04
2	A	500	HEM	CMB-C2B-C3B	4.91	128.79	116.53
2	A	500	HEM	CAD-C3D-C2D	5.16	128.05	113.22
2	B	500	HEM	CAD-C3D-C2D	5.24	128.27	113.22
3	A	601	CM5	O12-C13-C18	5.61	115.12	108.04
3	B	604	CM5	O12-C13-C18	6.11	115.76	108.04

All (16) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	B	603	CM5	C24
3	B	603	CM5	C18
3	B	603	CM5	C26
3	B	603	CM5	C17
3	A	602	CM5	C24
3	A	602	CM5	C18
3	A	602	CM5	C26
3	A	602	CM5	C17
3	B	604	CM5	C24
3	B	604	CM5	C18
3	B	604	CM5	C26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
3	B	604	CM5	C17
3	A	601	CM5	C24
3	A	601	CM5	C18
3	A	601	CM5	C26
3	A	601	CM5	C17

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	HEM	1	0
3	A	601	CM5	2	0
3	A	602	CM5	1	0
2	B	500	HEM	2	0
3	B	603	CM5	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	463/476 (97%)	0.00	16 (3%) 48 53	13, 22, 43, 51	0
1	B	463/476 (97%)	0.01	18 (3%) 43 48	12, 22, 44, 61	0
All	All	926/952 (97%)	0.01	34 (3%) 45 51	12, 22, 43, 61	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	476	GLY	5.7
1	B	472	PRO	5.3
1	A	136	GLY	4.9
1	A	135	PHE	4.9
1	B	475	SER	4.9
1	B	223	PHE	4.5
1	A	223	PHE	4.4
1	A	478	GLY	4.2
1	B	28	GLY	4.1
1	B	136	GLY	4.0
1	A	28	GLY	3.9
1	A	476	GLY	3.8
1	B	478	GLY	3.6
1	A	472	PRO	3.5
1	B	135	PHE	3.4
1	A	137	MET	3.4
1	B	137	MET	3.1
1	A	335	HIS	3.1
1	B	335	HIS	3.0
1	B	479	ASN	3.0
1	A	479	ASN	2.7
1	A	138	GLY	2.7
1	A	480	VAL	2.6
1	B	477	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	480	VAL	2.6
1	A	475	SER	2.6
1	B	492	HIS	2.6
1	B	138	GLY	2.5
1	B	226	TYR	2.4
1	A	492	HIS	2.4
1	A	139	LYS	2.3
1	A	477	VAL	2.2
1	B	48	ARG	2.2
1	B	422	ARG	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CM5	A	602	34/34	0.50	0.35	7.16	78,94,97,97	0
3	CM5	B	604	34/34	0.80	0.20	4.88	33,58,73,73	0
3	CM5	B	603	34/34	0.48	0.32	4.26	68,87,91,91	0
3	CM5	A	601	34/34	0.80	0.18	2.59	28,52,66,67	0
2	HEM	B	500	43/43	0.98	0.09	0.63	12,15,18,20	0
2	HEM	A	500	43/43	0.99	0.08	-0.26	11,14,18,20	0

6.5 Other polymers [i](#)

There are no such residues in this entry.