



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:58 PM GMT

PDB ID : 1MXH  
Title : Crystal Structure of Substrate Complex of Putative Pteridine Reductase 2 (PTR2) from Trypanosoma cruzi  
Authors : Schormann, N.; Pal, B.; Senkovich, O.; Carson, M.; Howard, A.; Smith, C.; Delucas, L.; Chattopadhyay, D.  
Deposited on : 2002-10-02  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	
1	B	276	
1	C	276	
1	D	276	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DHF	A	1278	-	-	-	X
3	DHF	B	2278	-	-	-	X
3	DHF	C	3278	-	-	-	X
3	DHF	D	4278	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PTERIDINE REDUCTASE 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	248	Total	C	N	O	S	0	0	0
			1845	1161	338	335	11			
1	B	248	Total	C	N	O	S	0	0	0
			1845	1161	338	335	11			
1	C	248	Total	C	N	O	S	0	0	0
			1845	1161	338	335	11			
1	D	248	Total	C	N	O	S	0	0	0
			1845	1161	338	335	11			

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula:  $C_{21}H_{28}N_7O_{17}P_3$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	
			48	21	7	17	3	
2	D	1	Total	C	N	O	P	
			48	21	7	17	3	

- Molecule 3 is DIHYDROFOLIC ACID (three-letter code: DHF) (formula: C<sub>19</sub>H<sub>21</sub>N<sub>7</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O		
			29	18	7	4		
3	B	1	Total	C	N	O		
			29	18	7	4		
3	C	1	Total	C	N	O		
			29	18	7	4		
3	D	1	Total	C	N	O		
			29	18	7	4		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	95	Total	O		
			95	95		
4	B	89	Total	O		
			89	89		
4	C	133	Total	O		
			133	133		

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	140	Total	O	0	0
			140	140		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: PTERIDINE REDUCTASE 2




#### • Molecule 1: PTERIDINE REDUCTASE 2



#### • Molecule 1: PTERIDINE REDUCTASE 2



● Molecule 1: PTERIDINE REDUCTASE 2





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.61Å 74.61Å 181.26Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.45 – 2.20 31.81 – 1.78	Depositor EDS
% Data completeness (in resolution range)	97.2 (19.45-2.20) 80.6 (31.81-1.78)	Depositor EDS
$R_{merge}$	0.03	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.43 (at 1.77Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.205 , 0.251 0.207 , 0.255	Depositor DCC
$R_{free}$ test set	2819 reflections (5.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	19.8	Xtriage
Anisotropy	0.334	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 33.5	EDS
Estimated twinning fraction	0.056 for -h,-k,l 0.057 for h,-h-k,-l 0.046 for -k,-h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 92491 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8145	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DHF, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	0/1876	0.61	0/2546
1	B	0.34	0/1876	0.60	0/2546
1	C	0.37	0/1876	0.64	0/2546
1	D	0.37	0/1876	0.63	1/2546 (0.0%)
All	All	0.36	0/7504	0.62	1/10184 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	39	VAL	O-C-N	-6.02	113.06	122.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1845	0	1880	59	0
1	B	1845	0	1880	75	0
1	C	1845	0	1878	69	0
1	D	1845	0	1880	66	0
2	A	48	0	25	0	0
2	B	48	0	25	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	48	0	25	2	0
2	D	48	0	25	3	0
3	A	29	0	14	2	0
3	B	29	0	14	6	0
3	C	29	0	14	3	0
3	D	29	0	14	3	0
4	A	95	0	0	5	0
4	B	89	0	0	2	0
4	C	133	0	0	1	0
4	D	140	0	0	4	0
All	All	8145	0	7674	242	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (242) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:221:MET:CE	3:B:2278:DHF:H12	1.88	1.03
1:B:174:LEU:O	1:C:275:ARG:HD3	1.59	1.02
1:B:221:MET:HE3	3:B:2278:DHF:H12	1.43	0.95
1:B:86:ASP:OD2	1:B:90:ARG:HD2	1.67	0.94
1:B:57:ASN:HD21	1:B:64:ALA:H	1.17	0.91
1:C:31:LEU:O	1:C:36:PHE:HB2	1.74	0.86
1:C:194:ARG:HH21	1:D:187:HIS:HE1	1.23	0.86
1:A:86:ASP:OD1	1:A:90:ARG:HD2	1.75	0.85
1:B:37:ARG:HH21	1:B:92:PHE:HB3	1.44	0.82
1:B:275:ARG:HD3	1:C:174:LEU:O	1.78	0.82
1:A:275:ARG:HD3	1:D:174:LEU:O	1.80	0.81
1:B:263:THR:HG22	1:D:266:LYS:HE3	1.61	0.81
1:D:31:LEU:O	1:D:36:PHE:HB2	1.81	0.80
1:A:174:LEU:O	1:D:275:ARG:HD3	1.82	0.80
1:D:66:LEU:HD23	1:D:66:LEU:H	1.49	0.77
1:B:53:VAL:HG21	1:B:66:LEU:HB3	1.66	0.77
1:B:221:MET:HE1	3:B:2278:DHF:H12	1.64	0.77
1:A:169:ASP:HB3	1:A:172:THR:HG23	1.67	0.77
1:A:57:ASN:HD21	1:A:64:ALA:H	1.33	0.76
1:D:57:ASN:ND2	1:D:63:SER:H	1.86	0.74
1:B:276:ALA:HA	1:C:276:ALA:HA	1.72	0.71
1:C:57:ASN:HD21	1:C:64:ALA:H	1.38	0.71
1:B:73:LEU:HD21	1:B:138:VAL:HG21	1.71	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:105:TYR:OH	3:C:3278:DHF:H15	1.91	0.70
1:C:86:ASP:OD2	1:C:90:ARG:HD2	1.91	0.70
1:C:187:HIS:HE1	1:D:194:ARG:HH21	1.40	0.70
1:C:194:ARG:HH21	1:D:187:HIS:CE1	2.09	0.69
1:A:66:LEU:H	1:A:66:LEU:HD23	1.58	0.68
1:D:11:CYS:O	1:D:37:ARG:NH1	2.26	0.68
1:C:124:PRO:HG2	1:C:127:ALA:HB3	1.76	0.68
1:A:125:ILE:HG23	1:A:126:ASP:H	1.59	0.67
1:B:275:ARG:HG2	4:B:2282:HOH:O	1.94	0.67
1:A:139:ALA:HB3	1:A:140:PRO:HD3	1.77	0.67
1:D:46:GLU:HG3	4:D:4297:HOH:O	1.93	0.67
1:D:86:ASP:OD1	1:D:90:ARG:HD2	1.95	0.66
1:B:57:ASN:HD21	1:B:64:ALA:N	1.93	0.64
1:B:169:ASP:HB3	1:B:172:THR:HG23	1.78	0.64
1:B:66:LEU:H	1:B:66:LEU:HD23	1.61	0.64
1:C:66:LEU:HD23	1:C:66:LEU:H	1.62	0.64
1:B:31:LEU:O	1:B:36:PHE:HB2	1.96	0.64
1:B:240:ALA:HB2	1:D:259:TYR:CE2	2.33	0.64
1:A:27:ILE:CD1	1:A:249:ILE:HD13	2.28	0.63
1:A:173:ASP:O	1:A:175:PRO:HD3	1.98	0.63
1:A:37:ARG:HH21	1:A:92:PHE:HB3	1.64	0.63
1:A:160:ARG:HB2	4:A:1312:HOH:O	1.98	0.63
1:A:125:ILE:HG23	1:A:126:ASP:N	2.13	0.63
1:D:105:TYR:OH	3:D:4278:DHF:H15	1.99	0.62
1:B:11:CYS:HB2	1:B:37:ARG:HH11	1.65	0.62
1:B:139:ALA:HB3	1:B:140:PRO:HD3	1.81	0.62
1:A:214:LEU:HD11	1:A:217:LEU:HD21	1.82	0.62
1:D:57:ASN:HD21	1:D:63:SER:N	1.99	0.60
1:B:214:LEU:HD11	1:B:217:LEU:HD21	1.83	0.60
1:D:140:PRO:O	1:D:144:ILE:HG13	2.00	0.60
1:A:57:ASN:HD21	1:A:64:ALA:N	1.98	0.60
1:D:139:ALA:HB3	1:D:140:PRO:HD3	1.84	0.59
1:D:224:GLU:O	1:D:228:GLU:HG3	2.02	0.59
1:B:147:PHE:O	1:B:151:GLN:HG2	2.02	0.59
1:B:105:TYR:OH	3:B:2278:DHF:H15	2.02	0.59
1:B:221:MET:HE1	3:B:2278:DHF:C12	2.32	0.59
1:C:139:ALA:HB3	1:C:140:PRO:HD3	1.83	0.59
1:B:137:ALA:C	1:B:140:PRO:HD2	2.24	0.58
1:C:194:ARG:NH2	1:D:187:HIS:HE1	1.98	0.58
1:A:53:VAL:HG21	1:A:66:LEU:HB3	1.84	0.58
1:A:210:VAL:HG21	1:A:249:ILE:HG13	1.84	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:221:MET:CE	3:C:3278:DHF:H12	2.34	0.57
1:A:194:ARG:NH2	1:B:173:ASP:HA	2.20	0.57
1:A:180:CYS:HB2	4:B:2302:HOH:O	2.05	0.57
1:A:263:THR:HG22	1:C:266:LYS:HE3	1.87	0.57
1:B:42:TYR:CE2	1:B:46:GLU:HA	2.39	0.57
1:B:86:ASP:HA	1:B:150:ARG:NH1	2.19	0.56
1:B:201:ALA:HB3	1:B:202:PRO:HD3	1.85	0.56
1:A:168:CYS:SG	4:A:1341:HOH:O	2.25	0.56
1:B:259:TYR:CE2	1:D:240:ALA:HB2	2.41	0.56
1:B:125:ILE:HG23	1:B:126:ASP:N	2.20	0.56
1:A:169:ASP:HB3	1:A:172:THR:CG2	2.35	0.55
1:D:57:ASN:ND2	1:D:63:SER:N	2.55	0.55
1:B:16:ILE:HD12	1:B:16:ILE:N	2.21	0.55
1:A:59:ALA:O	1:A:60:ARG:HG3	2.06	0.55
1:C:94:ARG:CZ	1:C:160:ARG:HH21	2.20	0.55
1:B:226:GLN:NE2	1:B:230:ARG:HH22	2.05	0.54
1:B:263:THR:HG21	1:D:266:LYS:O	2.06	0.54
1:C:125:ILE:HG23	1:C:126:ASP:N	2.23	0.54
1:A:124:PRO:HG2	1:A:127:ALA:HB3	1.90	0.53
1:D:57:ASN:HD21	1:D:64:ALA:H	1.56	0.53
1:B:173:ASP:O	1:B:175:PRO:HD3	2.09	0.53
1:A:86:ASP:HA	1:A:150:ARG:NH1	2.24	0.53
1:D:94:ARG:CZ	1:D:160:ARG:HH21	2.22	0.53
1:D:160:ARG:HB2	4:D:4303:HOH:O	2.09	0.53
1:D:41:HIS:HA	1:D:67:CYS:O	2.08	0.53
1:A:266:LYS:O	1:C:263:THR:HG21	2.09	0.52
1:A:129:VAL:O	1:A:133:PHE:HB2	2.09	0.52
1:C:38:VAL:O	1:C:38:VAL:HG23	2.08	0.52
1:A:224:GLU:O	1:A:228:GLU:HG3	2.10	0.52
1:B:124:PRO:HG2	1:B:127:ALA:HB3	1.92	0.52
1:B:221:MET:CE	3:B:2278:DHF:C12	2.77	0.51
1:D:125:ILE:HG23	1:D:126:ASP:N	2.25	0.51
1:A:34:GLN:NE2	4:A:1306:HOH:O	2.41	0.51
1:D:86:ASP:HA	1:D:150:ARG:NH1	2.26	0.51
1:B:226:GLN:HE21	1:B:230:ARG:HH22	1.58	0.51
1:D:15:VAL:HA	1:D:39:VAL:HB	1.92	0.51
1:C:112:PRO:HG3	1:D:149:ARG:NH1	2.25	0.51
1:C:212:PRO:HG3	1:C:245:ILE:HD12	1.93	0.51
1:C:227:GLU:HB3	1:C:231:ARG:HH21	1.76	0.51
1:B:266:LYS:HE3	1:D:263:THR:HG22	1.93	0.51
1:B:145:ARG:O	1:B:149:ARG:HG3	2.11	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:TYR:OH	3:A:1278:DHF:H15	2.12	0.50
1:A:73:LEU:HD21	1:A:138:VAL:HG21	1.93	0.50
1:B:266:LYS:O	1:D:263:THR:HG21	2.11	0.50
1:B:248:ALA:HB1	1:B:265:LEU:HD23	1.93	0.50
1:D:221:MET:CE	3:D:4278:DHF:H12	2.41	0.50
1:A:80:CYS:O	1:A:84:ILE:HG13	2.11	0.50
1:B:224:GLU:O	1:B:228:GLU:HG3	2.12	0.49
1:D:59:ALA:O	1:D:60:ARG:HG3	2.11	0.49
1:C:73:LEU:HD21	1:C:138:VAL:HG21	1.93	0.49
1:B:106:TYR:HB2	1:B:107:PRO:HD2	1.93	0.49
1:A:27:ILE:HD13	1:A:249:ILE:HD13	1.93	0.49
1:B:59:ALA:O	1:B:60:ARG:HG3	2.13	0.49
1:C:59:ALA:O	1:C:60:ARG:HG3	2.12	0.49
1:A:11:CYS:HB2	1:A:37:ARG:HH11	1.74	0.49
1:B:80:CYS:O	1:B:84:ILE:HG13	2.12	0.49
1:B:25:HIS:CD2	1:B:52:LEU:HD22	2.48	0.49
1:C:221:MET:HE3	3:C:3278:DHF:H12	1.95	0.49
1:C:101:ASN:HD22	1:C:167:LEU:HG	1.78	0.49
1:B:125:ILE:HG23	1:B:126:ASP:H	1.76	0.49
1:D:201:ALA:N	1:D:202:PRO:CD	2.75	0.49
1:C:65:VAL:HG22	1:C:66:LEU:N	2.27	0.49
1:B:170:ALA:O	1:B:272:ILE:HD12	2.12	0.49
1:B:66:LEU:N	1:B:66:LEU:HD23	2.26	0.49
1:A:147:PHE:O	1:A:151:GLN:HG2	2.13	0.48
1:C:260:ILE:HG23	1:C:263:THR:CG2	2.43	0.48
1:B:17:THR:HA	1:B:41:HIS:HB3	1.94	0.48
1:C:23:ILE:O	1:C:27:ILE:HG13	2.14	0.48
1:D:32:HIS:CG	1:D:56:LEU:HD22	2.49	0.48
1:C:125:ILE:HG23	1:C:126:ASP:H	1.78	0.48
1:C:57:ASN:ND2	1:C:64:ALA:H	2.08	0.48
1:A:21:ARG:HB3	4:A:1324:HOH:O	2.12	0.48
1:D:147:PHE:O	1:D:151:GLN:HG2	2.14	0.47
1:A:21:ARG:HD3	4:A:1311:HOH:O	2.14	0.47
1:C:201:ALA:HB3	1:C:202:PRO:HD3	1.96	0.47
1:B:86:ASP:OD1	1:B:150:ARG:NH1	2.47	0.47
1:B:11:CYS:O	1:B:94:ARG:HD3	2.15	0.47
1:C:124:PRO:HG2	1:C:127:ALA:CB	2.42	0.47
1:C:125:ILE:CG2	1:D:78:LEU:HD11	2.45	0.47
1:A:124:PRO:O	1:A:128:GLN:HG3	2.15	0.47
1:C:272:ILE:HG23	1:C:273:LEU:HD13	1.97	0.47
1:B:81:CYS:HB3	1:B:143:LEU:HD23	1.97	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:ASP:C	1:A:175:PRO:HD3	2.35	0.47
1:C:169:ASP:HB3	1:C:172:THR:HG23	1.96	0.47
1:D:221:MET:HE3	3:D:4278:DHf:H12	1.98	0.46
1:C:41:HIS:HA	1:C:67:CYS:O	2.15	0.46
1:C:27:ILE:HD13	1:C:249:ILE:HD13	1.96	0.46
1:D:38:VAL:HG23	1:D:38:VAL:O	2.16	0.46
1:B:65:VAL:HG22	1:B:66:LEU:N	2.31	0.46
1:B:275:ARG:HD2	1:C:174:LEU:HB2	1.98	0.46
1:D:201:ALA:HB3	1:D:202:PRO:HD3	1.98	0.46
1:D:125:ILE:HG23	1:D:126:ASP:H	1.81	0.46
1:C:32:HIS:O	1:C:60:ARG:NH1	2.45	0.46
1:D:183:THR:O	1:D:187:HIS:HD2	2.00	0.45
1:D:29:VAL:O	1:D:33:GLN:HG3	2.16	0.45
1:D:83:ASP:HB3	4:D:4392:HOH:O	2.16	0.45
1:C:12:PRO:HB2	1:C:36:PHE:CE1	2.51	0.45
1:D:260:ILE:HG23	1:D:263:THR:CG2	2.46	0.45
1:A:201:ALA:N	1:A:202:PRO:CD	2.80	0.45
1:B:129:VAL:O	1:B:133:PHE:HB2	2.16	0.45
1:C:170:ALA:O	1:C:272:ILE:HD12	2.15	0.45
1:B:94:ARG:CZ	1:B:160:ARG:HH21	2.30	0.45
1:B:57:ASN:ND2	1:B:64:ALA:H	2.00	0.45
1:B:37:ARG:NH2	1:B:92:PHE:HB3	2.23	0.45
1:A:259:TYR:CE2	1:C:240:ALA:HB2	2.51	0.45
1:C:225:THR:O	1:C:229:TYR:HD1	2.00	0.45
1:D:169:ASP:HB3	1:D:172:THR:HG23	1.98	0.45
1:D:260:ILE:HG23	1:D:263:THR:HG21	1.99	0.44
1:A:240:ALA:HB2	1:C:259:TYR:CE2	2.52	0.44
1:A:22:ARG:HB3	1:A:216:LEU:HD12	1.98	0.44
1:C:20:ALA:O	1:C:25:HIS:HD2	2.01	0.44
1:A:16:ILE:N	1:A:16:ILE:HD12	2.32	0.44
1:C:173:ASP:O	1:C:175:PRO:HD3	2.18	0.44
1:C:145:ARG:O	1:C:149:ARG:HG3	2.16	0.44
1:A:43:ARG:HG2	1:A:44:HIS:CD2	2.53	0.44
1:D:71:LEU:HD22	1:D:139:ALA:HB1	1.99	0.44
1:A:41:HIS:HA	1:A:67:CYS:O	2.18	0.44
1:B:136:ASN:HB2	1:B:185:ALA:HB1	1.99	0.44
1:C:224:GLU:O	1:C:228:GLU:HG3	2.17	0.44
1:D:57:ASN:HD21	1:D:64:ALA:N	2.16	0.44
1:D:57:ASN:HA	1:D:57:ASN:HD22	1.55	0.44
1:A:187:HIS:HE1	1:B:194:ARG:HH21	1.64	0.44
1:D:168:CYS:O	2:D:4277:NAP:H6N	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:86:ASP:OD1	1:C:150:ARG:NH1	2.51	0.43
1:C:14:ALA:O	1:C:38:VAL:HA	2.18	0.43
1:B:23:ILE:O	1:B:27:ILE:HG13	2.18	0.43
1:B:160:ARG:HB2	1:B:161:ASN:H	1.69	0.43
1:D:89:PHE:CE1	1:D:94:ARG:HA	2.53	0.43
1:C:272:ILE:HG23	1:C:273:LEU:CD1	2.48	0.43
1:D:57:ASN:HA	1:D:60:ARG:O	2.18	0.43
1:B:124:PRO:HG2	1:B:127:ALA:CB	2.48	0.43
1:C:17:THR:HA	1:C:41:HIS:HB3	2.00	0.43
1:D:66:LEU:N	1:D:66:LEU:HD23	2.25	0.43
1:D:73:LEU:HD21	1:D:138:VAL:HG21	2.00	0.43
1:C:57:ASN:ND2	1:C:63:SER:H	2.16	0.43
1:B:73:LEU:HD21	1:B:138:VAL:CG2	2.43	0.43
1:A:180:CYS:O	1:A:184:MET:HG3	2.19	0.43
1:D:213:GLY:O	2:D:4277:NAP:H4N	2.18	0.43
1:D:27:ILE:HG12	1:D:249:ILE:HD12	2.01	0.43
1:A:239:GLU:OE1	1:A:239:GLU:N	2.48	0.43
1:B:49:ALA:O	1:B:53:VAL:HG23	2.18	0.42
1:A:11:CYS:HB2	1:A:37:ARG:NH1	2.34	0.42
1:C:137:ALA:C	1:C:140:PRO:HD2	2.40	0.42
1:C:57:ASN:HD22	1:C:63:SER:H	1.68	0.42
1:D:66:LEU:CD2	1:D:66:LEU:H	2.27	0.42
1:A:221:MET:HA	1:A:222:PRO:HD3	1.90	0.42
1:C:173:ASP:C	1:C:175:PRO:HD3	2.40	0.42
1:B:89:PHE:O	1:B:93:GLY:HA2	2.18	0.42
1:C:201:ALA:N	1:C:202:PRO:CD	2.82	0.42
1:C:103:SER:O	2:C:3277:NAP:H51A	2.20	0.42
1:C:30:ARG:NH1	4:C:3335:HOH:O	2.52	0.42
1:B:30:ARG:HH12	1:B:247:ASP:HA	1.84	0.42
1:C:260:ILE:HG23	1:C:263:THR:HG23	2.01	0.42
1:B:17:THR:O	1:B:101:ASN:HB3	2.20	0.42
1:A:137:ALA:C	1:A:140:PRO:HD2	2.41	0.41
1:C:180:CYS:HB2	4:D:4290:HOH:O	2.20	0.41
1:B:241:SER:OG	1:B:244:GLN:HG3	2.20	0.41
1:B:17:THR:HB	1:B:102:ALA:HB2	2.01	0.41
1:C:27:ILE:CD1	1:C:249:ILE:HD13	2.51	0.41
1:D:129:VAL:O	1:D:133:PHE:HB2	2.20	0.41
1:A:263:THR:HG21	1:C:266:LYS:O	2.20	0.41
1:D:124:PRO:HG2	1:D:127:ALA:CB	2.50	0.41
1:D:124:PRO:HG2	1:D:127:ALA:HB3	2.01	0.41
1:B:57:ASN:ND2	1:B:63:SER:H	2.18	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:22:ARG:NE	2:D:4277:NAP:O2A	2.49	0.41
1:D:21:ARG:CA	1:D:25:HIS:HB2	2.50	0.41
1:A:221:MET:HE3	3:A:1278:DHf:H12	2.02	0.41
1:D:65:VAL:HG22	1:D:66:LEU:N	2.36	0.40
1:C:66:LEU:HD23	1:C:66:LEU:N	2.32	0.40
1:A:165:VAL:HG11	1:A:249:ILE:HG12	2.04	0.40
1:A:111:LEU:HD13	1:B:149:ARG:HG2	2.03	0.40
1:C:23:ILE:HB	2:C:3277:NAP:H51N	2.03	0.40
1:A:183:THR:O	1:A:187:HIS:HD2	2.03	0.40
1:A:194:ARG:HH21	1:B:187:HIS:CE1	2.40	0.40
1:C:272:ILE:CG2	1:C:273:LEU:HD13	2.52	0.40
1:D:30:ARG:NH1	1:D:247:ASP:OD1	2.49	0.40
1:A:200:LEU:HD12	1:A:200:LEU:HA	1.96	0.40
1:C:129:VAL:O	1:C:133:PHE:HB2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	242/276 (88%)	229 (95%)	13 (5%)	0	100	100
1	B	242/276 (88%)	232 (96%)	10 (4%)	0	100	100
1	C	242/276 (88%)	230 (95%)	12 (5%)	0	100	100
1	D	242/276 (88%)	230 (95%)	12 (5%)	0	100	100
All	All	968/1104 (88%)	921 (95%)	47 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/209 (91%)	185 (97%)	6 (3%)	47	59
1	B	191/209 (91%)	184 (96%)	7 (4%)	41	50
1	C	191/209 (91%)	184 (96%)	7 (4%)	41	50
1	D	191/209 (91%)	181 (95%)	10 (5%)	29	33
All	All	764/836 (91%)	734 (96%)	30 (4%)	39	48

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	78	LEU
1	A	160	ARG
1	A	200	LEU
1	A	263	THR
1	A	273	LEU
1	A	275	ARG
1	B	66	LEU
1	B	78	LEU
1	B	160	ARG
1	B	200	LEU
1	B	263	THR
1	B	273	LEU
1	B	275	ARG
1	C	78	LEU
1	C	160	ARG
1	C	200	LEU
1	C	227	GLU
1	C	263	THR
1	C	273	LEU
1	C	275	ARG
1	D	57	ASN
1	D	66	LEU
1	D	78	LEU
1	D	126	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	140	PRO
1	D	160	ARG
1	D	200	LEU
1	D	263	THR
1	D	273	LEU
1	D	275	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (43) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	34	GLN
1	A	44	HIS
1	A	50	GLN
1	A	57	ASN
1	A	100	ASN
1	A	101	ASN
1	A	151	GLN
1	A	187	HIS
1	A	223	GLN
1	A	226	GLN
1	B	33	GLN
1	B	34	GLN
1	B	44	HIS
1	B	50	GLN
1	B	57	ASN
1	B	100	ASN
1	B	101	ASN
1	B	151	GLN
1	B	187	HIS
1	B	223	GLN
1	B	226	GLN
1	B	237	GLN
1	C	25	HIS
1	C	33	GLN
1	C	34	GLN
1	C	50	GLN
1	C	57	ASN
1	C	100	ASN
1	C	101	ASN
1	C	151	GLN
1	C	187	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	223	GLN
1	C	226	GLN
1	D	33	GLN
1	D	50	GLN
1	D	57	ASN
1	D	100	ASN
1	D	101	ASN
1	D	151	GLN
1	D	187	HIS
1	D	223	GLN
1	D	226	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAP	A	1277	-	42,52,52	1.76	9 (21%)	54,80,80	1.93	12 (22%)
3	DHF	A	1278	-	24,31,34	5.95	16 (66%)	24,43,47	3.33	14 (58%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAP	B	2277	-	42,52,52	1.68	7 (16%)	54,80,80	1.84	12 (22%)
3	DHF	B	2278	-	24,31,34	6.07	16 (66%)	24,43,47	3.31	14 (58%)
2	NAP	C	3277	-	42,52,52	1.76	7 (16%)	54,80,80	1.93	11 (20%)
3	DHF	C	3278	-	24,31,34	5.83	17 (70%)	24,43,47	3.28	14 (58%)
2	NAP	D	4277	-	42,52,52	1.71	9 (21%)	54,80,80	1.98	11 (20%)
3	DHF	D	4278	-	24,31,34	5.83	15 (62%)	24,43,47	3.29	14 (58%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1277	-	-	0/27/67/67	0/5/5/5
3	DHF	A	1278	-	-	0/13/28/31	0/3/3/3
2	NAP	B	2277	-	-	0/27/67/67	0/5/5/5
3	DHF	B	2278	-	-	0/13/28/31	0/3/3/3
2	NAP	C	3277	-	-	0/27/67/67	0/5/5/5
3	DHF	C	3278	-	-	0/13/28/31	0/3/3/3
2	NAP	D	4277	-	-	0/27/67/67	0/5/5/5
3	DHF	D	4278	-	-	0/13/28/31	0/3/3/3

All (96) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	4278	DHF	C2-NA2	-7.70	1.18	1.34
3	A	1278	DHF	C2-NA2	-7.55	1.18	1.34
3	B	2278	DHF	C2-NA2	-7.16	1.19	1.34
3	C	3278	DHF	C2-NA2	-6.85	1.19	1.34
3	D	4278	DHF	C-N	-6.26	1.20	1.34
3	A	1278	DHF	C-N	-6.12	1.20	1.34
3	B	2278	DHF	C-N	-6.11	1.20	1.34
3	C	3278	DHF	C-N	-5.97	1.20	1.34
3	A	1278	DHF	C9-C6	-4.64	1.47	1.51
3	B	2278	DHF	C9-C6	-4.31	1.48	1.51
3	D	4278	DHF	C9-C6	-4.01	1.48	1.51
3	C	3278	DHF	C9-C6	-3.76	1.48	1.51
2	C	3277	NAP	PA-O1A	-2.96	1.40	1.51
2	B	2277	NAP	PA-O1A	-2.84	1.40	1.51
2	A	1277	NAP	PA-O1A	-2.80	1.40	1.51
2	D	4277	NAP	PA-O1A	-2.69	1.41	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	4278	DHF	C7-N8	-2.44	1.40	1.45
3	A	1278	DHF	C7-N8	-2.44	1.40	1.45
3	B	2278	DHF	C7-N8	-2.38	1.40	1.45
3	C	3278	DHF	C7-N8	-2.25	1.40	1.45
2	D	4277	NAP	C5N-C4N	2.10	1.43	1.38
3	B	2278	DHF	O-C	2.10	1.27	1.23
3	A	1278	DHF	O-C	2.12	1.27	1.23
3	C	3278	DHF	CA-N	2.16	1.49	1.46
3	C	3278	DHF	O-C	2.16	1.27	1.23
2	A	1277	NAP	C5N-C4N	2.22	1.43	1.38
2	A	1277	NAP	C3N-C7N	2.28	1.54	1.50
2	D	4277	NAP	C4A-N3A	2.45	1.39	1.35
2	B	2277	NAP	C4A-N3A	2.48	1.39	1.35
2	D	4277	NAP	C3N-C7N	2.50	1.54	1.50
2	D	4277	NAP	C6N-N1N	2.62	1.42	1.35
2	A	1277	NAP	C4A-N3A	2.64	1.39	1.35
2	C	3277	NAP	C4A-N3A	2.69	1.39	1.35
2	C	3277	NAP	C6N-N1N	2.83	1.43	1.35
2	B	2277	NAP	C6N-N1N	2.85	1.43	1.35
2	A	1277	NAP	C6N-N1N	2.91	1.43	1.35
2	A	1277	NAP	C2A-N1A	3.30	1.40	1.33
3	D	4278	DHF	C4-N3	3.53	1.39	1.33
2	C	3277	NAP	C2A-N1A	3.60	1.40	1.33
2	D	4277	NAP	C2A-N1A	3.64	1.40	1.33
2	D	4277	NAP	C2A-N3A	3.65	1.38	1.32
2	B	2277	NAP	C2A-N3A	3.68	1.38	1.32
2	B	2277	NAP	C2A-N1A	3.74	1.41	1.33
2	C	3277	NAP	C2A-N3A	3.83	1.39	1.32
2	A	1277	NAP	C2A-N3A	3.87	1.39	1.32
3	C	3278	DHF	C4-N3	3.88	1.40	1.33
2	D	4277	NAP	O4D-C1D	4.12	1.46	1.41
2	D	4277	NAP	C4N-C3N	4.21	1.46	1.39
3	A	1278	DHF	C4-N3	4.22	1.40	1.33
2	B	2277	NAP	O4D-C1D	4.37	1.46	1.41
3	D	4278	DHF	C9-N10	4.45	1.53	1.45
3	A	1278	DHF	C9-N10	4.49	1.53	1.45
3	C	3278	DHF	C9-N10	4.50	1.53	1.45
2	B	2277	NAP	C4N-C3N	4.51	1.47	1.39
3	B	2278	DHF	C4-N3	4.59	1.41	1.33
2	C	3277	NAP	C4N-C3N	4.61	1.47	1.39
2	A	1277	NAP	C4N-C3N	4.76	1.47	1.39
2	A	1277	NAP	O4D-C1D	4.80	1.47	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	2278	DHF	C9-N10	4.82	1.53	1.45
2	C	3277	NAP	O4D-C1D	4.89	1.47	1.41
3	D	4278	DHF	C4A-N5	4.93	1.49	1.38
3	A	1278	DHF	C4A-N5	4.98	1.49	1.38
3	B	2278	DHF	C4A-N5	5.14	1.49	1.38
3	C	3278	DHF	C4A-N5	5.16	1.49	1.38
3	A	1278	DHF	C12-C11	5.28	1.48	1.39
3	D	4278	DHF	C12-C11	5.42	1.48	1.39
3	B	2278	DHF	C12-C11	5.53	1.48	1.39
3	C	3278	DHF	C12-C11	5.60	1.48	1.39
3	D	4278	DHF	C2-N3	6.71	1.47	1.35
3	A	1278	DHF	C2-N3	6.84	1.47	1.35
3	D	4278	DHF	C8A-N1	6.90	1.47	1.34
3	B	2278	DHF	C8A-N1	7.14	1.47	1.34
3	C	3278	DHF	C8A-N1	7.17	1.47	1.34
3	A	1278	DHF	C8A-N1	7.18	1.47	1.34
3	C	3278	DHF	C2-N3	7.24	1.48	1.35
3	B	2278	DHF	C2-N3	7.32	1.48	1.35
3	C	3278	DHF	C13-C14	7.83	1.52	1.39
3	D	4278	DHF	C13-C14	7.99	1.52	1.39
3	A	1278	DHF	C13-C14	8.18	1.52	1.39
3	C	3278	DHF	C6-N5	8.62	1.40	1.28
3	B	2278	DHF	C13-C14	8.65	1.53	1.39
3	D	4278	DHF	C6-N5	9.04	1.40	1.28
3	A	1278	DHF	C6-N5	9.06	1.40	1.28
3	A	1278	DHF	C13-C12	9.17	1.55	1.38
3	C	3278	DHF	C13-C12	9.20	1.55	1.38
3	D	4278	DHF	C13-C12	9.29	1.55	1.38
3	B	2278	DHF	C13-C12	9.55	1.55	1.38
3	B	2278	DHF	C6-N5	9.60	1.41	1.28
3	D	4278	DHF	C16-C11	10.79	1.57	1.39
3	C	3278	DHF	C16-C11	10.99	1.58	1.39
3	A	1278	DHF	C16-C11	11.42	1.58	1.39
3	B	2278	DHF	C16-C11	11.63	1.59	1.39
3	D	4278	DHF	C16-C15	12.49	1.61	1.38
3	B	2278	DHF	C16-C15	12.65	1.61	1.38
3	C	3278	DHF	C16-C15	12.69	1.61	1.38
3	A	1278	DHF	C16-C15	12.74	1.61	1.38

All (102) bond angle outliers are listed below:

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	3277	NAP	N3A-C2A-N1A	-7.97	122.79	128.89
2	A	1277	NAP	N3A-C2A-N1A	-7.89	122.86	128.89
2	D	4277	NAP	N3A-C2A-N1A	-7.87	122.87	128.89
2	B	2277	NAP	N3A-C2A-N1A	-7.33	123.28	128.89
3	C	3278	DHF	N3-C2-N1	-4.50	118.16	125.53
3	D	4278	DHF	C11-C-N	-4.49	108.93	116.93
3	B	2278	DHF	C11-C-N	-4.45	109.01	116.93
3	B	2278	DHF	N3-C2-N1	-4.43	118.27	125.53
3	A	1278	DHF	N3-C2-N1	-4.39	118.34	125.53
3	A	1278	DHF	C11-C-N	-4.37	109.15	116.93
2	D	4277	NAP	C1B-N9A-C4A	-4.36	120.36	126.94
2	C	3277	NAP	C1B-N9A-C4A	-4.31	120.45	126.94
3	D	4278	DHF	N3-C2-N1	-4.30	118.49	125.53
3	B	2278	DHF	C4A-C4-N3	-4.26	117.77	123.59
3	D	4278	DHF	C4A-C4-N3	-4.18	117.88	123.59
3	C	3278	DHF	O-C-N	-4.15	114.95	122.44
3	A	1278	DHF	C4A-C4-N3	-4.12	117.96	123.59
3	C	3278	DHF	C4A-C4-N3	-4.09	117.99	123.59
2	A	1277	NAP	O4D-C1D-N1N	-4.04	103.69	108.13
3	C	3278	DHF	C11-C-N	-4.03	109.75	116.93
2	D	4277	NAP	O4D-C1D-N1N	-3.98	103.75	108.13
3	A	1278	DHF	O-C-N	-3.95	115.30	122.44
3	D	4278	DHF	O-C-N	-3.94	115.32	122.44
3	B	2278	DHF	O-C-N	-3.91	115.37	122.44
2	A	1277	NAP	C1B-N9A-C4A	-3.70	121.35	126.94
2	B	2277	NAP	O4D-C1D-N1N	-3.59	104.19	108.13
2	C	3277	NAP	O5B-C5B-C4B	-3.58	95.94	109.12
2	D	4277	NAP	O5B-C5B-C4B	-3.40	96.57	109.12
2	B	2277	NAP	C1B-N9A-C4A	-3.35	121.89	126.94
2	B	2277	NAP	O7N-C7N-C3N	-3.13	116.17	119.59
3	A	1278	DHF	C13-C14-N10	-3.08	115.16	121.06
3	C	3278	DHF	C16-C11-C12	-3.05	114.06	118.60
2	B	2277	NAP	O5B-C5B-C4B	-2.98	98.12	109.12
2	C	3277	NAP	O7N-C7N-C3N	-2.98	116.33	119.59
2	A	1277	NAP	O7N-C7N-C3N	-2.93	116.39	119.59
3	A	1278	DHF	C16-C11-C12	-2.90	114.29	118.60
2	A	1277	NAP	O5B-C5B-C4B	-2.86	98.59	109.12
2	D	4277	NAP	O7N-C7N-C3N	-2.84	116.49	119.59
3	B	2278	DHF	C13-C14-N10	-2.83	115.63	121.06
3	B	2278	DHF	C16-C11-C12	-2.81	114.42	118.60
3	D	4278	DHF	C16-C11-C12	-2.77	114.49	118.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	3278	DHF	C13-C14-N10	-2.72	115.85	121.06
3	D	4278	DHF	C13-C14-N10	-2.66	115.97	121.06
2	C	3277	NAP	O4D-C1D-N1N	-2.55	105.33	108.13
2	A	1277	NAP	C2B-C3B-C4B	2.15	106.93	101.85
2	B	2277	NAP	C2B-C3B-C4B	2.15	106.94	101.85
3	D	4278	DHF	C15-C14-N10	2.20	125.27	121.06
3	C	3278	DHF	C2-N1-C8A	2.20	119.48	114.54
2	B	2277	NAP	O3X-P2B-O2X	2.28	116.07	107.38
2	D	4277	NAP	O2A-PA-O1A	2.31	125.05	112.53
3	C	3278	DHF	C15-C14-N10	2.32	125.50	121.06
2	A	1277	NAP	O3X-P2B-O2X	2.33	116.26	107.38
3	A	1278	DHF	C2-N1-C8A	2.34	119.79	114.54
3	D	4278	DHF	C2-N1-C8A	2.35	119.83	114.54
2	C	3277	NAP	O3X-P2B-O2X	2.36	116.38	107.38
2	C	3277	NAP	O2A-PA-O1A	2.37	125.36	112.53
3	B	2278	DHF	C15-C14-N10	2.39	125.63	121.06
2	D	4277	NAP	O3X-P2B-O2X	2.40	116.51	107.38
2	D	4277	NAP	C2N-C3N-C4N	2.48	121.05	118.29
2	B	2277	NAP	O4B-C1B-N9A	2.51	113.35	108.10
2	B	2277	NAP	O2A-PA-O1A	2.51	126.15	112.53
3	B	2278	DHF	C2-N1-C8A	2.53	120.23	114.54
2	A	1277	NAP	O2A-PA-O1A	2.57	126.46	112.53
3	A	1278	DHF	C15-C14-N10	2.58	126.01	121.06
3	C	3278	DHF	C12-C13-C14	2.69	123.31	120.28
3	D	4278	DHF	C12-C13-C14	2.73	123.36	120.28
2	A	1277	NAP	O4B-C1B-N9A	2.74	113.84	108.10
3	C	3278	DHF	C12-C11-C	2.75	129.32	120.60
3	A	1278	DHF	C12-C11-C	2.76	129.35	120.60
3	B	2278	DHF	C12-C11-C	2.79	129.44	120.60
2	B	2277	NAP	C2N-C3N-C4N	2.81	121.42	118.29
2	A	1277	NAP	C2N-C3N-C4N	2.86	121.47	118.29
3	D	4278	DHF	C12-C11-C	2.86	129.67	120.60
2	C	3277	NAP	C2N-C3N-C4N	2.91	121.53	118.29
2	C	3277	NAP	C3N-C7N-N7N	3.09	121.19	117.82
3	A	1278	DHF	C12-C13-C14	3.10	123.77	120.28
3	B	2278	DHF	C12-C13-C14	3.14	123.81	120.28
2	D	4277	NAP	C3N-C7N-N7N	3.24	121.36	117.82
2	B	2277	NAP	C3N-C7N-N7N	3.28	121.41	117.82
2	A	1277	NAP	C3N-C7N-N7N	3.32	121.45	117.82
2	D	4277	NAP	C4B-O4B-C1B	3.35	113.40	109.72
2	C	3277	NAP	C4B-O4B-C1B	3.37	113.42	109.72
2	C	3277	NAP	O4B-C1B-N9A	3.53	115.48	108.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2277	NAP	C4B-O4B-C1B	3.55	113.62	109.72
3	D	4278	DHF	C4-C4A-C8A	3.65	116.95	114.52
3	B	2278	DHF	C4-C4A-C8A	3.88	117.11	114.52
3	C	3278	DHF	C4-C4A-C8A	3.96	117.16	114.52
2	A	1277	NAP	C4B-O4B-C1B	3.96	114.07	109.72
3	A	1278	DHF	C4-C4A-C8A	4.16	117.30	114.52
3	B	2278	DHF	NA2-C2-N1	4.54	124.72	117.20
2	D	4277	NAP	O4B-C1B-N9A	4.60	117.72	108.10
3	D	4278	DHF	NA2-C2-N1	4.78	125.12	117.20
3	A	1278	DHF	NA2-C2-N1	4.80	125.16	117.20
3	C	3278	DHF	NA2-C2-N1	4.95	125.39	117.20
3	B	2278	DHF	C4-N3-C2	5.11	123.03	115.94
3	A	1278	DHF	C4-N3-C2	5.18	123.13	115.94
3	D	4278	DHF	C4-N3-C2	5.31	123.31	115.94
3	C	3278	DHF	C4-N3-C2	5.33	123.34	115.94
3	C	3278	DHF	O-C-C11	8.38	135.30	120.97
3	A	1278	DHF	O-C-C11	8.52	135.54	120.97
3	B	2278	DHF	O-C-C11	8.57	135.62	120.97
3	D	4278	DHF	O-C-C11	8.64	135.75	120.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1278	DHF	2	0
3	B	2278	DHF	6	0
2	C	3277	NAP	2	0
3	C	3278	DHF	3	0
2	D	4277	NAP	3	0
3	D	4278	DHF	3	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	248/276 (89%)	-0.62	1 (0%) 93 93	15, 30, 48, 61	0
1	B	248/276 (89%)	-0.53	2 (0%) 87 87	16, 32, 51, 61	0
1	C	248/276 (89%)	-0.74	1 (0%) 93 93	11, 24, 45, 57	0
1	D	248/276 (89%)	-0.69	0 100 100	8, 24, 48, 56	0
All	All	992/1104 (89%)	-0.64	4 (0%) 93 93	8, 28, 49, 61	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	90	ARG	2.9
1	C	90	ARG	2.3
1	B	50	GLN	2.2
1	A	224	GLU	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	DHF	B	2278	29/32	0.87	0.28	15.94	24,55,82,82	0
3	DHF	C	3278	29/32	0.89	0.24	15.76	16,47,75,75	0
3	DHF	D	4278	29/32	0.91	0.25	13.50	18,46,77,77	0
3	DHF	A	1278	29/32	0.85	0.24	7.83	27,50,73,73	0
2	NAP	D	4277	48/48	0.97	0.09	0.42	13,18,23,24	0
2	NAP	C	3277	48/48	0.97	0.09	0.15	13,17,21,23	0
2	NAP	B	2277	48/48	0.96	0.09	-0.26	20,28,34,35	0
2	NAP	A	1277	48/48	0.96	0.08	-0.61	20,24,28,29	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.