



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:00 PM GMT

PDB ID : 1N0G  
Title : Crystal Structure of A Cell Division and Cell Wall Biosynthesis Protein UPF0040 from Mycoplasma pneumoniae: Indication of A Novel Fold with A Possible New Conserved Sequence Motif  
Authors : Chen, S.; Jancarik, J.; Yokota, H.; Kim, R.; Kim, S.-H.; Berkeley Structural Genomics Center (BSGC)  
Deposited on : 2002-10-13  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	166	 37% 38% 8% • 15%
1	B	166	 35% 40% 8% • 15%

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2383 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein mraZ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	141	Total	C	N	O	S	0	0	0
			1153	739	197	214	3			
1	B	141	Total	C	N	O	S	0	0	0
			1153	739	197	214	3			

There are 50 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	EXPRESSION TAG	UNP P75467
A	2	GLY	-	EXPRESSION TAG	UNP P75467
A	3	SER	-	EXPRESSION TAG	UNP P75467
A	4	SER	-	EXPRESSION TAG	UNP P75467
A	5	HIS	-	EXPRESSION TAG	UNP P75467
A	6	HIS	-	EXPRESSION TAG	UNP P75467
A	7	HIS	-	EXPRESSION TAG	UNP P75467
A	8	HIS	-	EXPRESSION TAG	UNP P75467
A	9	HIS	-	EXPRESSION TAG	UNP P75467
A	10	HIS	-	EXPRESSION TAG	UNP P75467
A	11	ASP	-	EXPRESSION TAG	UNP P75467
A	12	TYR	-	EXPRESSION TAG	UNP P75467
A	13	ASP	-	EXPRESSION TAG	UNP P75467
A	14	ILE	-	EXPRESSION TAG	UNP P75467
A	15	PRO	-	EXPRESSION TAG	UNP P75467
A	16	THR	-	EXPRESSION TAG	UNP P75467
A	17	THR	-	EXPRESSION TAG	UNP P75467
A	18	GLU	-	EXPRESSION TAG	UNP P75467
A	19	ASN	-	EXPRESSION TAG	UNP P75467
A	20	LEU	-	EXPRESSION TAG	UNP P75467
A	21	TYR	-	EXPRESSION TAG	UNP P75467
A	22	PHE	-	EXPRESSION TAG	UNP P75467
A	23	GLN	-	EXPRESSION TAG	UNP P75467
A	24	GLY	-	EXPRESSION TAG	UNP P75467
A	25	HIS	-	EXPRESSION TAG	UNP P75467

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	EXPRESSION TAG	UNP P75467
B	2	GLY	-	EXPRESSION TAG	UNP P75467
B	3	SER	-	EXPRESSION TAG	UNP P75467
B	4	SER	-	EXPRESSION TAG	UNP P75467
B	5	HIS	-	EXPRESSION TAG	UNP P75467
B	6	HIS	-	EXPRESSION TAG	UNP P75467
B	7	HIS	-	EXPRESSION TAG	UNP P75467
B	8	HIS	-	EXPRESSION TAG	UNP P75467
B	9	HIS	-	EXPRESSION TAG	UNP P75467
B	10	HIS	-	EXPRESSION TAG	UNP P75467
B	11	ASP	-	EXPRESSION TAG	UNP P75467
B	12	TYR	-	EXPRESSION TAG	UNP P75467
B	13	ASP	-	EXPRESSION TAG	UNP P75467
B	14	ILE	-	EXPRESSION TAG	UNP P75467
B	15	PRO	-	EXPRESSION TAG	UNP P75467
B	16	THR	-	EXPRESSION TAG	UNP P75467
B	17	THR	-	EXPRESSION TAG	UNP P75467
B	18	GLU	-	EXPRESSION TAG	UNP P75467
B	19	ASN	-	EXPRESSION TAG	UNP P75467
B	20	LEU	-	EXPRESSION TAG	UNP P75467
B	21	TYR	-	EXPRESSION TAG	UNP P75467
B	22	PHE	-	EXPRESSION TAG	UNP P75467
B	23	GLN	-	EXPRESSION TAG	UNP P75467
B	24	GLY	-	EXPRESSION TAG	UNP P75467
B	25	HIS	-	EXPRESSION TAG	UNP P75467

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	44	Total O 44 44	0	0
2	B	33	Total O 33 33	0	0



- Molecule 1: Protein mraZ



L144	Y145	E146	D147	Y148	L149	A150	M151	S152	E153	V158	M162	M165	A166	ASP	VAL	LYS	R68	M69	P70	Q71	Q74	K75	Y76	F77	E78	Q79	F80	M81	S82	F83	P84	S85	I86	I87	F88	A89	N100	A101	M102	F103	A109	G110	R111	V112	L113	I114	P115	N116	N117	L118	I119	A122	K123	L124	D125	K126	E127	I128	V129	L130	I131	Q132	Q133	F134	D135	H136	L137	E138	I139	V140	K142	F143	L144	E145	D146	Y147	L148	A149	M150	S151	E152	V153	M154	M155	A156	ASP	VAL	LYS	R68	M69	P70	Q71	Q74	K75	Y76	F77	E78	Q79	F80	M81	S82	F83	P84	S85	I86	I87	F88	A89	N100	A101	M102	F103	A109	G110	R111	V112	L113	I114	P115	N116	N117	L118	I119	A122	K123	L124	D125	K126	E127	I128	V129	L130	I131	Q132	Q133	F134	D135	H136	L137	E138	I139	V140	K142	F143	L144	E145	D146	Y147	L148	A149	M150	S151	E152	V153	M154	M155	A156	ASP	VAL	LYS	R68	M69	P70	Q71	Q74	K75	Y76	F77	E78	Q79	F80	M81	S82	F83	P84	S85	I86	I87	F88	A89	N100	A101	M102	F103	A109	G110	R111	V112	L113	I114	P115	N116	N117	L118	I119	A122	K123	L124	D125	K126	E127	I128	V129	L130	I131	Q132	Q133	F134	D135	H136	L137	E138	I139	V140	K142	F143	L144	E145	D146	Y147	L148	A149	M150	S151	E152	V153	M154	M155	A156	ASP	VAL	LYS	R68	M69	P70	Q71	Q74	K75	Y76	F77	E78	Q79	F80	M81	S82	F83	P84	S85	I86	I87	F88	A89	N100	A101	M102	F103	A109	G110	R111	V112	L113	I114	P115	N116	N117	L118	I119	A122	K123	L124	D125	K126	E127	I128	V129	L130	I131	Q132	Q133	F134	D135	H136	L137	E138	I139	V140	K142	F143	L144	E145	D146	Y147	L148	A149	M150	S151	E152	V153	M154	M155	A156	ASP	VAL	LYS	R68	M69	P70	Q71	Q74	K75	Y76	F77	E78	Q79	F80	M81	S82	F83	P84	S85	I86	I87	F88	A89	N100	A101	M102	F103	A109	G110	R111	V112	L113	I114	P115	N116	N117	L118	I119	A122	K123	L124	D125	K126	E127	I128	V129	L130	I131	Q132	Q133	F134	D135	H136	L137	E138	I139	V140	K142	F143	L144	E145	D146	Y147	L148	A149	M150	S151	E152	V153	M154	M155	A156	ASP	VAL	LYS	R68	M69	P70	Q71	Q74	K75	Y76	F77	E78	Q79	F80	M81	S82	F83	P84	S85	I86	I87	F88	A89	N100	A101	M102	F103	A109	G110	R111	V112	L113	I114	P115	N116	N117	L118	I119	A122	K123	L124	D125	K126	E127	I128	V129	L130	I131	Q132	Q133	F134	D135	H136	L137	E138	I139	V140	K142	F143	L144	E145	D146	Y147	L148	A149	M150	S151	E152	V153	M154	M155	A156	ASP	VAL	LYS	R68	M69	P70	Q71	Q74	K75	Y76	F77	E78	Q79	F80	M81	S82	F83	P84	S85	I86	I87	F88	A89	N100	A101	M102	F103	A109	G110	R111	V112	L113	I114	P115	N116	N117	L118	I119	A122	K123	L124	D125	K126	E127	I128	V129	L130	I131	Q132	Q133	F134	D135	H136	L137	E138	I139	V140	K142	F143	L144	E145	D146	Y147	L148	A149	M150	S151	E152	V153	M154	M155	A156	ASP	VAL	LYS	R68	M69	P70	Q71	Q74	K75	Y7
------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	----

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	101.44Å 101.44Å 38.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.22 – 2.80 38.19 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.3 (29.22-2.80) 99.5 (38.19-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.20 (at 2.51Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.229 , 0.283 0.229 , 0.283	Depositor DCC
$R_{free}$ test set	475 reflections (4.84%)	DCC
Wilson B-factor (Å <sup>2</sup> )	53.7	Xtriage
Anisotropy	0.017	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 35.3	EDS
Estimated twinning fraction	0.077 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 13822 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	2383	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.72% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.43	0/1175	0.69	1/1584 (0.1%)
1	B	0.43	0/1175	0.70	1/1584 (0.1%)
All	All	0.43	0/2350	0.70	2/3168 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	102	ASN	N-CA-C	5.05	124.63	111.00
1	B	102	ASN	N-CA-C	5.03	124.57	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1153	0	1148	86	0
1	B	1153	0	1148	90	0
2	A	44	0	0	8	0
2	B	33	0	0	5	0
All	All	2383	0	2296	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 37.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:206:HOH:O	1:B:135:ASP:HB2	1.75	0.87
1:A:35:LEU:HD11	1:A:39:ASN:HD22	1.40	0.84
1:A:109:ALA:HB3	1:A:111:ARG:HH11	1.42	0.84
1:B:109:ALA:HB3	1:B:111:ARG:HH11	1.42	0.84
1:A:126:LYS:O	1:A:127:GLU:HB2	1.75	0.84
1:B:126:LYS:O	1:B:127:GLU:HB2	1.77	0.83
1:B:35:LEU:HD11	1:B:39:ASN:HD22	1.41	0.83
1:B:71:GLN:O	1:B:74:GLN:HB3	1.80	0.82
1:A:71:GLN:O	1:A:74:GLN:HB3	1.80	0.80
1:A:109:ALA:HB3	1:A:111:ARG:HD3	1.64	0.80
1:B:109:ALA:HB3	1:B:111:ARG:HD3	1.64	0.79
1:A:84:PRO:O	1:A:85:SER:HB2	1.85	0.77
1:B:84:PRO:O	1:B:85:SER:HB2	1.85	0.75
1:A:102:ASN:O	1:A:103:PHE:HB2	1.87	0.74
1:B:102:ASN:O	1:B:103:PHE:HB2	1.87	0.74
1:A:23:GLN:NE2	2:A:167:HOH:O	2.22	0.72
1:B:22:PHE:N	1:B:23:GLN:NE2	2.39	0.71
1:A:40:ARG:NH1	1:A:111:ARG:HH21	1.88	0.71
1:B:57:ILE:O	1:B:66:GLU:O	2.08	0.70
1:A:22:PHE:N	1:A:23:GLN:NE2	2.40	0.70
1:B:35:LEU:HD11	1:B:39:ASN:ND2	2.07	0.69
1:A:117:ASN:HD22	1:A:117:ASN:H	1.40	0.69
1:B:116:ASN:HB3	2:B:171:HOH:O	1.92	0.68
1:A:35:LEU:HD11	1:A:39:ASN:ND2	2.07	0.68
1:B:40:ARG:NH1	1:B:111:ARG:HH21	1.92	0.68
1:B:117:ASN:HD22	1:B:117:ASN:H	1.42	0.68
1:A:57:ILE:O	1:A:66:GLU:O	2.11	0.67
1:B:44:PRO:HD2	1:B:47:LEU:HD22	1.76	0.67
1:A:44:PRO:HD2	1:A:47:LEU:HD22	1.77	0.66
1:A:22:PHE:N	1:A:23:GLN:HE22	1.93	0.66
1:B:22:PHE:N	1:B:23:GLN:HE21	1.92	0.66
1:B:79:GLN:O	1:B:82:SER:HB3	1.96	0.65
1:A:38:LYS:HD2	1:A:40:ARG:CZ	2.27	0.65
1:A:65:LEU:HD13	1:A:122:ALA:HB2	1.78	0.65
1:B:38:LYS:HD2	1:B:40:ARG:CZ	2.27	0.65
1:B:65:LEU:HD13	1:B:122:ALA:HB2	1.78	0.64
1:A:79:GLN:O	1:A:82:SER:HB3	1.96	0.64
1:A:109:ALA:CB	1:A:111:ARG:HH11	2.11	0.62
1:B:109:ALA:CB	1:B:111:ARG:HH11	2.11	0.62
1:A:102:ASN:HA	2:A:181:HOH:O	1.98	0.62
1:A:64:CYS:O	1:A:139:ILE:O	2.18	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:ALA:HB3	1:A:111:ARG:CD	2.30	0.62
1:A:96:LEU:O	1:A:100:ASN:ND2	2.33	0.62
1:B:64:CYS:O	1:B:139:ILE:O	2.18	0.61
1:B:96:LEU:O	1:B:100:ASN:ND2	2.31	0.61
2:A:207:HOH:O	1:B:23:GLN:HG3	2.00	0.61
1:A:75:LYS:HA	1:A:78:GLU:HG2	1.83	0.61
1:A:84:PRO:O	1:A:85:SER:CB	2.49	0.61
1:B:75:LYS:HA	1:B:78:GLU:HG2	1.83	0.61
1:A:117:ASN:ND2	1:A:117:ASN:H	1.99	0.61
1:A:27:LEU:HD22	1:A:137:LEU:HD13	1.83	0.61
1:B:84:PRO:O	1:B:85:SER:CB	2.49	0.61
1:B:36:ASP:OD2	1:B:40:ARG:HB2	2.01	0.60
1:B:109:ALA:HB3	1:B:111:ARG:CD	2.30	0.60
1:B:55:ILE:HD12	1:B:55:ILE:C	2.22	0.60
1:A:64:CYS:O	1:A:65:LEU:HB2	2.01	0.60
1:B:64:CYS:O	1:B:65:LEU:HB2	2.02	0.59
1:A:36:ASP:OD2	1:A:40:ARG:HB2	2.03	0.59
1:B:57:ILE:HD12	1:B:66:GLU:O	2.03	0.59
1:A:40:ARG:NH1	1:A:111:ARG:NH2	2.50	0.59
1:B:113:LEU:HB3	2:B:192:HOH:O	2.02	0.59
1:A:55:ILE:HD12	1:A:55:ILE:C	2.23	0.59
1:B:117:ASN:ND2	1:B:117:ASN:H	2.01	0.58
1:B:27:LEU:HD22	1:B:137:LEU:HD13	1.85	0.58
1:B:115:PRO:O	1:B:119:ILE:HG12	2.03	0.58
1:A:115:PRO:O	1:A:119:ILE:HG12	2.04	0.57
1:A:35:LEU:HD13	1:A:36:ASP:O	2.05	0.57
1:A:57:ILE:HD12	1:A:66:GLU:O	2.05	0.56
1:B:35:LEU:HD13	1:B:36:ASP:O	2.06	0.56
1:B:40:ARG:NH1	1:B:111:ARG:NH2	2.54	0.55
1:A:23:GLN:NE2	2:A:197:HOH:O	2.35	0.54
1:A:93:LEU:HD12	1:B:162:MET:SD	2.48	0.53
1:A:23:GLN:HB3	2:A:179:HOH:O	2.09	0.53
1:B:140:TRP:HB3	1:B:145:TYR:HB2	1.90	0.53
1:A:35:LEU:HD12	2:A:172:HOH:O	2.09	0.53
1:A:33:ILE:CD1	1:A:41:ILE:HG13	2.39	0.53
1:B:33:ILE:CD1	1:B:41:ILE:HG13	2.39	0.52
1:A:140:TRP:HB3	1:A:145:TYR:HB2	1.90	0.52
1:A:35:LEU:HD11	1:A:39:ASN:HA	1.91	0.52
1:B:44:PRO:HD2	1:B:47:LEU:CD2	2.40	0.52
1:A:44:PRO:HD2	1:A:47:LEU:CD2	2.41	0.51
1:A:143:LYS:HE2	1:A:147:ASP:OD1	2.10	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:ILE:HD11	1:A:41:ILE:HG13	1.92	0.51
1:A:25:HIS:HA	1:A:50:PHE:HD1	1.76	0.51
1:B:128:ILE:HG22	1:B:129:VAL:N	2.26	0.50
1:A:27:LEU:HD11	1:A:50:PHE:CE2	2.47	0.50
1:A:45:ALA:HA	1:A:48:ARG:CD	2.42	0.50
1:A:52:GLU:HA	1:A:52:GLU:OE2	2.12	0.50
1:B:23:GLN:HG2	2:B:175:HOH:O	2.12	0.50
1:B:44:PRO:O	1:B:46:LYS:N	2.45	0.50
1:B:33:ILE:HD11	1:B:41:ILE:HG13	1.93	0.49
1:A:128:ILE:HG22	1:A:129:VAL:N	2.26	0.49
1:B:35:LEU:HD11	1:B:39:ASN:HA	1.93	0.49
1:A:44:PRO:O	1:A:46:LYS:N	2.46	0.49
1:B:143:LYS:HE2	1:B:147:ASP:OD1	2.11	0.49
1:B:46:LYS:HG3	1:B:47:LEU:HD13	1.94	0.49
1:B:33:ILE:HD11	1:B:130:LEU:HD11	1.94	0.49
1:A:65:LEU:HD21	1:A:118:LEU:HB3	1.93	0.49
1:B:61:PHE:O	1:B:62:GLU:HB2	2.12	0.49
1:B:45:ALA:HA	1:B:48:ARG:CD	2.43	0.49
1:A:33:ILE:HD11	1:A:130:LEU:HD11	1.95	0.48
1:B:27:LEU:HD11	1:B:50:PHE:CE2	2.48	0.48
1:A:147:ASP:O	1:A:150:ALA:HB3	2.13	0.48
1:B:26:MET:HG2	1:B:134:PHE:CZ	2.48	0.48
1:B:151:ASN:O	1:B:152:SER:O	2.32	0.48
1:A:151:ASN:O	1:A:152:SER:O	2.31	0.48
1:B:65:LEU:HD21	1:B:118:LEU:HB3	1.95	0.48
1:B:52:GLU:HA	1:B:52:GLU:OE2	2.12	0.48
1:A:46:LYS:HG3	1:A:47:LEU:HD13	1.96	0.48
1:B:116:ASN:O	1:B:119:ILE:HB	2.14	0.47
1:A:61:PHE:O	1:A:62:GLU:HB2	2.14	0.47
1:B:38:LYS:HB2	1:B:40:ARG:NE	2.29	0.47
1:B:57:ILE:HG12	1:B:118:LEU:HD23	1.97	0.47
1:A:128:ILE:HG21	1:A:139:ILE:HG23	1.96	0.47
1:B:123:LYS:HB2	1:B:144:LEU:HD11	1.96	0.47
1:A:123:LYS:HB2	1:A:144:LEU:HD11	1.96	0.47
1:B:128:ILE:HG21	1:B:139:ILE:HG23	1.97	0.46
1:A:38:LYS:HB2	1:A:40:ARG:NE	2.31	0.46
1:A:116:ASN:O	1:A:119:ILE:HB	2.15	0.46
1:A:94:LYS:HB3	1:B:133:GLN:NE2	2.30	0.46
1:A:57:ILE:HG12	1:A:118:LEU:HD23	1.98	0.46
1:B:147:ASP:O	1:B:150:ALA:HB3	2.15	0.46
1:A:117:ASN:N	1:A:117:ASN:ND2	2.63	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:CYS:O	1:A:65:LEU:CB	2.61	0.45
1:A:131:ILE:HD11	1:A:138:GLU:OE1	2.17	0.45
1:B:49:ALA:HB2	2:B:197:HOH:O	2.17	0.45
1:A:93:LEU:CD1	1:B:162:MET:HG3	2.47	0.45
1:A:41:ILE:HD12	1:A:41:ILE:HA	1.84	0.44
1:A:22:PHE:O	1:A:23:GLN:C	2.54	0.44
1:B:57:ILE:O	1:B:58:ASN:O	2.35	0.44
1:A:133:GLN:O	1:A:135:ASP:N	2.51	0.44
1:B:153:GLU:HG3	2:B:174:HOH:O	2.17	0.44
1:A:41:ILE:O	1:A:111:ARG:HA	2.18	0.44
1:B:55:ILE:HA	1:B:70:PRO:HD3	2.00	0.44
1:B:41:ILE:O	1:B:111:ARG:HA	2.18	0.44
1:B:36:ASP:CG	1:B:38:LYS:H	2.20	0.44
1:B:117:ASN:N	1:B:117:ASN:ND2	2.65	0.43
1:A:80:PHE:HA	1:A:83:PHE:CD2	2.54	0.43
1:B:43:LEU:HA	1:B:44:PRO:HD3	1.82	0.43
1:A:80:PHE:C	1:A:82:SER:N	2.69	0.43
1:A:57:ILE:O	1:A:58:ASN:O	2.37	0.43
1:A:83:PHE:HB3	1:B:162:MET:HE1	2.01	0.43
1:A:45:ALA:HA	1:A:48:ARG:HD2	2.01	0.43
1:B:133:GLN:O	1:B:135:ASP:N	2.52	0.43
1:B:45:ALA:HA	1:B:48:ARG:HD2	2.01	0.43
1:B:131:ILE:HD11	1:B:138:GLU:OE1	2.19	0.43
1:A:36:ASP:CG	1:A:38:LYS:H	2.22	0.42
1:A:41:ILE:HG22	1:A:112:VAL:HB	2.01	0.42
1:A:93:LEU:HD11	1:B:162:MET:HG3	2.00	0.42
1:A:55:ILE:HA	1:A:70:PRO:HD3	2.01	0.42
1:A:22:PHE:O	1:A:24:GLY:N	2.52	0.42
1:B:80:PHE:C	1:B:82:SER:N	2.69	0.42
1:A:92:THR:HB	1:B:158:VAL:HG11	2.02	0.42
1:B:80:PHE:O	1:B:83:PHE:N	2.53	0.42
1:B:80:PHE:HA	1:B:83:PHE:CD2	2.54	0.42
1:B:64:CYS:O	1:B:65:LEU:CB	2.62	0.41
1:A:68:ARG:HG2	1:A:136:HIS:HB3	2.02	0.41
1:A:22:PHE:N	2:A:167:HOH:O	2.52	0.41
1:A:80:PHE:O	1:A:83:PHE:N	2.54	0.41
1:A:147:ASP:O	1:A:150:ALA:N	2.53	0.41
1:B:22:PHE:HB3	1:B:26:MET:HE2	2.02	0.41
1:B:147:ASP:O	1:B:150:ALA:N	2.54	0.41
1:B:41:ILE:HG22	1:B:112:VAL:HB	2.02	0.41
1:B:77:PHE:HD1	1:B:98:PHE:CZ	2.39	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:47:LEU:O	1:B:48:ARG:C	2.60	0.40
1:A:94:LYS:HB3	1:B:133:GLN:HE22	1.84	0.40
1:B:44:PRO:CD	1:B:47:LEU:HD22	2.49	0.40
1:B:41:ILE:HA	1:B:41:ILE:HD12	1.84	0.40
1:B:68:ARG:HG2	1:B:136:HIS:HB3	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/166 (84%)	116 (84%)	11 (8%)	12 (9%)	1	2
1	B	139/166 (84%)	116 (84%)	12 (9%)	11 (8%)	1	2
All	All	278/332 (84%)	232 (84%)	23 (8%)	23 (8%)	1	2

All (23) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	58	ASN
1	A	84	PRO
1	B	58	ASN
1	B	84	PRO
1	A	85	SER
1	A	151	ASN
1	A	152	SER
1	B	85	SER
1	B	151	ASN
1	B	152	SER
1	A	23	GLN
1	A	127	GLU
1	A	134	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	65	LEU
1	B	134	PHE
1	A	45	ALA
1	A	65	LEU
1	B	45	ALA
1	B	127	GLU
1	A	44	PRO
1	A	52	GLU
1	B	44	PRO
1	B	52	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	126/150 (84%)	117 (93%)	9 (7%)	18	46
1	B	126/150 (84%)	118 (94%)	8 (6%)	22	53
All	All	252/300 (84%)	235 (93%)	17 (7%)	20	50

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	36	ASP
1	A	58	ASN
1	A	84	PRO
1	A	116	ASN
1	A	117	ASN
1	A	124	LEU
1	A	135	ASP
1	A	149	LEU
1	B	23	GLN
1	B	36	ASP
1	B	58	ASN
1	B	84	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	116	ASN
1	B	117	ASN
1	B	124	LEU
1	B	149	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	25	HIS
1	A	39	ASN
1	A	117	ASN
1	B	23	GLN
1	B	25	HIS
1	B	39	ASN
1	B	117	ASN
1	B	133	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	141/166 (84%)	-0.27	0 100 100	26, 47, 64, 73	0
1	B	141/166 (84%)	-0.28	0 100 100	27, 47, 65, 73	0
All	All	282/332 (84%)	-0.27	0 100 100	26, 47, 65, 73	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.