



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:02 PM GMT

PDB ID : 1N8S
Title : Structure of the pancreatic lipase-colipase complex
Authors : van Tilbeurgh, H.; Sarda, L.; Verger, R.; Cambillau, C.
Deposited on : 2002-11-21
Resolution : 3.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2351 (3.08-3.00)
Ramachandran outliers	100387	2272 (3.08-3.00)
Sidechain outliers	100360	2275 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	449	
2	C	95	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4131 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Triacylglycerol lipase, pancreatic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	449	Total	C	N	O	S	0	0	0
			3491	2212	600	661	18			

- Molecule 2 is a protein called colipase II.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	85	Total	C	N	O	S	0	0	0
			640	392	111	127	10			

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Triacylglycerol lipase, pancreatic



- Molecule 2: colipase II



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	80.30 Å 80.30 Å 251.00 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 3.04	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-3.04)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.230 , 0.290	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4131	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.04	3/3583 (0.1%)	1.79	63/4864 (1.3%)
2	C	0.98	0/647	2.03	23/872 (2.6%)
All	All	1.03	3/4230 (0.1%)	1.83	86/5736 (1.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
2	C	0	1
All	All	0	3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	30	TRP	C-O	-6.43	1.11	1.23
1	A	337	ARG	CA-CB	-5.29	1.42	1.53
1	A	30	TRP	C-N	-5.14	1.22	1.34

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	163	ARG	NE-CZ-NH1	-11.62	114.49	120.30
1	A	337	ARG	CA-CB-CG	-11.15	88.88	113.40
1	A	288	TYR	CB-CG-CD1	-10.99	114.40	121.00
2	C	544	ARG	NE-CZ-NH2	9.92	125.26	120.30
2	C	565	ARG	NE-CZ-NH1	-9.85	115.38	120.30
1	A	17	TRP	CD1-CG-CD2	9.63	114.00	106.30
1	A	31	PRO	O-C-N	-8.99	108.32	122.70
1	A	106	TRP	CD1-CG-CD2	8.78	113.33	106.30
1	A	85	TRP	CD1-CG-CD2	8.73	113.28	106.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	326	TYR	CB-CG-CD2	-8.60	115.84	121.00
1	A	337	ARG	NE-CZ-NH1	-8.39	116.11	120.30
1	A	17	TRP	CE2-CD2-CG	-8.30	100.66	107.30
1	A	85	TRP	CB-CG-CD1	-8.26	116.26	127.00
1	A	338	TRP	CD1-CG-CD2	8.23	112.89	106.30
1	A	85	TRP	CE2-CD2-CG	-7.65	101.18	107.30
1	A	68	ARG	NE-CZ-NH2	7.64	124.12	120.30
1	A	402	TRP	CD1-CG-CD2	7.61	112.39	106.30
1	A	338	TRP	CE2-CD2-CG	-7.55	101.26	107.30
1	A	106	TRP	CE2-CD2-CG	-7.50	101.30	107.30
1	A	4	CYS	CA-CB-SG	-7.33	100.81	114.00
1	A	85	TRP	CG-CD2-CE3	7.28	140.45	133.90
1	A	111	ARG	NE-CZ-NH2	7.22	123.91	120.30
2	C	555	TYR	CB-CG-CD2	-7.18	116.69	121.00
1	A	252	TRP	CD1-CG-CD2	7.17	112.04	106.30
2	C	536	LEU	CA-CB-CG	7.14	131.72	115.30
1	A	31	PRO	CA-C-N	7.08	132.78	117.20
1	A	122	ARG	NE-CZ-NH1	-7.05	116.78	120.30
1	A	71	ARG	CA-CB-CG	7.02	128.84	113.40
1	A	121	ILE	CA-CB-CG1	-6.95	97.79	111.00
1	A	252	TRP	CE2-CD2-CG	-6.89	101.79	107.30
2	C	582	THR	CA-CB-CG2	6.88	122.04	112.40
2	C	590	VAL	CA-CB-CG2	-6.85	100.62	110.90
2	C	561	CYS	CA-CB-SG	-6.79	101.78	114.00
1	A	30	TRP	CD1-CG-CD2	6.77	111.72	106.30
1	A	402	TRP	CE2-CD2-CG	-6.60	102.02	107.30
2	C	573	LYS	N-CA-C	-6.57	93.26	111.00
1	A	296	CYS	N-CA-C	-6.50	93.44	111.00
2	C	536	LEU	CA-C-N	-6.22	103.51	117.20
1	A	163	ARG	CG-CD-NE	-6.10	98.99	111.80
1	A	303	GLY	CA-C-N	-6.04	103.92	117.20
2	C	587	CYS	CA-CB-SG	-6.02	103.16	114.00
1	A	85	TRP	CG-CD1-NE1	-6.01	104.09	110.10
2	C	516	LEU	CB-CG-CD2	-6.00	100.80	111.00
2	C	544	ARG	CB-CG-CD	-5.83	96.43	111.60
1	A	446	LEU	CB-CG-CD2	-5.82	101.10	111.00
1	A	270	TYR	CB-CG-CD1	-5.79	117.53	121.00
1	A	121	ILE	CA-CB-CG2	5.78	122.45	110.90
2	C	577	GLY	N-CA-C	-5.72	98.81	113.10
1	A	103	CYS	CA-CB-SG	-5.70	103.73	114.00
1	A	402	TRP	CG-CD1-NE1	-5.69	104.41	110.10
1	A	96	VAL	CG1-CB-CG2	-5.67	101.82	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	315	PRO	CA-C-N	5.61	127.42	116.20
1	A	337	ARG	CG-CD-NE	-5.61	100.02	111.80
1	A	267	TYR	CB-CG-CD2	-5.60	117.64	121.00
2	C	527	CYS	CA-CB-SG	-5.59	103.94	114.00
1	A	171	ARG	NE-CZ-NH2	5.59	123.09	120.30
1	A	17	TRP	CG-CD1-NE1	-5.56	104.54	110.10
2	C	525	SER	N-CA-C	-5.54	96.05	111.00
1	A	163	ARG	NE-CZ-NH2	5.53	123.06	120.30
1	A	277	PRO	N-CA-C	5.51	126.44	112.10
1	A	29	PRO	O-C-N	-5.48	113.92	122.70
2	C	532	THR	N-CA-CB	5.43	120.63	110.30
2	C	537	LEU	CB-CG-CD1	-5.43	101.77	111.00
1	A	5	TYR	CG-CD2-CE2	-5.41	116.97	121.30
2	C	582	THR	N-CA-CB	-5.38	100.08	110.30
2	C	555	TYR	CA-CB-CG	-5.37	103.19	113.40
2	C	538	ARG	NE-CZ-NH1	-5.37	117.61	120.30
1	A	327	LEU	CA-CB-CG	5.35	127.59	115.30
2	C	565	ARG	CB-CG-CD	-5.34	97.71	111.60
1	A	336	ALA	CA-C-N	-5.34	105.46	117.20
1	A	76	GLY	N-CA-C	-5.30	99.85	113.10
1	A	334	ASN	N-CA-C	-5.28	96.74	111.00
2	C	569	CYS	CA-CB-SG	-5.26	104.54	114.00
1	A	259	ALA	CA-C-N	-5.24	105.66	117.20
1	A	306	GLN	O-C-N	-5.21	114.36	122.70
1	A	387	ASP	CA-C-N	-5.21	105.75	117.20
1	A	153	LEU	CB-CG-CD2	-5.19	102.17	111.00
1	A	63	ASN	CA-CB-CG	-5.18	102.00	113.40
1	A	290	VAL	CG1-CB-CG2	-5.14	102.68	110.90
1	A	396	GLN	CA-CB-CG	-5.12	102.14	113.40
1	A	106	TRP	CG-CD1-NE1	-5.11	104.99	110.10
1	A	85	TRP	CA-CB-CG	5.09	123.38	113.70
1	A	390	VAL	CB-CA-C	-5.07	101.77	111.40
1	A	259	ALA	N-CA-C	-5.03	97.42	111.00
2	C	582	THR	N-CA-C	5.01	124.54	111.00
1	A	106	TRP	CG-CD2-CE3	5.01	138.41	133.90

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	141	TYR	Sidechain
1	A	31	PRO	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	C	555	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3491	0	3352	133	0
2	C	640	0	616	25	0
All	All	4131	0	3968	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:VAL:HG21	1:A:357:VAL:HG11	1.57	0.87
2:C:533:ILE:HG23	2:C:534:LEU:HD22	1.58	0.83
1:A:356:LEU:HD23	1:A:368:GLN:HB3	1.69	0.74
1:A:227:PHE:CE2	1:A:324:LYS:HG2	2.25	0.71
1:A:209:ILE:HD12	1:A:213:LEU:HA	1.71	0.70
1:A:172:ILE:HG12	1:A:196:ALA:HB2	1.74	0.70
1:A:50:GLN:OE1	1:A:62:SER:HB2	1.94	0.68
1:A:90:CYS:HA	1:A:93:LEU:HD12	1.74	0.68
2:C:576:VAL:HA	2:C:579:ILE:HG22	1.76	0.68
1:A:210:VAL:HG13	1:A:246:VAL:HG23	1.76	0.67
1:A:73:ILE:HG22	1:A:86:LEU:HD23	1.76	0.67
1:A:227:PHE:HE2	1:A:324:LYS:HG2	1.60	0.64
1:A:18:SER:OG	1:A:26:HIS:HA	1.97	0.64
2:C:543:ALA:HB3	2:C:563:CYS:HA	1.80	0.63
1:A:131:PHE:HE1	1:A:135:LEU:HD21	1.63	0.63
1:A:297:PHE:CZ	1:A:425:ASN:HA	2.34	0.63
1:A:71:ARG:HB3	1:A:147:HIS:HB3	1.80	0.63
1:A:363:LYS:HB3	1:A:363:LYS:NZ	2.15	0.61
1:A:29:PRO:O	1:A:30:TRP:O	2.19	0.61
2:C:575:LEU:HG	2:C:576:VAL:O	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:399:LYS:HD3	1:A:443:LEU:HD23	1.83	0.60
1:A:34:VAL:HG11	1:A:123:ILE:HG22	1.82	0.60
1:A:11:PHE:HE2	1:A:164:ARG:HH22	1.47	0.59
2:C:574:SER:H	2:C:583:ASN:ND2	2.00	0.59
1:A:366:SER:HB2	1:A:369:TYR:HE2	1.67	0.58
1:A:398:VAL:HG11	1:A:420:ILE:HG21	1.85	0.58
1:A:201:VAL:HG21	1:A:221:VAL:HG23	1.85	0.58
1:A:210:VAL:HG22	1:A:246:VAL:HB	1.85	0.58
1:A:7:ARG:HH21	1:A:7:ARG:HB2	1.67	0.58
2:C:574:SER:HB2	2:C:578:SER:OG	2.03	0.58
1:A:354:HIS:CE1	1:A:373:LYS:HG3	2.38	0.58
1:A:183:GLN:HG3	1:A:219:GLN:OE1	2.02	0.58
1:A:447:THR:HB	1:A:448:PRO:HD2	1.87	0.57
1:A:147:HIS:CD2	1:A:171:ARG:HG2	2.39	0.57
1:A:362:ASN:OD1	1:A:393:GLY:HA3	2.04	0.57
1:A:29:PRO:O	1:A:30:TRP:C	2.37	0.56
2:C:558:TYR:CD1	2:C:562:PRO:HD3	2.40	0.56
1:A:112:THR:HG23	1:A:113:GLY:O	2.06	0.56
1:A:414:ARG:HB3	1:A:437:THR:OG1	2.06	0.56
1:A:428:LYS:HB3	1:A:430:PHE:HE1	1.71	0.55
1:A:7:ARG:NH2	1:A:7:ARG:HB2	2.22	0.55
1:A:39:LEU:HD22	1:A:49:PHE:CE2	2.42	0.55
1:A:356:LEU:HD11	1:A:403:TYR:HE1	1.71	0.55
1:A:181:CYS:O	1:A:185:THR:HG21	2.06	0.55
1:A:17:TRP:CZ3	1:A:122:ARG:HD3	2.42	0.54
2:C:558:TYR:HB3	2:C:560:LYS:O	2.08	0.54
2:C:527:CYS:SG	2:C:562:PRO:HD2	2.49	0.53
1:A:134:PHE:CE1	1:A:138:ALA:HB2	2.43	0.52
1:A:75:HIS:CG	1:A:78:ILE:HD11	2.44	0.52
2:C:574:SER:HB2	2:C:578:SER:CB	2.40	0.52
1:A:213:LEU:N	1:A:213:LEU:HD12	2.24	0.52
1:A:413:PRO:HD2	1:A:439:ARG:NH2	2.24	0.52
1:A:294:ASN:OD1	1:A:385:GLU:HB2	2.10	0.51
1:A:233:GLU:HA	1:A:262:ASN:HD21	1.75	0.51
1:A:270:TYR:O	1:A:273:SER:HB3	2.11	0.51
1:A:124:VAL:O	1:A:128:VAL:HG23	2.10	0.51
2:C:525:SER:O	2:C:527:CYS:N	2.44	0.51
1:A:208:PRO:HB2	1:A:212:ASN:OD1	2.11	0.51
1:A:116:GLN:O	1:A:119:GLN:HB2	2.12	0.50
2:C:530:HIS:HD2	2:C:535:SER:O	1.95	0.50
1:A:209:ILE:HA	1:A:214:GLY:H	1.77	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:HIS:HE1	1:A:219:GLN:O	1.95	0.49
1:A:4:CYS:HA	1:A:10:CYS:HA	1.94	0.49
1:A:6:GLU:O	1:A:7:ARG:HB2	2.12	0.49
1:A:3:VAL:CG1	1:A:5:TYR:CE2	2.96	0.49
1:A:153:LEU:HD22	1:A:252:TRP:CH2	2.47	0.49
2:C:511:LEU:HD22	2:C:522:GLN:HB3	1.94	0.49
1:A:419:LYS:NZ	1:A:419:LYS:HB2	2.28	0.49
1:A:354:HIS:O	1:A:402:TRP:HA	2.13	0.49
1:A:43:ASN:OD1	1:A:98:SER:HA	2.12	0.49
1:A:209:ILE:HA	1:A:214:GLY:N	2.27	0.48
1:A:75:HIS:HB3	1:A:86:LEU:HD21	1.95	0.48
2:C:548:GLU:OE1	2:C:560:LYS:HE2	2.14	0.48
1:A:297:PHE:CE1	1:A:339:ARG:HG2	2.49	0.48
1:A:29:PRO:C	1:A:30:TRP:O	2.50	0.48
1:A:171:ARG:HD3	1:A:198:PHE:CD2	2.48	0.48
1:A:419:LYS:HA	1:A:432:PHE:O	2.14	0.48
1:A:171:ARG:HA	1:A:198:PHE:O	2.14	0.48
1:A:233:GLU:HA	1:A:262:ASN:ND2	2.29	0.48
1:A:390:VAL:HG12	1:A:391:ASP:O	2.13	0.48
2:C:553:THR:HG22	2:C:558:TYR:CZ	2.49	0.47
2:C:560:LYS:HG3	2:C:584:PHE:CE2	2.49	0.47
1:A:72:PHE:HA	1:A:102:ILE:O	2.14	0.47
1:A:207:ALA:HB2	1:A:232:VAL:HG13	1.95	0.47
1:A:126:ALA:HB2	1:A:164:ARG:CZ	2.45	0.47
1:A:407:VAL:HG23	1:A:409:ASN:HD21	1.79	0.47
1:A:421:ILE:HG12	1:A:431:ASN:HD22	1.80	0.47
2:C:555:TYR:O	2:C:557:VAL:HG22	2.14	0.47
1:A:419:LYS:NZ	1:A:433:CYS:SG	2.88	0.47
1:A:412:LEU:HD12	1:A:439:ARG:HE	1.80	0.47
1:A:349:LYS:N	1:A:349:LYS:HD2	2.30	0.46
1:A:298:PRO:HB2	1:A:425:ASN:O	2.16	0.46
2:C:558:TYR:CE1	2:C:562:PRO:HD3	2.50	0.46
1:A:269:TYR:HE1	1:A:335:PHE:CD2	2.34	0.46
1:A:172:ILE:HG12	1:A:196:ALA:CB	2.44	0.45
1:A:399:LYS:HD3	1:A:443:LEU:CD2	2.45	0.45
1:A:125:GLY:HA3	1:A:160:GLU:HB3	1.98	0.45
1:A:111:ARG:HB2	1:A:111:ARG:HH21	1.81	0.45
1:A:415:VAL:HG12	1:A:416:GLY:N	2.31	0.45
1:A:112:THR:CG2	1:A:116:GLN:HB3	2.47	0.45
1:A:428:LYS:HB3	1:A:430:PHE:CE1	2.52	0.45
1:A:5:TYR:CD1	1:A:31:PRO:HD2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:563:CYS:SG	2:C:569:CYS:HB2	2.57	0.44
1:A:5:TYR:CE1	1:A:30(B):SER:CB	3.01	0.44
1:A:407:VAL:HG23	1:A:409:ASN:ND2	2.32	0.44
1:A:250:GLY:HA2	1:A:255:THR:OG1	2.17	0.44
1:A:114:TYR:CE1	1:A:180:PRO:HB2	2.53	0.44
1:A:59:ILE:HG21	1:A:139:PHE:CE1	2.52	0.44
1:A:223:HIS:HA	1:A:321:VAL:HA	1.99	0.44
1:A:339:ARG:HA	1:A:386:PHE:O	2.18	0.44
1:A:175:LEU:HB3	1:A:266:SER:HB2	1.98	0.44
1:A:283:PHE:HD2	1:A:291:PHE:HE1	1.65	0.44
1:A:20:ILE:CG1	1:A:23:ARG:HG3	2.48	0.44
1:A:409:ASN:HA	1:A:410:PRO:HD3	1.75	0.44
1:A:91:LYS:NZ	1:A:91:LYS:HB3	2.31	0.44
1:A:121:ILE:HA	1:A:121:ILE:HD12	1.66	0.44
1:A:151:HIS:HD2	1:A:175:LEU:O	2.01	0.43
1:A:131:PHE:CE1	1:A:135:LEU:HD21	2.49	0.43
1:A:307:MET:HB3	1:A:327:LEU:HD21	2.00	0.43
1:A:395:LEU:HB2	1:A:430:PHE:CD2	2.53	0.43
1:A:277:PRO:HB3	1:A:310:TYR:CE2	2.53	0.43
1:A:340:TYR:O	1:A:385:GLU:HA	2.19	0.43
1:A:151:HIS:HA	1:A:175:LEU:O	2.19	0.43
1:A:350:LYS:HA	1:A:378:PRO:HD3	1.99	0.43
1:A:171:ARG:HD2	1:A:200:ASP:OD2	2.19	0.43
1:A:439:ARG:HD2	1:A:440:GLU:H	1.83	0.43
1:A:71:ARG:HA	1:A:147:HIS:O	2.19	0.43
1:A:283:PHE:CD1	1:A:304:CYS:SG	3.12	0.43
1:A:264:LEU:HD22	1:A:267:TYR:OH	2.19	0.43
1:A:177:PRO:HB2	1:A:217:MET:SD	2.59	0.43
1:A:359:LEU:HD11	1:A:386:PHE:HZ	1.83	0.43
2:C:553:THR:OG1	2:C:554:LEU:N	2.52	0.43
1:A:241:ILE:HD12	1:A:241:ILE:H	1.84	0.42
1:A:399:LYS:HB3	1:A:443:LEU:HD23	2.01	0.42
1:A:269:TYR:CE1	1:A:335:PHE:CD2	3.08	0.42
1:A:70:THR:HA	1:A:100:ASN:HB2	2.01	0.42
2:C:537:LEU:HD12	2:C:557:VAL:HG11	2.00	0.42
1:A:288:TYR:O	1:A:292:THR:HG23	2.18	0.42
1:A:40:LEU:HB3	1:A:50:GLN:O	2.20	0.42
1:A:224:LEU:HD21	1:A:317:LYS:HA	2.02	0.42
2:C:528:CYS:O	2:C:557:VAL:HA	2.20	0.42
1:A:106:TRP:CH2	1:A:121:ILE:CD1	3.03	0.42
1:A:260:ALA:O	1:A:264:LEU:HG	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:GLY:O	1:A:24:PRO:HA	2.19	0.42
1:A:41:TYR:CZ	1:A:49:PHE:HB3	2.55	0.41
2:C:569:CYS:SG	2:C:586:ILE:C	2.98	0.41
1:A:40:LEU:HD23	1:A:50:GLN:HG2	2.01	0.41
2:C:545:GLU:O	2:C:546:ASN:HB2	2.20	0.41
1:A:36:THR:HA	1:A:105:ASP:O	2.20	0.41
1:A:168:THR:HA	1:A:197:LYS:HE2	2.02	0.41
1:A:30(B):SER:HB2	1:A:31:PRO:HD2	2.03	0.41
1:A:398:VAL:HG12	1:A:399:LYS:N	2.35	0.41
1:A:91:LYS:HE2	1:A:95:LYS:NZ	2.36	0.41
1:A:359:LEU:HD12	1:A:359:LEU:H	1.86	0.40
1:A:171:ARG:HD2	1:A:171:ARG:HH21	1.75	0.40
1:A:5:TYR:CZ	1:A:30(B):SER:HA	2.56	0.40
1:A:82:GLU:HG3	1:A:264:LEU:HD13	2.04	0.40
2:C:548:GLU:CD	2:C:560:LYS:HE2	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/449 (100%)	397 (89%)	41 (9%)	9 (2%)	9	38
2	C	83/95 (87%)	66 (80%)	14 (17%)	3 (4%)	4	22
All	All	530/544 (97%)	463 (87%)	55 (10%)	12 (2%)	8	34

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	12	SER
1	A	30	TRP
1	A	54	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	294	ASN
1	A	303	GLY
2	C	526	ASN
2	C	581	ASN
2	C	583	ASN
1	A	24	PRO
1	A	297	PHE
1	A	20	ILE
1	A	284	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	383/383 (100%)	331 (86%)	52 (14%)	5	19
2	C	74/83 (89%)	58 (78%)	16 (22%)	1	5
All	All	457/466 (98%)	389 (85%)	68 (15%)	4	16

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	ARG
1	A	48	ASN
1	A	50	GLN
1	A	56	SER
1	A	85	TRP
1	A	91	LYS
1	A	111	ARG
1	A	115	THR
1	A	118	SER
1	A	131	PHE
1	A	143	PRO
1	A	153	LEU
1	A	163	ARG
1	A	187	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	192	ASP
1	A	211	PRO
1	A	212	ASN
1	A	215	PHE
1	A	218	SER
1	A	238	LYS
1	A	239	LYS
1	A	242	LEU
1	A	255	THR
1	A	256	ARG
1	A	265	ARG
1	A	266	SER
1	A	272	ASP
1	A	278	ASP
1	A	287	SER
1	A	300	PRO
1	A	301	SER
1	A	307	MET
1	A	312	ASP
1	A	328	ASP
1	A	337	ARG
1	A	345	THR
1	A	349	LYS
1	A	350	LYS
1	A	351	VAL
1	A	359	LEU
1	A	363	LYS
1	A	379	ASP
1	A	389	ASP
1	A	409	ASN
1	A	411	THR
1	A	419	LYS
1	A	426	VAL
1	A	434	SER
1	A	436	GLU
1	A	439	ARG
1	A	443	LEU
1	A	444	LEU
2	C	507	ILE
2	C	511	LEU
2	C	529	GLN
2	C	530	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	531	ASP
2	C	536	LEU
2	C	537	LEU
2	C	567	LEU
2	C	569	CYS
2	C	573	LYS
2	C	574	SER
2	C	578	SER
2	C	579	ILE
2	C	581	ASN
2	C	589	ASN
2	C	590	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	ASN
1	A	136	GLN
1	A	151	HIS
1	A	431	ASN
2	C	530	HIS
2	C	583	ASN
2	C	588	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.