



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:51 AM GMT

PDB ID : 3NAI  
Title : Crystal structures and functional analysis of murine norovirus RNA-dependent RNA polymerase  
Authors : Kim, K.H.; Lee, J.H.; Alam, I.; Park, Y.; Kang, S.  
Deposited on : 2010-06-02  
Resolution : 2.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3324 (2.60-2.52)
Clashscore	102246	3729 (2.60-2.52)
Ramachandran outliers	100387	3673 (2.60-2.52)
Sidechain outliers	100360	3673 (2.60-2.52)
RSRZ outliers	91569	3333 (2.60-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	517	<div> <div>5%</div> <div> <div></div> <div>73%</div> <div>17%</div> <div>6%</div> </div> </div>
1	B	517	<div> <div>4%</div> <div> <div></div> <div>74%</div> <div>18%</div> <div>6%</div> </div> </div>
1	C	517	<div> <div>6%</div> <div> <div></div> <div>74%</div> <div>16%</div> <div>6%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	A	526	-	-	-	X
5	SO4	B	527	-	-	-	X
5	SO4	B	528	-	-	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 12037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA dependent RNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	486	Total	C	N	O	S	0	0	0
			3857	2437	679	716	25			
1	B	486	Total	C	N	O	S	0	0	0
			3857	2437	679	716	25			
1	C	486	Total	C	N	O	S	0	0	0
			3857	2437	679	716	25			

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	510	ALA	-	EXPRESSION TAG	UNP Q80J95
A	511	ALA	-	EXPRESSION TAG	UNP Q80J95
A	512	ALA	-	EXPRESSION TAG	UNP Q80J95
A	513	LEU	-	EXPRESSION TAG	UNP Q80J95
A	514	GLU	-	EXPRESSION TAG	UNP Q80J95
A	515	HIS	-	EXPRESSION TAG	UNP Q80J95
A	516	HIS	-	EXPRESSION TAG	UNP Q80J95
A	517	HIS	-	EXPRESSION TAG	UNP Q80J95
A	518	HIS	-	EXPRESSION TAG	UNP Q80J95
A	519	HIS	-	EXPRESSION TAG	UNP Q80J95
A	520	HIS	-	EXPRESSION TAG	UNP Q80J95
B	510	ALA	-	EXPRESSION TAG	UNP Q80J95
B	511	ALA	-	EXPRESSION TAG	UNP Q80J95
B	512	ALA	-	EXPRESSION TAG	UNP Q80J95
B	513	LEU	-	EXPRESSION TAG	UNP Q80J95
B	514	GLU	-	EXPRESSION TAG	UNP Q80J95
B	515	HIS	-	EXPRESSION TAG	UNP Q80J95
B	516	HIS	-	EXPRESSION TAG	UNP Q80J95
B	517	HIS	-	EXPRESSION TAG	UNP Q80J95
B	518	HIS	-	EXPRESSION TAG	UNP Q80J95
B	519	HIS	-	EXPRESSION TAG	UNP Q80J95
B	520	HIS	-	EXPRESSION TAG	UNP Q80J95
C	510	ALA	-	EXPRESSION TAG	UNP Q80J95

*Continued on next page...*


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	511	ALA	-	EXPRESSION TAG	UNP Q80J95
C	512	ALA	-	EXPRESSION TAG	UNP Q80J95
C	513	LEU	-	EXPRESSION TAG	UNP Q80J95
C	514	GLU	-	EXPRESSION TAG	UNP Q80J95
C	515	HIS	-	EXPRESSION TAG	UNP Q80J95
C	516	HIS	-	EXPRESSION TAG	UNP Q80J95
C	517	HIS	-	EXPRESSION TAG	UNP Q80J95
C	518	HIS	-	EXPRESSION TAG	UNP Q80J95
C	519	HIS	-	EXPRESSION TAG	UNP Q80J95
C	520	HIS	-	EXPRESSION TAG	UNP Q80J95

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0

- Molecule 3 is 5-FLUOROURACIL (three-letter code: URF) (formula: C<sub>4</sub>H<sub>3</sub>FN<sub>2</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C F N O 9 4 1 2 2	0	0

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	F	N	O	0	0
			9	4	1	2	2		
3	C	1	Total	C	F	N	O	0	0
			9	4	1	2	2		

- Molecule 4 is MANGANESE (III) ION (three-letter code: MN3) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	2	Total	Mn	0	0
			2	2		
4	A	2	Total	Mn	0	0
			2	2		
4	C	2	Total	Mn	0	0
			2	2		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	130	Total	O	0	0
			130	130		
7	B	106	Total	O	0	0
			106	106		
7	C	112	Total	O	0	0
			112	112		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: RNA dependent RNA polymerase




#### • Molecule 1: RNA dependent RNA polymerase



#### • Molecule 1: RNA dependent RNA polymerase





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	121.25Å 196.56Å 109.60Å 90.00° 114.81° 90.00°	Depositor
Resolution (Å)	39.53 – 2.56 39.53 – 2.55	Depositor EDS
% Data completeness (in resolution range)	98.7 (39.53-2.56) 98.7 (39.53-2.55)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.88 (at 2.54Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.203 , 0.268 0.203 , 0.269	Depositor DCC
$R_{free}$ test set	3725 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	27.7	Xtriage
Anisotropy	0.054	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 43.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 74141 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	12037	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.20% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, MN3, URF, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/3952	0.64	1/5355 (0.0%)
1	B	0.48	0/3952	0.61	0/5355
1	C	0.48	0/3952	0.60	0/5355
All	All	0.48	0/11856	0.62	1/16065 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	7	ARG	C-N-CD	-5.01	109.58	120.60

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3857	0	3812	66	0
1	B	3857	0	3812	59	0
1	C	3857	0	3812	58	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	9	0	3	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	9	0	3	0	0
3	C	9	0	3	1	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
5	A	30	0	0	1	0
5	B	25	0	0	0	0
5	C	15	0	0	0	0
6	A	6	0	8	3	0
6	C	6	0	8	1	0
7	A	130	0	0	10	0
7	B	106	0	0	5	0
7	C	112	0	0	7	0
All	All	12037	0	11461	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:305:CYS:HB2	7:A:561:HOH:O	1.40	1.21
1:B:328:THR:HG23	1:B:330:VAL:HG13	1.36	1.04
1:A:366:ARG:HD3	7:A:583:HOH:O	1.63	0.96
1:B:100:THR:CG2	1:B:216:ASN:HD21	1.84	0.90
1:A:487:TRP:HB2	7:A:606:HOH:O	1.70	0.90
1:B:100:THR:HG21	1:B:216:ASN:HD21	1.40	0.83
1:A:7:ARG:HA	1:A:7:ARG:HH11	1.44	0.82
1:A:209:LEU:O	1:A:212:THR:HG22	1.81	0.80
1:A:151:ASN:HD21	1:A:200:ARG:HH11	1.31	0.78
1:B:239:ARG:HD3	7:B:609:HOH:O	1.82	0.77
1:A:434:PRO:HD3	7:A:654:HOH:O	1.85	0.77
1:C:379:GLU:HG3	7:C:621:HOH:O	1.87	0.75
1:A:224:MET:HG2	1:A:396:ARG:HD2	1.69	0.74
1:C:464:ARG:HD2	7:C:592:HOH:O	1.87	0.73
1:C:436:HIS:HE1	1:C:439:ARG:HB2	1.54	0.72
1:B:358:MET:HE3	1:B:384:ARG:HB3	1.70	0.72
1:C:87:ASP:OD1	1:C:260:ARG:NH2	2.23	0.72
1:A:257:ILE:HD13	1:A:319:LEU:HD21	1.73	0.70
1:A:356:LEU:HD23	1:A:358:MET:HE1	1.75	0.69
1:C:439:ARG:H	1:C:440:PRO:HD3	1.59	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:13:ALA:HB2	1:B:67:ARG:HG2	1.76	0.66
1:C:379:GLU:OE2	1:C:379:GLU:HA	1.97	0.65
1:A:433:LEU:HB2	1:A:434:PRO:HD2	1.78	0.64
1:A:380:GLY:HA2	1:A:381:PRO:O	1.97	0.64
1:B:82:PRO:HG2	1:B:85:ILE:HD12	1.81	0.62
1:B:328:THR:CG2	1:B:330:VAL:HG13	2.21	0.62
1:B:100:THR:HG21	1:B:216:ASN:ND2	2.14	0.62
1:C:439:ARG:N	1:C:440:PRO:CD	2.63	0.61
1:C:98:GLU:HG3	1:C:268:LEU:HD11	1.83	0.61
1:B:100:THR:HG23	1:B:216:ASN:HD21	1.62	0.60
1:C:225:ASN:HD21	1:C:488:VAL:HG22	1.66	0.60
1:C:94:GLU:OE2	1:C:267:ARG:HD2	2.02	0.60
1:B:243:ASP:HB3	1:B:391:ILE:HG23	1.82	0.60
1:A:40:LEU:HD12	1:A:41:PRO:HD2	1.84	0.59
1:C:443:LEU:HD11	1:C:469:ALA:HB3	1.84	0.58
1:B:324:MET:O	1:B:328:THR:HB	2.04	0.58
1:A:491:GLY:HA2	1:A:492:THR:HG23	1.86	0.57
1:A:243:ASP:HB3	1:A:375:ALA:HB2	1.87	0.57
1:A:346:ASP:CG	3:A:521:URF:HN3	2.07	0.56
1:A:383:GLU:HG2	1:A:385:ARG:NH1	2.20	0.56
1:B:7:ARG:N	1:B:8:PRO:CD	2.69	0.56
1:A:96:ARG:HE	1:A:216:ASN:ND2	2.04	0.56
1:A:58:ASP:HB3	7:A:570:HOH:O	2.06	0.56
1:A:417:GLN:HE21	1:A:442:GLN:NE2	2.04	0.56
1:A:85:ILE:O	1:A:89:VAL:HG13	2.06	0.55
1:A:433:LEU:HB2	1:A:434:PRO:CD	2.37	0.55
1:C:374:ARG:HH21	1:C:377:LYS:HB2	1.72	0.55
1:A:417:GLN:HE21	1:A:442:GLN:HE21	1.54	0.55
1:C:439:ARG:N	1:C:440:PRO:HD3	2.21	0.55
1:B:456:LYS:HG3	1:B:457:TYR:H	1.73	0.54
1:A:105:LYS:NZ	1:A:105:LYS:H	2.05	0.54
1:C:326:GLU:CD	1:C:367:ARG:HH22	2.11	0.54
1:C:13:ALA:H	6:C:2:GOL:H2	1.72	0.53
1:C:436:HIS:CE1	1:C:439:ARG:HB2	2.40	0.53
1:B:169:LYS:HD3	1:B:171:GLU:OE1	2.08	0.53
1:A:212:THR:HG23	1:A:216:ASN:HB2	1.91	0.53
1:A:110:LYS:HD2	7:A:621:HOH:O	2.08	0.53
3:C:521:URF:N1	7:C:636:HOH:O	2.34	0.53
1:A:456:LYS:O	1:A:460:THR:HG23	2.09	0.52
1:A:151:ASN:ND2	1:A:200:ARG:HH11	2.03	0.52
1:C:225:ASN:ND2	1:C:488:VAL:HG22	2.24	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:203:GLY:N	1:C:204:PRO:HD2	2.25	0.52
1:B:443:LEU:HG	1:B:465:VAL:CG2	2.40	0.52
1:C:8:PRO:HD2	1:C:19:ASP:HA	1.92	0.52
1:B:97:LEU:HA	1:B:100:THR:HG22	1.92	0.52
1:B:34:ARG:NH1	1:B:40:LEU:HD13	2.25	0.52
1:C:383:GLU:CG	1:C:385:ARG:HH12	2.23	0.52
1:B:205:PHE:CE2	1:B:209:LEU:HD22	2.45	0.51
1:A:217:PRO:HB3	1:A:341:PHE:HB2	1.91	0.51
1:A:154:TYR:HB2	1:A:197:ARG:HG3	1.93	0.51
1:A:153:MET:HG3	1:A:160:MET:SD	2.51	0.51
1:C:383:GLU:HG2	1:C:385:ARG:HH12	1.76	0.51
1:B:330:VAL:HG22	1:B:335:VAL:HG22	1.92	0.51
1:C:118:LYS:HE2	1:C:134:TRP:CD2	2.45	0.51
1:B:426:HIS:CE1	1:B:428:ASN:O	2.65	0.50
1:B:169:LYS:HD3	1:B:171:GLU:CD	2.32	0.50
1:A:94:GLU:OE2	1:A:267:ARG:HD2	2.12	0.50
1:C:169:LYS:HG2	1:C:187:LEU:HD11	1.93	0.50
1:B:386:GLN:NE2	7:B:609:HOH:O	2.41	0.50
1:C:439:ARG:H	1:C:440:PRO:CD	2.21	0.50
1:C:34:ARG:HG3	1:C:430:PHE:HA	1.94	0.50
1:C:255:ARG:HG3	1:C:298:GLU:O	2.12	0.50
1:A:249:TRP:HE1	1:A:312:ASN:ND2	2.10	0.50
1:A:334:ILE:HA	1:A:337:GLN:HG2	1.93	0.50
1:C:436:HIS:CE1	1:C:439:ARG:HD3	2.47	0.50
1:A:7:ARG:CG	6:A:528:GOL:O3	2.60	0.49
1:C:49:TYR:CE2	1:C:51:GLY:HA2	2.47	0.49
1:C:389:GLN:HE22	1:C:399:VAL:HG13	1.78	0.49
1:B:408:ARG:HD3	1:B:453:HIS:CE1	2.47	0.49
1:A:247:THR:HG22	1:A:248:ARG:HG3	1.94	0.49
1:A:8:PRO:HG2	1:A:17:ILE:O	2.13	0.49
1:B:437:ALA:C	1:B:439:ARG:H	2.14	0.49
1:C:363:MET:HG3	7:C:603:HOH:O	2.12	0.49
1:B:217:PRO:HB3	1:B:341:PHE:HB2	1.95	0.49
1:B:316:HIS:CE1	1:B:348:GLU:HB3	2.47	0.49
1:A:278:VAL:O	1:A:282:LEU:HG	2.12	0.49
1:A:249:TRP:HE1	1:A:312:ASN:HD21	1.59	0.49
1:A:209:LEU:HD23	1:A:310:GLN:HG2	1.96	0.48
1:B:77:ARG:HG3	1:B:254:GLN:HG2	1.95	0.48
1:A:491:GLY:HA3	1:A:492:THR:C	2.34	0.48
1:B:230:PHE:HD1	1:B:230:PHE:O	1.97	0.48
1:A:433:LEU:HD23	1:A:433:LEU:H	1.79	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:174:LYS:HG2	1:C:177:LYS:HD2	1.95	0.47
1:B:487:TRP:HE1	1:B:492:THR:HB	1.79	0.47
1:C:224:MET:O	1:C:228:GLY:HA3	2.15	0.47
1:A:303:SER:HA	1:A:308:THR:HG21	1.95	0.47
1:B:341:PHE:HE1	1:B:350:VAL:HG13	1.79	0.47
1:C:259:LYS:HA	1:C:283:LEU:HD23	1.96	0.47
1:C:239:ARG:HD2	1:C:240:TYR:CZ	2.49	0.47
1:C:310:GLN:HG2	7:C:569:HOH:O	2.14	0.47
1:B:149:HIS:NE2	1:B:153:MET:HE2	2.30	0.47
1:A:9:SER:CB	6:A:528:GOL:H32	2.45	0.47
1:B:218:ILE:HG12	1:B:313:SER:HB3	1.97	0.47
1:B:10:GLY:HA2	7:B:588:HOH:O	2.13	0.47
1:A:77:ARG:HG3	1:A:254:GLN:HG2	1.97	0.47
1:C:197:ARG:NH1	7:C:570:HOH:O	2.48	0.46
1:A:96:ARG:HE	1:A:216:ASN:HD21	1.62	0.46
1:B:356:LEU:HD23	1:B:358:MET:CE	2.45	0.46
1:C:480:ARG:NH1	7:C:550:HOH:O	2.48	0.46
1:B:47:PRO:HG2	1:B:429:PRO:HB3	1.97	0.46
1:B:462:ALA:O	1:B:465:VAL:HG12	2.15	0.46
1:C:217:PRO:HB3	1:C:341:PHE:HB2	1.98	0.46
1:B:341:PHE:CE1	1:B:350:VAL:HG13	2.51	0.46
1:C:478:VAL:HA	1:C:479:PRO:HD3	1.76	0.46
7:B:563:HOH:O	1:C:402:GLN:HB3	2.16	0.46
1:B:337:GLN:HG3	1:C:402:GLN:HG3	1.97	0.46
1:B:77:ARG:HD2	1:B:299:GLU:OE1	2.15	0.45
1:B:243:ASP:O	1:B:244:ALA:C	2.54	0.45
1:A:426:HIS:CE1	1:A:428:ASN:O	2.69	0.45
1:B:33:TRP:CE3	1:B:433:LEU:HB3	2.51	0.45
1:A:9:SER:OG	6:A:528:GOL:H12	2.17	0.45
1:C:447:LEU:HD13	1:C:465:VAL:HG21	1.98	0.45
1:A:96:ARG:NH2	1:A:215:PHE:O	2.50	0.45
1:A:176:ASP:HB2	7:A:572:HOH:O	2.17	0.45
1:C:383:GLU:HG2	1:C:385:ARG:NH1	2.32	0.44
1:A:411:ARG:HD2	1:A:453:HIS:CE1	2.53	0.44
1:A:436:HIS:HB2	7:A:619:HOH:O	2.17	0.44
1:A:225:ASN:HD21	1:A:488:VAL:HG13	1.82	0.44
1:B:96:ARG:NH2	1:B:215:PHE:O	2.50	0.44
1:B:456:LYS:CG	1:B:457:TYR:H	2.30	0.44
1:C:30:THR:HB	1:C:50:LEU:HD21	1.98	0.44
1:B:480:ARG:HH22	1:B:482:ARG:HG3	1.82	0.44
1:A:284:ALA:O	1:A:285:PRO:C	2.56	0.44

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328:THR:HG22	1:B:330:VAL:H	1.82	0.44
1:B:461:VAL:O	1:B:465:VAL:HB	2.18	0.43
1:C:96:ARG:HE	1:C:216:ASN:HD22	1.66	0.43
1:A:8:PRO:HG3	1:A:19:ASP:HA	2.00	0.43
1:C:417:GLN:HB2	1:C:446:LEU:HD21	2.00	0.43
1:B:456:LYS:HG3	1:B:457:TYR:N	2.32	0.43
1:A:456:LYS:HG3	7:A:567:HOH:O	2.17	0.43
1:A:87:ASP:OD1	1:A:260:ARG:NH2	2.44	0.43
1:B:326:GLU:OE1	1:B:367:ARG:NH1	2.42	0.43
1:B:66:MET:O	1:B:66:MET:HG2	2.18	0.43
1:B:328:THR:CG2	1:B:330:VAL:H	2.32	0.42
1:A:480:ARG:HD3	1:A:482:ARG:HG2	2.00	0.42
1:C:490:PHE:HB2	1:C:491:GLY:H	1.73	0.42
1:B:374:ARG:NH2	1:B:383:GLU:OE1	2.52	0.42
1:B:110:LYS:O	1:B:114:GLU:HB2	2.20	0.42
1:A:301:LEU:HA	1:A:302:PRO:HD3	1.90	0.42
1:B:485:LEU:HA	1:B:488:VAL:HG12	2.01	0.42
1:C:374:ARG:HG2	1:C:377:LYS:H	1.84	0.42
1:A:130:LYS:NZ	5:A:3:SO4:O3	2.53	0.42
1:B:77:ARG:CG	1:B:254:GLN:HG2	2.49	0.42
1:A:480:ARG:HH11	1:A:482:ARG:H	1.66	0.42
1:C:132:LYS:HE2	1:C:132:LYS:HB3	1.92	0.42
1:C:77:ARG:HG2	1:C:254:GLN:HG2	2.02	0.42
1:A:55:GLU:HG2	7:A:633:HOH:O	2.19	0.42
1:B:287:LEU:HD12	1:B:287:LEU:HA	1.93	0.42
1:C:325:VAL:HG21	1:C:332:PRO:HG3	2.01	0.41
1:A:17:ILE:HG23	1:A:293:TYR:HB3	2.03	0.41
1:A:322:CYS:O	1:A:326:GLU:HB2	2.20	0.41
1:A:383:GLU:HG2	1:A:385:ARG:HH12	1.86	0.41
1:C:154:TYR:HB2	1:C:197:ARG:HG3	2.03	0.41
1:C:230:PHE:HD1	1:C:230:PHE:O	2.03	0.41
1:B:89:VAL:HG13	1:B:321:LEU:HD23	2.03	0.41
1:C:7:ARG:HA	1:C:8:PRO:HA	1.86	0.40
1:B:279:MET:SD	1:B:283:LEU:HD22	2.61	0.40
1:B:472:SER:HB3	7:B:602:HOH:O	2.19	0.40
1:C:331:ASP:HB2	1:C:334:ILE:HD12	2.03	0.40
1:C:192:LEU:O	1:C:196:ILE:HG23	2.21	0.40
1:C:451:ALA:O	1:C:481:HIS:HE1	2.04	0.40
1:C:374:ARG:HE	1:C:377:LYS:H	1.70	0.40
1:A:77:ARG:CG	1:A:254:GLN:HG2	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	484/517 (94%)	460 (95%)	18 (4%)	6 (1%)	16	30
1	B	484/517 (94%)	465 (96%)	13 (3%)	6 (1%)	16	30
1	C	484/517 (94%)	454 (94%)	20 (4%)	10 (2%)	9	15
All	All	1452/1551 (94%)	1379 (95%)	51 (4%)	22 (2%)	13	24

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	8	PRO
1	A	244	ALA
1	B	440	PRO
1	B	438	GLN
1	C	376	ASP
1	C	438	GLN
1	C	491	GLY
1	A	378	GLU
1	B	244	ALA
1	B	376	ASP
1	C	435	GLY
1	C	439	ARG
1	C	472	SER
1	B	491	GLY
1	C	381	PRO
1	A	9	SER
1	A	434	PRO
1	B	379	GLU
1	C	378	GLU
1	C	468	GLU
1	C	402	GLN
1	A	433	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	414/440 (94%)	377 (91%)	37 (9%)	12	21
1	B	414/440 (94%)	384 (93%)	30 (7%)	18	33
1	C	414/440 (94%)	379 (92%)	35 (8%)	13	23
All	All	1242/1320 (94%)	1140 (92%)	102 (8%)	14	25

All (102) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ARG
1	A	34	ARG
1	A	55	GLU
1	A	57	VAL
1	A	77	ARG
1	A	89	VAL
1	A	97	LEU
1	A	105	LYS
1	A	143	LEU
1	A	145	ASP
1	A	161	ARG
1	A	176	ASP
1	A	196	ILE
1	A	268	LEU
1	A	283	LEU
1	A	287	LEU
1	A	297	VAL
1	A	305	CYS
1	A	312	ASN
1	A	335	VAL
1	A	336	MET
1	A	359	VAL
1	A	360	LYS
1	A	378	GLU
1	A	382	LEU
1	A	383	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	386	GLN
1	A	411	ARG
1	A	413	SER
1	A	426	HIS
1	A	433	LEU
1	A	436	HIS
1	A	447	LEU
1	A	461	VAL
1	A	466	SER
1	A	480	ARG
1	A	492	THR
1	B	7	ARG
1	B	9	SER
1	B	26	LEU
1	B	38	GLU
1	B	58	ASP
1	B	70	LEU
1	B	77	ARG
1	B	86	LEU
1	B	100	THR
1	B	110	LYS
1	B	140	ILE
1	B	230	PHE
1	B	242	MET
1	B	268	LEU
1	B	283	LEU
1	B	305	CYS
1	B	328	THR
1	B	330	VAL
1	B	347	ASP
1	B	378	GLU
1	B	382	LEU
1	B	402	GLN
1	B	418	LEU
1	B	439	ARG
1	B	442	GLN
1	B	447	LEU
1	B	459	ARG
1	B	465	VAL
1	B	468	GLU
1	B	484	VAL
1	C	26	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	34	ARG
1	C	58	ASP
1	C	71	LYS
1	C	75	GLU
1	C	77	ARG
1	C	86	LEU
1	C	111	LYS
1	C	196	ILE
1	C	197	ARG
1	C	210	LYS
1	C	230	PHE
1	C	242	MET
1	C	260	ARG
1	C	268	LEU
1	C	283	LEU
1	C	331	ASP
1	C	336	MET
1	C	347	ASP
1	C	378	GLU
1	C	379	GLU
1	C	402	GLN
1	C	410	ASP
1	C	426	HIS
1	C	432	THR
1	C	438	GLN
1	C	441	SER
1	C	447	LEU
1	C	456	LYS
1	C	467	LYS
1	C	472	SER
1	C	474	ILE
1	C	476	MET
1	C	480	ARG
1	C	490	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	GLN
1	A	83	GLN
1	A	146	GLN
1	A	151	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	152	ASN
1	A	216	ASN
1	A	225	ASN
1	A	253	GLN
1	A	254	GLN
1	A	312	ASN
1	A	427	GLN
1	A	442	GLN
1	A	481	HIS
1	B	63	GLN
1	B	129	GLN
1	B	216	ASN
1	B	237	ASN
1	B	253	GLN
1	B	254	GLN
1	B	337	GLN
1	B	417	GLN
1	B	442	GLN
1	C	63	GLN
1	C	104	GLN
1	C	216	ASN
1	C	225	ASN
1	C	254	GLN
1	C	436	HIS
1	C	471	GLN
1	C	481	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 28 ligands modelled in this entry, 9 are monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	SO4	A	2	-	4,4,4	0.22	0	6,6,6	0.14	0
5	SO4	A	3	-	4,4,4	0.25	0	6,6,6	0.10	0
3	URF	A	521	2	5,9,9	3.82	1 (20%)	5,12,12	5.84	4 (80%)
5	SO4	A	524	-	4,4,4	0.28	0	6,6,6	0.42	0
5	SO4	A	525	-	4,4,4	0.16	0	6,6,6	0.15	0
5	SO4	A	526	-	4,4,4	0.15	0	6,6,6	0.34	0
5	SO4	A	527	-	4,4,4	0.21	0	6,6,6	0.10	0
6	GOL	A	528	-	5,5,5	0.42	0	5,5,5	0.35	0
3	URF	B	521	2	5,9,9	4.06	1 (20%)	5,12,12	5.39	4 (80%)
5	SO4	B	524	-	4,4,4	0.27	0	6,6,6	0.23	0
5	SO4	B	525	-	4,4,4	0.16	0	6,6,6	0.27	0
5	SO4	B	526	-	4,4,4	0.22	0	6,6,6	0.10	0
5	SO4	B	527	-	4,4,4	0.25	0	6,6,6	0.10	0
5	SO4	B	528	-	4,4,4	0.23	0	6,6,6	0.20	0
6	GOL	C	2	-	5,5,5	0.32	0	5,5,5	0.25	0
3	URF	C	521	-	5,9,9	4.04	1 (20%)	5,12,12	5.71	5 (100%)
5	SO4	C	524	-	4,4,4	0.19	0	6,6,6	0.22	0
5	SO4	C	525	-	4,4,4	0.15	0	6,6,6	0.27	0
5	SO4	C	526	-	4,4,4	0.18	0	6,6,6	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SO4	A	2	-	-	0/0/0/0	0/0/0/0
5	SO4	A	3	-	-	0/0/0/0	0/0/0/0
3	URF	A	521	2	-	0/0/0/0	0/1/1/1
5	SO4	A	524	-	-	0/0/0/0	0/0/0/0
5	SO4	A	525	-	-	0/0/0/0	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SO4	A	526	-	-	0/0/0/0	0/0/0/0
5	SO4	A	527	-	-	0/0/0/0	0/0/0/0
6	GOL	A	528	-	-	0/4/4/4	0/0/0/0
3	URF	B	521	2	-	0/0/0/0	0/1/1/1
5	SO4	B	524	-	-	0/0/0/0	0/0/0/0
5	SO4	B	525	-	-	0/0/0/0	0/0/0/0
5	SO4	B	526	-	-	0/0/0/0	0/0/0/0
5	SO4	B	527	-	-	0/0/0/0	0/0/0/0
5	SO4	B	528	-	-	0/0/0/0	0/0/0/0
6	GOL	C	2	-	-	0/4/4/4	0/0/0/0
3	URF	C	521	-	-	0/0/0/0	0/1/1/1
5	SO4	C	524	-	-	0/0/0/0	0/0/0/0
5	SO4	C	525	-	-	0/0/0/0	0/0/0/0
5	SO4	C	526	-	-	0/0/0/0	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	521	URF	C4-C5	8.53	1.49	1.38
3	C	521	URF	C4-C5	9.01	1.49	1.38
3	B	521	URF	C4-C5	9.07	1.49	1.38

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	521	URF	N1-C2-N3	-9.90	122.02	128.33
3	A	521	URF	N1-C2-N3	-9.70	122.14	128.33
3	B	521	URF	N1-C2-N3	-8.80	122.72	128.33
3	B	521	URF	C5-C4-N3	-3.64	118.29	122.34
3	A	521	URF	C5-C4-N3	-3.53	118.41	122.34
3	C	521	URF	C5-C4-N3	-2.93	119.07	122.34
3	C	521	URF	F5-C5-C4	2.06	122.39	118.56
3	B	521	URF	C6-N1-C2	3.73	121.46	115.47
3	A	521	URF	C6-N1-C2	3.87	121.69	115.47
3	C	521	URF	C6-N1-C2	4.52	122.74	115.47
3	C	521	URF	C4-N3-C2	5.65	120.13	115.25
3	B	521	URF	C4-N3-C2	6.15	120.56	115.25
3	A	521	URF	C4-N3-C2	6.87	121.18	115.25

There are no chirality outliers.

There are no torsion outliers.



There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	3	SO4	1	0
3	A	521	URF	1	0
6	A	528	GOL	3	0
6	C	2	GOL	1	0
3	C	521	URF	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	486/517 (94%)	0.12	26 (5%)	30 28	12, 24, 57, 76	2 (0%)
1	B	486/517 (94%)	0.14	23 (4%)	35 33	15, 28, 62, 78	1 (0%)
1	C	486/517 (94%)	0.23	32 (6%)	22 19	17, 29, 63, 81	1 (0%)
All	All	1458/1551 (94%)	0.17	81 (5%)	28 26	12, 28, 61, 81	4 (0%)

All (81) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	8	PRO	7.4
1	B	476	MET	6.7
1	A	474	ILE	6.5
1	C	492	THR	6.5
1	C	476	MET	5.4
1	C	477	VAL	5.3
1	C	438	GLN	5.3
1	A	477	VAL	5.2
1	B	477	VAL	5.2
1	B	492	THR	5.0
1	C	469	ALA	5.0
1	B	474	ILE	4.9
1	C	473	GLY	4.6
1	C	377	LYS	4.5
1	C	437	ALA	4.5
1	A	476	MET	4.5
1	A	473	GLY	4.4
1	B	473	GLY	4.2
1	A	376	ASP	4.0
1	A	438	GLN	4.0
1	C	474	ILE	4.0
1	A	459	ARG	3.9
1	A	492	THR	3.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	436	HIS	3.8
1	B	475	GLU	3.7
1	C	470	ALA	3.7
1	A	478	VAL	3.6
1	B	470	ALA	3.6
1	C	491	GLY	3.6
1	C	42	PRO	3.5
1	C	475	GLU	3.5
1	B	443	LEU	3.4
1	A	380	GLY	3.4
1	A	437	ALA	3.4
1	C	57	VAL	3.3
1	A	470	ALA	3.1
1	A	435	GLY	3.1
1	B	482	ARG	3.1
1	C	39	LYS	3.0
1	C	462	ALA	3.0
1	B	377	LYS	3.0
1	C	379	GLU	3.0
1	B	438	GLN	3.0
1	B	459	ARG	2.8
1	C	380	GLY	2.8
1	C	466	SER	2.8
1	C	467	LYS	2.8
1	C	487	TRP	2.8
1	C	376	ASP	2.8
1	C	58	ASP	2.7
1	B	442	GLN	2.7
1	B	487	TRP	2.7
1	A	455	GLU	2.6
1	A	469	ALA	2.5
1	C	374	ARG	2.5
1	B	467	LYS	2.4
1	B	441	SER	2.4
1	B	375	ALA	2.4
1	A	379	GLU	2.4
1	C	444	MET	2.4
1	A	491	GLY	2.3
1	A	9	SER	2.3
1	A	475	GLU	2.3
1	A	463	SER	2.3
1	C	459	ARG	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	436	HIS	2.2
1	B	40	LEU	2.2
1	A	375	ALA	2.2
1	A	436	HIS	2.2
1	B	380	GLY	2.2
1	B	460	THR	2.1
1	C	455	GLU	2.1
1	A	454	GLY	2.1
1	A	487	TRP	2.1
1	C	460	THR	2.1
1	B	379	GLU	2.1
1	B	376	ASP	2.1
1	A	460	THR	2.1
1	C	478	VAL	2.0
1	C	180	GLY	2.0
1	C	464	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
5	SO4	B	527	5/5	0.94	0.32	7.78	86,86,86,86	0
5	SO4	A	526	5/5	0.92	0.21	4.13	69,70,70,70	0
5	SO4	B	528	5/5	0.92	0.23	3.37	87,87,87,88	0
5	SO4	C	526	5/5	0.92	0.17	1.77	77,77,78,78	0
5	SO4	A	3	5/5	0.92	0.19	1.28	75,76,76,76	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	GOL	A	528	6/6	0.91	0.20	-0.29	37,39,39,40	0
5	SO4	B	525	5/5	0.95	0.14	-0.46	52,52,53,53	0
5	SO4	B	524	5/5	0.97	0.14	-1.07	46,46,47,47	0
5	SO4	C	524	5/5	0.97	0.12	-1.24	46,46,47,47	0
5	SO4	A	524	5/5	0.98	0.10	-1.65	40,40,40,41	0
4	MN3	A	522	1/1	0.98	0.08	-1.98	47,47,47,47	0
4	MN3	B	523	1/1	0.98	0.09	-2.49	40,40,40,40	0
4	MN3	C	522	1/1	0.98	0.08	-2.79	46,46,46,46	0
4	MN3	B	522	1/1	1.00	0.07	-2.89	42,42,42,42	0
5	SO4	B	526	5/5	0.95	0.18	-	70,71,71,71	0
5	SO4	A	525	5/5	0.96	0.21	-	52,53,53,53	0
2	MG	A	1	1/1	0.97	0.14	-	26,26,26,26	0
5	SO4	A	2	5/5	0.91	0.20	-	80,80,80,80	0
5	SO4	C	525	5/5	0.88	0.22	-	70,70,71,71	0
6	GOL	C	2	6/6	0.90	0.15	-	53,54,55,55	0
2	MG	C	3	1/1	0.93	0.20	-	48,48,48,48	0
3	URF	A	521	9/9	0.79	0.27	-	70,71,71,72	0
3	URF	B	521	9/9	0.76	0.26	-	56,56,57,58	9
2	MG	B	2	1/1	0.89	0.13	-	33,33,33,33	0
4	MN3	C	523	1/1	0.96	0.11	-	55,55,55,55	0
4	MN3	A	523	1/1	0.99	0.12	-	40,40,40,40	0
5	SO4	A	527	5/5	0.80	0.24	-	104,104,104,104	0
3	URF	C	521	9/9	0.82	0.26	-	71,71,72,72	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.