



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:08 PM GMT

PDB ID : 4NV1
Title : Crystal structure of a 4-N formyltransferase from Francisella tularensis
Authors : Thoden, J.B.; Zimmer, A.L.; Holden, H.M.
Deposited on : 2013-12-04
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	243	<div> <div>3%</div> <div>84%</div> <div>14%</div> <div>..</div> </div>
1	B	243	<div> <div>5%</div> <div>78%</div> <div>17%</div> <div>..</div> </div>
1	C	243	<div> <div>3%</div> <div>83%</div> <div>15%</div> <div>.</div> </div>
1	D	243	<div> <div>2%</div> <div>84%</div> <div>14%</div> <div>..</div> </div>
1	E	243	<div> <div>6%</div> <div>81%</div> <div>17%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	243	
1	G	243	
1	H	243	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PO4	H	302	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16694 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Formyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	241	Total	C	N	O	S	0	0	0
			1960	1257	322	371	10			
1	D	240	Total	C	N	O	S	0	0	0
			1953	1254	321	368	10			
1	E	242	Total	C	N	O	S	0	2	0
			1980	1272	328	370	10			
1	F	240	Total	C	N	O	S	0	0	0
			1953	1254	321	368	10			
1	B	241	Total	C	N	O	S	0	0	0
			1959	1257	322	370	10			
1	A	240	Total	C	N	O	S	0	0	0
			1953	1254	321	368	10			
1	G	242	Total	C	N	O	S	0	0	0
			1967	1262	325	370	10			
1	H	241	Total	C	N	O	S	0	0	0
			1960	1257	322	371	10			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	EXPRESSION TAG	UNP Q79RC8
C	0	HIS	-	EXPRESSION TAG	UNP Q79RC8
D	-1	GLY	-	EXPRESSION TAG	UNP Q79RC8
D	0	HIS	-	EXPRESSION TAG	UNP Q79RC8
E	-1	GLY	-	EXPRESSION TAG	UNP Q79RC8
E	0	HIS	-	EXPRESSION TAG	UNP Q79RC8
F	-1	GLY	-	EXPRESSION TAG	UNP Q79RC8
F	0	HIS	-	EXPRESSION TAG	UNP Q79RC8
B	-1	GLY	-	EXPRESSION TAG	UNP Q79RC8
B	0	HIS	-	EXPRESSION TAG	UNP Q79RC8
A	-1	GLY	-	EXPRESSION TAG	UNP Q79RC8
A	0	HIS	-	EXPRESSION TAG	UNP Q79RC8
G	-1	GLY	-	EXPRESSION TAG	UNP Q79RC8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	EXPRESSION TAG	UNP Q79RC8
H	-1	GLY	-	EXPRESSION TAG	UNP Q79RC8
H	0	HIS	-	EXPRESSION TAG	UNP Q79RC8

- Molecule 2 is DTDP-4-AMINO-4,6-DIDEOXYGLUCOSE (three-letter code: 0FX) (formula: C₁₆H₂₇N₃O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			35	16	3	14	2		
2	E	1	Total	C	N	O	P	0	0
			35	16	3	14	2		
2	A	1	Total	C	N	O	P	0	0
			35	16	3	14	2		
2	G	1	Total	C	N	O	P	0	0
			35	16	3	14	2		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	O	P	0	0
			5	4	1		
3	F	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	H	1	Total	O	P	0	0
			5	4	1		
3	H	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is THYMIDINE-5'-DIPHOSPHATE (three-letter code: TYD) (formula: $C_{10}H_{16}N_2O_{11}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	F	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
4	H	1	Total	C	N	O	P	0	0
			25	10	2	11	2		

- Molecule 5 is DTDP-4,6-DIDEOXY-4-FORMAMIDO-GLUCOSE (three-letter code: 4TG) (formula: C₁₇H₂₇N₃O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			37	17	3	15	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	C	94	Total	O	0	0
			94	94		
6	D	104	Total	O	0	0
			104	104		
6	E	99	Total	O	0	0
			99	99		
6	F	101	Total	O	0	0
			101	101		
6	B	76	Total	O	0	0
			76	76		
6	A	115	Total	O	0	0
			115	115		
6	G	41	Total	O	0	0
			41	41		
6	H	102	Total	O	0	0
			102	102		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Formyltransferase




• Molecule 1: Formyltransferase



• Molecule 1: Formyltransferase





• Molecule 1: Formyltransferase








● Molecule 1: Formyltransferase





● Molecule 1: Formyltransferase



● Molecule 1: Formyltransferase



● Molecule 1: Formyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	71.94Å 80.06Å 109.85Å 71.72° 88.62° 89.78°	Depositor
Resolution (Å)	29.96 – 2.10 29.94 – 2.10	Depositor EDS
% Data completeness (in resolution range)	90.0 (29.96-2.10) 81.4 (29.94-2.10)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.29 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.191 , 0.270 0.198 , 0.273	Depositor DCC
R_{free} test set	6149 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	28.1	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 48.2	EDS
Estimated twinning fraction	0.063 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 121976 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	16694	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TYD, OFX, PO4, 4TG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/1995	1.04	2/2692 (0.1%)
1	B	0.57	0/2001	1.06	3/2700 (0.1%)
1	C	0.66	0/2002	1.11	6/2700 (0.2%)
1	D	0.64	0/1995	1.05	7/2692 (0.3%)
1	E	0.66	0/2030	1.13	7/2738 (0.3%)
1	F	0.63	0/1995	1.02	3/2692 (0.1%)
1	G	0.53	0/2010	1.00	3/2712 (0.1%)
1	H	0.67	0/2002	1.07	5/2700 (0.2%)
All	All	0.63	0/16030	1.06	36/21626 (0.2%)

There are no bond length outliers.

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	204	ARG	NE-CZ-NH2	9.65	125.12	120.30
1	G	211	ARG	NE-CZ-NH1	8.97	124.78	120.30
1	C	225	ASP	CB-CG-OD1	8.89	126.30	118.30
1	E	204	ARG	NE-CZ-NH1	-7.47	116.57	120.30
1	D	211	ARG	NE-CZ-NH1	6.82	123.71	120.30
1	E	9	ASP	CB-CG-OD1	-6.69	112.28	118.30
1	C	204	ARG	NE-CZ-NH1	-6.68	116.96	120.30
1	H	174	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	H	174	ARG	NE-CZ-NH2	-6.42	117.09	120.30
1	A	147	ASP	CB-CG-OD2	6.20	123.88	118.30
1	C	204	ARG	NE-CZ-NH2	6.09	123.34	120.30
1	D	211	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	B	100	ARG	NE-CZ-NH2	-6.02	117.29	120.30
1	E	11	ARG	NE-CZ-NH1	5.95	123.27	120.30
1	B	130	ASP	CB-CG-OD2	-5.89	113.00	118.30
1	G	225	ASP	CB-CG-OD1	5.86	123.58	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	128	HIS	N-CA-C	5.68	126.32	111.00
1	B	196	ASP	CB-CG-OD1	5.59	123.33	118.30
1	C	74	SER	N-CA-C	-5.56	95.98	111.00
1	D	100	ARG	NE-CZ-NH1	-5.53	117.54	120.30
1	E	211	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	D	128	HIS	N-CA-C	5.37	125.50	111.00
1	F	225	ASP	CB-CG-OD2	-5.33	113.51	118.30
1	H	11	ARG	NE-CZ-NH1	-5.32	117.64	120.30
1	F	1	MET	CG-SD-CE	5.31	108.69	100.20
1	H	159	LEU	CB-CG-CD2	5.28	119.97	111.00
1	E	100	ARG	NE-CZ-NH2	-5.23	117.69	120.30
1	D	186	ILE	CB-CA-C	-5.23	101.14	111.60
1	G	130	ASP	CB-CG-OD1	5.16	122.94	118.30
1	C	11	ARG	NE-CZ-NH1	5.14	122.87	120.30
1	C	225	ASP	CB-CG-OD2	-5.13	113.68	118.30
1	D	67	ASP	CB-CG-OD2	5.10	122.89	118.30
1	E	112	LYS	CD-CE-NZ	-5.10	99.97	111.70
1	A	61	ASP	CB-CA-C	-5.07	100.26	110.40
1	D	33	CYS	CA-CB-SG	5.06	123.11	114.00
1	F	225	ASP	CB-CG-OD1	5.04	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1953	0	1942	19	0
1	B	1959	0	1947	35	0
1	C	1960	0	1947	25	0
1	D	1953	0	1942	26	0
1	E	1980	0	1972	22	0
1	F	1953	0	1942	37	0
1	G	1967	0	1952	37	0
1	H	1960	0	1947	23	0
2	A	35	0	26	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	35	0	26	2	0
2	E	35	0	26	0	0
2	G	35	0	26	0	0
3	B	5	0	0	1	0
3	C	5	0	0	0	0
3	F	5	0	0	0	0
3	H	10	0	0	0	0
4	D	25	0	13	2	0
4	F	25	0	13	2	0
4	H	25	0	13	1	0
5	B	37	0	26	0	0
6	A	115	0	0	0	0
6	B	76	0	0	1	0
6	C	94	0	0	2	0
6	D	104	0	0	3	0
6	E	99	0	0	3	0
6	F	101	0	0	5	0
6	G	41	0	0	0	0
6	H	102	0	0	2	0
All	All	16694	0	15760	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:11:ARG:NH2	1:F:44:GLU:OE1	2.12	0.83
1:B:138:GLU:O	1:B:151:LYS:NZ	2.12	0.80
1:E:147:ASP:O	6:E:429:HOH:O	2.01	0.78
1:H:235:LEU:HD23	1:H:237:LEU:HD11	1.65	0.77
1:C:103:PHE:CE2	2:C:301:OFX:H19	2.21	0.76
1:B:125:GLU:HB2	1:B:128:HIS:CB	2.20	0.72
1:G:123:ASP:HB3	1:G:125:GLU:H	1.55	0.72
1:F:169:ASN:HB2	6:F:421:HOH:O	1.91	0.70
1:H:21:ILE:HG21	1:H:29:VAL:HG21	1.73	0.70
1:B:2:LYS:HG2	6:B:470:HOH:O	1.94	0.67
1:A:21:ILE:CG2	1:A:29:VAL:HG21	2.26	0.66
1:C:76:GLN:HG3	6:C:403:HOH:O	1.95	0.66
1:B:21:ILE:HG21	1:B:29:VAL:HG21	1.78	0.66
1:G:6:VAL:HG22	1:G:70:PHE:HB2	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:80:ALA:O	1:F:84:ASN:ND2	2.30	0.65
1:F:149:TYR:CZ	4:F:301:TYD:H5'2	2.31	0.65
1:D:102:TRP:CE2	1:D:186:ILE:HG23	2.32	0.65
1:H:21:ILE:CG2	1:H:29:VAL:HG21	2.27	0.64
1:B:233:VAL:HG12	1:A:237:LEU:HD23	1.80	0.63
1:G:60:ASN:O	1:G:63:ILE:HG13	1.98	0.63
1:D:21:ILE:HG21	1:D:29:VAL:HG21	1.82	0.62
1:F:45:ILE:HD13	1:F:52:PRO:HD3	1.82	0.61
1:A:21:ILE:HG21	1:A:29:VAL:HG21	1.81	0.61
1:G:60:ASN:O	1:G:63:ILE:CG1	2.50	0.60
1:F:14:LEU:HD11	1:F:18:LYS:HE2	1.84	0.60
1:E:73:HIS:CE1	1:E:93:PRO:HG3	2.37	0.59
1:F:34:SER:HA	1:F:76:GLN:NE2	2.18	0.59
1:G:169:ASN:O	1:G:171:LYS:N	2.35	0.59
1:D:224:ILE:CG2	1:D:228:GLY:HA2	2.32	0.58
1:D:186:ILE:CD1	6:D:462:HOH:O	2.51	0.58
1:B:235:LEU:HD11	1:A:233:VAL:CG2	2.34	0.58
1:B:193:CYS:HA	1:B:213:MET:HE1	1.85	0.57
1:E:43:LYS:HD2	1:E:47:ASN:HD21	1.68	0.57
1:B:194:GLU:HG3	1:B:222:TYR:CE2	2.39	0.57
1:C:10:ASN:HB3	1:C:13:ILE:HB	1.85	0.57
1:D:149:TYR:OH	4:D:301:TYD:O2B	2.20	0.56
1:G:81:LYS:O	1:G:85:SER:OG	2.23	0.56
1:H:95:LEU:HD22	1:H:136:GLU:HG2	1.88	0.56
1:F:1:MET:N	6:F:455:HOH:O	2.38	0.56
1:F:55:MET:O	1:F:56:LYS:C	2.44	0.56
1:F:14:LEU:O	1:F:18:LYS:HG2	2.06	0.55
1:H:61:ASP:O	1:H:65:LYS:NZ	2.34	0.55
1:B:96:ASN:ND2	1:B:127:ASP:HB3	2.21	0.55
1:G:159:LEU:O	1:G:163:VAL:HG22	2.06	0.55
1:F:103:PHE:N	1:F:104:PRO:HD3	2.22	0.55
1:A:103:PHE:CE2	2:A:301:OFX:H19	2.42	0.55
1:D:35:PHE:O	1:D:38:GLN:HB2	2.06	0.55
1:E:102:TRP:CH2	1:E:186:ILE:HD12	2.42	0.54
1:C:229:ASN:OD1	1:D:239:LYS:HE3	2.07	0.54
1:G:230:LYS:HE2	1:G:232:PHE:CZ	2.42	0.54
1:B:21:ILE:CG2	1:B:29:VAL:HG21	2.37	0.54
1:B:125:GLU:HB2	1:B:128:HIS:HB3	1.90	0.54
1:C:30:ASP:OD2	1:C:66:TYR:OH	2.18	0.54
1:F:102:TRP:CZ3	1:F:103:PHE:CZ	2.95	0.54
1:E:102:TRP:CZ2	1:E:186:ILE:HD12	2.43	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:149:TYR:CZ	4:D:301:TYD:H5'2	2.42	0.53
1:D:102:TRP:NE1	1:D:186:ILE:HG23	2.23	0.53
1:B:125:GLU:HB2	1:B:128:HIS:HB2	1.90	0.53
1:G:166:ASP:HB3	1:G:171:LYS:HB3	1.90	0.53
1:C:237:LEU:HD23	1:D:233:VAL:HG12	1.90	0.53
1:B:145:SER:HB3	1:B:215:HIS:HB2	1.89	0.53
1:H:149:TYR:OH	4:H:301:TYD:O1B	2.24	0.53
1:E:105:GLN:H	1:E:105:GLN:NE2	2.06	0.52
1:E:105:GLN:HE21	1:E:105:GLN:H	1.57	0.52
1:D:91:ILE:HD12	1:D:91:ILE:N	2.24	0.52
1:D:55:MET:HE2	1:D:78:PHE:HA	1.91	0.52
1:F:59:GLY:HA3	1:F:79:PRO:HG3	1.91	0.52
1:H:11:ARG:NH2	1:H:44:GLU:OE1	2.43	0.52
1:E:162[A]:LYS:HG3	6:E:419:HOH:O	2.09	0.52
1:G:102:TRP:CH2	1:G:186:ILE:HD12	2.44	0.52
1:C:1:MET:HA	1:C:26:ASP:O	2.09	0.52
1:A:11:ARG:CZ	1:A:44:GLU:OE1	2.57	0.52
1:E:236:GLU:O	1:F:233:VAL:HA	2.10	0.52
1:E:235:LEU:HD11	1:F:233:VAL:CG2	2.40	0.52
1:F:167:ILE:HA	1:F:172:PHE:CD1	2.45	0.52
1:C:35:PHE:C	1:C:37:SER:H	2.13	0.52
1:H:4:ILE:HD11	1:H:168:LEU:HD21	1.92	0.51
1:C:81:LYS:O	1:C:85:SER:OG	2.15	0.51
1:D:202:THR:OG1	1:D:205:GLU:HG3	2.10	0.51
1:B:3:LYS:HE3	1:B:28:GLN:HB2	1.91	0.51
1:G:31:TYR:HB2	1:G:49:GLU:O	2.09	0.51
1:G:60:ASN:HB3	1:G:63:ILE:HD11	1.92	0.51
1:H:81:LYS:O	1:H:85:SER:OG	2.27	0.50
1:D:102:TRP:CZ2	1:D:186:ILE:HG23	2.46	0.50
1:B:25:ASN:O	1:B:26:ASP:HB2	2.11	0.50
1:A:149:TYR:CZ	2:A:301:OFX:H17	2.46	0.50
1:D:225:ASP:C	1:D:225:ASP:OD1	2.50	0.50
1:F:47:ASN:O	1:F:48:SER:HB2	2.12	0.49
1:D:11:ARG:HG3	6:D:425:HOH:O	2.13	0.48
1:E:34:SER:C	1:E:36:LYS:H	2.15	0.48
1:F:219:LYS:HD3	6:F:478:HOH:O	2.14	0.48
1:C:146:PHE:C	1:C:146:PHE:CD2	2.87	0.48
1:H:35:PHE:O	1:H:38:GLN:HB2	2.13	0.48
1:D:11:ARG:HH22	1:D:44:GLU:CD	2.16	0.48
1:A:202:THR:OG1	1:A:205:GLU:HG3	2.13	0.48
1:H:135:GLU:OE1	6:H:459:HOH:O	2.20	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:ASP:C	1:A:225:ASP:OD1	2.52	0.48
1:G:146:PHE:HA	1:G:215:HIS:CE1	2.50	0.47
1:F:105:GLN:HA	1:F:115:ILE:HD13	1.95	0.47
1:G:125:GLU:HB2	1:G:128:HIS:CB	2.45	0.47
1:F:11:ARG:NH1	1:F:40:SER:O	2.46	0.47
1:B:35:PHE:O	1:B:38:GLN:HG3	2.15	0.47
1:H:58:ASN:O	1:H:59:GLY:C	2.50	0.47
1:B:93:PRO:O	1:B:104:PRO:HG2	2.14	0.47
1:F:60:ASN:OD1	1:F:81:LYS:HG2	2.14	0.47
1:G:53:ILE:HD11	1:G:55:MET:SD	2.55	0.47
1:E:240:ILE:HD12	1:E:240:ILE:C	2.35	0.47
1:D:114:PRO:HB3	1:D:136:GLU:OE2	2.15	0.47
1:A:21:ILE:HG22	1:A:29:VAL:HG21	1.95	0.47
1:E:202:THR:OG1	1:E:205:GLU:HG3	2.15	0.46
1:F:2:LYS:NZ	6:F:454:HOH:O	2.49	0.46
1:B:219:LYS:HE2	1:A:238:GLU:OE2	2.16	0.46
1:D:100:ARG:HB3	1:D:127:ASP:HB2	1.98	0.46
1:H:225:ASP:OD2	1:H:229:ASN:HB2	2.15	0.46
1:C:34:SER:HB2	1:C:76:GLN:HE21	1.81	0.46
1:B:96:ASN:HD21	1:B:127:ASP:HB3	1.80	0.46
1:F:60:ASN:HB3	1:F:63:ILE:HD12	1.97	0.46
1:H:122:MET:CE	6:H:404:HOH:O	2.63	0.46
1:D:21:ILE:CG2	1:D:29:VAL:HG21	2.44	0.46
1:G:123:ASP:HB3	1:G:125:GLU:N	2.27	0.45
1:G:8:THR:OG1	1:G:72:CYS:O	2.22	0.45
1:H:102:TRP:HE1	1:H:186:ILE:HG12	1.81	0.45
1:G:146:PHE:CD2	1:G:146:PHE:C	2.89	0.45
1:H:95:LEU:HD23	1:H:114:PRO:HB2	1.98	0.45
1:B:238:GLU:OE2	1:A:219:LYS:HE3	2.16	0.45
1:G:4:ILE:O	1:G:29:VAL:HA	2.17	0.45
1:C:11:ARG:HB2	1:C:11:ARG:NH1	2.31	0.45
1:B:176:LYS:HG2	1:B:177:PRO:HD2	1.99	0.45
1:B:102:TRP:CD1	1:B:186:ILE:HB	2.51	0.45
1:F:169:ASN:O	1:F:171:LYS:N	2.50	0.45
1:C:190:LYS:NZ	6:C:404:HOH:O	2.43	0.45
1:E:1:MET:HG3	1:E:26:ASP:C	2.37	0.45
1:D:170:ASN:ND2	6:D:498:HOH:O	2.51	0.44
1:B:3:LYS:CE	1:B:28:GLN:HB2	2.48	0.44
1:C:11:ARG:HB2	1:C:11:ARG:HH11	1.82	0.44
1:G:52:PRO:C	1:G:53:ILE:HG22	2.38	0.44
1:G:103:PHE:N	1:G:104:PRO:HD3	2.31	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:65:LYS:O	1:G:65:LYS:HG2	2.17	0.44
1:C:147:ASP:OD1	1:E:65:LYS:NZ	2.43	0.44
1:H:95:LEU:HD22	1:H:136:GLU:CG	2.48	0.44
1:C:34:SER:HB2	1:C:76:GLN:NE2	2.32	0.44
1:F:199:LYS:HE2	1:F:199:LYS:HB2	1.87	0.44
1:B:225:ASP:HB2	3:B:302:PO4:O3	2.17	0.44
1:D:153:GLN:HA	1:D:156:GLU:OE1	2.17	0.44
1:G:4:ILE:HG22	1:G:68:LEU:HB3	1.99	0.44
1:H:27:VAL:O	1:H:27:VAL:HG23	2.17	0.44
1:H:20:ILE:HD13	1:H:161:THR:HG22	1.98	0.44
1:E:43:LYS:CD	1:E:47:ASN:HD21	2.31	0.44
1:G:53:ILE:CD1	1:G:55:MET:SD	3.06	0.44
1:G:4:ILE:HG13	1:G:29:VAL:HG23	1.98	0.44
1:F:130:ASP:OD2	1:F:174:ARG:NH2	2.47	0.44
1:G:169:ASN:O	1:G:170:ASN:C	2.56	0.43
1:B:28:GLN:HB3	1:B:28:GLN:HE21	1.69	0.43
1:H:16:ASP:O	1:H:20:ILE:HG13	2.18	0.43
1:C:34:SER:O	1:C:37:SER:HB3	2.18	0.43
1:B:9:ASP:CG	1:B:75:LYS:HD3	2.39	0.43
1:C:153:GLN:HA	1:C:156:GLU:OE1	2.18	0.43
1:E:132:ILE:HA	1:E:173:THR:O	2.17	0.43
1:B:213:MET:HE2	1:B:213:MET:HB3	1.79	0.43
1:D:55:MET:CE	1:D:78:PHE:HA	2.48	0.43
1:F:43:LYS:O	1:F:47:ASN:HB2	2.18	0.43
1:F:53:ILE:HG12	1:F:54:ASP:N	2.33	0.43
1:B:239:LYS:HD3	1:B:241:SER:C	2.39	0.43
1:B:25:ASN:O	1:B:26:ASP:CB	2.66	0.43
1:D:102:TRP:CZ2	1:D:186:ILE:CG2	3.01	0.43
1:A:9:ASP:HA	1:A:41:PHE:HE2	1.82	0.43
1:A:154:LYS:O	1:A:158:GLU:HG3	2.18	0.43
1:G:125:GLU:HB2	1:G:128:HIS:HB3	2.00	0.43
1:G:5:PHE:O	1:G:69:GLY:HA2	2.19	0.43
1:A:32:PHE:HB3	1:A:53:ILE:CG2	2.49	0.42
1:F:100:ARG:HB3	1:F:127:ASP:HB2	2.02	0.42
1:F:95:LEU:HD22	1:F:136:GLU:HG2	2.01	0.42
1:F:58:ASN:HB3	1:F:61:ASP:OD2	2.19	0.42
1:G:45:ILE:HG22	1:G:46:TYR:N	2.34	0.42
1:E:236:GLU:OE2	6:E:456:HOH:O	2.21	0.42
1:B:9:ASP:CB	1:B:75:LYS:HD3	2.50	0.42
1:G:58:ASN:O	1:G:61:ASP:HB2	2.19	0.42
1:G:121:VAL:O	1:G:129:GLY:HA3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:14:LEU:O	1:H:18:LYS:HG3	2.20	0.42
1:C:103:PHE:CD2	2:C:301:OFX:H19	2.55	0.42
1:F:103:PHE:CE2	4:F:301:TYD:H3'	2.54	0.42
1:B:200:ILE:HD13	1:B:200:ILE:N	2.34	0.42
1:B:97:PRO:HB2	1:B:181:GLY:HA3	2.02	0.42
1:A:167:ILE:HA	1:A:172:PHE:CD1	2.54	0.42
1:C:4:ILE:HD12	1:C:27:VAL:HG13	2.02	0.42
1:E:200:ILE:O	1:E:201:VAL:HG13	2.20	0.42
1:C:35:PHE:C	1:C:37:SER:N	2.74	0.42
1:A:155:LYS:O	1:A:159:LEU:HG	2.20	0.42
1:F:39:THR:HB	6:F:443:HOH:O	2.19	0.42
1:F:90:ASN:HB2	1:F:122:MET:HG2	2.02	0.41
1:C:60:ASN:O	1:C:63:ILE:HG13	2.19	0.41
1:C:210:LEU:HA	1:C:210:LEU:HD23	1.95	0.41
1:G:237:LEU:HD12	1:G:237:LEU:N	2.36	0.41
1:H:146:PHE:HA	1:H:215:HIS:CE1	2.55	0.41
1:G:175:ILE:HG22	1:G:176:LYS:N	2.35	0.41
1:D:224:ILE:HG22	1:D:228:GLY:HA2	2.01	0.41
1:A:121:VAL:O	1:A:129:GLY:HA3	2.20	0.41
1:F:58:ASN:OD1	1:F:58:ASN:N	2.53	0.41
1:E:103:PHE:N	1:E:104:PRO:CD	2.84	0.41
1:C:10:ASN:OD1	1:C:12:THR:N	2.53	0.41
1:G:68:LEU:HD11	1:G:87:LEU:HD23	2.03	0.41
1:G:210:LEU:HA	1:G:210:LEU:HD23	1.91	0.41
1:B:27:VAL:HG23	1:B:27:VAL:O	2.21	0.41
1:H:102:TRP:NE1	1:H:186:ILE:HG12	2.36	0.41
1:E:146:PHE:C	1:E:146:PHE:CD2	2.93	0.41
1:G:62:LEU:HG	1:G:66:TYR:HE2	1.86	0.41
1:B:126:ILE:O	1:B:127:ASP:HB2	2.21	0.41
1:G:68:LEU:HD12	1:G:87:LEU:HB3	2.03	0.40
1:B:124:GLU:N	1:B:125:GLU:OE1	2.54	0.40
1:F:146:PHE:HA	1:F:215:HIS:CE1	2.56	0.40
1:F:45:ILE:CD1	1:F:52:PRO:HD3	2.50	0.40
1:D:224:ILE:HG23	1:D:228:GLY:HA2	2.04	0.40
1:A:192:MET:HB3	1:A:192:MET:HE2	1.88	0.40
1:C:12:THR:OG1	1:E:81:LYS:HE2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	238/243 (98%)	228 (96%)	10 (4%)	0	100	100
1	B	239/243 (98%)	226 (95%)	12 (5%)	1 (0%)	39	37
1	C	239/243 (98%)	222 (93%)	16 (7%)	1 (0%)	39	37
1	D	238/243 (98%)	224 (94%)	14 (6%)	0	100	100
1	E	242/243 (100%)	228 (94%)	9 (4%)	5 (2%)	9	3
1	F	238/243 (98%)	225 (94%)	11 (5%)	2 (1%)	24	17
1	G	240/243 (99%)	220 (92%)	13 (5%)	7 (3%)	6	2
1	H	239/243 (98%)	226 (95%)	13 (5%)	0	100	100
All	All	1913/1944 (98%)	1799 (94%)	98 (5%)	16 (1%)	24	17

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	126	ILE
1	E	226	GLU
1	F	170	ASN
1	B	126	ILE
1	G	48	SER
1	G	65	LYS
1	G	170	ASN
1	E	35	PHE
1	G	112	LYS
1	G	129	GLY
1	G	61	ASP
1	E	124	GLU
1	G	64	GLY
1	C	36	LYS
1	E	127	ASP
1	F	129	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/225 (99%)	213 (96%)	10 (4%)	34	32
1	B	224/225 (100%)	209 (93%)	15 (7%)	20	16
1	C	224/225 (100%)	214 (96%)	10 (4%)	34	32
1	D	223/225 (99%)	216 (97%)	7 (3%)	47	50
1	E	226/225 (100%)	214 (95%)	12 (5%)	28	25
1	F	223/225 (99%)	210 (94%)	13 (6%)	25	21
1	G	224/225 (100%)	208 (93%)	16 (7%)	18	14
1	H	224/225 (100%)	215 (96%)	9 (4%)	38	38
All	All	1791/1800 (100%)	1699 (95%)	92 (5%)	29	26

All (92) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	2	LYS
1	C	11	ARG
1	C	19	ASN
1	C	34	SER
1	C	38	GLN
1	C	43	LYS
1	C	62	LEU
1	C	123	ASP
1	C	154	LYS
1	C	179	SER
1	D	38	GLN
1	D	48	SER
1	D	49	GLU
1	D	155	LYS
1	D	168	LEU
1	D	179	SER
1	D	200	ILE
1	E	29	VAL
1	E	36	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	43	LYS
1	E	48	SER
1	E	51	LYS
1	E	56	LYS
1	E	57	LYS
1	E	62	LEU
1	E	74	SER
1	E	81	LYS
1	E	105	GLN
1	E	178	ASN
1	F	11	ARG
1	F	12	THR
1	F	25	ASN
1	F	27	VAL
1	F	28	GLN
1	F	47	ASN
1	F	71	SER
1	F	81	LYS
1	F	92	HIS
1	F	97	PRO
1	F	186	ILE
1	F	219	LYS
1	F	233	VAL
1	B	1	MET
1	B	2	LYS
1	B	19	ASN
1	B	25	ASN
1	B	26	ASP
1	B	28	GLN
1	B	48	SER
1	B	75	LYS
1	B	81	LYS
1	B	123	ASP
1	B	128	HIS
1	B	186	ILE
1	B	239	LYS
1	B	240	ILE
1	B	241	SER
1	A	3	LYS
1	A	25	ASN
1	A	46	TYR
1	A	53	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	83	VAL
1	A	155	LYS
1	A	186	ILE
1	A	190	LYS
1	A	236	GLU
1	A	240	ILE
1	G	1	MET
1	G	15	SER
1	G	19	ASN
1	G	34	SER
1	G	39	THR
1	G	45	ILE
1	G	53	ILE
1	G	56	LYS
1	G	63	ILE
1	G	67	ASP
1	G	71	SER
1	G	85	SER
1	G	127	ASP
1	G	176	LYS
1	G	187	HIS
1	G	221	SER
1	H	3	LYS
1	H	11	ARG
1	H	40	SER
1	H	56	LYS
1	H	57	LYS
1	H	82	LEU
1	H	85	SER
1	H	175	ILE
1	H	186	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (37) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	90	ASN
1	C	96	ASN
1	C	120	HIS
1	C	134	GLN
1	D	90	ASN
1	D	96	ASN
1	D	120	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	153	GLN
1	D	170	ASN
1	E	47	ASN
1	E	96	ASN
1	E	105	GLN
1	F	96	ASN
1	F	120	HIS
1	F	134	GLN
1	F	170	ASN
1	B	19	ASN
1	B	28	GLN
1	B	96	ASN
1	B	134	GLN
1	B	169	ASN
1	B	170	ASN
1	B	187	HIS
1	B	191	ASN
1	A	19	ASN
1	A	90	ASN
1	A	96	ASN
1	A	134	GLN
1	G	76	GLN
1	G	96	ASN
1	H	47	ASN
1	H	90	ASN
1	H	92	HIS
1	H	96	ASN
1	H	120	HIS
1	H	153	GLN
1	H	191	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	0FX	A	301	-	29,37,37	1.14	1 (3%)	41,57,57	2.23	18 (43%)
5	4TG	B	301	-	30,39,39	1.17	2 (6%)	42,59,59	1.87	11 (26%)
3	PO4	B	302	-	4,4,4	0.30	0	6,6,6	0.32	0
2	0FX	C	301	-	29,37,37	0.88	1 (3%)	41,57,57	2.16	15 (36%)
3	PO4	C	302	-	4,4,4	0.41	0	6,6,6	0.25	0
4	TYD	D	301	-	19,26,26	0.71	0	27,40,40	2.70	11 (40%)
2	0FX	E	301	-	29,37,37	1.16	2 (6%)	41,57,57	2.55	17 (41%)
4	TYD	F	301	-	19,26,26	0.56	0	27,40,40	3.22	11 (40%)
3	PO4	F	302	-	4,4,4	0.29	0	6,6,6	0.33	0
2	0FX	G	301	-	29,37,37	0.81	1 (3%)	41,57,57	1.88	14 (34%)
4	TYD	H	301	-	19,26,26	0.53	0	27,40,40	2.56	11 (40%)
3	PO4	H	302	-	4,4,4	0.32	0	6,6,6	0.27	0
3	PO4	H	303	-	4,4,4	0.20	0	6,6,6	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0FX	A	301	-	-	0/17/53/53	0/3/3/3
5	4TG	B	301	-	-	0/20/56/56	0/3/3/3
3	PO4	B	302	-	-	0/0/0/0	0/0/0/0
2	0FX	C	301	-	-	0/17/53/53	0/3/3/3
3	PO4	C	302	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TYD	D	301	-	-	0/12/28/28	0/2/2/2
2	0FX	E	301	-	-	0/17/53/53	0/3/3/3
4	TYD	F	301	-	-	0/12/28/28	0/2/2/2
3	PO4	F	302	-	-	0/0/0/0	0/0/0/0
2	0FX	G	301	-	-	0/17/53/53	0/3/3/3
4	TYD	H	301	-	-	0/12/28/28	0/2/2/2
3	PO4	H	302	-	-	0/0/0/0	0/0/0/0
3	PO4	H	303	-	-	0/0/0/0	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	301	0FX	C41-N31	2.21	1.37	1.33
2	G	301	0FX	O41-C41	3.25	1.32	1.24
5	B	301	4TG	C-N4Q	3.30	1.45	1.33
2	C	301	0FX	O41-C41	3.57	1.33	1.24
5	B	301	4TG	O4-C4	4.64	1.35	1.24
2	E	301	0FX	O41-C41	5.11	1.36	1.24
2	A	301	0FX	O41-C41	5.38	1.37	1.24

All (108) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	301	TYD	C5-C4-N3	-8.08	116.15	125.14
2	E	301	0FX	O1G-C1G-C2G	-5.90	97.37	108.39
2	A	301	0FX	C51-C41-N31	-5.80	118.68	125.14
2	C	301	0FX	OPP-P2-O1G	-5.44	87.97	103.63
4	H	301	TYD	C5-C4-N3	-5.31	119.22	125.14
4	D	301	TYD	C5-C4-N3	-5.07	119.49	125.14
5	B	301	4TG	C3Q-C4Q-N4Q	-4.68	101.17	110.67
2	C	301	0FX	O1G-C1G-C2G	-4.60	99.81	108.39
2	E	301	0FX	C51-C41-N31	-4.43	120.20	125.14
4	D	301	TYD	O2A-PA-O3A	-4.35	85.33	105.09
4	H	301	TYD	O5'-PA-O1A	-4.20	93.32	109.62
2	E	301	0FX	C2-C1-N11	-3.65	105.29	114.16
2	E	301	0FX	OPP-P2-O1G	-3.64	93.15	103.63
4	D	301	TYD	O2B-PB-O3A	-3.61	88.72	105.09
5	B	301	4TG	PA-O3A-PB	-3.57	122.69	132.73
5	B	301	4TG	C5-C4-N3	-3.56	121.17	125.14
2	C	301	0FX	O3G-C3G-C2G	-3.41	102.66	110.34
5	B	301	4TG	O3B-C1Q-C2Q	-3.39	102.06	108.39
4	F	301	TYD	C5M-C5-C4	-3.22	115.89	120.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	0FX	P-OPP-P2	-3.22	123.69	132.73
5	B	301	4TG	O-C-N4Q	-3.19	120.16	124.76
2	G	301	0FX	O1G-C1G-C2G	-3.13	102.55	108.39
4	F	301	TYD	C2'-C1'-N1	-2.98	106.91	114.16
4	F	301	TYD	C2'-C3'-C4'	-2.97	96.61	102.77
5	B	301	4TG	O2Q-C2Q-C3Q	-2.97	103.66	110.34
2	G	301	0FX	C3G-C4G-C5G	-2.92	104.75	110.83
2	G	301	0FX	OPP-P-O5	-2.90	95.23	102.94
2	E	301	0FX	O5-P-O2P	-2.88	98.45	109.62
2	G	301	0FX	OPP-P2-O1G	-2.83	95.47	103.63
2	A	301	0FX	O1G-C1G-C2G	-2.82	103.14	108.39
2	A	301	0FX	C3G-C4G-C5G	-2.78	105.03	110.83
2	C	301	0FX	O5-P-O2P	-2.68	99.20	109.62
4	F	301	TYD	O2B-PB-O1B	-2.67	101.98	110.58
4	D	301	TYD	O5'-PA-O1A	-2.63	99.43	109.62
4	H	301	TYD	C4'-O4'-C1'	-2.56	103.01	109.47
2	E	301	0FX	O2G-C2G-C1G	-2.53	104.47	110.02
2	A	301	0FX	O2G-C2G-C1G	-2.47	104.61	110.02
2	E	301	0FX	O5-C5-C4	-2.31	100.62	109.12
2	A	301	0FX	C2-C1-N11	-2.23	108.74	114.16
5	B	301	4TG	O5Q-C1Q-O3B	-2.21	108.45	111.36
4	D	301	TYD	C2'-C1'-N1	-2.19	108.83	114.16
2	A	301	0FX	C6G-C5G-C4G	-2.14	109.90	113.62
2	E	301	0FX	C6G-C5G-C4G	-2.05	110.06	113.62
5	B	301	4TG	O3A-PB-O3B	-2.01	97.85	103.63
2	G	301	0FX	C1G-O5G-C5G	2.01	117.07	113.64
4	H	301	TYD	O2A-PA-O3A	2.02	114.24	105.09
4	F	301	TYD	C5M-C5-C6	2.06	122.76	118.62
2	A	301	0FX	O4P-P2-O3P	2.12	124.03	112.53
5	B	301	4TG	C5M-C5-C6	2.14	122.92	118.62
2	C	301	0FX	O1G-P2-O3P	2.15	117.93	109.46
2	G	301	0FX	O5G-C1G-C2G	2.20	114.78	110.28
5	B	301	4TG	O5Q-C1Q-C2Q	2.23	114.84	110.28
2	G	301	0FX	C3G-C4G-N4A	2.23	115.00	110.86
2	A	301	0FX	C5A-C51-C41	2.25	122.95	120.05
4	D	301	TYD	O4'-C4'-C5'	2.25	117.38	109.32
2	A	301	0FX	C5G-C4G-N4A	2.29	114.94	110.73
4	H	301	TYD	O4'-C4'-C3'	2.35	111.58	105.67
4	D	301	TYD	O2B-PB-O1B	2.41	118.34	110.58
4	H	301	TYD	O4'-C1'-C2'	2.43	111.12	106.27
2	A	301	0FX	C1G-O5G-C5G	2.44	117.80	113.64
2	C	301	0FX	O1P-P-OPP	2.48	116.36	105.09

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	301	0FX	O4P-P2-O3P	2.50	126.05	112.53
2	E	301	0FX	O1P-P-OPP	2.53	116.59	105.09
2	C	301	0FX	OPP-P-O5	2.68	110.04	102.94
2	G	301	0FX	O5-P-O2P	2.70	120.11	109.62
2	C	301	0FX	O4P-P2-O3P	2.71	127.21	112.53
4	H	301	TYD	O4'-C1'-N1	2.73	112.44	107.72
4	H	301	TYD	O3B-PB-O2B	2.75	117.85	107.38
2	G	301	0FX	O5G-C5G-C6G	2.75	112.65	106.64
2	A	301	0FX	O5G-C5G-C6G	2.82	112.80	106.64
2	C	301	0FX	O5G-C1G-C2G	2.82	116.06	110.28
2	G	301	0FX	C5A-C51-C41	2.84	123.71	120.05
2	C	301	0FX	O3G-C3G-C4G	2.85	115.13	110.31
2	C	301	0FX	O1P-P-O2P	2.86	128.04	112.53
4	D	301	TYD	O5'-C5'-C4'	2.90	119.80	109.12
2	C	301	0FX	O4P-P2-OPP	2.93	118.38	105.09
2	E	301	0FX	O4-C1-C2	2.95	112.15	106.27
2	A	301	0FX	O1P-P-O2P	2.97	128.65	112.53
2	A	301	0FX	O3G-C3G-C2G	3.02	117.14	110.34
4	D	301	TYD	O2A-PA-O1A	3.03	128.92	112.53
2	A	301	0FX	O1P-P-OPP	3.03	118.85	105.09
5	B	301	4TG	C1Q-C2Q-C3Q	3.06	116.01	109.97
2	E	301	0FX	C1G-C2G-C3G	3.21	116.30	109.97
2	C	301	0FX	C5A-C51-C61	3.24	125.13	118.62
2	C	301	0FX	C1G-O5G-C5G	3.30	119.27	113.64
2	G	301	0FX	O3G-C3G-C4G	3.35	115.97	110.31
4	H	301	TYD	O3B-PB-O1B	3.40	121.53	110.58
4	F	301	TYD	O3B-PB-O2B	3.44	120.49	107.38
2	G	301	0FX	C41-N31-C21	3.50	118.28	115.25
2	E	301	0FX	O4-C1-N11	3.62	113.98	107.72
2	A	301	0FX	C41-N31-C21	3.70	118.44	115.25
4	F	301	TYD	O2A-PA-O1A	3.79	133.04	112.53
2	E	301	0FX	OPP-P-O5	3.84	113.13	102.94
4	F	301	TYD	O3B-PB-O1B	3.91	123.17	110.58
2	A	301	0FX	O5G-C1G-O1G	3.97	116.60	111.36
2	A	301	0FX	O4-C1-N11	4.03	114.70	107.72
2	E	301	0FX	O5G-C1G-C2G	4.05	118.58	110.28
2	E	301	0FX	C1G-O5G-C5G	4.14	120.70	113.64
4	H	301	TYD	O2A-PA-O1A	4.22	135.38	112.53
2	C	301	0FX	O4-C1-N11	4.33	115.21	107.72
2	G	301	0FX	O1P-P-OPP	4.39	125.00	105.09
2	E	301	0FX	O1P-P-O2P	4.43	136.54	112.53
2	E	301	0FX	C41-N31-C21	5.40	119.92	115.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	301	TYD	C4-N3-C2	5.63	120.11	115.25
4	F	301	TYD	O3A-PA-O5'	5.66	117.95	102.94
4	H	301	TYD	C4-N3-C2	6.81	121.13	115.25
4	D	301	TYD	O3A-PA-O5'	7.22	122.08	102.94
4	F	301	TYD	C4-N3-C2	8.91	122.95	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	0FX	2	0
3	B	302	PO4	1	0
2	C	301	0FX	2	0
4	D	301	TYD	2	0
4	F	301	TYD	2	0
4	H	301	TYD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	240/243 (98%)	0.07	7 (2%) 55 63	19, 32, 52, 76	0
1	B	241/243 (99%)	0.11	12 (4%) 32 41	25, 40, 70, 116	0
1	C	241/243 (99%)	0.03	7 (2%) 55 63	18, 34, 61, 79	0
1	D	240/243 (98%)	0.06	6 (2%) 61 67	18, 33, 57, 73	0
1	E	242/243 (99%)	0.12	15 (6%) 24 32	18, 33, 66, 109	0
1	F	240/243 (98%)	0.15	8 (3%) 50 59	21, 36, 66, 90	0
1	G	242/243 (99%)	0.66	34 (14%) 4 5	23, 51, 88, 103	0
1	H	241/243 (99%)	0.09	4 (1%) 73 78	17, 32, 56, 72	0
All	All	1927/1944 (99%)	0.16	93 (4%) 34 43	17, 36, 70, 116	0

All (93) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	126	ILE	7.9
1	G	46	TYR	7.4
1	G	-1	GLY	7.0
1	E	46	TYR	5.8
1	E	-1	GLY	5.6
1	B	46	TYR	5.6
1	E	126	ILE	5.5
1	G	40	SER	5.1
1	E	0	HIS	5.0
1	G	57	LYS	4.3
1	C	46	TYR	4.2
1	G	43	LYS	4.1
1	G	25	ASN	4.0
1	C	39	THR	3.9
1	G	35	PHE	3.9
1	A	46	TYR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	241	SER	3.7
1	B	178	ASN	3.7
1	G	86	VAL	3.7
1	G	45	ILE	3.6
1	G	0	HIS	3.6
1	G	26	ASP	3.6
1	G	39	THR	3.5
1	H	178	ASN	3.5
1	B	102	TRP	3.5
1	G	56	LYS	3.4
1	G	38	GLN	3.4
1	E	127	ASP	3.4
1	F	102	TRP	3.4
1	B	241	SER	3.3
1	A	1	MET	3.2
1	G	50	ILE	3.2
1	G	1	MET	3.2
1	C	43	LYS	3.1
1	B	180	GLU	3.1
1	G	62	LEU	3.1
1	B	176	LYS	3.0
1	F	56	LYS	3.0
1	F	91	ILE	2.9
1	G	28	GLN	2.9
1	D	77	LEU	2.9
1	E	39	THR	2.9
1	E	47	ASN	2.8
1	B	127	ASP	2.8
1	G	167	ILE	2.8
1	E	43	LYS	2.8
1	E	35	PHE	2.8
1	H	180	GLU	2.8
1	D	91	ILE	2.8
1	C	35	PHE	2.7
1	H	241	SER	2.7
1	F	57	LYS	2.7
1	G	47	ASN	2.6
1	D	39	THR	2.6
1	G	54	ASP	2.6
1	F	187	HIS	2.5
1	G	67	ASP	2.5
1	F	39	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	178	ASN	2.4
1	H	1	MET	2.4
1	G	42	ALA	2.4
1	D	226	GLU	2.4
1	G	53	ILE	2.4
1	A	102	TRP	2.4
1	A	91	ILE	2.3
1	A	26	ASP	2.3
1	G	44	GLU	2.3
1	E	178	ASN	2.2
1	E	187[A]	HIS	2.2
1	G	48	SER	2.2
1	G	49	GLU	2.2
1	G	51	LYS	2.2
1	G	27	VAL	2.2
1	C	178	ASN	2.2
1	E	49	GLU	2.2
1	E	125	GLU	2.2
1	B	42	ALA	2.2
1	E	124	GLU	2.2
1	D	35	PHE	2.2
1	C	240	ILE	2.2
1	F	75	LYS	2.2
1	G	2	LYS	2.1
1	E	57	LYS	2.1
1	B	128	HIS	2.1
1	G	176	LYS	2.1
1	G	84	ASN	2.1
1	D	240	ILE	2.1
1	B	45	ILE	2.1
1	A	178	ASN	2.0
1	B	22	GLY	2.0
1	A	89	ILE	2.0
1	G	240	ILE	2.0
1	F	81	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	PO4	H	302	5/5	0.95	0.16	3.34	57,59,69,84	0
3	PO4	B	302	5/5	0.95	0.15	1.74	47,49,59,60	0
3	PO4	H	303	5/5	0.94	0.13	0.82	41,51,66,67	0
4	TYD	F	301	25/25	0.91	0.13	0.36	23,35,62,64	0
4	TYD	H	301	25/25	0.88	0.12	-0.08	20,29,71,80	0
2	0FX	C	301	35/35	0.93	0.12	-0.16	25,35,52,55	0
4	TYD	D	301	25/25	0.90	0.12	-0.25	28,36,51,65	0
2	0FX	G	301	35/35	0.94	0.12	-0.32	30,40,58,63	0
3	PO4	C	302	5/5	0.97	0.09	-0.33	42,45,53,56	0
2	0FX	A	301	35/35	0.93	0.11	-0.74	26,49,66,67	0
2	0FX	E	301	35/35	0.95	0.10	-0.90	24,37,47,53	0
5	4TG	B	301	37/37	0.97	0.08	-1.01	30,37,50,58	0
3	PO4	F	302	5/5	0.93	0.13	-	46,59,61,64	0

6.5 Other polymers [i](#)

There are no such residues in this entry.