



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:10 PM GMT

PDB ID : 4O01  
Title : Crystal Structure of D. radiodurans Bacteriophytochrome Photosensory Core Module in its Illuminated Form  
Authors : Takala, H.; Ihalainen, J.A.; Westenhoff, S.  
Deposited on : 2013-12-13  
Resolution : 3.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1092 (3.28-3.20)
Clashscore	102246	1227 (3.28-3.20)
Ramachandran outliers	100387	1204 (3.28-3.20)
Sidechain outliers	100360	1203 (3.28-3.20)
RSRZ outliers	91569	1097 (3.28-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	523	<div> <div> <div>0%</div> <div>89%</div> <div>8%</div> </div> </div>
1	B	523	<div> <div> <div>2%</div> <div>89%</div> <div>7%</div> </div> </div>
1	C	523	<div> <div> <div>3%</div> <div>89%</div> <div>8%</div> </div> </div>
1	D	523	<div> <div> <div>2%</div> <div>88%</div> <div>8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	LBV	D	600[A]	-	-	-	X
2	LBV	D	600[B]	-	-	-	X

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 15128 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacteriophytochrome.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	483	Total	C	N	O	S	0	0	0
			3691	2348	655	677	11			
1	B	486	Total	C	N	O	S	0	0	0
			3719	2366	659	683	11			
1	C	483	Total	C	N	O	S	0	0	0
			3691	2348	655	677	11			
1	D	482	Total	C	N	O	S	0	0	0
			3683	2344	654	674	11			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	EXPRESSION TAG	UNP Q9RZA4
A	-12	ALA	-	EXPRESSION TAG	UNP Q9RZA4
A	-11	SER	-	EXPRESSION TAG	UNP Q9RZA4
A	-10	MET	-	EXPRESSION TAG	UNP Q9RZA4
A	-9	THR	-	EXPRESSION TAG	UNP Q9RZA4
A	-8	GLY	-	EXPRESSION TAG	UNP Q9RZA4
A	-7	GLY	-	EXPRESSION TAG	UNP Q9RZA4
A	-6	GLN	-	EXPRESSION TAG	UNP Q9RZA4
A	-5	GLN	-	EXPRESSION TAG	UNP Q9RZA4
A	-4	MET	-	EXPRESSION TAG	UNP Q9RZA4
A	-3	GLY	-	EXPRESSION TAG	UNP Q9RZA4
A	-2	ARG	-	EXPRESSION TAG	UNP Q9RZA4
A	-1	GLY	-	EXPRESSION TAG	UNP Q9RZA4
A	0	SER	-	EXPRESSION TAG	UNP Q9RZA4
A	503	GLU	-	EXPRESSION TAG	UNP Q9RZA4
A	504	HIS	-	EXPRESSION TAG	UNP Q9RZA4
A	505	HIS	-	EXPRESSION TAG	UNP Q9RZA4
A	506	HIS	-	EXPRESSION TAG	UNP Q9RZA4
A	507	HIS	-	EXPRESSION TAG	UNP Q9RZA4
A	508	HIS	-	EXPRESSION TAG	UNP Q9RZA4
A	509	HIS	-	EXPRESSION TAG	UNP Q9RZA4

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-13	MET	-	EXPRESSION TAG	UNP Q9RZA4
B	-12	ALA	-	EXPRESSION TAG	UNP Q9RZA4
B	-11	SER	-	EXPRESSION TAG	UNP Q9RZA4
B	-10	MET	-	EXPRESSION TAG	UNP Q9RZA4
B	-9	THR	-	EXPRESSION TAG	UNP Q9RZA4
B	-8	GLY	-	EXPRESSION TAG	UNP Q9RZA4
B	-7	GLY	-	EXPRESSION TAG	UNP Q9RZA4
B	-6	GLN	-	EXPRESSION TAG	UNP Q9RZA4
B	-5	GLN	-	EXPRESSION TAG	UNP Q9RZA4
B	-4	MET	-	EXPRESSION TAG	UNP Q9RZA4
B	-3	GLY	-	EXPRESSION TAG	UNP Q9RZA4
B	-2	ARG	-	EXPRESSION TAG	UNP Q9RZA4
B	-1	GLY	-	EXPRESSION TAG	UNP Q9RZA4
B	0	SER	-	EXPRESSION TAG	UNP Q9RZA4
B	503	GLU	-	EXPRESSION TAG	UNP Q9RZA4
B	504	HIS	-	EXPRESSION TAG	UNP Q9RZA4
B	505	HIS	-	EXPRESSION TAG	UNP Q9RZA4
B	506	HIS	-	EXPRESSION TAG	UNP Q9RZA4
B	507	HIS	-	EXPRESSION TAG	UNP Q9RZA4
B	508	HIS	-	EXPRESSION TAG	UNP Q9RZA4
B	509	HIS	-	EXPRESSION TAG	UNP Q9RZA4
C	-13	MET	-	EXPRESSION TAG	UNP Q9RZA4
C	-12	ALA	-	EXPRESSION TAG	UNP Q9RZA4
C	-11	SER	-	EXPRESSION TAG	UNP Q9RZA4
C	-10	MET	-	EXPRESSION TAG	UNP Q9RZA4
C	-9	THR	-	EXPRESSION TAG	UNP Q9RZA4
C	-8	GLY	-	EXPRESSION TAG	UNP Q9RZA4
C	-7	GLY	-	EXPRESSION TAG	UNP Q9RZA4
C	-6	GLN	-	EXPRESSION TAG	UNP Q9RZA4
C	-5	GLN	-	EXPRESSION TAG	UNP Q9RZA4
C	-4	MET	-	EXPRESSION TAG	UNP Q9RZA4
C	-3	GLY	-	EXPRESSION TAG	UNP Q9RZA4
C	-2	ARG	-	EXPRESSION TAG	UNP Q9RZA4
C	-1	GLY	-	EXPRESSION TAG	UNP Q9RZA4
C	0	SER	-	EXPRESSION TAG	UNP Q9RZA4
C	503	GLU	-	EXPRESSION TAG	UNP Q9RZA4
C	504	HIS	-	EXPRESSION TAG	UNP Q9RZA4
C	505	HIS	-	EXPRESSION TAG	UNP Q9RZA4
C	506	HIS	-	EXPRESSION TAG	UNP Q9RZA4
C	507	HIS	-	EXPRESSION TAG	UNP Q9RZA4
C	508	HIS	-	EXPRESSION TAG	UNP Q9RZA4
C	509	HIS	-	EXPRESSION TAG	UNP Q9RZA4

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-13	MET	-	EXPRESSION TAG	UNP Q9RZA4
D	-12	ALA	-	EXPRESSION TAG	UNP Q9RZA4
D	-11	SER	-	EXPRESSION TAG	UNP Q9RZA4
D	-10	MET	-	EXPRESSION TAG	UNP Q9RZA4
D	-9	THR	-	EXPRESSION TAG	UNP Q9RZA4
D	-8	GLY	-	EXPRESSION TAG	UNP Q9RZA4
D	-7	GLY	-	EXPRESSION TAG	UNP Q9RZA4
D	-6	GLN	-	EXPRESSION TAG	UNP Q9RZA4
D	-5	GLN	-	EXPRESSION TAG	UNP Q9RZA4
D	-4	MET	-	EXPRESSION TAG	UNP Q9RZA4
D	-3	GLY	-	EXPRESSION TAG	UNP Q9RZA4
D	-2	ARG	-	EXPRESSION TAG	UNP Q9RZA4
D	-1	GLY	-	EXPRESSION TAG	UNP Q9RZA4
D	0	SER	-	EXPRESSION TAG	UNP Q9RZA4
D	503	GLU	-	EXPRESSION TAG	UNP Q9RZA4
D	504	HIS	-	EXPRESSION TAG	UNP Q9RZA4
D	505	HIS	-	EXPRESSION TAG	UNP Q9RZA4
D	506	HIS	-	EXPRESSION TAG	UNP Q9RZA4
D	507	HIS	-	EXPRESSION TAG	UNP Q9RZA4
D	508	HIS	-	EXPRESSION TAG	UNP Q9RZA4
D	509	HIS	-	EXPRESSION TAG	UNP Q9RZA4

- Molecule 2 is 3-[2-[(Z)-[3-(2-CARBOXYETHYL)-5-[(Z)-(4-ETHENYL-3-METHYL-5-OXIDANYLIDENE-PYRROL-2-YLIDENE)METHYL]-4-METHYL-PYRROL-1-IUM-2-YLIDENE]METHYL]-5-[(Z)-[(3E)-3-ETHYLIDENE-4-METHYL-5-OXIDANYLIDENE-PYRROLIDIN-2-YLIDENE]METHYL]-4-METHYL-1H-PYRROL-3-YL]PROPANOIC ACID (three-letter code: LBV) (formula: C<sub>33</sub>H<sub>37</sub>N<sub>4</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	1
			86	66	8	12		
2	B	1	Total	C	N	O	0	1
			86	66	8	12		
2	C	1	Total	C	N	O	0	1
			86	66	8	12		
2	D	1	Total	C	N	O	0	1
			86	66	8	12		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Bacteriophytochrome




#### • Molecule 1: Bacteriophytochrome




#### • Molecule 1: Bacteriophytochrome



#### • Molecule 1: Bacteriophytochrome







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.90Å 195.70Å 225.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.22 – 3.24 49.22 – 3.24	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.22-3.24) 100.0 (49.22-3.24)	Depositor EDS
$R_{merge}$	0.24	Depositor
$R_{sym}$	0.25	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.26 (at 3.25Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.233 , 0.260 0.225 , 0.252	Depositor DCC
$R_{free}$ test set	3094 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	131.2	Xtriage
Anisotropy	0.166	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 98.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 61925 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	15128	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	158.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: LBV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/3787	0.51	0/5180
1	B	0.29	0/3816	0.50	0/5219
1	C	0.27	0/3787	0.50	0/5180
1	D	0.27	0/3779	0.50	0/5169
All	All	0.28	0/15169	0.50	0/20748

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3691	0	3653	10	0
1	B	3719	0	3671	7	0
1	C	3691	0	3653	8	0
1	D	3683	0	3649	10	0
2	A	86	0	68	22	0
2	B	86	0	65	18	0
2	C	86	0	66	11	0
2	D	86	0	63	17	0
All	All	15128	0	14888	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:600[B]:LBV:CMD	2:B:600[B]:LBV:CMC	1.75	1.59
2:A:600[B]:LBV:CMC	2:A:600[B]:LBV:HMD3	1.33	1.55
2:A:600[B]:LBV:CMC	2:A:600[B]:LBV:CMD	2.24	1.16
2:B:600[B]:LBV:CMD	2:B:600[B]:LBV:C3C	2.25	1.14
2:C:600[A]:LBV:N_D	2:C:600[A]:LBV:HMC1	1.69	1.05
2:D:600[A]:LBV:N_D	2:D:600[A]:LBV:HMC1	1.71	1.04
2:A:600[B]:LBV:HMC2	2:A:600[B]:LBV:CMD	1.86	1.03
2:A:600[B]:LBV:HMD3	2:A:600[B]:LBV:C3C	1.90	1.02
2:B:600[B]:LBV:C2D	2:B:600[B]:LBV:CMC	2.42	0.96
2:D:600[A]:LBV:N_D	2:D:600[A]:LBV:CMC	2.29	0.95
2:A:600[B]:LBV:HMD3	2:A:600[B]:LBV:HMC2	0.96	0.93
2:C:600[A]:LBV:N_D	2:C:600[A]:LBV:CMC	2.35	0.89
2:C:600[A]:LBV:C1D	2:C:600[A]:LBV:HMC1	2.07	0.83
2:B:600[B]:LBV:HAF	2:B:600[B]:LBV:HAE	1.28	0.81
2:D:600[A]:LBV:HMC1	2:D:600[A]:LBV:C1D	2.12	0.79
2:A:600[B]:LBV:HMC1	2:A:600[B]:LBV:HMD3	1.57	0.78
2:A:600[B]:LBV:HMC1	2:A:600[B]:LBV:C2D	2.14	0.77
2:A:600[A]:LBV:HMC1	2:A:600[A]:LBV:N_D	2.00	0.76
2:A:600[B]:LBV:CMD	2:A:600[B]:LBV:C3C	2.60	0.76
2:B:600[A]:LBV:HAE	2:B:600[A]:LBV:HAF	1.39	0.71
2:D:600[A]:LBV:CMC	2:D:600[A]:LBV:HAG	1.99	0.71
2:C:600[B]:LBV:HAE	2:C:600[B]:LBV:HAF	1.38	0.71
2:B:600[A]:LBV:N_D	2:B:600[A]:LBV:HMC1	2.04	0.71
2:D:600[B]:LBV:HAE	2:D:600[B]:LBV:HAF	1.38	0.71
2:A:600[A]:LBV:CMC	2:A:600[A]:LBV:N_D	2.57	0.66
2:B:600[B]:LBV:HHC1	2:B:600[B]:LBV:HBB1	1.79	0.65
2:A:600[B]:LBV:HBB1	2:A:600[B]:LBV:HHC1	1.79	0.65
2:A:600[B]:LBV:HAE	2:A:600[B]:LBV:HAF	1.43	0.64
2:B:600[A]:LBV:N_D	2:B:600[A]:LBV:CMC	2.61	0.64
2:C:600[A]:LBV:HAE	2:C:600[A]:LBV:HAF	1.45	0.64
2:B:600[B]:LBV:HMD2	2:B:600[B]:LBV:C3C	2.30	0.60
2:D:600[A]:LBV:HAE	2:D:600[A]:LBV:HAF	1.49	0.59
2:C:600[A]:LBV:C4D	2:C:600[A]:LBV:HMC1	2.31	0.59
2:B:600[A]:LBV:HBB1	2:B:600[A]:LBV:HHC1	1.85	0.59
2:B:600[A]:LBV:HBA2	2:B:600[A]:LBV:HMA1	1.86	0.58
2:C:600[A]:LBV:HAG	2:C:600[A]:LBV:CMC	2.16	0.57
2:B:600[B]:LBV:HMA1	2:B:600[B]:LBV:HBA2	1.88	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:600[A]:LBV:HMA1	2:D:600[A]:LBV:HBA2	1.86	0.56
2:D:600[B]:LBV:HMA1	2:D:600[B]:LBV:HBA2	1.86	0.56
2:B:600[A]:LBV:C1D	2:B:600[A]:LBV:HMC1	2.37	0.55
2:A:600[A]:LBV:HAF	2:A:600[A]:LBV:HAE	1.52	0.55
2:A:600[A]:LBV:HMC1	2:A:600[A]:LBV:C1D	2.36	0.55
1:B:395:LEU:HD11	1:B:439:VAL:HG21	1.89	0.54
1:C:395:LEU:HD11	1:C:439:VAL:HG21	1.89	0.54
1:A:395:LEU:HD11	1:A:439:VAL:HG21	1.89	0.53
1:D:395:LEU:HD11	1:D:439:VAL:HG21	1.90	0.53
2:A:600[A]:LBV:HAG	2:A:600[A]:LBV:CMC	2.20	0.53
2:A:600[A]:LBV:HBB1	2:A:600[A]:LBV:HHC1	1.90	0.53
1:A:290:HIS:CE1	2:A:600[B]:LBV:HAD1	2.44	0.52
2:D:600[A]:LBV:HBB1	2:D:600[A]:LBV:HHC1	1.92	0.52
1:A:290:HIS:HE1	2:A:600[B]:LBV:HAD1	1.75	0.51
1:D:203:PHE:CD2	2:D:600[A]:LBV:HMD1	2.45	0.51
2:C:600[A]:LBV:HMA1	2:C:600[A]:LBV:HBA2	1.93	0.51
2:C:600[B]:LBV:HMA1	2:C:600[B]:LBV:HBA2	1.93	0.51
2:D:600[A]:LBV:HMC1	2:D:600[A]:LBV:C4D	2.41	0.49
2:D:600[A]:LBV:N_D	2:D:600[A]:LBV:C3C	2.75	0.49
2:D:600[B]:LBV:HHC1	2:D:600[B]:LBV:HBB1	1.96	0.48
1:A:419:ALA:N	1:A:420:PRO:CD	2.77	0.48
1:B:419:ALA:N	1:B:420:PRO:CD	2.77	0.47
1:C:419:ALA:N	1:C:420:PRO:CD	2.77	0.47
2:B:600[B]:LBV:O_D	2:B:600[B]:LBV:HBD1	2.14	0.47
2:A:600[B]:LBV:HBB1	2:A:600[B]:LBV:CHC	2.45	0.47
1:D:419:ALA:N	1:D:420:PRO:CD	2.78	0.46
2:D:600[A]:LBV:HAG	2:D:600[A]:LBV:C3C	2.29	0.46
1:A:211:GLN:N	1:A:211:GLN:OE1	2.49	0.46
1:C:211:GLN:OE1	1:C:211:GLN:N	2.49	0.45
2:B:600[B]:LBV:HBB1	2:B:600[B]:LBV:CHC	2.44	0.45
1:B:211:GLN:N	1:B:211:GLN:OE1	2.49	0.45
2:A:600[B]:LBV:HMA1	2:A:600[B]:LBV:HBA2	1.99	0.45
2:C:600[A]:LBV:C1D	2:C:600[A]:LBV:CMC	2.83	0.45
1:D:211:GLN:N	1:D:211:GLN:OE1	2.50	0.44
2:B:600[B]:LBV:CMD	2:B:600[B]:LBV:C4C	2.94	0.44
1:D:263:TYR:OH	2:D:600[A]:LBV:HMD3	2.17	0.44
2:A:600[B]:LBV:O_D	2:A:600[B]:LBV:HBD1	2.17	0.43
1:C:176:TYR:CE1	1:C:184:GLY:HA3	2.54	0.43
2:D:600[B]:LBV:HBD1	2:D:600[B]:LBV:O_D	2.17	0.43
2:D:600[A]:LBV:CMC	2:D:600[A]:LBV:C1D	2.85	0.43
1:A:494:LEU:HA	1:A:497:THR:HG22	2.00	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:494:LEU:HA	1:B:497:THR:HG22	2.01	0.43
1:A:176:TYR:CE1	1:A:184:GLY:HA3	2.54	0.42
1:B:176:TYR:CE1	1:B:184:GLY:HA3	2.54	0.42
1:C:181:ASP:O	1:C:182:ALA:HB3	2.19	0.42
2:B:600[A]:LBV:HAG	2:B:600[A]:LBV:CMC	2.30	0.42
1:D:494:LEU:HA	1:D:497:THR:HG22	2.01	0.42
1:C:494:LEU:HA	1:C:497:THR:HG22	2.01	0.42
1:B:181:ASP:O	1:B:182:ALA:HB3	2.21	0.41
1:C:382:VAL:HG13	1:C:383:PRO:HD2	2.02	0.41
1:D:176:TYR:CE1	1:D:184:GLY:HA3	2.55	0.41
1:A:382:VAL:HG13	1:A:383:PRO:HD2	2.03	0.41
1:A:181:ASP:O	1:A:182:ALA:HB3	2.20	0.41
1:A:208:ILE:HG12	2:A:600[B]:LBV:C4C	2.51	0.41
2:C:600[B]:LBV:HMC1	2:C:600[B]:LBV:C1D	2.25	0.41
1:D:181:ASP:O	1:D:182:ALA:HB3	2.21	0.41
2:B:600[B]:LBV:N_C	2:B:600[B]:LBV:N_B	2.63	0.41
1:D:382:VAL:HG13	1:D:383:PRO:HD2	2.03	0.41
1:B:349:HIS:HB3	1:B:377:GLN:HE22	1.87	0.40
1:C:227:THR:O	1:C:265:ARG:NH2	2.54	0.40
1:D:349:HIS:HB3	1:D:377:GLN:HE22	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	475/523 (91%)	459 (97%)	15 (3%)	1 (0%)	52 87
1	B	476/523 (91%)	458 (96%)	17 (4%)	1 (0%)	52 87
1	C	475/523 (91%)	457 (96%)	17 (4%)	1 (0%)	52 87
1	D	474/523 (91%)	457 (96%)	16 (3%)	1 (0%)	52 87
All	All	1900/2092 (91%)	1831 (96%)	65 (3%)	4 (0%)	52 87

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	119	GLY
1	B	119	GLY
1	D	119	GLY
1	C	119	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	381/410 (93%)	376 (99%)	5 (1%)	76	91
1	B	384/410 (94%)	379 (99%)	5 (1%)	76	91
1	C	381/410 (93%)	377 (99%)	4 (1%)	82	94
1	D	380/410 (93%)	376 (99%)	4 (1%)	80	93
All	All	1526/1640 (93%)	1508 (99%)	18 (1%)	78	92

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	162	GLN
1	A	222	ARG
1	A	370	LEU
1	A	437	CYS
1	A	439	VAL
1	B	162	GLN
1	B	222	ARG
1	B	370	LEU
1	B	437	CYS
1	B	439	VAL
1	C	162	GLN
1	C	222	ARG
1	C	437	CYS
1	C	439	VAL
1	D	162	GLN
1	D	222	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	437	CYS
1	D	439	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	HIS
1	A	290	HIS
1	A	335	HIS
1	A	377	GLN
1	A	484	HIS
1	B	138	HIS
1	B	335	HIS
1	B	377	GLN
1	B	484	HIS
1	C	335	HIS
1	C	484	HIS
1	D	335	HIS
1	D	377	GLN
1	D	484	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	LBV	A	600[A]	1	35,46,46	4.09	13 (37%)	37,67,67	2.80	9 (24%)
2	LBV	A	600[B]	1	35,46,46	4.07	13 (37%)	37,67,67	2.72	10 (27%)
2	LBV	B	600[A]	1	35,46,46	4.08	13 (37%)	37,67,67	2.80	10 (27%)
2	LBV	B	600[B]	1	35,46,46	4.07	13 (37%)	37,67,67	2.78	9 (24%)
2	LBV	C	600[A]	1	35,46,46	4.06	13 (37%)	37,67,67	2.69	7 (18%)
2	LBV	C	600[B]	1	35,46,46	4.10	13 (37%)	37,67,67	2.65	7 (18%)
2	LBV	D	600[A]	1	35,46,46	4.01	13 (37%)	37,67,67	2.73	9 (24%)
2	LBV	D	600[B]	1	35,46,46	4.03	13 (37%)	37,67,67	2.71	9 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LBV	A	600[A]	1	-	2/22/74/74	0/4/4/4
2	LBV	A	600[B]	1	-	2/22/74/74	0/4/4/4
2	LBV	B	600[A]	1	-	2/22/74/74	0/4/4/4
2	LBV	B	600[B]	1	-	2/22/74/74	0/4/4/4
2	LBV	C	600[A]	1	-	2/22/74/74	0/4/4/4
2	LBV	C	600[B]	1	-	2/22/74/74	0/4/4/4
2	LBV	D	600[A]	1	-	2/22/74/74	0/4/4/4
2	LBV	D	600[B]	1	-	2/22/74/74	0/4/4/4

All (104) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	600[B]	LBV	C1A-N_A	-2.99	1.33	1.37
2	C	600[A]	LBV	C1A-N_A	-2.96	1.33	1.37
2	D	600[B]	LBV	C1A-N_A	-2.83	1.34	1.37
2	D	600[A]	LBV	C1A-N_A	-2.82	1.34	1.37
2	A	600[B]	LBV	C1A-N_A	-2.58	1.34	1.37
2	A	600[A]	LBV	C1A-N_A	-2.55	1.34	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	600[B]	LBV	C1A-N_A	-2.50	1.34	1.37
2	B	600[A]	LBV	C1A-N_A	-2.34	1.34	1.37
2	A	600[A]	LBV	C4A-C3A	2.15	1.49	1.45
2	D	600[B]	LBV	C1C-C2C	2.20	1.49	1.45
2	A	600[B]	LBV	C4A-C3A	2.26	1.49	1.45
2	D	600[A]	LBV	C1C-C2C	2.28	1.49	1.45
2	C	600[B]	LBV	C1C-C2C	2.35	1.49	1.45
2	B	600[A]	LBV	C4A-C3A	2.35	1.49	1.45
2	D	600[B]	LBV	C4A-C3A	2.37	1.49	1.45
2	A	600[B]	LBV	C1C-C2C	2.38	1.49	1.45
2	B	600[B]	LBV	C1C-C2C	2.39	1.49	1.45
2	B	600[B]	LBV	C4A-C3A	2.40	1.49	1.45
2	C	600[A]	LBV	C4A-C3A	2.40	1.49	1.45
2	A	600[A]	LBV	C1C-C2C	2.42	1.49	1.45
2	C	600[B]	LBV	C4A-C3A	2.42	1.49	1.45
2	B	600[A]	LBV	C1C-C2C	2.42	1.49	1.45
2	D	600[A]	LBV	C4A-C3A	2.42	1.49	1.45
2	C	600[A]	LBV	C1C-C2C	2.46	1.49	1.45
2	A	600[A]	LBV	O_D-C4D	2.52	1.28	1.23
2	D	600[A]	LBV	O_D-C4D	2.62	1.28	1.23
2	B	600[A]	LBV	O_D-C4D	2.71	1.28	1.23
2	D	600[B]	LBV	O_D-C4D	2.71	1.28	1.23
2	C	600[A]	LBV	O_D-C4D	2.72	1.28	1.23
2	C	600[B]	LBV	O_D-C4D	2.73	1.28	1.23
2	D	600[A]	LBV	C1D-C2D	2.75	1.50	1.45
2	C	600[A]	LBV	C1D-C2D	2.76	1.50	1.45
2	B	600[B]	LBV	O_D-C4D	2.83	1.29	1.23
2	B	600[A]	LBV	C1D-C2D	2.85	1.50	1.45
2	A	600[B]	LBV	O_D-C4D	2.88	1.29	1.23
2	C	600[A]	LBV	C1B-CHB	2.94	1.51	1.40
2	D	600[B]	LBV	C1B-CHB	2.95	1.51	1.40
2	D	600[A]	LBV	C1B-CHB	2.95	1.51	1.40
2	C	600[B]	LBV	C1B-CHB	2.96	1.51	1.40
2	A	600[A]	LBV	C1D-C2D	2.97	1.50	1.45
2	B	600[B]	LBV	C4B-CHC	2.99	1.51	1.40
2	B	600[A]	LBV	C4B-CHC	3.00	1.51	1.40
2	D	600[B]	LBV	C4B-CHC	3.00	1.51	1.40
2	B	600[B]	LBV	C1B-CHB	3.02	1.51	1.40
2	A	600[A]	LBV	C1B-CHB	3.02	1.51	1.40
2	A	600[B]	LBV	C1B-CHB	3.03	1.51	1.40
2	D	600[A]	LBV	C4B-CHC	3.04	1.51	1.40
2	B	600[A]	LBV	C1B-CHB	3.06	1.51	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	600[B]	LBV	C4B-CHC	3.08	1.52	1.40
2	C	600[B]	LBV	C1D-C2D	3.09	1.50	1.45
2	A	600[A]	LBV	C4B-CHC	3.09	1.52	1.40
2	A	600[B]	LBV	C4B-CHC	3.09	1.52	1.40
2	A	600[B]	LBV	C1D-C2D	3.10	1.50	1.45
2	C	600[A]	LBV	C4B-CHC	3.12	1.52	1.40
2	D	600[B]	LBV	C1D-C2D	3.12	1.50	1.45
2	B	600[B]	LBV	C1D-C2D	3.14	1.50	1.45
2	C	600[B]	LBV	C4A-N_A	4.17	1.45	1.37
2	D	600[A]	LBV	C4A-N_A	4.17	1.45	1.37
2	C	600[A]	LBV	C4A-N_A	4.18	1.45	1.37
2	D	600[B]	LBV	C4A-N_A	4.18	1.45	1.37
2	C	600[A]	LBV	CHD-C4C	4.24	1.51	1.40
2	D	600[A]	LBV	CHD-C4C	4.25	1.51	1.40
2	A	600[B]	LBV	C4A-N_A	4.33	1.45	1.37
2	A	600[A]	LBV	C4A-N_A	4.39	1.45	1.37
2	D	600[B]	LBV	CHD-C4C	4.40	1.51	1.40
2	B	600[B]	LBV	C4A-N_A	4.42	1.45	1.37
2	B	600[A]	LBV	C4A-N_A	4.47	1.45	1.37
2	C	600[B]	LBV	CHD-C4C	4.47	1.51	1.40
2	B	600[B]	LBV	CHD-C4C	4.50	1.51	1.40
2	B	600[A]	LBV	CHD-C4C	4.54	1.51	1.40
2	A	600[A]	LBV	CHD-C4C	4.55	1.51	1.40
2	A	600[B]	LBV	CHD-C4C	4.55	1.51	1.40
2	A	600[B]	LBV	C3D-C2D	5.24	1.47	1.36
2	C	600[A]	LBV	C3D-C2D	5.26	1.47	1.36
2	A	600[A]	LBV	C3D-C2D	5.27	1.47	1.36
2	D	600[A]	LBV	C3D-C2D	5.30	1.48	1.36
2	B	600[A]	LBV	C3D-C2D	5.30	1.48	1.36
2	D	600[B]	LBV	C3D-C2D	5.32	1.48	1.36
2	B	600[B]	LBV	C3D-C2D	5.32	1.48	1.36
2	C	600[B]	LBV	C3D-C2D	5.37	1.48	1.36
2	A	600[B]	LBV	CHD-C1D	5.58	1.51	1.37
2	B	600[B]	LBV	CHD-C1D	5.70	1.51	1.37
2	D	600[B]	LBV	CHD-C1D	5.73	1.51	1.37
2	C	600[A]	LBV	CHD-C1D	5.74	1.51	1.37
2	A	600[A]	LBV	CHD-C1D	5.75	1.51	1.37
2	B	600[A]	LBV	CHD-C1D	5.75	1.51	1.37
2	C	600[B]	LBV	CHD-C1D	5.79	1.51	1.37
2	D	600[A]	LBV	CHD-C1D	5.80	1.51	1.37
2	D	600[A]	LBV	CHB-C4A	7.85	1.52	1.34
2	C	600[A]	LBV	CHB-C4A	7.91	1.52	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	600[B]	LBV	CHB-C4A	7.91	1.52	1.34
2	C	600[B]	LBV	CHB-C4A	7.93	1.52	1.34
2	A	600[A]	LBV	CHB-C4A	7.94	1.52	1.34
2	A	600[B]	LBV	CHB-C4A	7.95	1.52	1.34
2	B	600[B]	LBV	CHB-C4A	8.01	1.52	1.34
2	B	600[A]	LBV	CHB-C4A	8.03	1.52	1.34
2	D	600[B]	LBV	CHC-C1C	18.41	1.51	1.35
2	D	600[A]	LBV	CHC-C1C	18.46	1.51	1.35
2	B	600[B]	LBV	CHC-C1C	18.57	1.51	1.35
2	A	600[B]	LBV	CHC-C1C	18.64	1.51	1.35
2	C	600[A]	LBV	CHC-C1C	18.73	1.51	1.35
2	B	600[A]	LBV	CHC-C1C	18.76	1.51	1.35
2	A	600[A]	LBV	CHC-C1C	18.85	1.51	1.35
2	C	600[B]	LBV	CHC-C1C	18.90	1.51	1.35

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	600[A]	LBV	CHB-C4A-C3A	-12.13	104.22	127.21
2	B	600[A]	LBV	CHB-C4A-C3A	-11.99	104.47	127.21
2	D	600[B]	LBV	CHB-C4A-C3A	-11.84	104.75	127.21
2	B	600[B]	LBV	CHB-C4A-C3A	-11.79	104.86	127.21
2	D	600[A]	LBV	CHB-C4A-C3A	-11.74	104.95	127.21
2	A	600[B]	LBV	CHB-C4A-C3A	-11.57	105.28	127.21
2	C	600[B]	LBV	CHB-C4A-C3A	-11.55	105.31	127.21
2	C	600[A]	LBV	CHB-C4A-C3A	-11.45	105.50	127.21
2	D	600[A]	LBV	C1D-CHD-C4C	-6.96	110.05	128.06
2	C	600[A]	LBV	C1D-CHD-C4C	-6.66	110.83	128.06
2	B	600[A]	LBV	C1D-CHD-C4C	-6.38	111.57	128.06
2	A	600[A]	LBV	C1D-CHD-C4C	-5.92	112.75	128.06
2	D	600[B]	LBV	C1D-CHD-C4C	-5.80	113.05	128.06
2	B	600[B]	LBV	C1D-CHD-C4C	-5.58	113.63	128.06
2	C	600[B]	LBV	C1D-CHD-C4C	-5.49	113.85	128.06
2	A	600[A]	LBV	C3A-C4A-N_A	-5.15	100.55	107.32
2	B	600[A]	LBV	C3A-C4A-N_A	-5.01	100.74	107.32
2	A	600[B]	LBV	C3A-C4A-N_A	-4.93	100.84	107.32
2	B	600[B]	LBV	C3A-C4A-N_A	-4.78	101.04	107.32
2	A	600[B]	LBV	C1D-CHD-C4C	-4.45	116.56	128.06
2	D	600[B]	LBV	C3A-C4A-N_A	-4.36	101.59	107.32
2	C	600[A]	LBV	CHB-C4A-N_A	-4.28	115.05	130.87
2	D	600[A]	LBV	CHB-C4A-N_A	-4.28	115.05	130.87
2	D	600[A]	LBV	C3A-C4A-N_A	-4.25	101.74	107.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	600[B]	LBV	CHB-C4A-N_A	-4.22	115.25	130.87
2	D	600[B]	LBV	CHB-C4A-N_A	-4.11	115.64	130.87
2	C	600[B]	LBV	C3A-C4A-N_A	-4.06	101.99	107.32
2	C	600[A]	LBV	C3A-C4A-N_A	-4.03	102.03	107.32
2	A	600[B]	LBV	CHB-C4A-N_A	-4.02	115.99	130.87
2	B	600[B]	LBV	CHB-C4A-N_A	-3.91	116.39	130.87
2	B	600[A]	LBV	CHB-C4A-N_A	-3.72	117.12	130.87
2	A	600[A]	LBV	CHB-C4A-N_A	-3.69	117.22	130.87
2	B	600[A]	LBV	CBA-CAA-C3A	-2.94	120.29	127.07
2	A	600[B]	LBV	CBA-CAA-C3A	-2.78	120.65	127.07
2	A	600[A]	LBV	CBA-CAA-C3A	-2.78	120.66	127.07
2	B	600[B]	LBV	CBA-CAA-C3A	-2.71	120.81	127.07
2	C	600[A]	LBV	O_D-C4D-C3D	-2.60	123.33	129.82
2	C	600[B]	LBV	O_D-C4D-C3D	-2.51	123.56	129.82
2	D	600[A]	LBV	O_D-C4D-C3D	-2.50	123.57	129.82
2	D	600[B]	LBV	O_D-C4D-C3D	-2.50	123.57	129.82
2	A	600[A]	LBV	CAB-CBB-CGB	-2.48	108.19	112.75
2	B	600[B]	LBV	O_D-C4D-C3D	-2.43	123.76	129.82
2	A	600[B]	LBV	O_D-C4D-C3D	-2.37	123.91	129.82
2	D	600[B]	LBV	CAB-CBB-CGB	-2.29	108.54	112.75
2	D	600[B]	LBV	CBA-CAA-C3A	-2.27	121.84	127.07
2	D	600[A]	LBV	CBA-CAA-C3A	-2.24	121.89	127.07
2	B	600[A]	LBV	CAB-CBB-CGB	-2.20	108.72	112.75
2	B	600[A]	LBV	O_D-C4D-C3D	-2.18	124.39	129.82
2	D	600[A]	LBV	CAB-CBB-CGB	-2.17	108.77	112.75
2	A	600[B]	LBV	CHD-C1D-N_D	-2.17	121.47	126.16
2	B	600[A]	LBV	CMC-C3C-C4C	2.00	128.32	125.06
2	D	600[A]	LBV	CMD-C2D-C1D	2.04	126.91	124.20
2	B	600[B]	LBV	CMC-C3C-C4C	2.04	128.38	125.06
2	A	600[B]	LBV	C1C-N_C-C4C	2.09	110.64	106.51
2	A	600[A]	LBV	CAD-C3D-C4D	2.15	130.71	123.49
2	D	600[A]	LBV	C2D-C1D-N_D	2.36	110.42	107.00
2	C	600[A]	LBV	CMD-C2D-C1D	2.37	127.35	124.20
2	A	600[A]	LBV	C2D-C1D-N_D	2.37	110.44	107.00
2	B	600[A]	LBV	C2D-C1D-N_D	2.38	110.44	107.00
2	C	600[A]	LBV	C2D-C1D-N_D	2.42	110.50	107.00
2	C	600[B]	LBV	C2D-C1D-N_D	2.43	110.52	107.00
2	B	600[A]	LBV	CMD-C2D-C1D	2.53	127.57	124.20
2	D	600[B]	LBV	C2D-C1D-N_D	2.56	110.71	107.00
2	B	600[B]	LBV	C2D-C1D-N_D	2.73	110.95	107.00
2	A	600[B]	LBV	C2D-C1D-N_D	2.73	110.95	107.00
2	A	600[A]	LBV	CMD-C2D-C1D	2.90	128.05	124.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	600[B]	LBV	CMD-C2D-C1D	3.34	128.64	124.20
2	D	600[B]	LBV	CMD-C2D-C1D	3.45	128.78	124.20
2	B	600[B]	LBV	CMD-C2D-C1D	3.75	129.18	124.20
2	A	600[B]	LBV	CMD-C2D-C1D	4.12	129.68	124.20

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	600[A]	LBV	C1D-CHD-C4C-C3C
2	A	600[B]	LBV	C1D-CHD-C4C-C3C
2	B	600[A]	LBV	C1D-CHD-C4C-C3C
2	B	600[B]	LBV	C1D-CHD-C4C-C3C
2	D	600[B]	LBV	C1D-CHD-C4C-C3C
2	D	600[A]	LBV	C1D-CHD-C4C-C3C
2	A	600[A]	LBV	C1D-CHD-C4C-N_C
2	A	600[B]	LBV	C1D-CHD-C4C-N_C
2	B	600[A]	LBV	C1D-CHD-C4C-N_C
2	C	600[B]	LBV	C1D-CHD-C4C-C3C
2	C	600[A]	LBV	C1D-CHD-C4C-C3C
2	B	600[B]	LBV	C1D-CHD-C4C-N_C
2	D	600[A]	LBV	C1D-CHD-C4C-N_C
2	D	600[B]	LBV	C1D-CHD-C4C-N_C
2	C	600[B]	LBV	C1D-CHD-C4C-N_C
2	C	600[A]	LBV	C1D-CHD-C4C-N_C

There are no ring outliers.

8 monomers are involved in 68 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600[A]	LBV	6	0
2	A	600[B]	LBV	16	0
2	B	600[A]	LBV	7	0
2	B	600[B]	LBV	11	0
2	C	600[A]	LBV	8	0
2	C	600[B]	LBV	3	0
2	D	600[A]	LBV	13	0
2	D	600[B]	LBV	4	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	483/523 (92%)	0.20	5 (1%) 84 77	88, 130, 194, 242	0
1	B	486/523 (92%)	0.15	10 (2%) 67 55	95, 135, 202, 252	0
1	C	483/523 (92%)	0.12	14 (2%) 55 43	125, 171, 212, 259	0
1	D	482/523 (92%)	0.13	12 (2%) 61 49	114, 175, 219, 265	0
All	All	1934/2092 (92%)	0.15	41 (2%) 67 55	88, 160, 210, 265	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	402	LEU	4.0
1	A	66	PRO	3.9
1	D	126	PHE	3.4
1	C	126	PHE	3.4
1	B	67	THR	3.2
1	C	478	GLY	3.1
1	C	295	TYR	3.1
1	D	99	TYR	2.9
1	B	66	PRO	2.9
1	D	136	GLY	2.9
1	C	401	ALA	2.8
1	D	505	HIS	2.8
1	A	449	VAL	2.8
1	B	132	TRP	2.8
1	B	77	LEU	2.8
1	A	440	TRP	2.7
1	B	134	SER	2.7
1	A	71	GLY	2.7
1	C	438	LEU	2.6
1	C	408	LEU	2.5
1	D	498	LEU	2.3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	136	GLY	2.3
1	C	463	LEU	2.3
1	C	176	TYR	2.3
1	D	401	ALA	2.3
1	A	428	ILE	2.3
1	D	51	VAL	2.3
1	C	498	LEU	2.2
1	C	430	VAL	2.2
1	C	246	THR	2.2
1	D	447	LEU	2.2
1	D	42	LEU	2.1
1	D	198	PHE	2.1
1	B	359	LEU	2.1
1	C	491	ALA	2.1
1	D	44	ALA	2.1
1	C	40	ALA	2.1
1	B	506	HIS	2.0
1	C	253	LEU	2.0
1	B	401	ALA	2.0
1	D	297	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	LBV	D	600[B]	43/43	0.85	0.51	2.51	141,179,193,205	43

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	LBV	D	600[A]	43/43	0.85	0.51	2.46	136,174,184,202	43
2	LBV	B	600[B]	43/43	0.91	0.34	1.56	109,125,144,151	43
2	LBV	B	600[A]	43/43	0.91	0.34	1.56	98,109,126,138	43
2	LBV	C	600[B]	43/43	0.87	0.38	1.31	135,167,177,186	43
2	LBV	C	600[A]	43/43	0.87	0.38	1.24	133,168,193,198	43
2	LBV	A	600[B]	43/43	0.90	0.32	1.06	98,121,136,145	43
2	LBV	A	600[A]	43/43	0.90	0.32	1.05	96,109,125,138	43

## 6.5 Other polymers [i](#)

There are no such residues in this entry.