



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:13 PM GMT

PDB ID : 1O1R
Title : Structure of FPT bound to GGPP
Authors : Turek-Etienne, T.C.; Strickland, C.L.; Distefano, M.D.
Deposited on : 2003-01-14
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	380	
2	B	427	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6604 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein farnesyltransferase alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	315	Total	C	N	O	S	0	0	0
			2680	1706	470	499	5			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	CLONING ARTIFACT	UNP Q04631
A	-1	SER	-	CLONING ARTIFACT	UNP Q04631
A	0	HIS	-	CLONING ARTIFACT	UNP Q04631
A	156	THR	ILE	CONFLICT	UNP Q04631


- Molecule 2 is a protein called Protein farnesyltransferase beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	401	Total	C	N	O	S	0	0	0
			3153	2016	543	571	23			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		

- Molecule 4 is GERANYLGERANYL DIPHOSPHATE (three-letter code: GRG) (formula: C₂₀H₃₆O₇P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	P	0	0
			29	20	7	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	361	Total O 361 361	0	0
5	B	380	Total O 380 380	0	0

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	171.65Å 171.65Å 69.08Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.30)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.177 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6604	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GRG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/2746	0.64	0/3728
2	B	0.47	0/3238	0.65	0/4397
All	All	0.48	0/5984	0.65	0/8125

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	131	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2680	0	2600	37	0
2	B	3153	0	3085	63	0
3	B	1	0	0	0	0
4	B	29	0	33	3	0
5	A	361	0	0	8	0
5	B	380	0	0	5	0
All	All	6604	0	5718	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:374:GLN:HE22	2:B:394:LEU:H	1.29	0.81
1:A:287:ARG:HB3	1:A:291:ARG:HD3	1.63	0.78
2:B:73:LEU:H	2:B:392:ASN:HD21	1.34	0.76
1:A:281:LYS:O	1:A:285:GLN:HB2	1.86	0.75
2:B:137:ASP:HA	2:B:176:LYS:HE2	1.72	0.72
5:A:671:HOH:O	2:B:275:GLN:HG2	1.89	0.72
2:B:301:SER:O	2:B:305:ALA:HB3	1.89	0.71
1:A:173:ARG:HD2	5:A:623:HOH:O	1.96	0.66
2:B:73:LEU:H	2:B:392:ASN:ND2	1.94	0.65
2:B:198:GLU:HA	5:B:2284:HOH:O	1.95	0.65
1:A:261:GLN:O	1:A:265:GLU:HG2	1.97	0.63
2:B:338:TYR:CE2	2:B:343:CYS:SG	2.92	0.63
1:A:300:LEU:O	1:A:303:GLN:HB2	2.00	0.62
1:A:287:ARG:HB3	1:A:291:ARG:CD	2.32	0.60
1:A:96:PHE:HA	1:A:126:LEU:HD13	1.85	0.59
2:B:134:GLN:HE22	2:B:173:ASN:H	1.50	0.59
2:B:264:LYS:HE2	5:B:2108:HOH:O	2.02	0.58
2:B:326:SER:HB2	2:B:383:HIS:CD2	2.39	0.58
2:B:331:HIS:CD2	2:B:334:ALA:H	2.22	0.58
2:B:336:GLN:HG2	2:B:370:LEU:HD12	1.86	0.57
2:B:34:ARG:HD3	2:B:284:PHE:CZ	2.39	0.57
2:B:131:GLU:HG2	2:B:171:VAL:HG13	1.86	0.56
1:A:200:TYR:HB3	4:B:2001:GRG:HC52	1.87	0.56
2:B:34:ARG:HD3	2:B:284:PHE:CE1	2.40	0.56
1:A:148:LEU:HB2	1:A:179:LEU:HD21	1.87	0.56
1:A:273:ASN:HB3	5:A:534:HOH:O	2.05	0.55
2:B:62:TYR:HB2	5:B:2216:HOH:O	2.07	0.55
2:B:51:VAL:O	2:B:55:ILE:HG12	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:333:GLN:HG3	2:B:387:MET:SD	2.47	0.54
2:B:163:ILE:HG22	2:B:165:THR:HG23	1.90	0.54
2:B:62:TYR:CD2	2:B:69:PRO:HA	2.44	0.53
2:B:381:MET:O	2:B:382:LEU:HD22	2.09	0.53
2:B:328:TRP:H	2:B:332:GLN:NE2	2.07	0.53
2:B:422:GLY:O	2:B:423:PHE:HB2	2.09	0.52
2:B:176:LYS:NZ	2:B:179:GLN:HE22	2.08	0.52
2:B:23:LEU:HD12	2:B:26:LEU:HD22	1.92	0.52
2:B:297:ASP:HB3	2:B:300:TYR:CD1	2.45	0.51
1:A:55:PHE:CZ	1:A:118:LYS:HG2	2.45	0.51
2:B:359:ASP:OD1	2:B:361:TYR:HB3	2.11	0.51
2:B:137:ASP:HA	2:B:176:LYS:CE	2.40	0.51
1:A:208:TRP:CE2	1:A:212:GLU:HG3	2.46	0.51
2:B:239:ILE:HB	2:B:252:THR:HA	1.94	0.50
2:B:121:ILE:O	2:B:124:THR:HG22	2.12	0.49
1:A:266:MET:HE1	5:A:640:HOH:O	2.12	0.49
1:A:55:PHE:CE2	1:A:121:ARG:HD3	2.47	0.49
1:A:344:LEU:HD13	1:A:356:TRP:CE2	2.47	0.49
1:A:317:ASP:HA	1:A:320:GLU:OE2	2.13	0.49
2:B:46:ILE:O	2:B:50:LYS:HG3	2.13	0.48
1:A:65:LEU:O	1:A:69:ARG:HG3	2.12	0.48
2:B:98:ALA:HA	2:B:146:GLN:HE22	1.80	0.47
2:B:192:LEU:HD23	2:B:199:VAL:CG2	2.45	0.47
2:B:374:GLN:O	2:B:384:ASP:HA	2.15	0.47
2:B:86:LEU:HB2	2:B:107:ILE:HG21	1.97	0.47
2:B:350:LEU:HD22	2:B:366:CYS:HB3	1.97	0.47
2:B:390:PRO:HG2	2:B:391:GLU:OE2	2.15	0.47
1:A:288:GLY:HA3	5:A:582:HOH:O	2.14	0.47
1:A:237:TRP:CD1	1:A:275:SER:HB3	2.51	0.46
1:A:57:SER:HB3	1:A:60:SER:HB2	1.97	0.46
1:A:173:ARG:NH1	5:A:623:HOH:O	2.36	0.46
1:A:342:GLU:O	1:A:346:LYS:HB2	2.16	0.46
2:B:127:CYS:O	2:B:131:GLU:HG3	2.15	0.46
2:B:418:LYS:N	2:B:418:LYS:HD2	2.30	0.46
1:A:265:GLU:O	1:A:269:LEU:HG	2.15	0.45
1:A:260:VAL:HG21	1:A:284:LEU:HD21	1.98	0.45
2:B:282:MET:HG3	2:B:296:VAL:HB	1.98	0.45
4:B:2001:GRG:H141	4:B:2001:GRG:H112	1.63	0.45
2:B:259:LEU:HD12	2:B:268:LEU:HD11	1.99	0.44
2:B:331:HIS:HD2	2:B:334:ALA:H	1.63	0.44
2:B:314:ALA:O	2:B:318:GLN:HG3	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:27:ARG:HA	2:B:28:PRO:HD3	1.83	0.44
1:A:327:CYS:O	1:A:330:LYS:HG3	2.18	0.44
2:B:348:GLY:O	2:B:358:ARG:HD2	2.18	0.44
1:A:329:ASN:HB3	1:A:332:ASP:HB3	1.99	0.44
2:B:118:ILE:HG12	5:B:2263:HOH:O	2.17	0.43
1:A:294:ASN:O	1:A:298:GLN:HG3	2.16	0.43
2:B:99:SER:O	2:B:102:TRP:HB2	2.18	0.43
2:B:376:PHE:CD2	2:B:377:GLY:N	2.87	0.43
4:B:2001:GRG:HC62	4:B:2001:GRG:H101	1.68	0.43
1:A:83:GLY:HA3	5:A:735:HOH:O	2.18	0.43
1:A:205:HIS:O	1:A:209:VAL:HG23	2.19	0.43
1:A:363:LEU:HA	1:A:363:LEU:HD12	1.88	0.43
2:B:176:LYS:HZ2	2:B:179:GLN:HE22	1.67	0.42
2:B:54:LYS:HE3	5:B:2354:HOH:O	2.19	0.42
1:A:308:SER:HB2	1:A:309:PRO:HD2	2.01	0.42
2:B:271:LYS:HA	2:B:271:LYS:HD3	1.77	0.42
2:B:73:LEU:N	2:B:392:ASN:HD21	2.11	0.41
2:B:352:ASP:HB3	2:B:356:LYS:HG3	2.01	0.41
2:B:381:MET:C	2:B:382:LEU:HD22	2.39	0.41
2:B:253:PHE:HA	2:B:307:LEU:HD21	2.01	0.41
1:A:361:ARG:HB3	2:B:322:ALA:HB1	2.02	0.41
2:B:414:HIS:O	2:B:417:GLN:HG3	2.20	0.41
1:A:241:HIS:HA	1:A:250:TYR:OH	2.19	0.41
1:A:55:PHE:HD2	5:A:491:HOH:O	2.04	0.41
2:B:376:PHE:CD2	2:B:376:PHE:C	2.95	0.41
1:A:343:ILE:HG22	1:A:348:LYS:HG2	2.03	0.41
1:A:268:LYS:HA	1:A:306:HIS:CD2	2.56	0.41
2:B:77:LYS:HD3	2:B:77:LYS:HA	1.66	0.40
2:B:151:ALA:HB3	2:B:152:PRO:CD	2.51	0.40
2:B:75:ARG:NH2	2:B:393:VAL:O	2.54	0.40
1:A:151:GLU:HG3	1:A:175:LEU:HD11	2.03	0.40
2:B:276:TRP:O	2:B:280:ARG:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/380 (82%)	294 (94%)	17 (5%)	2 (1%)	30	36
2	B	399/427 (93%)	390 (98%)	9 (2%)	0	100	100
All	All	712/807 (88%)	684 (96%)	26 (4%)	2 (0%)	46	57

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	304	PRO
1	A	286	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	293/340 (86%)	289 (99%)	4 (1%)	74	86
2	B	338/363 (93%)	331 (98%)	7 (2%)	61	78
All	All	631/703 (90%)	620 (98%)	11 (2%)	68	83

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	ASP
1	A	214	ARG
1	A	300	LEU
1	A	323	LEU
2	B	39	SER
2	B	83	LYS
2	B	101	PRO
2	B	266	ARG
2	B	325	MET
2	B	351	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	418	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	135	HIS
1	A	145	GLN
1	A	149	GLN
1	A	184	GLN
1	A	246	ASN
1	A	294	ASN
1	A	306	HIS
1	A	335	ASN
2	B	48	GLN
2	B	65	ASN
2	B	74	GLN
2	B	134	GLN
2	B	146	GLN
2	B	179	GLN
2	B	318	GLN
2	B	331	HIS
2	B	332	GLN
2	B	333	GLN
2	B	374	GLN
2	B	383	HIS
2	B	392	ASN
2	B	417	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GRG	B	2001	-	26,28,28	0.85	0	33,37,37	1.37	5 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GRG	B	2001	-	-	0/31/31/31	0/0/0/0

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	2001	GRG	C11-C12-C13	-3.25	120.69	127.76
4	B	2001	GRG	C6-C7-C8	-3.00	121.23	127.76
4	B	2001	GRG	C14-C13-C12	-2.10	119.37	123.50
4	B	2001	GRG	C14-C13-C15	2.41	119.09	115.41
4	B	2001	GRG	C10-C8-C9	2.55	119.31	115.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	2001	GRG	3	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.