



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:17 PM GMT

PDB ID : 1OAC
Title : CRYSTAL STRUCTURE OF A QUINOENZYME: COPPER AMINE OXIDASE OF ESCHERICHIA COLI AT 2 ANGSTROEMS RESOLUTION
Authors : Parsons, M.R.; Convery, M.A.; Wilmot, C.M.; Phillips, S.E.V.
Deposited on : 1995-09-27
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	727	<div> <div>%</div> <div> <div></div> <div>74%</div> <div>20%</div> <div>5% ..</div> </div> </div>
1	B	727	<div> <div>2%</div> <div> <div></div> <div>72%</div> <div>22%</div> <div>..</div> </div> </div>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 12358 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called COPPER AMINE OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	720	Total	C	N	O	S	0	0	0
			5679	3611	968	1078	22			
1	B	723	Total	C	N	O	S	0	0	0
			5705	3627	973	1083	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	466	TPQ	TYR	CONFLICT	UNP P46883
B	466	TPQ	TYR	CONFLICT	UNP P46883

- Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cu	0	0
			1	1		
2	A	1	Total	Cu	0	0
			1	1		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Ca	0	0
			2	2		
3	A	2	Total	Ca	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	489	Total	O	0	0
			489	489		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	479	Total	O	0	0
			479	479		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: COPPER AMINE OXIDASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	135.73 Å 167.78 Å 81.90 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.00 18.89 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-2.00) 87.4 (18.89-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.43 (at 2.00 Å)	Xtriage
Refinement program	PROLSQ	Depositor
R, R_{free}	0.162 , (Not available) 0.146 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	22.6	Xtriage
Anisotropy	0.466	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 100.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 224285 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12358	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, TPQ, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.86	0/5809	1.68	90/7908 (1.1%)
1	B	0.87	0/5835	1.68	82/7941 (1.0%)
All	All	0.87	0/11644	1.68	172/15849 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	8
1	B	0	5
All	All	0	13

There are no bond length outliers.

All (172) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	122	ARG	NE-CZ-NH1	17.98	129.29	120.30
1	A	630	ARG	NE-CZ-NH1	16.88	128.74	120.30
1	A	458	ARG	NE-CZ-NH1	15.74	128.17	120.30
1	A	122	ARG	NE-CZ-NH2	-15.60	112.50	120.30
1	B	425	ARG	NE-CZ-NH2	14.75	127.67	120.30
1	B	648	ARG	NE-CZ-NH2	-14.73	112.94	120.30
1	B	212	ARG	NE-CZ-NH2	-12.75	113.92	120.30
1	A	453	ARG	NE-CZ-NH1	12.04	126.32	120.30
1	A	398	ARG	NE-CZ-NH1	11.82	126.21	120.30
1	B	122	ARG	NE-CZ-NH2	-11.80	114.40	120.30
1	B	212	ARG	NE-CZ-NH1	11.77	126.18	120.30
1	B	291	ARG	NE-CZ-NH1	11.09	125.84	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	624	ASP	CB-CG-OD1	10.76	127.98	118.30
1	A	24	ASP	CB-CG-OD1	10.52	127.76	118.30
1	B	586	ARG	NE-CZ-NH1	9.89	125.25	120.30
1	A	458	ARG	NE-CZ-NH2	-9.84	115.38	120.30
1	B	383	ASP	CB-CG-OD1	9.75	127.08	118.30
1	B	695	GLU	O-C-N	9.75	138.31	122.70
1	B	122	ARG	NE-CZ-NH1	9.64	125.12	120.30
1	A	298	ARG	NE-CZ-NH2	-9.45	115.57	120.30
1	B	241	ARG	NE-CZ-NH1	9.44	125.02	120.30
1	B	132	ASP	CB-CG-OD1	-9.24	109.98	118.30
1	B	398	ARG	NE-CZ-NH1	9.14	124.87	120.30
1	A	415	ASP	CB-CG-OD1	9.06	126.45	118.30
1	A	132	ASP	CB-CG-OD1	-9.04	110.16	118.30
1	A	648	ARG	NE-CZ-NH2	-8.90	115.85	120.30
1	B	586	ARG	NE-CZ-NH2	-8.81	115.89	120.30
1	A	476	GLU	OE1-CD-OE2	8.77	133.82	123.30
1	A	92	ARG	NE-CZ-NH1	8.37	124.48	120.30
1	B	537	ASP	CB-CG-OD1	8.33	125.80	118.30
1	B	421	MET	CA-CB-CG	8.32	127.44	113.30
1	A	312	GLU	OE1-CD-OE2	8.31	133.28	123.30
1	A	234	ASP	CB-CG-OD1	8.17	125.66	118.30
1	B	182	ASP	CB-CG-OD1	8.15	125.64	118.30
1	A	24	ASP	CB-CG-OD2	-8.01	111.09	118.30
1	A	695	GLU	O-C-N	7.96	135.44	122.70
1	A	92	ARG	NE-CZ-NH2	-7.81	116.39	120.30
1	B	294	ASP	CB-CG-OD2	-7.70	111.37	118.30
1	B	122	ARG	CD-NE-CZ	7.69	134.36	123.60
1	B	398	ARG	NE-CZ-NH2	-7.54	116.53	120.30
1	A	510	ARG	NE-CZ-NH1	7.48	124.04	120.30
1	B	476	GLU	OE1-CD-OE2	7.48	132.27	123.30
1	A	116	ASP	CB-CG-OD1	-7.43	111.61	118.30
1	A	20	ASP	CB-CG-OD2	7.31	124.88	118.30
1	A	432	ARG	NE-CZ-NH1	7.27	123.93	120.30
1	A	539	GLU	OE1-CD-OE2	-7.25	114.60	123.30
1	A	566	ASN	OD1-CG-ND2	7.13	138.30	121.90
1	A	322	MET	CA-CB-CG	-7.12	101.20	113.30
1	A	29	LEU	CA-CB-CG	7.11	131.65	115.30
1	B	566	ASN	OD1-CG-ND2	7.10	138.24	121.90
1	B	692	ARG	NE-CZ-NH1	7.10	123.85	120.30
1	A	6	HIS	C-N-CA	7.08	139.39	121.70
1	B	158	ASP	CB-CG-OD1	7.04	124.64	118.30
1	A	630	ARG	NE-CZ-NH2	-6.91	116.84	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	358	TYR	CB-CG-CD1	-6.87	116.88	121.00
1	B	326	ARG	CA-CB-CG	6.86	128.50	113.40
1	B	92	ARG	NE-CZ-NH2	6.82	123.71	120.30
1	B	452	ARG	NE-CZ-NH2	-6.78	116.91	120.30
1	B	20	ASP	CB-CG-OD2	6.76	124.39	118.30
1	A	608	TYR	CB-CG-CD1	6.75	125.05	121.00
1	B	458	ARG	NE-CZ-NH1	6.68	123.64	120.30
1	B	11	ASP	CB-CG-OD1	6.63	124.27	118.30
1	A	132	ASP	N-CA-CB	6.63	122.53	110.60
1	B	672	GLU	CG-CD-OE1	6.62	131.55	118.30
1	B	453	ARG	CD-NE-CZ	6.60	132.84	123.60
1	B	528	TYR	CB-CG-CD2	-6.51	117.09	121.00
1	B	566	ASN	CA-CB-CG	-6.49	99.11	113.40
1	A	156	MET	CG-SD-CE	-6.42	89.92	100.20
1	A	105	LYS	CA-CB-CG	-6.41	99.29	113.40
1	B	573	GLU	OE1-CD-OE2	6.39	130.97	123.30
1	B	644	HIS	N-CA-CB	6.38	122.08	110.60
1	B	695	GLU	CG-CD-OE2	6.35	131.00	118.30
1	A	586	ARG	NE-CZ-NH1	6.31	123.46	120.30
1	B	581	ASP	CB-CG-OD1	6.30	123.97	118.30
1	A	359	GLU	OE1-CD-OE2	6.27	130.82	123.30
1	A	202	SER	CA-C-O	6.27	133.26	120.10
1	A	312	GLU	CG-CD-OE2	-6.22	105.86	118.30
1	B	90	GLU	OE1-CD-OE2	6.15	130.68	123.30
1	B	150	ARG	NE-CZ-NH1	-6.13	117.24	120.30
1	A	359	GLU	CB-CA-C	-6.11	98.18	110.40
1	A	53	GLN	OE1-CD-NE2	6.11	135.94	121.90
1	A	651	GLU	CG-CD-OE1	6.08	130.46	118.30
1	A	476	GLU	CG-CD-OE1	-6.07	106.16	118.30
1	A	715	ASP	CB-CG-OD2	-6.07	112.84	118.30
1	B	25	ASP	CB-CG-OD1	6.06	123.76	118.30
1	B	628	TYR	CB-CG-CD1	-6.06	117.37	121.00
1	B	256	TYR	CB-CG-CD2	-6.05	117.37	121.00
1	A	6	HIS	CA-CB-CG	-6.04	103.33	113.60
1	A	648	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	B	425	ARG	NH1-CZ-NH2	-6.01	112.79	119.40
1	B	68	ALA	CB-CA-C	6.01	119.11	110.10
1	A	415	ASP	CB-CG-OD2	-6.00	112.89	118.30
1	B	528	TYR	CB-CG-CD1	5.99	124.59	121.00
1	A	239	ASP	CB-CG-OD2	5.98	123.68	118.30
1	A	516	ASP	CB-CG-OD2	-5.94	112.96	118.30
1	A	707	LEU	CA-CB-CG	5.93	128.95	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	6	HIS	CA-C-O	5.92	132.53	120.10
1	B	635	ASP	CB-CG-OD1	5.88	123.59	118.30
1	A	715	ASP	CB-CG-OD1	5.87	123.58	118.30
1	B	503	GLU	CA-CB-CG	5.86	126.30	113.40
1	B	696	TRP	O-C-N	5.85	132.22	121.10
1	B	648	ARG	NH1-CZ-NH2	5.83	125.81	119.40
1	B	458	ARG	NE-CZ-NH2	-5.80	117.40	120.30
1	B	77	ASP	CB-CG-OD1	5.79	123.51	118.30
1	A	483	ASP	CB-CG-OD1	5.79	123.51	118.30
1	B	5	ALA	C-N-CA	5.79	136.17	121.70
1	A	398	ARG	NE-CZ-NH2	-5.78	117.41	120.30
1	B	510	ARG	NE-CZ-NH2	-5.74	117.43	120.30
1	A	574	GLN	CB-CG-CD	5.72	126.48	111.60
1	B	622	ALA	CB-CA-C	5.72	118.67	110.10
1	A	120	ASN	CB-CA-C	5.70	121.80	110.40
1	B	203	GLU	CG-CD-OE2	5.69	129.67	118.30
1	A	440	HIS	N-CA-CB	5.68	120.83	110.60
1	B	696	TRP	CA-C-O	-5.68	108.17	120.10
1	A	537	ASP	CB-CG-OD1	5.67	123.41	118.30
1	B	24	ASP	CB-CG-OD1	5.67	123.41	118.30
1	A	241	ARG	NE-CZ-NH2	-5.66	117.47	120.30
1	A	688	THR	N-CA-CB	5.63	121.00	110.30
1	B	501	HIS	CA-CB-CG	-5.61	104.06	113.60
1	A	184	HIS	N-CA-CB	5.60	120.68	110.60
1	A	66	ASN	CB-CA-C	5.59	121.58	110.40
1	B	571	GLY	N-CA-C	5.57	127.02	113.10
1	B	6	HIS	N-CA-C	5.57	126.03	111.00
1	B	84	ASP	CB-CG-OD2	5.56	123.30	118.30
1	B	603	TYR	CB-CG-CD1	-5.55	117.67	121.00
1	A	88	GLN	N-CA-CB	5.54	120.57	110.60
1	A	572	ASN	O-C-N	5.54	131.56	122.70
1	B	129	LEU	N-CA-C	-5.53	96.07	111.00
1	A	510	ARG	CD-NE-CZ	5.51	131.31	123.60
1	A	132	ASP	OD1-CG-OD2	5.51	133.77	123.30
1	A	377	TYR	CB-CG-CD1	-5.51	117.69	121.00
1	B	132	ASP	OD1-CG-OD2	5.50	133.76	123.30
1	A	624	ASP	CB-CG-OD2	-5.50	113.35	118.30
1	A	212	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	A	589	SER	CB-CA-C	-5.42	99.80	110.10
1	B	291	ARG	CD-NE-CZ	5.38	131.13	123.60
1	A	122	ARG	CD-NE-CZ	5.35	131.09	123.60
1	B	182	ASP	CA-CB-CG	5.31	125.09	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	707	LEU	CA-CB-CG	5.31	127.52	115.30
1	B	699	MET	CA-CB-CG	-5.29	104.30	113.30
1	A	699	MET	CA-CB-CG	-5.29	104.30	113.30
1	A	608	TYR	CB-CG-CD2	-5.29	117.83	121.00
1	B	547	ASP	CB-CG-OD1	5.27	123.05	118.30
1	A	566	ASN	CB-CG-OD1	-5.25	111.09	121.60
1	A	29	LEU	O-C-N	5.22	131.05	122.70
1	A	231	ASP	CB-CG-OD2	-5.21	113.61	118.30
1	B	114	SER	N-CA-CB	5.21	118.31	110.50
1	B	707	LEU	N-CA-CB	-5.18	100.03	110.40
1	B	359	GLU	CA-CB-CG	5.17	124.77	113.40
1	B	73	THR	CA-CB-CG2	5.16	119.63	112.40
1	B	239	ASP	N-CA-CB	-5.16	101.31	110.60
1	A	571	GLY	N-CA-C	5.16	126.00	113.10
1	A	578	GLN	N-CA-CB	-5.16	101.32	110.60
1	A	696	TRP	CA-C-O	-5.15	109.29	120.10
1	A	7	MET	CB-CA-C	-5.14	100.12	110.40
1	A	566	ASN	N-CA-CB	-5.10	101.41	110.60
1	A	571	GLY	CA-C-O	-5.10	111.42	120.60
1	A	547	ASP	CB-CG-OD1	5.10	122.89	118.30
1	A	143	ASN	CA-CB-CG	-5.09	102.20	113.40
1	A	203	GLU	CB-CG-CD	5.09	127.94	114.20
1	A	675	ASP	CB-CG-OD2	-5.09	113.72	118.30
1	B	167	VAL	CA-CB-CG1	5.07	118.51	110.90
1	B	440	HIS	N-CA-CB	5.05	119.70	110.60
1	B	450	THR	CA-CB-CG2	5.05	119.48	112.40
1	A	341	MET	CA-CB-CG	-5.05	104.72	113.30
1	B	234	ASP	CB-CG-OD2	5.04	122.84	118.30
1	A	432	ARG	NE-CZ-NH2	-5.03	117.78	120.30
1	B	657	ARG	NE-CZ-NH2	-5.03	117.79	120.30
1	A	202	SER	C-N-CA	5.02	134.25	121.70
1	A	77	ASP	CA-CB-CG	5.01	124.43	113.40
1	A	234	ASP	CB-CG-OD2	-5.01	113.79	118.30
1	A	161	HIS	CA-CB-CG	-5.01	105.09	113.60

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	298	ARG	Sidechain
1	A	326	ARG	Sidechain
1	A	398	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	596	ARG	Sidechain
1	A	630	ARG	Sidechain
1	A	642	ARG	Sidechain
1	A	657	ARG	Sidechain
1	A	92	ARG	Sidechain
1	B	291	ARG	Sidechain
1	B	630	ARG	Sidechain
1	B	642	ARG	Sidechain
1	B	692	ARG	Sidechain
1	B	92	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5679	0	5550	112	0
1	B	5705	0	5580	128	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	489	0	0	8	0
4	B	479	0	0	23	0
All	All	12358	0	11130	228	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (228) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:PRO:HG2	4:A:1172:HOH:O	1.49	1.11
1:A:315:ASN:HD21	1:B:304:LYS:H	1.08	0.97
1:B:216:ASP:HB3	1:B:219:LYS:HD2	1.46	0.97
1:A:304:LYS:H	1:B:315:ASN:HD21	1.17	0.92
1:B:221:ILE:HD11	1:B:250:ASP:HB2	1.52	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:580:PHE:H	1:B:637:GLN:HE21	1.21	0.86
1:B:94:HIS:HD2	1:B:96:LEU:H	1.23	0.86
1:B:613:HIS:HB2	4:B:1221:HOH:O	1.77	0.85
1:B:221:ILE:CD1	1:B:250:ASP:HB2	2.08	0.83
1:A:443:MET:CE	4:B:1146:HOH:O	2.29	0.79
1:B:272:GLN:NE2	1:B:274:LYS:HD2	1.98	0.79
1:B:592:ASN:HD21	1:B:676:ASN:HD21	1.30	0.79
1:B:322:MET:HG3	4:B:1195:HOH:O	1.82	0.79
1:A:572:ASN:ND2	1:A:575:ASP:H	1.82	0.77
1:A:580:PHE:H	1:A:637:GLN:HE21	1.32	0.77
1:A:62:VAL:HG23	1:A:69:TRP:HB2	1.68	0.74
1:A:553:ASN:ND2	1:A:555:ALA:H	1.85	0.74
1:A:574:GLN:H	1:A:671:ASN:ND2	1.86	0.73
1:B:574:GLN:H	1:B:671:ASN:ND2	1.87	0.73
1:A:592:ASN:HD21	1:A:676:ASN:HD21	1.34	0.73
1:B:272:GLN:HE21	1:B:274:LYS:HD2	1.53	0.73
1:B:642:ARG:HH11	1:B:642:ARG:CB	2.03	0.72
1:A:642:ARG:HH11	1:A:642:ARG:HB2	1.54	0.72
1:A:203:GLU:HG2	1:A:204:GLU:HG3	1.70	0.72
1:B:525:GLN:HE22	1:B:620:GLN:H	1.38	0.72
1:A:377:TYR:CE1	1:B:558:PRO:HG2	2.26	0.71
1:B:511:TYR:HB3	4:B:926:HOH:O	1.91	0.69
1:A:536:VAL:H	1:A:541:ASN:HD21	1.41	0.68
1:B:168:ASP:HB2	1:B:175:LEU:HD11	1.76	0.68
1:B:525:GLN:NE2	1:B:620:GLN:H	1.90	0.68
1:B:553:ASN:HD21	1:B:555:ALA:HB3	1.58	0.68
1:A:203:GLU:HG2	1:A:204:GLU:H	1.59	0.67
1:B:642:ARG:HH11	1:B:642:ARG:HB2	1.60	0.67
1:A:212:ARG:HH21	1:A:280:GLU:HB3	1.60	0.67
1:A:181:LYS:O	1:A:182:ASP:HB2	1.95	0.67
1:A:272:GLN:HB3	1:A:274:LYS:HD3	1.78	0.66
1:B:209:VAL:HG13	1:B:214:ILE:HB	1.78	0.66
1:A:212:ARG:NH2	1:A:280:GLU:HB3	2.11	0.65
1:B:498:LYS:O	1:B:517:HIS:HD2	1.79	0.64
1:A:551:LYS:HE3	4:A:1225:HOH:O	1.95	0.64
1:A:465:ASN:H	1:A:465:ASN:HD22	1.44	0.64
1:B:33:ILE:HD12	4:B:1232:HOH:O	1.97	0.64
1:A:572:ASN:HD22	1:A:575:ASP:H	1.44	0.64
1:B:181:LYS:O	1:B:182:ASP:HB2	1.98	0.63
1:A:38:TYR:H	1:A:51:ASN:ND2	1.96	0.63
1:B:580:PHE:H	1:B:637:GLN:NE2	1.94	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:466:TPQ:C5	4:B:1192:HOH:O	2.48	0.62
1:A:5:ALA:O	1:A:6:HIS:HB2	1.97	0.62
1:A:517:HIS:CE1	1:B:596:ARG:HH11	2.18	0.61
1:A:38:TYR:H	1:A:51:ASN:HD21	1.47	0.61
1:B:506:LYS:HE3	1:B:510:ARG:HH12	1.64	0.61
1:B:506:LYS:HE2	1:B:510:ARG:HH22	1.66	0.60
1:A:443:MET:HE2	4:B:1146:HOH:O	1.99	0.60
1:A:10:MET:HG3	1:A:14:LEU:HD23	1.84	0.60
1:B:12:LYS:O	1:B:16:GLU:HG2	2.02	0.60
1:B:465:ASN:HD22	1:B:465:ASN:H	1.48	0.60
1:A:498:LYS:O	1:A:517:HIS:HD2	1.84	0.59
1:B:445:GLN:HB3	1:B:446:PRO:HD2	1.85	0.59
1:A:17:PHE:CE2	1:A:34:LYS:HD2	2.37	0.59
1:A:348:ASN:HD22	1:A:348:ASN:C	2.06	0.59
1:A:272:GLN:HE21	1:A:274:LYS:HD3	1.68	0.58
1:B:368:PRO:HB2	1:B:621:PHE:HZ	1.69	0.58
1:B:65:ASP:O	1:B:66:ASN:HB2	2.02	0.58
1:B:216:ASP:OD1	1:B:218:LYS:HB2	2.04	0.57
1:B:506:LYS:CE	1:B:510:ARG:HH22	2.17	0.57
1:A:443:MET:HE3	4:B:1146:HOH:O	1.98	0.57
1:B:38:TYR:H	1:B:51:ASN:ND2	2.01	0.57
1:A:73:THR:HG23	1:A:77:ASP:OD2	2.05	0.57
1:A:642:ARG:HH11	1:A:642:ARG:CB	2.16	0.57
1:B:645:PRO:O	4:B:1040:HOH:O	2.17	0.57
1:A:298:ARG:HA	1:B:722:ALA:O	2.05	0.57
1:A:549:VAL:CG2	1:A:551:LYS:HE2	2.35	0.57
1:A:71:SER:OG	1:A:73:THR:HG22	2.04	0.57
1:A:203:GLU:HG2	1:A:204:GLU:N	2.20	0.56
1:B:574:GLN:H	1:B:671:ASN:HD22	1.52	0.56
1:B:572:ASN:ND2	1:B:575:ASP:H	2.02	0.56
1:B:94:HIS:CD2	1:B:96:LEU:H	2.13	0.55
1:A:230:PHE:O	1:A:233:LYS:HG2	2.07	0.55
1:A:583:GLY:HA3	1:B:617:LYS:HE2	1.87	0.55
1:B:8:VAL:HG23	1:B:9:PRO:HD2	1.88	0.55
1:A:147:ASP:HB3	4:A:1226:HOH:O	2.05	0.55
1:B:396:ILE:HD13	1:B:428:ALA:HB2	1.88	0.55
1:A:209:VAL:HG13	1:A:214:ILE:HB	1.88	0.54
1:B:141:LEU:HD21	1:B:346:THR:HG21	1.88	0.54
1:B:536:VAL:H	1:B:541:ASN:HD21	1.54	0.54
1:A:93:PRO:CG	4:A:1172:HOH:O	2.28	0.54
1:A:540:ASN:HB3	1:A:676:ASN:ND2	2.23	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:466:TPQ:C3	1:B:526:HIS:HE1	2.20	0.54
1:A:160:LYS:HE3	1:A:271:GLU:OE1	2.08	0.54
1:B:94:HIS:HB3	1:B:97:ASN:ND2	2.23	0.54
1:B:38:TYR:H	1:B:51:ASN:HD21	1.56	0.54
1:A:580:PHE:H	1:A:637:GLN:NE2	2.04	0.53
1:A:368:PRO:HG3	1:A:634:MET:HE1	1.89	0.53
1:B:203:GLU:OE2	1:B:204:GLU:HG3	2.08	0.53
1:B:8:VAL:HG22	1:B:13:THR:OG1	2.09	0.53
1:A:249:LEU:HD23	1:A:288:MET:CE	2.39	0.52
1:A:644:HIS:HE1	1:A:672:GLU:OE1	1.92	0.52
1:B:134:GLU:HB2	4:B:1137:HOH:O	2.08	0.52
1:A:439:LYS:HZ2	1:A:447:ASN:HD21	1.56	0.52
1:A:465:ASN:H	1:A:465:ASN:ND2	2.07	0.52
1:B:573:GLU:HG3	1:B:672:GLU:O	2.10	0.52
1:B:10:MET:HG3	1:B:70:VAL:HG11	1.91	0.51
1:A:65:ASP:HB3	1:A:67:LYS:HD2	1.92	0.51
1:A:368:PRO:HG3	1:A:634:MET:CE	2.41	0.51
1:A:439:LYS:NZ	1:A:447:ASN:ND2	2.59	0.51
1:B:553:ASN:ND2	1:B:555:ALA:H	2.08	0.51
1:B:507:ASP:OD1	1:B:510:ARG:NH2	2.37	0.51
1:A:525:GLN:HE22	1:A:620:GLN:H	1.57	0.51
1:A:723:LEU:HD23	1:B:297:ASP:O	2.11	0.51
1:A:249:LEU:HD23	1:A:288:MET:HE3	1.93	0.50
1:B:368:PRO:HB2	1:B:621:PHE:CZ	2.46	0.50
1:A:58:GLN:NE2	1:A:73:THR:HG21	2.26	0.50
1:B:324:HIS:ND1	4:B:1035:HOH:O	2.30	0.50
1:B:329:ASP:OD1	4:B:1035:HOH:O	2.20	0.50
1:A:236:LEU:HD11	1:A:244:LYS:HE3	1.92	0.50
1:A:348:ASN:ND2	1:A:351:GLY:H	2.09	0.50
1:B:477:ASN:HD22	1:B:477:ASN:C	2.15	0.50
1:B:158:ASP:O	1:B:161:HIS:HD2	1.95	0.49
1:A:644:HIS:HB2	1:A:647:GLU:HG3	1.93	0.49
1:A:106:GLN:NE2	1:A:169:LEU:O	2.41	0.49
1:B:620:GLN:HG3	4:B:992:HOH:O	2.11	0.49
1:A:358:TYR:CD2	1:A:359:GLU:HG3	2.47	0.49
1:A:574:GLN:HG2	1:A:671:ASN:CG	2.33	0.49
1:A:549:VAL:HG21	1:A:551:LYS:HE2	1.95	0.49
1:B:46:GLN:HA	1:B:46:GLN:OE1	2.12	0.49
1:B:540:ASN:HB3	1:B:676:ASN:ND2	2.28	0.48
1:A:58:GLN:HE21	1:A:73:THR:HG21	1.78	0.48
1:B:466:TPQ:C6	4:B:1192:HOH:O	2.60	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:LYS:HD3	4:A:1271:HOH:O	2.14	0.48
1:B:149:PRO:HB3	1:B:170:GLN:HB2	1.95	0.48
1:B:642:ARG:HB2	1:B:642:ARG:NH1	2.28	0.48
1:B:11:ASP:O	1:B:15:LYS:HD2	2.14	0.48
1:B:627:ILE:HG22	4:B:994:HOH:O	2.12	0.48
1:B:465:ASN:ND2	1:B:465:ASN:H	2.12	0.48
1:B:648:ARG:NH1	4:B:1040:HOH:O	2.43	0.48
1:A:477:ASN:HD22	1:A:477:ASN:C	2.17	0.48
1:B:642:ARG:HH11	1:B:642:ARG:CG	2.26	0.48
1:A:321:ASP:HB3	1:A:332:LEU:O	2.15	0.47
1:B:111:VAL:O	1:B:114:SER:HB3	2.15	0.47
1:B:222:THR:HB	1:B:245:VAL:HG13	1.97	0.47
1:A:525:GLN:NE2	1:A:620:GLN:H	2.13	0.47
1:B:8:VAL:CG2	1:B:9:PRO:HD2	2.46	0.46
1:B:366:ILE:HD11	1:B:627:ILE:HD11	1.96	0.46
1:B:97:ASN:ND2	1:B:331:HIS:NE2	2.61	0.46
1:A:553:ASN:HD21	1:A:555:ALA:HB3	1.79	0.46
1:B:209:VAL:CG1	1:B:214:ILE:HB	2.46	0.46
1:A:348:ASN:HD21	1:A:351:GLY:H	1.64	0.46
1:A:594:GLU:OE1	1:B:501:HIS:HE1	1.98	0.46
1:A:237:LYS:HD3	1:A:240:ALA:HB2	1.98	0.45
1:A:77:ASP:O	1:A:81:SER:HB3	2.16	0.45
1:B:359:GLU:CD	1:B:648:ARG:HH22	2.20	0.45
1:A:576:ALA:O	1:A:578:GLN:HG2	2.16	0.45
1:A:348:ASN:HD21	1:A:351:GLY:CA	2.30	0.45
1:A:118:LYS:HB3	1:A:119:PRO:HD2	1.98	0.45
1:B:553:ASN:ND2	1:B:555:ALA:HB3	2.30	0.45
1:A:549:VAL:HG23	1:A:551:LYS:HE2	1.98	0.45
1:A:160:LYS:HB3	1:A:241:ARG:HB2	1.98	0.45
1:B:613:HIS:HD2	4:B:988:HOH:O	1.99	0.45
1:A:610:GLY:HA3	1:B:610:GLY:HA3	1.98	0.45
1:B:627:ILE:HG13	1:B:631:LEU:HD12	2.00	0.44
1:B:214:ILE:HD11	1:B:286:VAL:HG21	1.99	0.44
1:A:17:PHE:O	1:A:34:LYS:HE3	2.17	0.44
1:A:130:PRO:HA	1:A:131:PRO:HD3	1.85	0.44
1:B:644:HIS:HB2	1:B:647:GLU:HG3	1.99	0.44
1:B:506:LYS:HD3	1:B:510:ARG:HH22	1.82	0.44
1:A:160:LYS:HG2	1:A:271:GLU:CD	2.38	0.44
1:B:237:LYS:HE2	1:B:239:ASP:CG	2.37	0.44
1:B:398:ARG:HG2	1:B:408:LEU:HD11	1.99	0.44
1:B:59:VAL:HA	1:B:60:PRO:HD3	1.84	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147:ASP:CB	4:A:1226:HOH:O	2.65	0.43
1:A:138:ALA:HB1	1:A:144:LYS:HE2	2.00	0.43
1:A:286:VAL:HA	1:A:287:PRO:HD3	1.83	0.43
1:B:723:LEU:HA	1:B:723:LEU:HD12	1.82	0.43
1:A:608:TYR:HE1	4:A:1058:HOH:O	2.00	0.43
1:A:560:THR:HG23	4:B:1182:HOH:O	2.18	0.43
1:A:204:GLU:HG3	1:A:204:GLU:H	1.66	0.43
1:A:649:PHE:HD2	4:A:1231:HOH:O	1.99	0.43
1:B:572:ASN:HD22	1:B:575:ASP:H	1.66	0.43
1:B:382:LEU:HD23	1:B:651:GLU:HG3	2.01	0.43
1:A:442:GLU:HB3	1:A:445:GLN:HB2	2.01	0.43
1:A:194:SER:O	1:A:198:ILE:HG13	2.19	0.43
1:A:443:MET:HE3	4:B:807:HOH:O	2.18	0.43
1:B:492:VAL:HB	1:B:519:ILE:HG23	2.01	0.43
1:A:284:VAL:HA	1:A:285:PRO:HD3	1.84	0.43
1:A:572:ASN:HB2	1:A:671:ASN:ND2	2.34	0.43
1:B:181:LYS:O	1:B:182:ASP:CB	2.64	0.43
1:B:15:LYS:NZ	1:B:21:VAL:HB	2.34	0.43
1:B:286:VAL:HA	1:B:287:PRO:HD3	1.89	0.43
1:B:687:THR:HG21	4:B:1221:HOH:O	2.19	0.42
1:B:445:GLN:HB3	1:B:446:PRO:CD	2.48	0.42
1:B:726:ASP:HB3	1:B:727:LYS:H	1.49	0.42
1:B:134:GLU:HB3	4:B:1132:HOH:O	2.19	0.42
1:A:231:ASP:HB2	1:A:626:TRP:CZ2	2.54	0.42
1:B:10:MET:HG3	1:B:70:VAL:CG1	2.49	0.42
1:A:8:VAL:HA	1:A:9:PRO:HD3	1.84	0.42
1:A:560:THR:CG2	4:B:1182:HOH:O	2.67	0.42
1:A:699:MET:HA	1:A:700:PRO:HD3	1.88	0.42
1:B:149:PRO:HB3	1:B:170:GLN:CB	2.49	0.42
1:B:45:ALA:O	1:B:60:PRO:HB3	2.20	0.42
1:B:222:THR:HB	1:B:245:VAL:CG1	2.50	0.42
1:B:246:ILE:HD13	1:B:246:ILE:HA	1.84	0.42
1:A:492:VAL:HB	1:A:519:ILE:HG23	2.02	0.42
1:A:64:LYS:HB3	1:A:65:ASP:H	1.46	0.42
1:A:299:VAL:HG23	1:B:724:LYS:HG3	2.03	0.41
1:B:679:ALA:HB2	4:B:1215:HOH:O	2.20	0.41
1:A:559:ARG:HH22	1:B:370:GLY:HA2	1.84	0.41
1:B:61:VAL:HG22	1:B:70:VAL:HG12	2.02	0.41
1:A:383:ASP:HB3	1:A:463:VAL:HG21	2.03	0.41
1:A:370:GLY:HA2	1:B:559:ARG:HH22	1.86	0.41
1:A:439:LYS:NZ	1:A:447:ASN:HD21	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:237:LYS:HE2	1:B:239:ASP:HB3	2.03	0.41
1:A:222:THR:HB	1:A:245:VAL:CG1	2.51	0.41
1:B:572:ASN:ND2	1:B:671:ASN:HD21	2.19	0.41
1:B:175:LEU:O	1:B:176:SER:HB3	2.20	0.41
1:B:326:ARG:HB2	1:B:327:ASN:H	1.70	0.41
1:B:477:ASN:HD22	1:B:479:THR:H	1.69	0.40
1:B:196:GLN:HE22	1:B:222:THR:H	1.69	0.40
1:B:212:ARG:NH2	1:B:280:GLU:HB3	2.36	0.40
1:B:189:LEU:HD21	1:B:392:LEU:HD21	2.03	0.40
1:B:76:ASN:O	1:B:80:GLN:HB2	2.21	0.40
1:B:24:ASP:O	1:B:28:GLN:N	2.52	0.40
1:B:437:GLU:HA	1:B:452:ARG:HB2	2.03	0.40
1:B:272:GLN:HG2	1:B:274:LYS:HB3	2.03	0.40
1:A:574:GLN:HG2	1:A:671:ASN:ND2	2.36	0.40
1:A:274:LYS:HZ3	1:A:276:VAL:HG12	1.86	0.40
1:A:210:LYS:HA	1:A:214:ILE:O	2.21	0.40
1:B:212:ARG:HH21	1:B:280:GLU:HB3	1.86	0.40
1:B:291:ARG:NH1	1:B:516:ASP:OD2	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	717/727 (99%)	696 (97%)	20 (3%)	1 (0%)	56	53
1	B	720/727 (99%)	697 (97%)	19 (3%)	4 (1%)	30	22
All	All	1437/1454 (99%)	1393 (97%)	39 (3%)	5 (0%)	46	41

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	6	HIS
1	A	6	HIS
1	B	726	ASP
1	B	182	ASP
1	B	66	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	610/615 (99%)	578 (95%)	32 (5%)	29	23
1	B	613/615 (100%)	573 (94%)	40 (6%)	21	15
All	All	1223/1230 (99%)	1151 (94%)	72 (6%)	24	18

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	MET
1	A	8	VAL
1	A	11	ASP
1	A	14	LEU
1	A	29	LEU
1	A	53	GLN
1	A	71	SER
1	A	80	GLN
1	A	89	VAL
1	A	120	ASN
1	A	132	ASP
1	A	147	ASP
1	A	160	LYS
1	A	173	LYS
1	A	204	GLU
1	A	209	VAL
1	A	210	LYS
1	A	237	LYS
1	A	239	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	326	ARG
1	A	348	ASN
1	A	368	PRO
1	A	372	PRO
1	A	377	TYR
1	A	445	GLN
1	A	465	ASN
1	A	477	ASN
1	A	572	ASN
1	A	595	ASN
1	A	613	HIS
1	A	642	ARG
1	A	671	ASN
1	B	11	ASP
1	B	12	LYS
1	B	15	LYS
1	B	22	GLN
1	B	46	GLN
1	B	63	MET
1	B	64	LYS
1	B	67	LYS
1	B	73	THR
1	B	92	ARG
1	B	118	LYS
1	B	137	TRP
1	B	142	GLU
1	B	156	MET
1	B	170	GLN
1	B	181	LYS
1	B	200	ASN
1	B	203	GLU
1	B	210	LYS
1	B	211	LYS
1	B	218	LYS
1	B	239	ASP
1	B	251	VAL
1	B	272	GLN
1	B	274	LYS
1	B	326	ARG
1	B	359	GLU
1	B	374	ILE
1	B	446	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	465	ASN
1	B	477	ASN
1	B	510	ARG
1	B	566	ASN
1	B	572	ASN
1	B	595	ASN
1	B	613	HIS
1	B	642	ARG
1	B	669	LYS
1	B	724	LYS
1	B	727	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (65) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	51	ASN
1	A	58	GLN
1	A	97	ASN
1	A	120	ASN
1	A	148	GLN
1	A	170	GLN
1	A	178	GLN
1	A	196	GLN
1	A	200	ASN
1	A	263	ASN
1	A	272	GLN
1	A	315	ASN
1	A	324	HIS
1	A	348	ASN
1	A	447	ASN
1	A	465	ASN
1	A	477	ASN
1	A	517	HIS
1	A	525	GLN
1	A	529	ASN
1	A	541	ASN
1	A	553	ASN
1	A	566	ASN
1	A	572	ASN
1	A	595	ASN
1	A	604	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	637	GLN
1	A	644	HIS
1	A	660	HIS
1	A	671	ASN
1	A	676	ASN
1	B	51	ASN
1	B	94	HIS
1	B	97	ASN
1	B	148	GLN
1	B	161	HIS
1	B	170	GLN
1	B	196	GLN
1	B	197	ASN
1	B	200	ASN
1	B	238	GLN
1	B	263	ASN
1	B	272	GLN
1	B	307	GLN
1	B	315	ASN
1	B	327	ASN
1	B	350	ASN
1	B	447	ASN
1	B	465	ASN
1	B	477	ASN
1	B	501	HIS
1	B	517	HIS
1	B	525	GLN
1	B	529	ASN
1	B	541	ASN
1	B	553	ASN
1	B	567	GLN
1	B	572	ASN
1	B	595	ASN
1	B	599	ASN
1	B	604	GLN
1	B	637	GLN
1	B	671	ASN
1	B	676	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPQ	A	466	1,2	13,14,15	2.07	4 (30%)	15,19,21	1.72	4 (26%)
1	TPQ	B	466	1,2	13,14,15	1.94	3 (23%)	15,19,21	2.17	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPQ	A	466	1,2	-	0/4/22/24	0/1/1/1
1	TPQ	B	466	1,2	-	0/4/22/24	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	466	TPQ	C1-C2	-5.31	1.42	1.49
1	A	466	TPQ	C1-C2	-5.28	1.42	1.49
1	B	466	TPQ	C4-C5	-2.21	1.40	1.47
1	A	466	TPQ	C4-C5	-2.12	1.40	1.47
1	A	466	TPQ	C6-C1	2.03	1.40	1.34
1	B	466	TPQ	C3-C4	2.26	1.39	1.35
1	A	466	TPQ	C3-C4	2.61	1.39	1.35

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	466	TPQ	O2-C2-C3	-3.50	114.00	121.89
1	A	466	TPQ	O-C-CA	-3.17	117.23	125.49
1	A	466	TPQ	O2-C2-C3	-2.63	115.97	121.89
1	B	466	TPQ	C6-C1-C2	-2.36	116.77	118.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	466	TPQ	O2-C2-C1	2.70	123.21	120.85
1	A	466	TPQ	C3-C2-C1	3.33	120.79	118.30
1	B	466	TPQ	O2-C2-C1	3.40	123.81	120.85
1	B	466	TPQ	C3-C2-C1	5.17	122.17	118.30

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	466	TPQ	3	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	719/727 (98%)	-0.73	6 (0%) 87 88	11, 22, 56, 100	0
1	B	722/727 (99%)	-0.60	12 (1%) 73 73	10, 25, 61, 100	0
All	All	1441/1454 (99%)	-0.67	18 (1%) 81 81	10, 24, 59, 100	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	5	ALA	10.4
1	B	727	LYS	6.7
1	B	65	ASP	5.2
1	B	726	ASP	4.7
1	A	6	HIS	4.6
1	B	6	HIS	4.6
1	B	5	ALA	4.6
1	B	66	ASN	3.5
1	B	92	ARG	3.2
1	B	64	LYS	3.2
1	A	64	LYS	2.9
1	A	65	ASP	2.4
1	A	215	THR	2.2
1	B	69	TRP	2.1
1	B	12	LYS	2.1
1	A	66	ASN	2.1
1	B	181	LYS	2.1
1	B	239	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	TPQ	B	466	14/15	0.95	0.11	-	15,37,48,58	0
1	TPQ	A	466	14/15	0.96	0.09	-	16,41,47,60	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CA	A	802	1/1	1.00	0.05	-1.11	16,16,16,16	0
3	CA	B	802	1/1	0.99	0.04	-1.66	18,18,18,18	0
3	CA	B	803	1/1	0.98	0.05	-1.92	22,22,22,22	0
3	CA	A	803	1/1	0.99	0.04	-2.30	20,20,20,20	0
2	CU	B	801	1/1	1.00	0.02	-	19,19,19,19	0
2	CU	A	801	1/1	1.00	0.02	-	19,19,19,19	0

6.5 Other polymers [i](#)

There are no such residues in this entry.