



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:16 PM GMT

PDB ID : 4OD4
Title : Apo structure of a UbiA homolog from Aeropyrum pernix K1
Authors : Li, W.; Cheng, W.
Deposited on : 2014-01-09
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2060 (3.40-3.20)
Clashscore	102246	1058 (3.38-3.22)
Ramachandran outliers	100387	1038 (3.38-3.22)
Sidechain outliers	100360	1037 (3.38-3.22)
RSRZ outliers	91569	2070 (3.40-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	303	<div> <div>5%</div> <div>80%</div> <div>11%</div> <div>9%</div> </div>
1	B	303	<div> <div>9%</div> <div>81%</div> <div>9%</div> <div>9%</div> </div>
1	C	303	<div> <div>2%</div> <div>82%</div> <div>9%</div> <div>9%</div> </div>
1	D	303	<div> <div>4%</div> <div>82%</div> <div>9%</div> <div>9%</div> </div>
1	E	303	<div> <div>8%</div> <div>81%</div> <div>10%</div> <div>9%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	303	 A horizontal bar chart showing the quality of chain F. The bar is divided into four segments: a red segment at the beginning labeled '10%', a large green segment labeled '81%', a yellow segment labeled '10%', and a small grey segment at the end labeled '9%'.

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 12036 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-hydroxybenzoate octaprenyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	275	Total 2006	C 1320	N 333	O 346	S 7	0	0	0
1	B	275	Total 2006	C 1320	N 333	O 346	S 7	0	0	0
1	C	275	Total 2006	C 1320	N 333	O 346	S 7	0	0	0
1	D	275	Total 2006	C 1320	N 333	O 346	S 7	0	0	0
1	E	275	Total 2006	C 1320	N 333	O 346	S 7	0	0	0
1	F	275	Total 2006	C 1320	N 333	O 346	S 7	0	0	0

There are 114 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	EXPRESSION TAG	UNP Q9YBM8
A	-17	GLY	-	EXPRESSION TAG	UNP Q9YBM8
A	-16	SER	-	EXPRESSION TAG	UNP Q9YBM8
A	-15	SER	-	EXPRESSION TAG	UNP Q9YBM8
A	-14	HIS	-	EXPRESSION TAG	UNP Q9YBM8
A	-13	HIS	-	EXPRESSION TAG	UNP Q9YBM8
A	-12	HIS	-	EXPRESSION TAG	UNP Q9YBM8
A	-11	HIS	-	EXPRESSION TAG	UNP Q9YBM8
A	-10	HIS	-	EXPRESSION TAG	UNP Q9YBM8
A	-9	HIS	-	EXPRESSION TAG	UNP Q9YBM8
A	-8	SER	-	EXPRESSION TAG	UNP Q9YBM8
A	-7	SER	-	EXPRESSION TAG	UNP Q9YBM8
A	-6	GLY	-	EXPRESSION TAG	UNP Q9YBM8
A	-5	LEU	-	EXPRESSION TAG	UNP Q9YBM8
A	-4	VAL	-	EXPRESSION TAG	UNP Q9YBM8
A	-3	PRO	-	EXPRESSION TAG	UNP Q9YBM8
A	-2	ALA	-	EXPRESSION TAG	UNP Q9YBM8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	EXPRESSION TAG	UNP Q9YBM8
A	0	SER	-	EXPRESSION TAG	UNP Q9YBM8
B	-18	MET	-	EXPRESSION TAG	UNP Q9YBM8
B	-17	GLY	-	EXPRESSION TAG	UNP Q9YBM8
B	-16	SER	-	EXPRESSION TAG	UNP Q9YBM8
B	-15	SER	-	EXPRESSION TAG	UNP Q9YBM8
B	-14	HIS	-	EXPRESSION TAG	UNP Q9YBM8
B	-13	HIS	-	EXPRESSION TAG	UNP Q9YBM8
B	-12	HIS	-	EXPRESSION TAG	UNP Q9YBM8
B	-11	HIS	-	EXPRESSION TAG	UNP Q9YBM8
B	-10	HIS	-	EXPRESSION TAG	UNP Q9YBM8
B	-9	HIS	-	EXPRESSION TAG	UNP Q9YBM8
B	-8	SER	-	EXPRESSION TAG	UNP Q9YBM8
B	-7	SER	-	EXPRESSION TAG	UNP Q9YBM8
B	-6	GLY	-	EXPRESSION TAG	UNP Q9YBM8
B	-5	LEU	-	EXPRESSION TAG	UNP Q9YBM8
B	-4	VAL	-	EXPRESSION TAG	UNP Q9YBM8
B	-3	PRO	-	EXPRESSION TAG	UNP Q9YBM8
B	-2	ALA	-	EXPRESSION TAG	UNP Q9YBM8
B	-1	GLY	-	EXPRESSION TAG	UNP Q9YBM8
B	0	SER	-	EXPRESSION TAG	UNP Q9YBM8
C	-18	MET	-	EXPRESSION TAG	UNP Q9YBM8
C	-17	GLY	-	EXPRESSION TAG	UNP Q9YBM8
C	-16	SER	-	EXPRESSION TAG	UNP Q9YBM8
C	-15	SER	-	EXPRESSION TAG	UNP Q9YBM8
C	-14	HIS	-	EXPRESSION TAG	UNP Q9YBM8
C	-13	HIS	-	EXPRESSION TAG	UNP Q9YBM8
C	-12	HIS	-	EXPRESSION TAG	UNP Q9YBM8
C	-11	HIS	-	EXPRESSION TAG	UNP Q9YBM8
C	-10	HIS	-	EXPRESSION TAG	UNP Q9YBM8
C	-9	HIS	-	EXPRESSION TAG	UNP Q9YBM8
C	-8	SER	-	EXPRESSION TAG	UNP Q9YBM8
C	-7	SER	-	EXPRESSION TAG	UNP Q9YBM8
C	-6	GLY	-	EXPRESSION TAG	UNP Q9YBM8
C	-5	LEU	-	EXPRESSION TAG	UNP Q9YBM8
C	-4	VAL	-	EXPRESSION TAG	UNP Q9YBM8
C	-3	PRO	-	EXPRESSION TAG	UNP Q9YBM8
C	-2	ALA	-	EXPRESSION TAG	UNP Q9YBM8
C	-1	GLY	-	EXPRESSION TAG	UNP Q9YBM8
C	0	SER	-	EXPRESSION TAG	UNP Q9YBM8
D	-18	MET	-	EXPRESSION TAG	UNP Q9YBM8
D	-17	GLY	-	EXPRESSION TAG	UNP Q9YBM8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	EXPRESSION TAG	UNP Q9YBM8
D	-15	SER	-	EXPRESSION TAG	UNP Q9YBM8
D	-14	HIS	-	EXPRESSION TAG	UNP Q9YBM8
D	-13	HIS	-	EXPRESSION TAG	UNP Q9YBM8
D	-12	HIS	-	EXPRESSION TAG	UNP Q9YBM8
D	-11	HIS	-	EXPRESSION TAG	UNP Q9YBM8
D	-10	HIS	-	EXPRESSION TAG	UNP Q9YBM8
D	-9	HIS	-	EXPRESSION TAG	UNP Q9YBM8
D	-8	SER	-	EXPRESSION TAG	UNP Q9YBM8
D	-7	SER	-	EXPRESSION TAG	UNP Q9YBM8
D	-6	GLY	-	EXPRESSION TAG	UNP Q9YBM8
D	-5	LEU	-	EXPRESSION TAG	UNP Q9YBM8
D	-4	VAL	-	EXPRESSION TAG	UNP Q9YBM8
D	-3	PRO	-	EXPRESSION TAG	UNP Q9YBM8
D	-2	ALA	-	EXPRESSION TAG	UNP Q9YBM8
D	-1	GLY	-	EXPRESSION TAG	UNP Q9YBM8
D	0	SER	-	EXPRESSION TAG	UNP Q9YBM8
E	-18	MET	-	EXPRESSION TAG	UNP Q9YBM8
E	-17	GLY	-	EXPRESSION TAG	UNP Q9YBM8
E	-16	SER	-	EXPRESSION TAG	UNP Q9YBM8
E	-15	SER	-	EXPRESSION TAG	UNP Q9YBM8
E	-14	HIS	-	EXPRESSION TAG	UNP Q9YBM8
E	-13	HIS	-	EXPRESSION TAG	UNP Q9YBM8
E	-12	HIS	-	EXPRESSION TAG	UNP Q9YBM8
E	-11	HIS	-	EXPRESSION TAG	UNP Q9YBM8
E	-10	HIS	-	EXPRESSION TAG	UNP Q9YBM8
E	-9	HIS	-	EXPRESSION TAG	UNP Q9YBM8
E	-8	SER	-	EXPRESSION TAG	UNP Q9YBM8
E	-7	SER	-	EXPRESSION TAG	UNP Q9YBM8
E	-6	GLY	-	EXPRESSION TAG	UNP Q9YBM8
E	-5	LEU	-	EXPRESSION TAG	UNP Q9YBM8
E	-4	VAL	-	EXPRESSION TAG	UNP Q9YBM8
E	-3	PRO	-	EXPRESSION TAG	UNP Q9YBM8
E	-2	ALA	-	EXPRESSION TAG	UNP Q9YBM8
E	-1	GLY	-	EXPRESSION TAG	UNP Q9YBM8
E	0	SER	-	EXPRESSION TAG	UNP Q9YBM8
F	-18	MET	-	EXPRESSION TAG	UNP Q9YBM8
F	-17	GLY	-	EXPRESSION TAG	UNP Q9YBM8
F	-16	SER	-	EXPRESSION TAG	UNP Q9YBM8
F	-15	SER	-	EXPRESSION TAG	UNP Q9YBM8
F	-14	HIS	-	EXPRESSION TAG	UNP Q9YBM8
F	-13	HIS	-	EXPRESSION TAG	UNP Q9YBM8

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-12	HIS	-	EXPRESSION TAG	UNP Q9YBM8
F	-11	HIS	-	EXPRESSION TAG	UNP Q9YBM8
F	-10	HIS	-	EXPRESSION TAG	UNP Q9YBM8
F	-9	HIS	-	EXPRESSION TAG	UNP Q9YBM8
F	-8	SER	-	EXPRESSION TAG	UNP Q9YBM8
F	-7	SER	-	EXPRESSION TAG	UNP Q9YBM8
F	-6	GLY	-	EXPRESSION TAG	UNP Q9YBM8
F	-5	LEU	-	EXPRESSION TAG	UNP Q9YBM8
F	-4	VAL	-	EXPRESSION TAG	UNP Q9YBM8
F	-3	PRO	-	EXPRESSION TAG	UNP Q9YBM8
F	-2	ALA	-	EXPRESSION TAG	UNP Q9YBM8
F	-1	GLY	-	EXPRESSION TAG	UNP Q9YBM8
F	0	SER	-	EXPRESSION TAG	UNP Q9YBM8


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-hydroxybenzoate octaprenyltransferase




- Molecule 1: 4-hydroxybenzoate octaprenyltransferase




- Molecule 1: 4-hydroxybenzoate octaprenyltransferase



- Molecule 1: 4-hydroxybenzoate octaprenyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.09Å 123.07Å 423.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.78 – 3.30 49.78 – 3.30	Depositor EDS
% Data completeness (in resolution range)	99.2 (49.78-3.30) 99.2 (49.78-3.30)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.69 (at 3.33Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.272 , 0.303 0.268 , 0.300	Depositor DCC
R_{free} test set	2820 reflections (5.05%)	DCC
Wilson B-factor (Å ²)	108.9	Xtriage
Anisotropy	0.575	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 64.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 55898 reflections	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	12036	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/2050	0.45	0/2809
1	B	0.29	0/2050	0.45	0/2809
1	C	0.30	0/2050	0.46	0/2809
1	D	0.29	0/2050	0.45	0/2809
1	E	0.29	0/2050	0.45	0/2809
1	F	0.29	0/2050	0.45	0/2809
All	All	0.29	0/12300	0.45	0/16854

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2006	0	2089	19	0
1	B	2006	0	2089	27	0
1	C	2006	0	2089	34	0
1	D	2006	0	2089	13	0
1	E	2006	0	2089	30	0
1	F	2006	0	2089	21	0
All	All	12036	0	12534	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:59:ARG:CB	1:E:60:LEU:HD22	2.18	0.73
1:C:59:ARG:HD3	1:E:60:LEU:HD22	1.72	0.71
1:C:59:ARG:CD	1:E:60:LEU:HD22	2.23	0.69
1:C:59:ARG:HB3	1:E:60:LEU:CD2	2.24	0.67
1:C:59:ARG:HB3	1:E:60:LEU:HD22	1.76	0.66
1:E:247:ALA:HB1	1:F:219:ILE:HD11	1.79	0.63
1:B:243:ILE:CG1	1:C:244:LEU:HD11	2.31	0.61
1:B:243:ILE:HG21	1:C:244:LEU:HD11	1.84	0.58
1:B:243:ILE:CG2	1:C:244:LEU:HD11	2.32	0.58
1:A:85:ALA:HB1	1:B:96:LEU:HD21	1.88	0.56
1:C:59:ARG:CB	1:E:60:LEU:CD2	2.83	0.55
1:E:130:GLY:HA2	1:E:171:VAL:HG21	1.88	0.55
1:C:130:GLY:HA2	1:C:171:VAL:HG21	1.88	0.55
1:B:130:GLY:HA2	1:B:171:VAL:HG21	1.87	0.55
1:D:130:GLY:HA2	1:D:171:VAL:HG21	1.88	0.55
1:E:244:LEU:HD11	1:F:243:ILE:HD12	1.88	0.55
1:C:264:VAL:HB	1:C:265:PRO:HD3	1.89	0.54
1:B:243:ILE:O	1:C:240:LEU:HD21	2.08	0.54
1:F:130:GLY:HA2	1:F:171:VAL:HG21	1.90	0.54
1:B:243:ILE:HD12	1:C:244:LEU:HD11	1.90	0.54
1:A:130:GLY:HA2	1:A:171:VAL:HG21	1.88	0.53
1:B:243:ILE:HG13	1:C:244:LEU:HD11	1.91	0.52
1:B:130:GLY:HA2	1:B:171:VAL:CG2	2.39	0.52
1:D:264:VAL:HB	1:D:265:PRO:HD3	1.92	0.52
1:F:264:VAL:HB	1:F:265:PRO:HD3	1.92	0.52
1:C:130:GLY:HA2	1:C:171:VAL:CG2	2.40	0.52
1:E:130:GLY:HA2	1:E:171:VAL:CG2	2.40	0.51
1:A:130:GLY:HA2	1:A:171:VAL:CG2	2.40	0.50
1:D:130:GLY:HA2	1:D:171:VAL:CG2	2.41	0.50
1:E:264:VAL:HB	1:E:265:PRO:HD3	1.93	0.50
1:A:264:VAL:HB	1:A:265:PRO:HD3	1.93	0.50
1:F:130:GLY:HA2	1:F:171:VAL:CG2	2.41	0.50
1:C:176:THR:HG23	1:C:194:ILE:CG2	2.42	0.50
1:E:100:TYR:OH	1:E:150:SER:O	2.30	0.50
1:B:264:VAL:HB	1:B:265:PRO:HD3	1.94	0.50
1:A:100:TYR:OH	1:A:150:SER:O	2.30	0.50
1:D:100:TYR:OH	1:D:150:SER:O	2.31	0.49
1:F:100:TYR:OH	1:F:150:SER:O	2.30	0.49
1:E:244:LEU:HD11	1:F:243:ILE:CD1	2.41	0.49
1:C:60:LEU:HD21	1:E:60:LEU:HD11	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:60:LEU:HD23	1:E:60:LEU:N	2.28	0.49
1:F:176:THR:HG23	1:F:194:ILE:CG2	2.43	0.48
1:C:100:TYR:OH	1:C:150:SER:O	2.32	0.48
1:A:171:VAL:HA	1:A:174:PHE:CE2	2.49	0.48
1:E:176:THR:HG23	1:E:194:ILE:CG2	2.44	0.47
1:F:171:VAL:HA	1:F:174:PHE:CE2	2.50	0.47
1:B:243:ILE:CD1	1:C:244:LEU:HD11	2.43	0.47
1:B:176:THR:HG23	1:B:194:ILE:CG2	2.45	0.47
1:B:171:VAL:HA	1:B:174:PHE:CE2	2.49	0.47
1:C:244:LEU:HD12	1:C:244:LEU:N	2.29	0.47
1:B:243:ILE:HG13	1:C:244:LEU:CG	2.45	0.47
1:C:59:ARG:HH11	1:E:60:LEU:HB3	1.79	0.46
1:B:243:ILE:HG13	1:C:244:LEU:HG	1.97	0.46
1:E:171:VAL:HA	1:E:174:PHE:CE2	2.50	0.46
1:B:100:TYR:OH	1:B:150:SER:O	2.32	0.46
1:A:176:THR:HG23	1:A:194:ILE:CG2	2.46	0.46
1:D:171:VAL:HA	1:D:174:PHE:CE2	2.50	0.46
1:D:176:THR:HG23	1:D:194:ILE:CG2	2.45	0.46
1:C:171:VAL:HA	1:C:174:PHE:CE2	2.52	0.45
1:B:243:ILE:HG13	1:C:244:LEU:CD1	2.48	0.44
1:A:4:VAL:HG23	1:A:47:MET:SD	2.57	0.44
1:E:240:LEU:HD12	1:F:208:LEU:HD11	1.99	0.44
1:E:105:SER:N	1:E:106:PRO:HD2	2.33	0.44
1:B:13:LEU:N	1:B:14:PRO:CD	2.80	0.44
1:F:55:LEU:HD13	1:F:69:LEU:HD13	1.99	0.44
1:D:105:SER:N	1:D:106:PRO:HD2	2.33	0.43
1:E:147:ASP:HA	1:E:148:GLU:HA	1.85	0.43
1:A:92:ALA:HB1	1:B:89:ILE:CG2	2.48	0.43
1:C:55:LEU:HD13	1:C:69:LEU:HD13	2.01	0.43
1:F:105:SER:N	1:F:106:PRO:HD2	2.34	0.43
1:A:55:LEU:HD13	1:A:69:LEU:HD13	2.01	0.43
1:D:4:VAL:HG23	1:D:47:MET:SD	2.59	0.42
1:B:105:SER:N	1:B:106:PRO:HD2	2.34	0.42
1:A:204:LEU:HB3	1:A:250:TRP:CZ2	2.53	0.42
1:C:105:SER:N	1:C:106:PRO:HD2	2.34	0.42
1:D:85:ALA:HB1	1:E:96:LEU:HD21	2.01	0.42
1:A:96:LEU:HD21	1:B:85:ALA:HB1	2.02	0.42
1:B:204:LEU:HB3	1:B:250:TRP:CZ2	2.55	0.42
1:B:236:ALA:HB2	1:C:251:LEU:HD13	2.02	0.42
1:D:13:LEU:N	1:D:14:PRO:CD	2.82	0.42
1:B:243:ILE:HG21	1:C:244:LEU:CD1	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:ILE:N	1:A:195:PRO:HD2	2.35	0.42
1:F:152:LEU:HA	1:F:155:VAL:HG12	2.02	0.42
1:E:13:LEU:N	1:E:14:PRO:CD	2.83	0.42
1:C:204:LEU:HB3	1:C:250:TRP:CZ2	2.55	0.41
1:C:13:LEU:N	1:C:14:PRO:CD	2.83	0.41
1:F:204:LEU:HB3	1:F:250:TRP:CZ2	2.55	0.41
1:B:55:LEU:HD13	1:B:69:LEU:HD13	2.02	0.41
1:C:142:VAL:HG12	1:C:155:VAL:HG22	2.03	0.41
1:F:194:ILE:N	1:F:195:PRO:HD2	2.35	0.41
1:D:194:ILE:N	1:D:195:PRO:HD2	2.36	0.41
1:F:13:LEU:N	1:F:14:PRO:CD	2.83	0.41
1:E:240:LEU:CD2	1:F:243:ILE:HG23	2.50	0.41
1:C:194:ILE:N	1:C:195:PRO:HD2	2.35	0.41
1:B:194:ILE:N	1:B:195:PRO:HD2	2.36	0.41
1:E:244:LEU:HD11	1:F:243:ILE:HG13	2.03	0.41
1:F:142:VAL:HG12	1:F:155:VAL:HG22	2.03	0.41
1:A:105:SER:N	1:A:106:PRO:HD2	2.35	0.41
1:F:4:VAL:HG23	1:F:47:MET:SD	2.61	0.41
1:D:139:GLY:HA2	1:D:142:VAL:HG22	2.03	0.41
1:E:139:GLY:HA2	1:E:142:VAL:HG22	2.03	0.41
1:A:61:ASN:HA	1:A:62:PRO:HD3	1.99	0.41
1:A:147:ASP:HA	1:A:148:GLU:HA	1.85	0.40
1:D:152:LEU:HA	1:D:155:VAL:HG12	2.03	0.40
1:A:68:PRO:C	1:A:70:VAL:H	2.24	0.40
1:A:13:LEU:HB2	1:A:14:PRO:HD3	2.03	0.40
1:E:194:ILE:N	1:E:195:PRO:HD2	2.36	0.40
1:B:142:VAL:HG12	1:B:155:VAL:HG22	2.04	0.40
1:E:55:LEU:HD13	1:E:69:LEU:HD13	2.04	0.40
1:C:60:LEU:HD23	1:E:60:LEU:HD21	2.02	0.40
1:F:139:GLY:HA2	1:F:142:VAL:HG22	2.02	0.40
1:E:142:VAL:HG12	1:E:155:VAL:HG22	2.04	0.40
1:A:13:LEU:N	1:A:14:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/303 (90%)	252 (92%)	19 (7%)	2 (1%)	26	66
1	B	273/303 (90%)	252 (92%)	19 (7%)	2 (1%)	26	66
1	C	273/303 (90%)	251 (92%)	20 (7%)	2 (1%)	26	66
1	D	273/303 (90%)	252 (92%)	19 (7%)	2 (1%)	26	66
1	E	273/303 (90%)	251 (92%)	20 (7%)	2 (1%)	26	66
1	F	273/303 (90%)	252 (92%)	19 (7%)	2 (1%)	26	66
All	All	1638/1818 (90%)	1510 (92%)	116 (7%)	12 (1%)	26	66

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	69	LEU
1	A	69	LEU
1	B	69	LEU
1	C	69	LEU
1	D	69	LEU
1	E	69	LEU
1	B	200	PRO
1	C	200	PRO
1	E	200	PRO
1	A	200	PRO
1	D	200	PRO
1	F	200	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/227 (88%)	196 (98%)	3 (2%)	72	88
1	B	199/227 (88%)	196 (98%)	3 (2%)	72	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	199/227 (88%)	198 (100%)	1 (0%)	92	95
1	D	199/227 (88%)	196 (98%)	3 (2%)	72	88
1	E	199/227 (88%)	196 (98%)	3 (2%)	72	88
1	F	199/227 (88%)	196 (98%)	3 (2%)	72	88
All	All	1194/1362 (88%)	1178 (99%)	16 (1%)	76	89

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LEU
1	A	124	LEU
1	A	145	SER
1	B	3	LEU
1	B	124	LEU
1	B	145	SER
1	C	145	SER
1	D	3	LEU
1	D	124	LEU
1	D	145	SER
1	E	3	LEU
1	E	145	SER
1	E	257	SER
1	F	3	LEU
1	F	124	LEU
1	F	145	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	246	GLN
1	B	50	ASN
1	B	246	GLN
1	C	50	ASN
1	C	246	GLN
1	D	50	ASN
1	D	246	GLN
1	E	50	ASN
1	E	246	GLN
1	F	50	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	246	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	275/303 (90%)	0.01	14 (5%)	32	25	33, 67, 112, 135	0
1	B	275/303 (90%)	0.17	26 (9%)	10	9	26, 61, 111, 140	0
1	C	275/303 (90%)	-0.13	7 (2%)	61	54	37, 69, 128, 161	0
1	D	275/303 (90%)	0.08	13 (4%)	35	29	38, 70, 110, 145	0
1	E	275/303 (90%)	0.21	24 (8%)	13	10	44, 83, 139, 191	0
1	F	275/303 (90%)	0.33	30 (10%)	7	6	41, 72, 127, 169	0
All	All	1650/1818 (90%)	0.11	114 (6%)	20	16	26, 70, 122, 191	0

All (114) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	121	LEU	5.7
1	D	145	SER	5.6
1	E	63	ARG	5.5
1	E	122	HIS	5.1
1	F	66	LYS	5.1
1	B	121	LEU	4.9
1	F	230	ILE	4.7
1	B	66	LYS	4.6
1	C	72	GLY	4.6
1	A	121	LEU	4.6
1	E	152	LEU	4.6
1	B	230	ILE	4.5
1	F	274	VAL	4.4
1	E	64	THR	4.3
1	D	73	ALA	4.2
1	E	74	VAL	4.2
1	E	72	GLY	4.2
1	B	117	HIS	4.0
1	E	71	VAL	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	229	ALA	3.9
1	B	74	VAL	3.9
1	F	71	VAL	3.8
1	A	274	VAL	3.8
1	E	151	SER	3.7
1	F	245	VAL	3.7
1	A	122	HIS	3.6
1	E	117	HIS	3.6
1	F	145	SER	3.5
1	F	232	THR	3.5
1	B	27	PHE	3.5
1	B	274	VAL	3.4
1	D	66	LYS	3.4
1	B	229	ALA	3.3
1	A	66	LYS	3.3
1	D	227	LEU	3.2
1	F	25	TYR	3.2
1	F	121	LEU	3.1
1	B	270	ALA	3.1
1	F	73	ALA	3.1
1	D	155	VAL	3.1
1	B	276	MET	3.1
1	B	73	ALA	3.0
1	B	272	ILE	3.0
1	E	120	ARG	3.0
1	D	72	GLY	3.0
1	F	148	GLU	3.0
1	B	71	VAL	3.0
1	B	271	GLY	3.0
1	F	191	LEU	2.9
1	F	275	ASP	2.9
1	B	273	ILE	2.9
1	E	128	HIS	2.8
1	F	26	PRO	2.7
1	F	233	VAL	2.7
1	F	266	ILE	2.7
1	A	277	LEU	2.7
1	C	71	VAL	2.7
1	A	191	LEU	2.7
1	E	73	ALA	2.6
1	E	67	ARG	2.6
1	B	29	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	234	SER	2.6
1	E	182	ASP	2.6
1	B	64	THR	2.6
1	E	198	LEU	2.6
1	D	255	LYS	2.6
1	F	267	ILE	2.6
1	E	155	VAL	2.6
1	E	123	PRO	2.5
1	F	120	ARG	2.5
1	D	149	ALA	2.5
1	C	128	HIS	2.5
1	F	265	PRO	2.5
1	B	67	ARG	2.5
1	D	25	TYR	2.5
1	F	257	SER	2.5
1	E	153	GLY	2.4
1	C	122	HIS	2.4
1	B	269	GLY	2.4
1	B	275	ASP	2.4
1	F	237	LEU	2.4
1	F	27	PHE	2.4
1	C	152	LEU	2.4
1	F	255	LYS	2.4
1	C	121	LEU	2.4
1	A	186	ASP	2.3
1	A	107	LEU	2.3
1	B	80	TRP	2.3
1	B	72	GLY	2.3
1	D	121	LEU	2.3
1	B	122	HIS	2.3
1	E	156	LEU	2.3
1	E	107	LEU	2.3
1	B	49	TYR	2.3
1	A	198	LEU	2.3
1	F	72	GLY	2.2
1	F	272	ILE	2.2
1	E	118	ALA	2.2
1	F	271	GLY	2.2
1	D	100	TYR	2.2
1	A	194	ILE	2.2
1	B	231	ALA	2.2
1	D	267	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	67	ARG	2.2
1	A	27	PHE	2.2
1	A	67	ARG	2.1
1	A	193	SER	2.1
1	E	127	LEU	2.1
1	C	73	ALA	2.1
1	B	152	LEU	2.1
1	E	154	GLU	2.1
1	A	229	ALA	2.1
1	D	150	SER	2.0
1	F	269	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.