



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 04:42 AM BST

PDB ID : 2OEH  
Title : Determination of the Three-dimensional Structure of the Mrf2-DNA Complex  
Using Paramagnetic Spin Labeling  
Authors : Cai, S.; Zhu, L.; Zhang, Z.  
Deposited on : 2006-12-29

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive<br>(#Entries) | NMR archive<br>(#Entries) |
|-----------------------|-----------------------------|---------------------------|
| Clashscore            | 114402                      | 11133                     |
| Ramachandran outliers | 111179                      | 9975                      |
| Sidechain outliers    | 111093                      | 9958                      |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1   | B     | 15     | 93% 7%           |
| 2   | C     | 14     | 93% 7%           |
| 3   | A     | 107    | 59% 11% • 29%    |

## 2 Ensemble composition and analysis

This entry contains 17 models. Model 12 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

| Well-defined (core) protein residues |                       |                   |              |
|--------------------------------------|-----------------------|-------------------|--------------|
| Well-defined core                    | Residue range (total) | Backbone RMSD (Å) | Medoid model |
| 1                                    | A:1-A:28 (28)         | 0.05              | 12           |
| 2                                    | A:34-A:60 (27)        | 0.07              | 12           |
| 3                                    | A:77-A:97 (21)        | 0.06              | 3            |

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 2 single-model clusters were found.

| Cluster number        | Models                          |
|-----------------------|---------------------------------|
| 1                     | 1, 2, 3, 4, 6, 7, 8, 11, 12, 13 |
| 2                     | 9, 14, 17                       |
| 3                     | 5, 10                           |
| Single-model clusters | 15; 16                          |

### 3 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2732 atoms, of which 1243 are hydrogens and 0 are deuteriums.

- Molecule 1 is a DNA chain called 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'.

| Mol | Chain | Residues | Atoms |     |     |    |    |    | Trace |
|-----|-------|----------|-------|-----|-----|----|----|----|-------|
| 1   | B     | 15       | Total | C   | H   | N  | O  | P  | 0     |
|     |       |          | 479   | 147 | 171 | 57 | 89 | 15 |       |

- Molecule 2 is a DNA chain called 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'.

| Mol | Chain | Residues | Atoms |     |     |    |    |    | Trace |
|-----|-------|----------|-------|-----|-----|----|----|----|-------|
| 2   | C     | 14       | Total | C   | H   | N  | O  | P  | 0     |
|     |       |          | 450   | 138 | 162 | 48 | 88 | 14 |       |

- Molecule 3 is a protein called AT-rich interactive domain-containing protein 5B.

| Mol | Chain | Residues | Atoms |     |     |     |     |   | Trace |
|-----|-------|----------|-------|-----|-----|-----|-----|---|-------|
| 3   | A     | 107      | Total | C   | H   | N   | O   | S | 0     |
|     |       |          | 1803  | 575 | 910 | 160 | 155 | 3 |       |

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B: 




- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C: 



- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A: 



### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'


Chain B: 



- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'




- Molecule 3: AT-rich interactive domain-containing protein 5B




#### 4.2.2 Score per residue for model 2


- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'



- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'




- Molecule 3: AT-rich interactive domain-containing protein 5B





#### 4.2.3 Score per residue for model 3

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'




- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'






- Molecule 3: AT-rich interactive domain-containing protein 5B




#### 4.2.4 Score per residue for model 4

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'



- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'




- Molecule 3: AT-rich interactive domain-containing protein 5B



#### 4.2.5 Score per residue for model 5

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'



- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'



G16  
G17  
A18  
C19  
G20  
T21  
T22  
A23  
A25  
T26  
T27  
G28  
T29

- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A:  60% 8% 29%

R1 F7 L8 L11 R18 R24 I25 G29 F30 K31 Q32 I33 R55 Y61 D62 E63 L64 G65 G66 M67 P68 G69 S70 T71 S72 A73 A74 T75 C76 R79 I85 Y88 D97 K98 P99 L100 P101 P102 I103 K104 P105 R106 K107


#### 4.2.6 Score per residue for model 6

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B:  93% 7%

T1 A2 C3 A4 A5 T6 A7 T8 A9 C10 C11 G12 T13 C14 G15

- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C:  86% 14%

G16  
G17  
A18  
C19  
G20  
T21  
T22  
A23  
A25  
T26  
T27  
G28  
T29

- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A:  59% 11% 29%

R1 F7 L8 L11 R18 R24 I25 G29 F30 K31 Q32 I33 R55 Y61 D62 E63 L64 G65 G66 M67 P68 G69 S70 T71 S72 A73 A74 T75 C76 R79 I85 Y88 D97 K98 P99 L100 P101 P102 I103 K104 P105 R106 K107


#### 4.2.7 Score per residue for model 7

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B:  100%

T1 A2 C3 A4 A5 T6 A7 T8 A9 C10 C11 G12 T13 C14 G15


- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C:  79% 21%

G16  
G17  
A18  
C19  
G20  
T21  
T22  
A23  
A25  
T26  
T27  
G28  
T29




- Molecule 3: AT-rich interactive domain-containing protein 5B




#### 4.2.8 Score per residue for model 8


- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'



- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'




- Molecule 3: AT-rich interactive domain-containing protein 5B




#### 4.2.9 Score per residue for model 9

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'




- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'



- Molecule 3: AT-rich interactive domain-containing protein 5B





#### 4.2.10 Score per residue for model 10


- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B: 93% 7%




- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C: 100%



- Molecule 3: AT-rich interactive domain-containing protein 5B


Chain A: 62% 8% 29%



#### 4.2.11 Score per residue for model 11


- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B: 93% 7%




- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C: 86% 14%




- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A: 57% 12% 29%



#### 4.2.12 Score per residue for model 12 (medoid)

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B:  100%

T1 A2 C3 A4 A5 T6 A7 T8 A9 A10 C11 G12 T13 C14 G15

- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C:  100%

C16 G17 A18 C19 G20 T21 T22 A23 T24 A25 T26 T27 G28 T29

- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A:  60% 9% 29%

R1 F7 L8 R18 R24 Y27 G29 F30 K31 Q32 N34 L35 R55 Y61 D62 E63 L64 G65 G66 N67 P68 G69 S70 T71 S72 A73 A74 I75 C76 H80 I85 Y88 K98 P99 L100 P101 P102 I103 K104 P105 R106 K107


#### 4.2.13 Score per residue for model 13

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B:  93% 7%

T1 A2 C3 A4 A5 T6 A7 T8 A9 A10 C11 G12 T13 C14 G15

- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C:  79% 21%

C16 G17 A18 C19 G20 T21 T22 A23 T24 A25 T26 T27 G28 T29


- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A:  58% 10% 29%

R1 F7 L8 R18 R24 I25 P26 G29 F30 K31 Q32 I33 N34 R55 K58 Y61 D62 E63 L64 G65 G66 N67 P68 G69 S70 T71 S72 A73 A74 I75 C76 H80 I85 Y88 K93 D97 K98 P99 L100 P101 I102 I103 K104 P105 R106 K107


#### 4.2.14 Score per residue for model 14

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B: 




- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C: 




- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A: 



#### 4.2.15 Score per residue for model 15


- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B: 




- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C: 



- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A: 




#### 4.2.16 Score per residue for model 16

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B:  93% 7%

T1 A2 C3 A4 A5 T6 A7 T8 A9 A10 C11 G12 T13 C14 G15

- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C:  86% 14%

C16 G17 A18 C19 G20 T21 T22 A23 T24 A25 T26 T27 T28 T29

- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A:  57% 11% 29%

R1 F7 L8 R18 R24 I25 P26 Y27 L28 G29 F30 K31 Q32 I33 N34 L35 R55 Q56 W57 L60 D61 D62 E63 L64 G65 G66 N67 P68 G69 S70 T71 S72 A73 A74 T75 C76 H80 I85 Y88 K98 P99 L100 P101 I103 K104 P105 R106 K107

#### 4.2.17 Score per residue for model 17

- Molecule 1: 5'-D(P\*TP\*AP\*CP\*AP\*AP\*TP\*AP\*TP\*AP\*AP\*CP\*GP\*TP\*CP\*G)-3'

Chain B:  93% 7%

T1 A2 C3 A4 A5 T6 A7 T8 A9 A10 C11 G12 T13 C14 G15

- Molecule 2: 5'-D(P\*CP\*GP\*AP\*CP\*GP\*TP\*TP\*AP\*TP\*AP\*TP\*TP\*GP\*T)-3'

Chain C:  93% 7%

C16 G17 A18 C19 G20 T21 T22 A23 T24 A25 T26 T27 T28 T29

- Molecule 3: AT-rich interactive domain-containing protein 5B

Chain A:  61% 9% 29%

R1 F7 L8 R18 R24 I25 P26 Y27 L28 G29 F30 K31 Q32 I33 N34 Y61 D62 E63 L64 G65 G66 N67 P68 G69 S70 T71 S72 A73 A74 T75 C76 H80 I85 Y88 K98 P99 L100 P101 I103 K104 P105 R106 K107

## 5 Refinement protocol and experimental data overview ⓘ

The models were refined using the following method: *distance geometry simulated annealing*.

Of the 1000 calculated structures, 17 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

| Software name | Classification     | Version |
|---------------|--------------------|---------|
| HADDOCK       | structure solution |         |
| HADDOCK       | refinement         |         |

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality

### 6.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |                    | Bond angles |                    |
|-----|-------|--------------|--------------------|-------------|--------------------|
|     |       | RMSZ         | #Z>5               | RMSZ        | #Z>5               |
| 1   | B     | 0.88±0.01    | 0±0/345 (0.0±0.0%) | 1.17±0.02   | 1±0/528 (0.2±0.1%) |
| 2   | C     | 0.83±0.00    | 0±0/321 (0.0±0.0%) | 1.34±0.00   | 2±1/492 (0.4±0.2%) |
| 3   | A     | 0.77±0.00    | 0±0/681 (0.0±0.0%) | 1.01±0.00   | 4±0/917 (0.4±0.1%) |
| All | All   | 0.81         | 0/22899 (0.0%)     | 1.14        | 114/32929 (0.3%)   |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | Chirality | Planarity |
|-----|-------|-----------|-----------|
| 1   | B     | 0.0±0.0   | 0.2±0.4   |
| 3   | A     | 0.0±0.0   | 0.1±0.2   |
| All | All   | 0         | 4         |

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

| Mol | Chain | Res | Type | Atoms      | Z     | Observed(°) | Ideal(°) | Models |       |
|-----|-------|-----|------|------------|-------|-------------|----------|--------|-------|
|     |       |     |      |            |       |             |          | Worst  | Total |
| 1   | B     | 1   | DT   | OP1-P-O3'  | 6.32  | 119.11      | 105.20   | 14     | 2     |
| 3   | A     | 24  | ARG  | NE-CZ-NH1  | 5.92  | 123.26      | 120.30   | 14     | 17    |
| 3   | A     | 18  | ARG  | NE-CZ-NH1  | 5.56  | 123.08      | 120.30   | 5      | 17    |
| 3   | A     | 1   | ARG  | NE-CZ-NH1  | 5.55  | 123.08      | 120.30   | 8      | 17    |
| 3   | A     | 55  | ARG  | NE-CZ-NH1  | 5.27  | 122.93      | 120.30   | 15     | 14    |
| 1   | B     | 1   | DT   | O4'-C1'-N1 | 5.15  | 111.61      | 108.00   | 4      | 1     |
| 1   | B     | 8   | DT   | C4-C5-C7   | -5.14 | 115.92      | 119.00   | 1      | 12    |
| 2   | C     | 29  | DT   | C4-C5-C7   | -5.13 | 115.92      | 119.00   | 15     | 3     |
| 2   | C     | 27  | DT   | C4-C5-C7   | -5.11 | 115.93      | 119.00   | 3      | 9     |
| 2   | C     | 26  | DT   | C4-C5-C7   | -5.11 | 115.93      | 119.00   | 4      | 6     |
| 2   | C     | 22  | DT   | C4-C5-C7   | -5.11 | 115.93      | 119.00   | 4      | 6     |
| 1   | B     | 6   | DT   | C4-C5-C7   | -5.08 | 115.95      | 119.00   | 4      | 2     |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms     | Z     | Observed(°) | Ideal(°) | Models |       |
|-----|-------|-----|------|-----------|-------|-------------|----------|--------|-------|
|     |       |     |      |           |       |             |          | Worst  | Total |
| 2   | C     | 21  | DT   | C4-C5-C7  | -5.08 | 115.95      | 119.00   | 2      | 6     |
| 2   | C     | 24  | DT   | C4-C5-C7  | -5.01 | 115.99      | 119.00   | 14     | 1     |
| 3   | A     | 83  | ARG  | NE-CZ-NH1 | 5.01  | 122.80      | 120.30   | 3      | 1     |

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Group     | Models (Total) |
|-----|-------|-----|------|-----------|----------------|
| 1   | B     | 1   | DT   | Sidechain | 3              |
| 3   | A     | 25  | ILE  | Mainchain | 1              |

## 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes |
|-----|-------|-------|----------|----------|---------|
| 1   | B     | 308   | 171      | 170      | 22±2    |
| 2   | C     | 288   | 162      | 161      | 20±2    |
| 3   | A     | 663   | 673      | 671      | 4±2     |
| All | All   | 21403 | 17102    | 17034    | 730     |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All unique clashes are listed below, sorted by their clash magnitude.

| Atom-1          | Atom-2          | Clash(Å) | Distance(Å) | Models |       |
|-----------------|-----------------|----------|-------------|--------|-------|
|                 |                 |          |             | Worst  | Total |
| 1:B:6:DT:OP1    | 3:A:25:ILE:HG23 | 0.83     | 1.73        | 5      | 1     |
| 1:B:1:DT:H1'    | 1:B:2:DA:H5'    | 0.70     | 1.63        | 2      | 17    |
| 1:B:4:DA:O3'    | 3:A:26:PRO:HD2  | 0.62     | 1.95        | 15     | 1     |
| 1:B:6:DT:OP1    | 3:A:80:HIS:CD2  | 0.60     | 2.55        | 14     | 1     |
| 2:C:21:DT:OP1   | 3:A:55:ARG:HB2  | 0.59     | 1.98        | 3      | 2     |
| 3:A:11:LEU:HD13 | 3:A:88:TYR:CD1  | 0.59     | 2.33        | 5      | 2     |
| 1:B:6:DT:H2''   | 1:B:7:DA:OP2    | 0.58     | 1.98        | 1      | 17    |
| 1:B:8:DT:H2''   | 1:B:9:DA:OP2    | 0.58     | 1.98        | 17     | 17    |
| 1:B:11:DC:H2''  | 1:B:12:DG:OP2   | 0.58     | 1.98        | 9      | 17    |

*Continued on next page...*



*Continued from previous page...*

| Atom-1          | Atom-2          | Clash(Å) | Distance(Å) | Models |       |
|-----------------|-----------------|----------|-------------|--------|-------|
|                 |                 |          |             | Worst  | Total |
| 2:C:20:DG:H2''  | 2:C:21:DT:OP2   | 0.58     | 1.98        | 7      | 17    |
| 2:C:16:DC:H2''  | 2:C:17:DG:OP2   | 0.58     | 1.98        | 12     | 17    |
| 2:C:21:DT:H2''  | 2:C:22:DT:OP2   | 0.58     | 1.98        | 9      | 17    |
| 1:B:7:DA:H2''   | 1:B:8:DT:OP2    | 0.58     | 1.98        | 14     | 17    |
| 2:C:23:DA:H2''  | 2:C:24:DT:OP2   | 0.58     | 1.98        | 15     | 17    |
| 2:C:17:DG:H2''  | 2:C:18:DA:OP2   | 0.58     | 1.99        | 3      | 17    |
| 2:C:27:DT:H2''  | 2:C:28:DG:OP2   | 0.58     | 1.99        | 3      | 17    |
| 2:C:26:DT:H2''  | 2:C:27:DT:OP2   | 0.58     | 1.98        | 7      | 17    |
| 2:C:25:DA:H2''  | 2:C:26:DT:OP2   | 0.58     | 1.98        | 12     | 17    |
| 1:B:13:DT:H2''  | 1:B:14:DC:OP2   | 0.58     | 1.99        | 1      | 17    |
| 1:B:3:DC:H2''   | 1:B:4:DA:OP2    | 0.58     | 1.99        | 1      | 17    |
| 1:B:9:DA:H2''   | 1:B:10:DA:OP2   | 0.58     | 1.99        | 16     | 17    |
| 1:B:5:DA:H2''   | 1:B:6:DT:OP2    | 0.58     | 1.99        | 10     | 17    |
| 1:B:2:DA:H2''   | 1:B:3:DC:OP2    | 0.58     | 1.99        | 17     | 17    |
| 2:C:22:DT:H2''  | 2:C:23:DA:OP2   | 0.58     | 1.98        | 12     | 17    |
| 1:B:12:DG:H2''  | 1:B:13:DT:OP2   | 0.58     | 1.99        | 17     | 17    |
| 2:C:18:DA:H2''  | 2:C:19:DC:OP2   | 0.58     | 1.99        | 14     | 17    |
| 2:C:24:DT:H2''  | 2:C:25:DA:OP2   | 0.58     | 1.99        | 12     | 17    |
| 2:C:28:DG:H2''  | 2:C:29:DT:OP2   | 0.58     | 1.99        | 14     | 17    |
| 1:B:4:DA:H2''   | 1:B:5:DA:OP2    | 0.58     | 1.99        | 12     | 17    |
| 2:C:19:DC:H2''  | 2:C:20:DG:OP2   | 0.58     | 1.99        | 10     | 17    |
| 1:B:10:DA:H2''  | 1:B:11:DC:OP2   | 0.58     | 1.98        | 12     | 17    |
| 1:B:14:DC:H2''  | 1:B:15:DG:OP2   | 0.58     | 1.99        | 12     | 17    |
| 2:C:28:DG:H21   | 3:A:24:ARG:NH2  | 0.57     | 1.97        | 5      | 1     |
| 1:B:5:DA:OP2    | 3:A:80:HIS:NE2  | 0.54     | 2.40        | 15     | 1     |
| 3:A:93:LYS:HA   | 3:A:97:ASP:O    | 0.54     | 2.02        | 13     | 3     |
| 1:B:5:DA:OP1    | 3:A:80:HIS:CD2  | 0.54     | 2.61        | 16     | 6     |
| 1:B:1:DT:C4     | 1:B:2:DA:C6     | 0.54     | 2.95        | 14     | 1     |
| 1:B:1:DT:H2''   | 1:B:2:DA:O5'    | 0.53     | 2.03        | 4      | 12    |
| 3:A:8:LEU:HG    | 3:A:35:LEU:HD22 | 0.53     | 1.78        | 11     | 1     |
| 3:A:35:LEU:HD11 | 3:A:85:ILE:HD12 | 0.53     | 1.78        | 16     | 5     |
| 1:B:6:DT:OP2    | 3:A:80:HIS:CE1  | 0.52     | 2.63        | 10     | 2     |
| 3:A:57:TRP:CE3  | 3:A:60:ILE:HD12 | 0.51     | 2.40        | 16     | 1     |
| 2:C:20:DG:C2'   | 2:C:21:DT:H71   | 0.51     | 2.36        | 9      | 4     |
| 2:C:21:DT:C2'   | 2:C:22:DT:H71   | 0.51     | 2.36        | 7      | 2     |
| 1:B:7:DA:C2'    | 1:B:8:DT:H71    | 0.51     | 2.36        | 15     | 1     |
| 1:B:5:DA:C2'    | 1:B:6:DT:H71    | 0.51     | 2.36        | 13     | 4     |
| 1:B:1:DT:C1'    | 1:B:2:DA:H5'    | 0.50     | 2.37        | 2      | 3     |
| 1:B:5:DA:H3'    | 3:A:80:HIS:NE2  | 0.49     | 2.21        | 12     | 4     |
| 1:B:5:DA:OP1    | 3:A:80:HIS:NE2  | 0.49     | 2.45        | 8      | 5     |
| 1:B:5:DA:OP2    | 3:A:80:HIS:CE1  | 0.48     | 2.67        | 15     | 1     |

*Continued on next page...*

*Continued from previous page...*

| Atom-1          | Atom-2          | Clash(Å) | Distance(Å) | Models |       |
|-----------------|-----------------|----------|-------------|--------|-------|
|                 |                 |          |             | Worst  | Total |
| 1:B:5:DA:P      | 3:A:80:HIS:HE2  | 0.48     | 2.32        | 1      | 2     |
| 1:B:5:DA:H5''   | 3:A:26:PRO:HD2  | 0.48     | 1.83        | 6      | 3     |
| 3:A:38:MET:CE   | 3:A:84:LEU:HD23 | 0.48     | 2.39        | 14     | 1     |
| 1:B:5:DA:H2''   | 1:B:6:DT:H71    | 0.47     | 1.87        | 15     | 4     |
| 2:C:21:DT:H2''  | 2:C:22:DT:H71   | 0.47     | 1.87        | 7      | 2     |
| 2:C:20:DG:H2''  | 2:C:21:DT:H71   | 0.47     | 1.87        | 3      | 4     |
| 1:B:7:DA:H2''   | 1:B:8:DT:H71    | 0.47     | 1.87        | 15     | 1     |
| 3:A:7:PHE:CD2   | 3:A:91:PHE:HZ   | 0.47     | 2.28        | 15     | 1     |
| 1:B:6:DT:OP2    | 3:A:80:HIS:HE1  | 0.46     | 1.93        | 11     | 7     |
| 2:C:22:DT:P     | 3:A:55:ARG:HG3  | 0.46     | 2.51        | 1      | 1     |
| 3:A:11:LEU:HB2  | 3:A:88:TYR:CD2  | 0.45     | 2.46        | 5      | 1     |
| 3:A:11:LEU:HD13 | 3:A:88:TYR:CE1  | 0.45     | 2.45        | 5      | 1     |
| 3:A:39:PHE:CD1  | 3:A:85:ILE:HD13 | 0.45     | 2.46        | 2      | 1     |
| 1:B:1:DT:H2''   | 1:B:2:DA:C5'    | 0.44     | 2.43        | 7      | 3     |
| 1:B:5:DA:O3'    | 3:A:27:TYR:HB2  | 0.44     | 2.12        | 1      | 1     |
| 1:B:5:DA:P      | 3:A:80:HIS:NE2  | 0.44     | 2.91        | 1      | 2     |
| 3:A:28:LEU:HD11 | 3:A:77:THR:HG23 | 0.43     | 1.90        | 14     | 2     |
| 1:B:7:DA:H62    | 3:A:79:ARG:NH1  | 0.43     | 2.11        | 5      | 1     |
| 1:B:5:DA:H3'    | 3:A:27:TYR:HB2  | 0.42     | 1.90        | 15     | 1     |
| 2:C:29:DT:H4'   | 3:A:24:ARG:HB3  | 0.42     | 1.91        | 5      | 1     |
| 3:A:35:LEU:HD11 | 3:A:85:ILE:CD1  | 0.42     | 2.45        | 16     | 1     |
| 1:B:7:DA:OP1    | 3:A:27:TYR:HB2  | 0.42     | 2.14        | 14     | 1     |
| 1:B:7:DA:N6     | 3:A:79:ARG:NH1  | 0.41     | 2.68        | 5      | 1     |
| 3:A:57:TRP:NE1  | 3:A:78:ARG:HB2  | 0.41     | 2.30        | 3      | 1     |
| 3:A:96:GLU:O    | 3:A:97:ASP:HB2  | 0.41     | 2.15        | 8      | 1     |
| 1:B:7:DA:N6     | 3:A:79:ARG:HH12 | 0.41     | 2.14        | 5      | 1     |
| 2:C:22:DT:OP1   | 3:A:55:ARG:HB2  | 0.41     | 2.14        | 7      | 1     |
| 2:C:25:DA:C2'   | 2:C:26:DT:OP2   | 0.41     | 2.69        | 1      | 4     |
| 1:B:6:DT:C2'    | 1:B:7:DA:OP2    | 0.41     | 2.69        | 2      | 6     |
| 1:B:7:DA:C2'    | 1:B:8:DT:OP2    | 0.41     | 2.69        | 2      | 7     |
| 2:C:26:DT:C2'   | 2:C:27:DT:OP2   | 0.41     | 2.69        | 13     | 7     |
| 1:B:13:DT:C2'   | 1:B:14:DC:OP2   | 0.41     | 2.69        | 4      | 5     |
| 1:B:3:DC:C2'    | 1:B:4:DA:OP2    | 0.41     | 2.69        | 5      | 5     |
| 2:C:21:DT:C6    | 2:C:22:DT:H72   | 0.41     | 2.51        | 1      | 14    |
| 2:C:27:DT:C2'   | 2:C:28:DG:OP2   | 0.41     | 2.69        | 16     | 7     |
| 2:C:20:DG:C2'   | 2:C:21:DT:OP2   | 0.41     | 2.69        | 12     | 2     |
| 1:B:9:DA:C2'    | 1:B:10:DA:OP2   | 0.41     | 2.69        | 15     | 5     |
| 1:B:5:DA:C2'    | 1:B:6:DT:OP2    | 0.41     | 2.69        | 13     | 4     |
| 2:C:21:DT:C2'   | 2:C:22:DT:OP2   | 0.41     | 2.69        | 10     | 6     |
| 1:B:8:DT:C2'    | 1:B:9:DA:OP2    | 0.41     | 2.69        | 7      | 5     |
| 2:C:23:DA:C2'   | 2:C:24:DT:OP2   | 0.41     | 2.69        | 8      | 4     |

*Continued on next page...*

Continued from previous page...

| Atom-1         | Atom-2          | Clash(Å) | Distance(Å) | Models |       |
|----------------|-----------------|----------|-------------|--------|-------|
|                |                 |          |             | Worst  | Total |
| 1:B:10:DA:C2'  | 1:B:11:DC:OP2   | 0.41     | 2.69        | 1      | 4     |
| 2:C:26:DT:C6   | 2:C:27:DT:H72   | 0.41     | 2.51        | 1      | 15    |
| 2:C:17:DG:C2'  | 2:C:18:DA:OP2   | 0.41     | 2.69        | 5      | 7     |
| 2:C:16:DC:C2'  | 2:C:17:DG:OP2   | 0.41     | 2.69        | 13     | 7     |
| 2:C:22:DT:C2'  | 2:C:23:DA:OP2   | 0.41     | 2.69        | 6      | 4     |
| 3:A:38:MET:HE1 | 3:A:84:LEU:HD23 | 0.41     | 1.92        | 14     | 1     |
| 1:B:11:DC:C2'  | 1:B:12:DG:OP2   | 0.41     | 2.69        | 16     | 5     |
| 1:B:12:DG:C2'  | 1:B:13:DT:OP2   | 0.41     | 2.69        | 14     | 6     |
| 2:C:18:DA:C2'  | 2:C:19:DC:OP2   | 0.41     | 2.69        | 2      | 6     |
| 1:B:2:DA:C2'   | 1:B:3:DC:OP2    | 0.40     | 2.69        | 14     | 5     |
| 2:C:28:DG:C2'  | 2:C:29:DT:OP2   | 0.40     | 2.69        | 12     | 7     |
| 3:A:57:TRP:CZ2 | 3:A:78:ARG:HA   | 0.40     | 2.51        | 8      | 1     |
| 2:C:21:DT:OP2  | 3:A:58:LYS:HG3  | 0.40     | 2.16        | 4      | 1     |
| 1:B:4:DA:C2'   | 1:B:5:DA:OP2    | 0.40     | 2.69        | 13     | 2     |
| 1:B:14:DC:C2'  | 1:B:15:DG:OP2   | 0.40     | 2.69        | 12     | 3     |
| 2:C:19:DC:C2'  | 2:C:20:DG:OP2   | 0.40     | 2.69        | 15     | 2     |
| 2:C:24:DT:C2'  | 2:C:25:DA:OP2   | 0.40     | 2.69        | 5      | 1     |
| 3:A:26:PRO:HB2 | 3:A:27:TYR:CD1  | 0.40     | 2.51        | 14     | 1     |
| 3:A:42:ALA:HA  | 3:A:60:ILE:HD11 | 0.40     | 1.92        | 11     | 1     |

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

| Mol | Chain | Analysed        | Favoured     | Allowed    | Outliers   | Percentiles |    |
|-----|-------|-----------------|--------------|------------|------------|-------------|----|
| 3   | A     | 75/107 (70%)    | 68±1 (90±2%) | 5±1 (7±2%) | 2±1 (3±1%) | 10          | 45 |
| All | All   | 1275/1819 (70%) | 1148 (90%)   | 93 (7%)    | 34 (3%)    | 10          | 45 |

All 4 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Models (Total) |
|-----|-------|-----|------|----------------|
| 3   | A     | 85  | ILE  | 17             |
| 3   | A     | 34  | ASN  | 12             |
| 3   | A     | 26  | PRO  | 3              |

Continued on next page...

*Continued from previous page...*

| Mol | Chain | Res | Type | Models (Total) |
|-----|-------|-----|------|----------------|
| 3   | A     | 35  | LEU  | 2              |

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

| Mol | Chain | Analysed        | Rotameric    | Outliers   | Percentiles |    |
|-----|-------|-----------------|--------------|------------|-------------|----|
| 3   | A     | 67/92 (73%)     | 62±1 (92±1%) | 5±1 (8±1%) | 21          | 66 |
| All | All   | 1139/1564 (73%) | 1051 (92%)   | 88 (8%)    | 21          | 66 |

All 9 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Models (Total) |
|-----|-------|-----|------|----------------|
| 3   | A     | 8   | LEU  | 17             |
| 3   | A     | 88  | TYR  | 17             |
| 3   | A     | 7   | PHE  | 17             |
| 3   | A     | 1   | ARG  | 17             |
| 3   | A     | 27  | TYR  | 7              |
| 3   | A     | 97  | ASP  | 7              |
| 3   | A     | 58  | LYS  | 3              |
| 3   | A     | 28  | LEU  | 2              |
| 3   | A     | 78  | ARG  | 1              |

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry

There are no ligands in this entry.

## 6.7 Other polymers

There are no such molecules in this entry.

## 6.8 Polymer linkage issues

There are no chain breaks in this entry.

## 7 Chemical shift validation

No chemical shift data were provided