



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:17 AM GMT

PDB ID : 3OMI  
Title : Catalytic core subunits (I and II) of cytochrome C oxidase from Rhodobacter sphaeroides with D132A mutation  
Authors : Liu, J.; Qin, L.; Ferguson-Miller, S.  
Deposited on : 2010-08-27  
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1045 (2.16-2.16)
Clashscore	102246	1152 (2.16-2.16)
Ramachandran outliers	100387	1131 (2.16-2.16)
Sidechain outliers	100360	1131 (2.16-2.16)
RSRZ outliers	91569	1050 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	535	<div> <div>7%</div> <div>92%</div> <div>8%</div> </div>
1	C	535	<div> <div>16%</div> <div>86%</div> <div>13%</div> <div>.</div> </div>
2	B	256	<div> <div>5%</div> <div>97%</div> <div>.</div> </div>
2	D	256	<div> <div>9%</div> <div>93%</div> <div>7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	HTH	B	306	-	-	-	X
4	DMU	A	603	-	-	-	X
4	DMU	B	302	-	-	-	X
4	DMU	C	602	-	-	-	X
4	DMU	C	604	-	-	-	X
5	TRD	A	604	-	-	-	X
5	TRD	A	610	-	-	-	X
6	HEA	A	607	X	-	-	-
6	HEA	A	608	X	-	-	-
6	HEA	C	605	X	-	-	-
6	HEA	C	606	X	-	-	-

## 2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 13416 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase, aa3 type, subunit I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	535	Total	C	N	O	S	0	0	0
			4167	2793	654	689	31			
1	C	530	Total	C	N	O	S	0	0	0
			4102	2749	641	681	31			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	132	ALA	ASP	ENGINEERED MUTATION	UNP Q3J5A7
C	132	ALA	ASP	ENGINEERED MUTATION	UNP Q3J5A7


- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	256	Total	C	N	O	S	0	0	0
			2008	1312	329	361	6			
2	D	256	Total	C	N	O	S	0	0	0
			2002	1307	326	363	6			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	282	HIS	-	EXPRESSION TAG	UNP Q3J5G0
B	283	HIS	-	EXPRESSION TAG	UNP Q3J5G0
B	284	HIS	-	EXPRESSION TAG	UNP Q3J5G0
B	285	HIS	-	EXPRESSION TAG	UNP Q3J5G0
D	282	HIS	-	EXPRESSION TAG	UNP Q3J5G0
D	283	HIS	-	EXPRESSION TAG	UNP Q3J5G0
D	284	HIS	-	EXPRESSION TAG	UNP Q3J5G0
D	285	HIS	-	EXPRESSION TAG	UNP Q3J5G0

- Molecule 3 is HYDROXIDE ION (three-letter code: OH) (formula: HO).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O 1 1	0	0
3	C	1	Total O 1 1	0	0

- Molecule 4 is SUGAR (DECYL-BETA-D-MALTOPYRANOSIDE) (three-letter code: DMU) (formula:  $C_{22}H_{42}O_{11}$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			22	16	6		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			22	16	6		
4	B	1	Total	C	O	0	0
			33	22	11		
4	B	1	Total	C	O	0	0
			33	22	11		
4	B	1	Total	C	O	0	0
			33	22	11		
4	B	1	Total	C	O	0	0
			23	12	11		
4	C	1	Total	C	O	0	0
			33	22	11		
4	C	1	Total	C	O	0	0
			23	12	11		
4	C	1	Total	C	O	0	0
			23	12	11		
4	D	1	Total	C	O	0	0
			23	12	11		
4	D	1	Total	C	O	0	0
			23	12	11		

- Molecule 5 is TRIDECANE (three-letter code: TRD) (formula:  $C_{13}H_{28}$ ).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	C	0	0
			7	7		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C 7 7	0	0
5	A	1	Total C 7 7	0	0
5	A	1	Total C 13 13	0	0
5	A	1	Total C 13 13	0	0
5	B	1	Total C 9 9	0	0
5	C	1	Total C 11 11	0	0
5	D	1	Total C 13 13	0	0
5	D	1	Total C 7 7	0	0

- Molecule 6 is HEME-A (three-letter code: HEA) (formula: C<sub>49</sub>H<sub>56</sub>FeN<sub>4</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C Fe N O 60 49 1 4 6	0	0
6	A	1	Total C Fe N O 60 49 1 4 6	0	0
6	C	1	Total C Fe N O 60 49 1 4 6	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	C	1	Total	C	Fe	N	O	
			60	49	1	4	6	
							0	0

- Molecule 7 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Cu		
			1	1	0	0
7	A	1	Total	Cu		
			1	1	0	0
7	D	1	Total	Cu		
			1	1	0	0
7	C	1	Total	Cu		
			1	1	0	0

- Molecule 8 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Mg		
			1	1	0	0
8	C	1	Total	Mg		
			1	1	0	0

- Molecule 9 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	Ca		
			1	1	0	0
9	C	1	Total	Ca		
			1	1	0	0

- Molecule 10 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	1	Total	Cl		
			1	1	0	0
10	C	1	Total	Cl		
			1	1	0	0

- Molecule 11 is (2S,3R)-HEPTANE-1,2,3-TRIOL (three-letter code: HTH) (formula: C<sub>7</sub>H<sub>16</sub>O<sub>3</sub>).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	B	1	Total	C	O	0	0
			10	7	3		

- Molecule 12 is COPPER (I) ION (three-letter code: CU1) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	B	1	Total	Cu	0	0
			1	1		
12	D	1	Total	Cu	0	0
			1	1		

- Molecule 13 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	B	2	Total	Cd	0	0
			2	2		
13	D	2	Total	Cd	0	0
			2	2		

- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	142	Total	O	0	0
			142	142		
14	B	134	Total	O	0	0
			134	134		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	C	95	Total 95	O 95	0	0
14	D	120	Total 120	O 120	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome c oxidase, aa3 type, subunit I




- Molecule 1: Cytochrome c oxidase, aa3 type, subunit I




- Molecule 2: Cytochrome c oxidase subunit 2





● Molecule 2: Cytochrome c oxidase subunit 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	125.06Å 131.52Å 175.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.84 – 2.15 35.84 – 2.15	Depositor EDS
% Data completeness (in resolution range)	96.5 (35.84-2.15) 96.5 (35.84-2.15)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.29 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.192 , 0.215 0.195 , 0.217	Depositor DCC
$R_{free}$ test set	4574 reflections (3.11%)	DCC
Wilson B-factor (Å <sup>2</sup> )	34.2	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 66.8	EDS
Estimated twinning fraction	0.008 for k,h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 151679 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13416	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CU1, OH, CA, CL, TRD, CD, DMU, HTH, CU, HEA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.57	1/4320 (0.0%)	0.55	0/5900
1	C	0.48	0/4251	0.53	0/5808
2	B	0.51	0/2069	0.56	0/2835
2	D	0.49	0/2063	0.54	0/2829
All	All	0.52	1/12703 (0.0%)	0.54	0/17372

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	69	GLU	CD-OE2	7.42	1.33	1.25

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4167	0	4063	38	0
1	C	4102	0	4001	50	0
2	B	2008	0	1955	4	0
2	D	2002	0	1940	9	0
3	A	1	0	0	1	0
3	C	1	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	44	0	62	1	0
4	B	122	0	147	0	0
4	C	79	0	84	3	0
4	D	46	0	42	2	0
5	A	47	0	92	2	0
5	B	9	0	17	3	0
5	C	11	0	21	0	0
5	D	20	0	41	1	0
6	A	120	0	108	6	0
6	C	120	0	108	5	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	1	0	0	0	0
8	C	1	0	0	0	0
9	A	1	0	0	0	0
9	C	1	0	0	0	0
10	A	1	0	0	0	0
10	C	1	0	0	0	0
11	B	10	0	16	0	0
12	B	1	0	0	0	0
12	D	1	0	0	0	0
13	B	2	0	0	0	0
13	D	2	0	0	0	0
14	A	142	0	0	2	0
14	B	134	0	0	1	0
14	C	95	0	0	4	0
14	D	120	0	0	0	0
All	All	13416	0	12697	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:ARG:HG3	1:A:137:ARG:HH11	1.07	1.16
1:C:534:HIS:HE1	14:C:794:HOH:O	1.44	1.00
1:C:534:HIS:HD2	14:C:791:HOH:O	1.47	0.98
1:A:426:LEU:HD21	1:A:464:ALA:CB	1.95	0.96

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:ARG:HH11	1:A:137:ARG:CG	1.87	0.88
1:A:137:ARG:NH1	1:A:137:ARG:HG3	1.87	0.87
1:A:21:PHE:HB3	1:A:144:TRP:HZ2	1.42	0.85
1:A:426:LEU:HD21	1:A:464:ALA:HB3	1.56	0.84
3:C:601:OH:O	14:C:795:HOH:O	1.93	0.84
3:A:601:OH:O	14:A:744:HOH:O	1.94	0.84
1:A:350:MET:HA	1:A:353:MET:CE	2.12	0.80
1:A:426:LEU:HD21	1:A:464:ALA:HB1	1.65	0.77
6:A:607:HEA:HMC1	6:A:607:HEA:HBC1	1.70	0.74
1:A:350:MET:HA	1:A:353:MET:HE3	1.72	0.71
1:C:182:GLU:O	1:C:257:ARG:NH1	2.24	0.71
1:A:137:ARG:HD2	1:A:138:MET:H	1.55	0.69
1:A:376:GLU:HG2	1:A:378:LYS:HG2	1.75	0.66
1:A:21:PHE:HB3	1:A:144:TRP:CZ2	2.28	0.65
1:A:287:VAL:HB	6:A:608:HEA:CAC	2.27	0.64
1:A:307:LYS:HE2	1:A:374:SER:HB3	1.79	0.64
1:C:137:ARG:H	1:C:137:ARG:HD2	1.62	0.64
6:A:608:HEA:HMC1	6:A:608:HEA:HBC1	1.79	0.63
6:C:605:HEA:HMC1	6:C:605:HEA:HBC1	1.82	0.61
1:C:308:LYS:HG3	1:C:309:PRO:HD2	1.82	0.61
2:D:121:PRO:HB3	4:D:301:DMU:H40	1.83	0.61
1:A:350:MET:HA	1:A:353:MET:HE2	1.82	0.60
1:C:319:ALA:O	1:C:323:ILE:HG12	2.02	0.60
1:C:350:MET:HA	1:C:353:MET:CE	2.33	0.59
1:C:253:LEU:O	1:C:257:ARG:HG3	2.03	0.58
1:C:56:MET:HE1	4:C:602:DMU:H6	1.85	0.58
1:C:350:MET:HA	1:C:353:MET:HE2	1.84	0.58
2:B:228:GLN:NE2	14:B:491:HOH:O	2.23	0.58
4:D:302:DMU:H35	4:D:302:DMU:H29	1.85	0.57
1:C:137:ARG:N	1:C:137:ARG:HD2	2.19	0.56
1:C:128:ILE:HB	1:C:216:ARG:HG2	1.87	0.55
1:C:444:SER:HA	4:C:604:DMU:H5	1.87	0.55
1:C:284:HIS:O	1:C:287:VAL:HG22	2.06	0.55
1:C:357:VAL:HB	1:C:358:PRO:HD3	1.88	0.55
1:C:86:GLU:H	1:C:86:GLU:CD	2.10	0.54
1:C:202:ILE:O	1:C:206:ILE:HG12	2.08	0.54
1:C:543:THR:HG22	1:C:544:SER:N	2.24	0.53
1:A:284:HIS:CD2	1:A:284:HIS:C	2.82	0.53
5:A:610:TRD:H22	2:B:41:THR:OG1	2.09	0.53
1:A:137:ARG:HD2	1:A:138:MET:N	2.24	0.53
1:C:538:LEU:O	1:C:541:THR:HB	2.08	0.53

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:86:GLU:H	1:A:86:GLU:CD	2.12	0.52
1:C:534:HIS:CE1	14:C:794:HOH:O	2.32	0.51
1:A:454:LYS:HE3	14:A:768:HOH:O	2.09	0.51
1:A:508:PHE:HB2	6:A:607:HEA:H261	1.93	0.51
1:C:284:HIS:CD2	1:C:284:HIS:C	2.83	0.51
1:A:56:MET:HE1	4:A:603:DMU:H6	1.93	0.50
1:C:321:VAL:O	1:C:325:VAL:HG23	2.12	0.50
1:A:81:TRP:CZ2	5:A:609:TRD:H61	2.47	0.49
1:C:342:LEU:HD21	2:D:124:PHE:CD2	2.47	0.49
1:C:287:VAL:HB	6:C:606:HEA:CAC	2.43	0.49
1:A:52:ARG:HG3	1:A:501:ALA:CB	2.42	0.49
1:C:143:TYR:O	1:C:147:VAL:HG23	2.13	0.48
2:B:113:VAL:HA	5:B:305:TRD:H41	1.96	0.48
1:C:109:PHE:CE1	1:C:197:SER:HB2	2.48	0.48
1:A:349:MET:O	1:A:353:MET:HE2	2.14	0.48
2:B:102:ILE:O	2:B:106:ILE:HG12	2.14	0.47
1:C:48:THR:CG2	1:C:102:HIS:CE1	2.97	0.47
1:C:367:ILE:HA	1:C:370:MET:HE2	1.96	0.47
1:C:308:LYS:HG3	1:C:309:PRO:CD	2.45	0.47
6:C:605:HEA:CB	6:C:605:HEA:HMC1	2.45	0.46
1:C:390:LEU:HD13	1:C:426:LEU:HB3	1.96	0.46
2:D:138:VAL:HG11	2:D:219:TRP:CD1	2.50	0.46
1:C:441:GLY:HA2	1:C:446:ARG:O	2.14	0.46
1:A:137:ARG:NH1	1:A:137:ARG:CG	2.57	0.46
1:A:152:LEU:HD12	1:A:196:LEU:HD12	1.98	0.46
1:A:390:LEU:HD13	1:A:426:LEU:HD22	1.97	0.45
1:A:117:GLY:O	1:A:121:ASN:HB2	2.16	0.45
1:C:117:GLY:O	1:C:121:ASN:HB2	2.16	0.45
1:C:136:PRO:HD2	1:C:137:ARG:NH1	2.32	0.44
1:A:204:GLY:O	1:A:208:MET:HG2	2.17	0.44
1:A:390:LEU:HD13	1:A:426:LEU:HB3	2.00	0.44
1:C:21:PHE:HB3	1:C:144:TRP:HZ2	1.82	0.44
1:C:53:MET:HG2	4:C:602:DMU:H10	2.00	0.44
1:A:287:VAL:HB	6:A:608:HEA:C3C	2.48	0.43
1:C:424:MET:HG2	6:C:606:HEA:CB	2.48	0.43
1:C:55:LEU:O	1:C:494:ASN:HB3	2.19	0.43
1:A:350:MET:HG2	5:B:305:TRD:H51	2.01	0.43
2:D:164:PRO:HA	2:D:168:GLY:O	2.19	0.43
1:C:364:PHE:HB3	2:D:104:TRP:CE3	2.54	0.43
1:C:204:GLY:O	1:C:208:MET:HG2	2.18	0.42
1:C:152:LEU:HD22	1:C:196:LEU:HD12	2.00	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:98:SER:O	2:D:102:ILE:HG12	2.19	0.42
1:A:128:ILE:HB	1:A:216:ARG:HG2	2.00	0.42
2:D:129:ILE:HA	2:D:130:PRO:HD3	1.89	0.42
1:C:420:PHE:CE1	1:C:421:HIS:CE1	3.08	0.42
1:A:550:THR:HG22	1:A:551:PHE:CD2	2.55	0.42
1:C:25:ASN:HB3	1:C:28:ASP:OD2	2.20	0.42
6:A:608:HEA:HMC1	6:A:608:HEA:CB	2.47	0.41
1:A:332:ALA:HB1	1:A:340:LEU:HD11	2.02	0.41
1:A:357:VAL:HB	1:A:358:PRO:HD3	2.02	0.41
1:C:110:VAL:HG11	6:C:605:HEA:H271	2.03	0.41
1:C:323:ILE:HD11	1:C:358:PRO:HB2	2.03	0.41
2:D:190:PHE:O	2:D:191:LEU:HB2	2.20	0.41
1:C:248:GLY:C	1:C:252:MET:HE2	2.41	0.41
1:C:137:ARG:HH11	1:C:137:ARG:HG3	1.85	0.41
1:C:137:ARG:HD3	1:C:138:MET:H	1.86	0.41
2:D:41:THR:OG1	5:D:303:TRD:H12	2.20	0.41
1:C:323:ILE:CD1	1:C:358:PRO:HB2	2.52	0.40
1:C:543:THR:CG2	1:C:544:SER:N	2.85	0.40
1:A:353:MET:HE3	5:B:305:TRD:H62	2.02	0.40
1:C:332:ALA:HB3	1:C:348:PHE:CD2	2.57	0.40
1:A:442:LYS:O	1:A:545:PRO:HA	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	533/535 (100%)	524 (98%)	9 (2%)	0	100	100
1	C	528/535 (99%)	517 (98%)	10 (2%)	1 (0%)	52	51
2	B	254/256 (99%)	248 (98%)	6 (2%)	0	100	100
2	D	254/256 (99%)	247 (97%)	6 (2%)	1 (0%)	39	34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1569/1582 (99%)	1536 (98%)	31 (2%)	2 (0%)	56 57

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	220	MET
2	D	97	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	423/434 (98%)	418 (99%)	5 (1%)	78 83
1	C	417/434 (96%)	409 (98%)	8 (2%)	65 69
2	B	210/215 (98%)	208 (99%)	2 (1%)	82 87
2	D	210/215 (98%)	206 (98%)	4 (2%)	65 69
All	All	1260/1298 (97%)	1241 (98%)	19 (2%)	72 78

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	137	ARG
1	A	174	LEU
1	A	222	MET
1	A	282	PHE
1	A	412	ASP
2	B	35	ARG
2	B	104	TRP
1	C	52	ARG
1	C	86	GLU
1	C	137	ARG
1	C	174	LEU
1	C	282	PHE
1	C	291	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	314	LEU
1	C	412	ASP
2	D	35	ARG
2	D	104	TRP
2	D	187	ARG
2	D	227	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 43 ligands modelled in this entry, 2 are modelled with single atom and 16 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	DMU	A	602	-	22,22,34	0.50	0	27,27,45	0.93	1 (3%)
4	DMU	A	603	-	22,22,34	0.53	0	27,27,45	0.92	1 (3%)
5	TRD	A	604	-	6,6,12	0.28	0	5,5,11	0.36	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	TRD	A	605	-	6,6,12	0.26	0	5,5,11	0.45	0
5	TRD	A	606	-	6,6,12	0.30	0	5,5,11	0.39	0
6	HEA	A	607	1	40,67,67	1.38	5 (12%)	41,103,103	1.87	10 (24%)
6	HEA	A	608	1,14	40,67,67	1.39	5 (12%)	41,103,103	1.71	9 (21%)
5	TRD	A	609	-	12,12,12	0.26	0	11,11,11	0.56	0
5	TRD	A	610	-	12,12,12	0.35	0	11,11,11	0.43	0
4	DMU	B	301	-	34,34,34	0.44	0	45,45,45	0.89	2 (4%)
4	DMU	B	302	-	34,34,34	0.51	0	45,45,45	0.87	2 (4%)
4	DMU	B	303	-	34,34,34	0.48	0	45,45,45	0.60	0
4	DMU	B	304	-	24,24,34	0.55	0	35,35,45	0.70	0
5	TRD	B	305	-	8,8,12	0.23	0	7,7,11	0.50	0
11	HTH	B	306	-	9,9,9	0.39	0	8,10,10	0.66	0
4	DMU	C	602	-	34,34,34	0.56	0	45,45,45	0.82	0
4	DMU	C	603	-	24,24,34	0.54	0	35,35,45	0.74	0
4	DMU	C	604	-	24,24,34	0.64	0	35,35,45	0.80	1 (2%)
6	HEA	C	605	1	40,67,67	1.42	4 (10%)	41,103,103	1.56	8 (19%)
6	HEA	C	606	1,14	40,67,67	1.40	4 (10%)	41,103,103	1.72	10 (24%)
5	TRD	C	607	-	10,10,12	0.32	0	9,9,11	0.44	0
4	DMU	D	301	-	24,24,34	0.53	0	35,35,45	0.62	0
4	DMU	D	302	-	24,24,34	0.55	0	35,35,45	0.60	0
5	TRD	D	303	-	12,12,12	0.22	0	11,11,11	0.63	0
5	TRD	D	304	-	6,6,12	0.25	0	5,5,11	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DMU	A	602	-	-	0/13/33/59	0/1/1/2
4	DMU	A	603	-	-	0/13/33/59	0/1/1/2
5	TRD	A	604	-	-	0/4/4/10	0/0/0/0
5	TRD	A	605	-	-	0/4/4/10	0/0/0/0
5	TRD	A	606	-	-	0/4/4/10	0/0/0/0
6	HEA	A	607	1	2/2/7/16	0/24/76/76	0/0/8/8
6	HEA	A	608	1,14	3/3/7/16	0/24/76/76	0/0/8/8
5	TRD	A	609	-	-	0/10/10/10	0/0/0/0
5	TRD	A	610	-	-	0/10/10/10	0/0/0/0
4	DMU	B	301	-	-	0/19/59/59	0/2/2/2
4	DMU	B	302	-	-	0/19/59/59	0/2/2/2
4	DMU	B	303	-	-	0/19/59/59	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DMU	B	304	-	-	0/8/48/59	0/2/2/2
5	TRD	B	305	-	-	0/6/6/10	0/0/0/0
11	HTH	B	306	-	-	0/10/10/10	0/0/0/0
4	DMU	C	602	-	-	0/19/59/59	0/2/2/2
4	DMU	C	603	-	-	0/8/48/59	0/2/2/2
4	DMU	C	604	-	-	0/8/48/59	0/2/2/2
6	HEA	C	605	1	2/2/7/16	0/24/76/76	0/0/8/8
6	HEA	C	606	1,14	2/2/7/16	0/24/76/76	0/0/8/8
5	TRD	C	607	-	-	0/8/8/10	0/0/0/0
4	DMU	D	301	-	-	0/8/48/59	0/2/2/2
4	DMU	D	302	-	-	0/8/48/59	0/2/2/2
5	TRD	D	303	-	-	0/10/10/10	0/0/0/0
5	TRD	D	304	-	-	0/4/4/10	0/0/0/0

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	607	HEA	C3A-C2A	-4.81	1.34	1.40
6	C	605	HEA	C3A-C2A	-4.60	1.34	1.40
6	A	608	HEA	C3A-C2A	-4.43	1.34	1.40
6	C	605	HEA	C3C-C2C	-4.38	1.34	1.40
6	C	606	HEA	C3A-C2A	-4.34	1.34	1.40
6	A	608	HEA	C3C-C2C	-3.93	1.35	1.40
6	C	606	HEA	C3C-C2C	-3.74	1.35	1.40
6	A	607	HEA	C3C-C2C	-3.56	1.35	1.40
6	C	605	HEA	C3B-C2B	-2.06	1.33	1.41
6	A	607	HEA	C3B-C2B	-2.02	1.33	1.41
6	A	608	HEA	C3A-CMA	2.03	1.51	1.46
6	A	607	HEA	C3A-CMA	2.09	1.51	1.46
6	A	608	HEA	C4B-NB	2.27	1.39	1.36
6	C	606	HEA	C4B-NB	2.35	1.39	1.36
6	C	605	HEA	C3C-CAC	2.35	1.52	1.47
6	A	608	HEA	C3C-CAC	3.11	1.54	1.47
6	C	606	HEA	C3C-CAC	3.15	1.54	1.47
6	A	607	HEA	C3C-CAC	3.28	1.54	1.47

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	607	HEA	C4B-C3B-C11	-5.00	121.58	127.01
6	A	608	HEA	CAD-CBD-CGD	-4.60	104.31	112.75
6	C	606	HEA	CAD-CBD-CGD	-4.55	104.41	112.75

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	606	HEA	CAD-C3D-C4D	-4.13	122.52	127.01
6	A	607	HEA	C13-C12-C11	-4.08	109.09	114.51
6	A	608	HEA	CAD-C3D-C4D	-3.87	122.81	127.01
6	A	607	HEA	C17-C18-C19	-3.84	119.40	127.76
6	C	605	HEA	C13-C14-C15	-3.35	120.47	127.76
6	A	607	HEA	C13-C14-C15	-3.15	120.92	127.76
6	C	605	HEA	C3C-CAC-CBC	-2.77	120.65	126.32
6	C	605	HEA	CMC-C2C-C1C	-2.76	123.80	128.36
6	A	607	HEA	CMC-C2C-C1C	-2.73	123.85	128.36
6	C	606	HEA	CBA-CAA-C2A	-2.71	107.66	112.53
6	C	605	HEA	C17-C18-C19	-2.56	122.21	127.76
6	C	606	HEA	C13-C14-C15	-2.49	122.35	127.76
6	A	607	HEA	CAD-CBD-CGD	-2.48	108.19	112.75
6	A	607	HEA	C12-C11-C3B	-2.48	107.47	112.59
6	A	607	HEA	C27-C19-C18	-2.44	118.71	123.50
6	C	605	HEA	CAD-CBD-CGD	-2.43	108.30	112.75
6	A	608	HEA	CMC-C2C-C1C	-2.40	124.39	128.36
6	A	608	HEA	C13-C14-C15	-2.38	122.59	127.76
6	A	608	HEA	C3A-C4A-NA	-2.33	106.55	110.94
4	B	302	DMU	C10-O7-C3	-2.31	111.97	118.01
6	A	608	HEA	OMA-CMA-C3A	-2.28	120.51	125.11
6	C	606	HEA	CMC-C2C-C1C	-2.24	124.66	128.36
4	B	301	DMU	C10-O7-C3	-2.21	112.23	118.01
6	C	605	HEA	CMB-C2B-C1B	-2.20	124.72	128.36
6	C	606	HEA	OMA-CMA-C3A	-2.14	120.79	125.11
4	C	604	DMU	C10-O7-C3	-2.11	112.50	118.01
6	C	606	HEA	C3A-C4A-NA	-2.06	107.05	110.94
6	A	607	HEA	CMB-C2B-C1B	-2.06	124.96	128.36
6	C	605	HEA	C3A-C4A-NA	-2.04	107.09	110.94
6	A	608	HEA	C3B-C4B-NB	-2.04	107.10	110.94
4	B	301	DMU	O2-C8-C9	2.16	114.95	109.24
6	C	606	HEA	C26-C15-C16	2.35	119.00	115.41
6	A	608	HEA	CBD-CAD-C3D	2.62	117.22	112.53
6	C	606	HEA	CBD-CAD-C3D	2.68	117.33	112.53
6	C	606	HEA	C27-C19-C20	2.73	119.58	115.41
6	C	605	HEA	C27-C19-C20	2.80	119.69	115.41
4	A	603	DMU	O16-C6-C1	2.89	111.69	108.04
6	A	607	HEA	C27-C19-C20	2.93	119.88	115.41
6	A	608	HEA	C27-C19-C20	3.08	120.11	115.41
4	A	602	DMU	O16-C6-C1	3.36	112.29	108.04
4	B	302	DMU	O16-C6-C1	3.52	112.49	108.04

All (9) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	C	605	HEA	ND
6	C	605	HEA	NB
6	C	606	HEA	ND
6	C	606	HEA	NB
6	A	607	HEA	ND
6	A	607	HEA	NB
6	A	608	HEA	ND
6	A	608	HEA	NA
6	A	608	HEA	NB

There are no torsion outliers.

There are no ring outliers.

13 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	603	DMU	1	0
6	A	607	HEA	2	0
6	A	608	HEA	4	0
5	A	609	TRD	1	0
5	A	610	TRD	1	0
5	B	305	TRD	3	0
4	C	602	DMU	2	0
4	C	604	DMU	1	0
6	C	605	HEA	3	0
6	C	606	HEA	2	0
4	D	301	DMU	1	0
4	D	302	DMU	1	0
5	D	303	TRD	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	535/535 (100%)	0.15	39 (7%) 18 25	18, 30, 53, 75	0
1	C	530/535 (99%)	0.67	88 (16%) 2 4	25, 45, 68, 81	0
2	B	256/256 (100%)	0.03	13 (5%) 32 42	18, 34, 47, 54	0
2	D	256/256 (100%)	0.26	23 (8%) 12 18	24, 38, 58, 67	0
All	All	1577/1582 (99%)	0.32	163 (10%) 9 14	18, 36, 61, 81	0

All (163) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	20	TRP	8.4
1	A	20	TRP	7.4
1	C	73	VAL	5.7
1	C	222	MET	5.7
1	C	77	PHE	5.5
1	A	22	MET	5.5
1	C	297	ILE	5.4
1	C	22	MET	5.3
1	C	21	PHE	5.1
1	C	115	LEU	5.1
2	D	102	ILE	5.0
1	C	217	ALA	5.0
1	A	81	TRP	4.8
1	C	81	TRP	4.7
1	A	19	ARG	4.7
1	C	218	PRO	4.7
1	C	138	MET	4.7
1	C	549	HIS	4.6
1	C	74	LYS	4.6
1	C	75	GLY	4.5
1	C	451	TRP	4.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	23	SER	4.4
1	C	268	GLY	4.3
1	A	297	ILE	4.3
1	C	259	PHE	4.3
1	C	71	GLY	4.3
2	D	98	SER	4.2
1	C	76	PHE	4.2
1	C	520	THR	4.2
1	C	267	SER	4.1
1	A	71	GLY	4.1
1	C	432	ILE	4.0
1	C	137	ARG	4.0
2	D	99	PRO	3.9
2	B	56	TRP	3.9
1	C	517	TYR	3.8
1	C	290	ILE	3.8
1	C	69	GLU	3.7
1	A	221	THR	3.7
1	A	217	ALA	3.7
2	D	56	TRP	3.7
1	C	298	VAL	3.5
1	A	220	MET	3.5
2	D	284	HIS	3.5
1	A	115	LEU	3.4
1	A	69	GLU	3.4
1	C	431	GLY	3.4
1	A	77	PHE	3.4
1	C	24	THR	3.3
1	A	17	PHE	3.3
1	C	119	PHE	3.3
1	C	429	VAL	3.3
1	C	428	ALA	3.3
1	C	301	VAL	3.3
2	B	221	VAL	3.3
1	C	213	LEU	3.3
1	A	428	ALA	3.3
1	C	144	TRP	3.3
1	A	294	ALA	3.2
2	D	87	ARG	3.2
1	C	221	THR	3.2
1	C	220	MET	3.2
1	A	293	PRO	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	514	VAL	3.1
2	D	221	VAL	3.1
1	C	111	VAL	3.1
1	A	222	MET	3.1
2	D	82	ARG	3.0
1	A	290	ILE	3.0
1	C	289	ILE	3.0
1	A	259	PHE	3.0
1	C	219	GLY	3.0
1	C	294	ALA	3.0
2	D	96	HIS	3.0
2	D	124	PHE	3.0
1	C	533	GLU	3.0
1	C	214	ASN	3.0
1	C	270	GLY	3.0
1	C	314	LEU	3.0
2	D	265	ILE	2.9
1	A	432	ILE	2.9
1	C	228	PHE	2.9
1	C	269	GLY	2.9
1	C	262	THR	2.8
2	D	219	TRP	2.8
1	A	112	ILE	2.8
1	A	291	VAL	2.8
2	B	98	SER	2.8
1	C	112	ILE	2.8
1	C	135	PHE	2.7
1	C	548	GLU	2.7
1	A	550	THR	2.7
1	A	548	GLU	2.7
1	C	446	ARG	2.7
1	C	296	GLY	2.7
1	C	114	ALA	2.7
2	B	124	PHE	2.7
2	B	252	CYS	2.7
1	C	525	VAL	2.6
1	C	130	ALA	2.6
1	C	131	PRO	2.6
2	D	81	TRP	2.6
1	C	293	PRO	2.6
1	A	268	GLY	2.6
1	A	289	ILE	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	551	PHE	2.6
1	C	261	THR	2.6
1	C	295	PHE	2.5
2	D	220	THR	2.5
1	C	523	ALA	2.5
1	C	136	PRO	2.5
1	C	455	LEU	2.5
1	C	449	PRO	2.5
2	B	265	ILE	2.5
1	A	137	ARG	2.5
1	A	99	ILE	2.5
1	C	232	ILE	2.4
1	C	387	PHE	2.4
1	A	427	GLY	2.4
2	D	88	ASN	2.4
1	C	237	TRP	2.4
1	C	291	VAL	2.4
1	C	480	PRO	2.3
2	D	178	GLN	2.3
2	D	226	VAL	2.3
2	B	219	TRP	2.3
1	C	445	GLY	2.3
1	A	219	GLY	2.3
1	A	23	SER	2.3
1	C	185	TYR	2.3
2	D	120	LEU	2.3
1	C	299	SER	2.2
1	A	292	LEU	2.2
2	B	284	HIS	2.2
1	C	439	TRP	2.2
1	A	72	LEU	2.2
1	C	132	ALA	2.2
2	B	87	ARG	2.2
2	D	252	CYS	2.2
1	C	72	LEU	2.2
1	C	510	PHE	2.2
2	B	102	ILE	2.2
1	C	210	THR	2.2
2	D	182	GLU	2.2
2	D	83	PHE	2.1
1	A	429	VAL	2.1
1	C	423	VAL	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	216	ARG	2.1
2	B	81	TRP	2.1
1	C	99	ILE	2.1
2	B	220	THR	2.1
1	A	21	PHE	2.1
1	C	433	PHE	2.1
1	A	424	MET	2.1
1	A	426	LEU	2.1
2	D	121	PRO	2.1
1	A	298	VAL	2.1
1	C	292	LEU	2.1
2	B	99	PRO	2.1
1	C	230	TRP	2.0
1	C	70	SER	2.0
1	C	519	LEU	2.0
2	D	95	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
5	TRD	A	604	7/13	0.73	0.17	25.20	52,55,57,57	0
4	DMU	C	602	33/33	0.85	0.36	12.33	40,44,46,47	0
4	DMU	C	604	23/33	0.14	0.56	6.65	39,43,51,51	23
4	DMU	B	302	33/33	0.86	0.19	6.50	43,49,51,54	33
4	DMU	A	603	22/33	0.80	0.17	4.68	35,44,50,51	22

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
11	HTH	B	306	10/10	0.81	0.32	3.63	51,57,60,60	0
5	TRD	A	610	13/13	0.88	0.12	3.11	37,41,46,46	0
5	TRD	A	605	7/13	0.78	0.20	1.93	50,52,52,52	0
5	TRD	D	303	13/13	0.86	0.13	1.84	48,49,55,55	0
8	MG	A	612	1/1	0.99	0.21	1.51	16,16,16,16	0
8	MG	C	609	1/1	1.00	0.19	1.44	20,20,20,20	0
5	TRD	B	305	9/13	0.90	0.13	1.30	39,40,41,43	9
4	DMU	A	602	22/33	0.70	0.23	1.27	38,59,66,66	0
4	DMU	B	301	33/33	0.96	0.10	1.03	20,31,51,53	0
4	DMU	B	303	33/33	0.90	0.18	0.83	46,51,57,59	33
5	TRD	D	304	7/13	0.84	0.16	0.71	54,54,55,55	0
6	HEA	A	607	60/60	0.99	0.19	0.61	16,19,27,28	0
6	HEA	C	605	60/60	0.98	0.16	0.04	25,29,42,43	0
6	HEA	A	608	60/60	0.97	0.14	-0.08	19,24,36,39	0
9	CA	A	613	1/1	1.00	0.10	-0.11	23,23,23,23	0
6	HEA	C	606	60/60	0.97	0.11	-0.58	25,31,41,42	0
12	CU1	B	308	1/1	1.00	0.11	-0.66	21,21,21,21	0
12	CU1	D	306	1/1	1.00	0.09	-1.22	26,26,26,26	0
10	CL	A	614	1/1	0.99	0.07	-1.33	39,39,39,39	0
7	CU	D	305	1/1	1.00	0.10	-1.41	27,27,27,27	0
13	CD	D	307	1/1	0.99	0.05	-1.66	36,36,36,36	0
7	CU	B	307	1/1	1.00	0.11	-1.68	21,21,21,21	0
13	CD	B	309	1/1	0.99	0.06	-2.10	37,37,37,37	0
9	CA	C	610	1/1	0.98	0.05	-2.40	34,34,34,34	0
13	CD	D	308	1/1	0.99	0.06	-2.57	47,47,47,47	1
10	CL	C	611	1/1	0.88	0.08	-2.64	66,66,66,66	0
4	DMU	C	603	23/33	0.86	0.28	-	85,85,86,86	23
5	TRD	A	606	7/13	0.85	0.26	-	60,61,62,62	0
4	DMU	D	302	23/33	0.83	0.27	-	70,72,76,76	23
5	TRD	C	607	11/13	0.80	0.18	-	70,71,72,72	0
3	OH	A	601	1/1	0.99	0.14	-	17,17,17,17	0
4	DMU	D	301	23/33	0.81	0.19	-	64,64,65,65	23
5	TRD	A	609	13/13	0.75	0.25	-	64,65,68,68	0
3	OH	C	601	1/1	0.99	0.18	-	27,27,27,27	0
7	CU	A	611	1/1	0.99	0.11	-	28,28,28,28	0
4	DMU	B	304	23/33	0.81	0.21	-	69,69,70,70	23
13	CD	B	310	1/1	0.99	0.11	-	35,35,35,35	1
7	CU	C	608	1/1	0.99	0.08	-	35,35,35,35	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.