



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 04:55 AM GMT

PDB ID : 2OOG
Title : Crystal structure of glycerophosphoryl diester phosphodiesterase from *Staphylococcus aureus*
Authors : Patskovsky, Y.; Fedorov, E.; Toro, R.; Sauder, J.M.; Smith, D.; Freeman, J.; Maletic, M.; Powell, A.; Gheyi, T.; Wasserman, S.R.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2007-01-25
Resolution : 2.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	<div> <div>2%</div> <div>80% 11% 7%</div> </div>
1	B	287	<div> <div>2%</div> <div>84% 8% 7%</div> </div>
1	C	287	<div> <div>16%</div> <div>82% 10% 7%</div> </div>
1	D	287	<div> <div>4%</div> <div>84% 9% 7%</div> </div>
1	E	287	<div> <div>20%</div> <div>77% 15% 7%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	287	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	441	-	-	-	X
3	SO4	B	443	-	-	-	X
3	SO4	C	446	-	-	-	X
4	GOL	A	476	-	-	X	-
4	GOL	B	473	-	-	-	X
4	GOL	B	480	-	-	-	X
4	GOL	D	463	-	-	-	X
4	GOL	D	471	-	-	-	X
4	GOL	E	454	-	-	-	X
4	GOL	E	467	-	-	X	-
4	GOL	F	457	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 14474 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycerophosphoryl diester phosphodiesterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	0	10	0
			2238	1418	392	424	4			
1	B	267	Total	C	N	O	S	0	9	0
			2233	1413	392	424	4			
1	C	267	Total	C	N	O	S	0	5	0
			2216	1400	393	419	4			
1	D	268	Total	C	N	O	S	0	6	0
			2223	1406	392	421	4			
1	E	267	Total	C	N	O	S	0	3	0
			2200	1392	386	418	4			
1	F	267	Total	C	N	O	S	0	3	0
			2203	1392	389	418	4			

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	310	GLU	-	EXPRESSION TAG	UNP Q7A6H7
A	311	GLY	-	EXPRESSION TAG	UNP Q7A6H7
A	312	HIS	-	EXPRESSION TAG	UNP Q7A6H7
A	313	HIS	-	EXPRESSION TAG	UNP Q7A6H7
A	314	HIS	-	EXPRESSION TAG	UNP Q7A6H7
A	315	HIS	-	EXPRESSION TAG	UNP Q7A6H7
A	316	HIS	-	EXPRESSION TAG	UNP Q7A6H7
A	317	HIS	-	EXPRESSION TAG	UNP Q7A6H7
B	310	GLU	-	EXPRESSION TAG	UNP Q7A6H7
B	311	GLY	-	EXPRESSION TAG	UNP Q7A6H7
B	312	HIS	-	EXPRESSION TAG	UNP Q7A6H7
B	313	HIS	-	EXPRESSION TAG	UNP Q7A6H7
B	314	HIS	-	EXPRESSION TAG	UNP Q7A6H7
B	315	HIS	-	EXPRESSION TAG	UNP Q7A6H7
B	316	HIS	-	EXPRESSION TAG	UNP Q7A6H7
B	317	HIS	-	EXPRESSION TAG	UNP Q7A6H7
C	310	GLU	-	EXPRESSION TAG	UNP Q7A6H7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	311	GLY	-	EXPRESSION TAG	UNP Q7A6H7
C	312	HIS	-	EXPRESSION TAG	UNP Q7A6H7
C	313	HIS	-	EXPRESSION TAG	UNP Q7A6H7
C	314	HIS	-	EXPRESSION TAG	UNP Q7A6H7
C	315	HIS	-	EXPRESSION TAG	UNP Q7A6H7
C	316	HIS	-	EXPRESSION TAG	UNP Q7A6H7
C	317	HIS	-	EXPRESSION TAG	UNP Q7A6H7
D	310	GLU	-	EXPRESSION TAG	UNP Q7A6H7
D	311	GLY	-	EXPRESSION TAG	UNP Q7A6H7
D	312	HIS	-	EXPRESSION TAG	UNP Q7A6H7
D	313	HIS	-	EXPRESSION TAG	UNP Q7A6H7
D	314	HIS	-	EXPRESSION TAG	UNP Q7A6H7
D	315	HIS	-	EXPRESSION TAG	UNP Q7A6H7
D	316	HIS	-	EXPRESSION TAG	UNP Q7A6H7
D	317	HIS	-	EXPRESSION TAG	UNP Q7A6H7
E	310	GLU	-	EXPRESSION TAG	UNP Q7A6H7
E	311	GLY	-	EXPRESSION TAG	UNP Q7A6H7
E	312	HIS	-	EXPRESSION TAG	UNP Q7A6H7
E	313	HIS	-	EXPRESSION TAG	UNP Q7A6H7
E	314	HIS	-	EXPRESSION TAG	UNP Q7A6H7
E	315	HIS	-	EXPRESSION TAG	UNP Q7A6H7
E	316	HIS	-	EXPRESSION TAG	UNP Q7A6H7
E	317	HIS	-	EXPRESSION TAG	UNP Q7A6H7
F	310	GLU	-	EXPRESSION TAG	UNP Q7A6H7
F	311	GLY	-	EXPRESSION TAG	UNP Q7A6H7
F	312	HIS	-	EXPRESSION TAG	UNP Q7A6H7
F	313	HIS	-	EXPRESSION TAG	UNP Q7A6H7
F	314	HIS	-	EXPRESSION TAG	UNP Q7A6H7
F	315	HIS	-	EXPRESSION TAG	UNP Q7A6H7
F	316	HIS	-	EXPRESSION TAG	UNP Q7A6H7
F	317	HIS	-	EXPRESSION TAG	UNP Q7A6H7

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total Zn 1 1	0	0
2	E	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	F	1	Total	Zn	0	0
			1	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	198	Total	O	0	0
			198	198		
5	B	211	Total	O	0	0
			211	211		
5	C	87	Total	O	0	0
			87	87		
5	D	193	Total	O	0	0
			193	193		
5	E	92	Total	O	0	0
			92	92		
5	F	110	Total	O	0	0
			110	110		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glycerophosphoryl diester phosphodiesterase




- Molecule 1: Glycerophosphoryl diester phosphodiesterase




- Molecule 1: Glycerophosphoryl diester phosphodiesterase





- Molecule 1: Glycerophosphoryl diester phosphodiesterase







- Molecule 1: Glycerophosphoryl diester phosphodiesterase



- Molecule 1: Glycerophosphoryl diester phosphodiesterase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	156.31Å 183.55Å 176.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.20 35.23 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.2 (20.00-2.20) 97.1 (35.23-2.20)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.235 , 0.280 0.231 , 0.277	Depositor DCC
R_{free} test set	3742 reflections (3.11%)	DCC
Wilson B-factor (Å ²)	45.7	Xtriage
Anisotropy	0.231	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 58.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 124052 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14474	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.80 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.4673e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/2319	0.65	1/3128 (0.0%)
1	B	0.46	0/2311	0.62	0/3119
1	C	0.43	0/2282	0.56	0/3080
1	D	0.42	0/2293	0.57	0/3095
1	E	0.43	0/2260	0.58	0/3052
1	F	0.40	0/2263	0.58	1/3055 (0.0%)
All	All	0.44	0/13728	0.59	2/18529 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	2
1	B	0	1
1	C	0	1
1	D	0	2
1	E	0	1
1	F	1	3
All	All	2	10

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	237	PHE	N-CA-C	6.03	127.27	111.00
1	F	240	GLN	N-CA-C	5.70	126.38	111.00

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	237	PHE	CA
1	F	240	GLN	CA

5 of 10 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	272	PHE	Peptide
1	A	277	TYR	Peptide
1	B	277	TYR	Peptide
1	C	277	TYR	Peptide
1	D	272	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2238	0	2216	24	0
1	B	2233	0	2202	13	0
1	C	2216	0	2178	11	0
1	D	2223	0	2183	11	0
1	E	2200	0	2157	20	0
1	F	2203	0	2159	13	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	15	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	A	36	0	48	9	0
4	B	60	0	80	8	0
4	C	12	0	16	0	0
4	D	54	0	72	7	0
4	E	30	0	40	7	0
4	F	42	0	56	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	198	0	0	1	0
5	B	211	0	0	0	0
5	C	87	0	0	3	0
5	D	193	0	0	0	0
5	E	92	0	0	1	0
5	F	110	0	0	2	0
All	All	14474	0	13407	90	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 90 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:194:ASN:HB2	4:B:478:GOL:H11	1.02	0.99
1:B:194:ASN:HB2	4:B:478:GOL:C1	1.94	0.97
1:B:194:ASN:CB	4:B:478:GOL:H11	1.96	0.95
1:D:202:HIS:NE2	4:D:463:GOL:H32	1.90	0.86
1:D:79:ASN:O	1:D:82:LYS:HE2	1.81	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/287 (96%)	267 (97%)	8 (3%)	0	100	100
1	B	274/287 (96%)	268 (98%)	4 (2%)	2 (1%)	26	25
1	C	270/287 (94%)	263 (97%)	7 (3%)	0	100	100
1	D	272/287 (95%)	265 (97%)	7 (3%)	0	100	100
1	E	268/287 (93%)	259 (97%)	9 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	268/287 (93%)	260 (97%)	7 (3%)	1 (0%)	39	42
All	All	1627/1722 (94%)	1582 (97%)	42 (3%)	3 (0%)	56	59

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	147[A]	ASN
1	B	147[B]	ASN
1	F	59	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/254 (97%)	229 (93%)	18 (7%)	17	18
1	B	246/254 (97%)	231 (94%)	15 (6%)	23	26
1	C	242/254 (95%)	227 (94%)	15 (6%)	23	25
1	D	243/254 (96%)	228 (94%)	15 (6%)	23	25
1	E	240/254 (94%)	216 (90%)	24 (10%)	9	8
1	F	240/254 (94%)	221 (92%)	19 (8%)	15	15
All	All	1458/1524 (96%)	1352 (93%)	106 (7%)	19	18

5 of 106 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	261	GLU
1	D	237	PHE
1	F	196	ASN
1	D	84	SER
1	D	167	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 26 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	219	GLN
1	D	79	ASN
1	F	262	GLN
1	C	240	GLN
1	C	289	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 51 ligands modelled in this entry, 6 are monoatomic - leaving 45 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	441	-	4,4,4	0.19	0	6,6,6	0.06	0
3	SO4	A	442	-	4,4,4	0.21	0	6,6,6	0.07	0
3	SO4	A	445	-	4,4,4	0.20	0	6,6,6	0.13	0
4	GOL	A	455	2	5,5,5	0.21	0	5,5,5	0.50	0
4	GOL	A	470	-	5,5,5	0.31	0	5,5,5	0.38	0
4	GOL	A	475	-	5,5,5	0.35	0	5,5,5	0.24	0
4	GOL	A	476	-	5,5,5	0.59	0	5,5,5	0.16	0
4	GOL	A	487	-	5,5,5	0.66	0	5,5,5	0.26	0
4	GOL	A	489	-	5,5,5	0.33	0	5,5,5	0.30	0
3	SO4	B	443	-	4,4,4	0.22	0	6,6,6	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	B	452	2	5,5,5	0.21	0	5,5,5	0.48	0
4	GOL	B	458	-	5,5,5	0.39	0	5,5,5	0.57	0
4	GOL	B	461	-	5,5,5	0.38	0	5,5,5	0.53	0
4	GOL	B	469	-	5,5,5	0.35	0	5,5,5	0.24	0
4	GOL	B	472	-	5,5,5	0.34	0	5,5,5	0.12	0
4	GOL	B	473	-	5,5,5	0.48	0	5,5,5	0.39	0
4	GOL	B	477	-	5,5,5	0.43	0	5,5,5	0.30	0
4	GOL	B	478	-	5,5,5	0.35	0	5,5,5	0.24	0
4	GOL	B	479	-	5,5,5	0.33	0	5,5,5	0.34	0
4	GOL	B	480	-	5,5,5	0.87	0	5,5,5	0.84	0
3	SO4	C	446	-	4,4,4	0.19	0	6,6,6	0.12	0
4	GOL	C	451	2	5,5,5	0.34	0	5,5,5	0.37	0
4	GOL	C	482	-	5,5,5	0.50	0	5,5,5	0.25	0
3	SO4	D	444	-	4,4,4	0.20	0	6,6,6	0.15	0
4	GOL	D	453	2	5,5,5	0.33	0	5,5,5	0.27	0
4	GOL	D	462	-	5,5,5	0.38	0	5,5,5	0.23	0
4	GOL	D	463	-	5,5,5	0.34	0	5,5,5	0.24	0
4	GOL	D	466	-	5,5,5	0.33	0	5,5,5	0.19	0
4	GOL	D	468	-	5,5,5	0.34	0	5,5,5	0.37	0
4	GOL	D	471	-	5,5,5	0.32	0	5,5,5	0.34	0
4	GOL	D	481	-	5,5,5	0.70	0	5,5,5	0.82	0
4	GOL	D	483	-	5,5,5	0.34	0	5,5,5	0.23	0
4	GOL	D	484	-	5,5,5	0.34	0	5,5,5	0.37	0
4	GOL	E	454	2	5,5,5	0.30	0	5,5,5	0.31	0
4	GOL	E	465	-	5,5,5	0.32	0	5,5,5	0.21	0
4	GOL	E	467	-	5,5,5	0.36	0	5,5,5	0.24	0
4	GOL	E	474	-	5,5,5	0.34	0	5,5,5	0.24	0
4	GOL	E	485	-	5,5,5	0.25	0	5,5,5	0.42	0
4	GOL	F	456	2	5,5,5	0.42	0	5,5,5	0.44	0
4	GOL	F	457	-	5,5,5	0.37	0	5,5,5	0.36	0
4	GOL	F	459	-	5,5,5	0.34	0	5,5,5	0.29	0
4	GOL	F	460	-	5,5,5	0.33	0	5,5,5	0.27	0
4	GOL	F	464	-	5,5,5	0.33	0	5,5,5	0.32	0
4	GOL	F	486	-	5,5,5	0.31	0	5,5,5	0.25	0
4	GOL	F	488	-	5,5,5	0.34	0	5,5,5	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	441	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	442	-	-	0/0/0/0	0/0/0/0
3	SO4	A	445	-	-	0/0/0/0	0/0/0/0
4	GOL	A	455	2	-	0/4/4/4	0/0/0/0
4	GOL	A	470	-	-	0/4/4/4	0/0/0/0
4	GOL	A	475	-	-	0/4/4/4	0/0/0/0
4	GOL	A	476	-	-	0/4/4/4	0/0/0/0
4	GOL	A	487	-	-	0/4/4/4	0/0/0/0
4	GOL	A	489	-	-	0/4/4/4	0/0/0/0
3	SO4	B	443	-	-	0/0/0/0	0/0/0/0
4	GOL	B	452	2	-	0/4/4/4	0/0/0/0
4	GOL	B	458	-	-	0/4/4/4	0/0/0/0
4	GOL	B	461	-	-	0/4/4/4	0/0/0/0
4	GOL	B	469	-	-	0/4/4/4	0/0/0/0
4	GOL	B	472	-	-	0/4/4/4	0/0/0/0
4	GOL	B	473	-	-	0/4/4/4	0/0/0/0
4	GOL	B	477	-	-	0/4/4/4	0/0/0/0
4	GOL	B	478	-	-	0/4/4/4	0/0/0/0
4	GOL	B	479	-	-	0/4/4/4	0/0/0/0
4	GOL	B	480	-	-	0/4/4/4	0/0/0/0
3	SO4	C	446	-	-	0/0/0/0	0/0/0/0
4	GOL	C	451	2	-	0/4/4/4	0/0/0/0
4	GOL	C	482	-	-	0/4/4/4	0/0/0/0
3	SO4	D	444	-	-	0/0/0/0	0/0/0/0
4	GOL	D	453	2	-	0/4/4/4	0/0/0/0
4	GOL	D	462	-	-	0/4/4/4	0/0/0/0
4	GOL	D	463	-	-	0/4/4/4	0/0/0/0
4	GOL	D	466	-	-	0/4/4/4	0/0/0/0
4	GOL	D	468	-	-	0/4/4/4	0/0/0/0
4	GOL	D	471	-	-	0/4/4/4	0/0/0/0
4	GOL	D	481	-	-	0/4/4/4	0/0/0/0
4	GOL	D	483	-	-	0/4/4/4	0/0/0/0
4	GOL	D	484	-	-	0/4/4/4	0/0/0/0
4	GOL	E	454	2	-	0/4/4/4	0/0/0/0
4	GOL	E	465	-	-	0/4/4/4	0/0/0/0
4	GOL	E	467	-	-	0/4/4/4	0/0/0/0
4	GOL	E	474	-	-	0/4/4/4	0/0/0/0
4	GOL	E	485	-	-	0/4/4/4	0/0/0/0
4	GOL	F	456	2	-	0/4/4/4	0/0/0/0
4	GOL	F	457	-	-	0/4/4/4	0/0/0/0
4	GOL	F	459	-	-	0/4/4/4	0/0/0/0
4	GOL	F	460	-	-	0/4/4/4	0/0/0/0
4	GOL	F	464	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	F	486	-	-	0/4/4/4	0/0/0/0
4	GOL	F	488	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

15 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	476	GOL	6	0
4	A	487	GOL	3	0
4	B	458	GOL	1	0
4	B	472	GOL	1	0
4	B	473	GOL	2	0
4	B	478	GOL	3	0
4	B	480	GOL	1	0
4	D	463	GOL	3	0
4	D	468	GOL	1	0
4	D	481	GOL	3	0
4	E	467	GOL	4	0
4	E	474	GOL	2	0
4	E	485	GOL	1	0
4	F	459	GOL	2	0
4	F	460	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	267/287 (93%)	-0.05	7 (2%) 59 58	29, 43, 73, 125	0
1	B	267/287 (93%)	-0.14	6 (2%) 65 64	25, 37, 65, 113	0
1	C	267/287 (93%)	0.90	47 (17%) 2 2	42, 64, 99, 151	0
1	D	268/287 (93%)	0.06	11 (4%) 41 39	29, 46, 77, 124	0
1	E	267/287 (93%)	0.97	57 (21%) 1 1	36, 66, 100, 145	0
1	F	267/287 (93%)	0.62	34 (12%) 5 4	35, 56, 86, 135	0
All	All	1603/1722 (93%)	0.39	162 (10%) 9 8	25, 52, 92, 151	0

The worst 5 of 162 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	242	LEU	8.3
1	F	239	ASP	7.6
1	E	45	TRP	7.5
1	E	54	PHE	6.9
1	E	239	ASP	6.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SO4	A	441	5/5	0.78	0.30	6.59	95,100,125,131	0
4	GOL	B	473	6/6	0.65	0.38	3.87	105,114,121,126	0
4	GOL	D	463	6/6	0.89	0.29	3.54	45,63,89,106	0
3	SO4	C	446	5/5	0.95	0.20	3.26	77,80,103,109	0
3	SO4	B	443	5/5	0.90	0.23	3.18	73,83,96,114	0
4	GOL	D	471	6/6	0.83	0.22	2.99	52,65,80,81	0
4	GOL	F	457	6/6	0.90	0.22	2.99	39,62,84,84	0
4	GOL	E	454	6/6	0.85	0.38	2.93	54,65,77,87	0
4	GOL	B	480	6/6	0.77	0.20	2.92	69,95,105,118	0
4	GOL	B	458	6/6	0.83	0.18	1.96	46,64,70,88	0
4	GOL	A	475	6/6	0.59	0.17	1.77	67,90,96,98	0
4	GOL	F	486	6/6	0.72	0.26	1.67	78,91,111,116	0
4	GOL	D	468	6/6	0.78	0.17	1.38	49,82,87,89	0
4	GOL	F	456	6/6	0.94	0.29	1.24	43,53,53,54	0
4	GOL	B	477	6/6	0.96	0.20	1.10	36,64,80,87	0
4	GOL	E	485	6/6	0.70	0.15	0.97	55,60,70,84	0
4	GOL	C	451	6/6	0.96	0.22	0.88	58,67,89,90	0
4	GOL	D	462	6/6	0.84	0.16	0.61	44,59,87,92	0
4	GOL	D	466	6/6	0.80	0.18	0.60	58,95,100,116	0
4	GOL	A	455	6/6	0.96	0.18	0.54	30,36,45,50	0
4	GOL	E	465	6/6	0.90	0.13	0.47	43,84,89,98	0
4	GOL	B	452	6/6	0.99	0.18	0.43	19,25,34,36	0
3	SO4	A	442	5/5	0.97	0.13	0.21	57,72,80,81	0
3	SO4	D	444	5/5	0.91	0.10	-0.45	73,79,104,107	0
4	GOL	D	481	6/6	0.91	0.13	-0.81	64,76,84,92	0
4	GOL	D	453	6/6	0.99	0.14	-1.19	34,37,43,49	0
4	GOL	F	488	6/6	0.92	0.11	-1.25	56,79,94,94	0
2	ZN	A	403	1/1	1.00	0.08	-1.90	53,53,53,53	0
2	ZN	C	406	1/1	0.98	0.09	-1.95	76,76,76,76	0
2	ZN	D	405	1/1	0.99	0.06	-3.24	60,60,60,60	0
2	ZN	B	401	1/1	0.99	0.05	-3.82	46,46,46,46	0
4	GOL	B	469	6/6	0.76	0.43	-	60,77,98,113	0
4	GOL	D	484	6/6	0.94	0.16	-	57,79,86,87	0
4	GOL	B	478	6/6	0.76	0.26	-	79,98,125,136	0
4	GOL	A	487	6/6	0.88	0.27	-	80,87,93,107	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	GOL	B	479	6/6	0.87	0.17	-	68,90,106,107	0
4	GOL	E	467	6/6	0.79	0.30	-	70,102,105,118	0
4	GOL	F	459	6/6	0.90	0.17	-	52,71,84,99	0
4	GOL	E	474	6/6	0.83	0.15	-	101,111,119,121	0
2	ZN	F	402	1/1	0.96	0.12	-	76,76,76,76	0
4	GOL	A	489	6/6	0.77	0.26	-	94,102,108,108	0
4	GOL	F	460	6/6	0.76	0.21	-	97,117,121,121	0
4	GOL	D	483	6/6	0.82	0.20	-	89,93,102,105	0
2	ZN	E	404	1/1	0.94	0.11	-	73,73,73,73	0
4	GOL	A	476	6/6	0.77	0.23	-	92,108,116,117	0
4	GOL	B	461	6/6	0.91	0.14	-	57,75,86,86	0
4	GOL	A	470	6/6	0.91	0.17	-	56,70,80,88	0
4	GOL	C	482	6/6	0.83	0.16	-	70,95,99,99	0
4	GOL	B	472	6/6	0.81	0.36	-	78,93,99,105	0
4	GOL	F	464	6/6	0.82	0.19	-	63,82,88,93	0
3	SO4	A	445	5/5	0.92	0.30	-	77,85,104,112	0

6.5 Other polymers [i](#)

There are no such residues in this entry.