



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:54 AM GMT

PDB ID : 2OP0
Title : Crystal structure of plasmodium falciparum enoyl ACP reductase with triclosan reductase
Authors : Tsai, H.
Deposited on : 2007-01-26
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	338	<div> <div>4%</div> <div>56%</div> <div>23%</div> <div>••</div> <div>18%</div> </div>
1	B	338	<div> <div>4%</div> <div>61%</div> <div>20%</div> <div>•</div> <div>17%</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4597 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-acyl carrier reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	277	Total	C	N	O	S	0	0	0
			2192	1400	366	415	11			
1	B	282	Total	C	N	O	S	0	0	0
			2224	1420	374	419	11			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	88	MET	-	CLONING ARTIFACT	UNP Q9BH77
A	89	VAL	-	CLONING ARTIFACT	UNP Q9BH77
A	90	HIS	-	EXPRESSION TAG	UNP Q9BH77
A	91	HIS	-	EXPRESSION TAG	UNP Q9BH77
A	92	HIS	-	EXPRESSION TAG	UNP Q9BH77
A	93	HIS	-	EXPRESSION TAG	UNP Q9BH77
A	94	HIS	-	EXPRESSION TAG	UNP Q9BH77
A	95	HIS	-	EXPRESSION TAG	UNP Q9BH77
B	88	MET	-	CLONING ARTIFACT	UNP Q9BH77
B	89	VAL	-	CLONING ARTIFACT	UNP Q9BH77
B	90	HIS	-	EXPRESSION TAG	UNP Q9BH77
B	91	HIS	-	EXPRESSION TAG	UNP Q9BH77
B	92	HIS	-	EXPRESSION TAG	UNP Q9BH77
B	93	HIS	-	EXPRESSION TAG	UNP Q9BH77
B	94	HIS	-	EXPRESSION TAG	UNP Q9BH77
B	95	HIS	-	EXPRESSION TAG	UNP Q9BH77

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total	C	N	O	P	0
			44	21	7	14	2	0

- Molecule 4 is 2-[4-(AMINOMETHYL)-2-CHLOROPHENOXY]-5-PYRIDIN-2-YLPHENOL (three-letter code: 7PC) (formula: $C_{18}H_{15}ClN_2O_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	Cl	N	O	0	0
			23	18	1	2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	51	Total	O	0	0
			51	51		
5	B	58	Total	O	0	0
			58	58		

- Molecule 1: Enoyl-acyl carrier reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	132.31Å 132.31Å 82.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	93.66 – 2.80 29.93 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.9 (93.66-2.80) 98.0 (29.93-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.04 (at 2.80Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.187 , 0.274 0.183 , 0.249	Depositor DCC
R_{free} test set	930 reflections (5.36%)	DCC
Wilson B-factor (Å ²)	40.3	Xtriage
Anisotropy	0.163	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 18310 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4597	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NAD, 7PC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2232	0.53	0/3009
1	B	0.38	0/2264	0.56	0/3053
All	All	0.39	0/4496	0.54	0/6062

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2192	0	2201	74	0
1	B	2224	0	2241	67	0
2	A	5	0	0	0	0
3	B	44	0	26	1	0
4	B	23	0	10	6	0
5	A	51	0	0	2	0
5	B	58	0	0	5	1
All	All	4597	0	4478	136	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:ILE:HB	1:B:157:LYS:HB2	1.55	0.89
1:B:254:ASN:HD22	1:B:254:ASN:H	1.22	0.85
1:B:201:LEU:HD21	1:B:205:LYS:HE2	1.62	0.82
1:A:174:ALA:O	1:A:177:ILE:HG22	1.81	0.81
1:A:179:GLU:HA	1:A:180:GLU:C	2.02	0.78
1:A:316:LYS:HA	1:A:316:LYS:HE3	1.66	0.77
1:B:367:THR:HG22	1:B:370:ASP:HB2	1.68	0.76
1:A:105:ILE:HD11	1:A:113:TRP:HE3	1.52	0.75
1:B:372:ALA:HB1	4:B:500:7PC:H25	1.73	0.71
1:A:369:ILE:O	1:A:373:ILE:HG13	1.91	0.70
1:B:219:ALA:HB2	1:B:281:MET:CE	2.23	0.69
1:A:301:ARG:HH21	1:B:379:TYR:HA	1.59	0.68
1:B:201:LEU:O	1:B:202:ILE:HB	1.95	0.66
1:A:301:ARG:NH2	1:B:379:TYR:HA	2.11	0.65
1:A:301:ARG:CD	1:B:383:ARG:HD2	2.26	0.64
1:B:319:ALA:CB	4:B:500:7PC:CL2	2.84	0.63
1:B:319:ALA:HB1	4:B:500:7PC:C15	2.30	0.62
1:A:166:PRO:HB2	1:A:193:TYR:HB3	1.83	0.61
1:A:315:LEU:O	1:A:316:LYS:HB2	2.02	0.59
1:B:254:ASN:HD22	1:B:254:ASN:N	1.91	0.59
1:B:368:PHE:O	1:B:369:ILE:HB	2.02	0.59
1:A:315:LEU:HD21	1:A:388:SER:HB3	1.85	0.58
1:A:314:PRO:HB2	1:A:373:ILE:HG12	1.85	0.58
1:B:219:ALA:HB2	1:B:281:MET:HE1	1.85	0.58
1:A:180:GLU:O	1:A:182:LYS:N	2.38	0.56
1:A:301:ARG:HH11	1:A:301:ARG:HG3	1.70	0.56
1:A:125:LYS:HD2	1:A:160:ASN:HD22	1.70	0.56
1:A:201:LEU:HD22	1:A:205:LYS:HE3	1.88	0.56
1:B:166:PRO:HD2	5:B:539:HOH:O	2.05	0.56
1:B:121:LYS:HG2	1:B:153:ILE:HG21	1.88	0.55
1:A:125:LYS:HD2	1:A:160:ASN:ND2	2.21	0.55
1:A:120:SER:HB3	1:A:153:ILE:HD12	1.89	0.55
1:B:132:PRO:HG2	1:B:187:TYR:CE2	2.41	0.55
1:B:319:ALA:HB1	4:B:500:7PC:C16	2.37	0.54
1:A:422:LEU:HD12	1:A:422:LEU:O	2.07	0.54
1:A:149:ASN:O	1:A:152:ILE:HG12	2.08	0.54
1:A:301:ARG:NH1	1:A:301:ARG:HG3	2.23	0.52
1:A:373:ILE:O	1:A:377:GLU:HG3	2.09	0.52
1:A:214:HIS:O	1:A:264:SER:HA	2.09	0.52
1:A:383:ARG:HE	1:B:301:ARG:HH21	1.56	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:147:PHE:O	1:B:151:MET:HG3	2.09	0.52
1:B:319:ALA:HB1	4:B:500:7PC:CL2	2.47	0.51
1:B:369:ILE:HG23	1:B:370:ASP:N	2.25	0.51
1:A:128:PHE:HZ	1:A:159:MET:HE1	1.74	0.51
1:A:131:TRP:CG	1:A:133:PRO:HD2	2.44	0.51
1:B:372:ALA:CB	4:B:500:7PC:H25	2.40	0.51
1:A:378:LYS:HD3	1:A:379:TYR:CE2	2.45	0.51
1:B:201:LEU:HD23	1:B:202:ILE:H	1.77	0.50
1:B:144:ASN:HB3	1:B:146:LYS:HE3	1.92	0.50
1:A:116:ALA:HB1	1:A:159:MET:HE1	1.94	0.50
1:B:125:LYS:HB3	1:B:162:LEU:HD12	1.93	0.50
1:B:368:PHE:O	1:B:369:ILE:CB	2.59	0.50
1:A:151:MET:HE3	1:A:161:ILE:HD12	1.92	0.50
1:B:113:TRP:HE1	1:B:117:LYS:HZ3	1.59	0.50
1:B:127:ILE:HG23	1:B:163:ASP:HB3	1.95	0.49
1:B:244:SER:O	1:B:248:LEU:HB2	2.13	0.49
1:A:301:ARG:HH21	1:B:379:TYR:CA	2.26	0.49
1:B:219:ALA:CB	1:B:281:MET:CE	2.91	0.48
1:B:212:LEU:HB3	1:B:262:ILE:HG12	1.94	0.48
1:B:184:ASN:ND2	1:B:186:ARG:H	2.12	0.48
1:A:277:TYR:CE2	1:A:281:MET:HB3	2.49	0.47
1:B:202:ILE:N	5:B:556:HOH:O	2.47	0.47
1:B:277:TYR:CZ	1:B:281:MET:HG3	2.50	0.46
1:A:131:TRP:CE2	1:A:133:PRO:HG2	2.50	0.46
1:B:119:LEU:HB3	1:B:124:VAL:HG22	1.96	0.46
1:A:109:ASN:HB3	1:A:317:SER:HA	1.96	0.46
1:A:147:PHE:O	1:A:151:MET:HB2	2.14	0.46
1:B:221:GLU:HB3	1:B:224:LYS:HD2	1.96	0.46
1:B:369:ILE:HA	1:B:372:ALA:HB3	1.97	0.46
1:B:204:GLN:HB2	5:B:556:HOH:O	2.16	0.46
1:B:416:GLY:O	1:B:419:ILE:HG12	2.15	0.46
1:B:201:LEU:CD2	1:B:205:LYS:HE2	2.40	0.45
1:B:369:ILE:CG2	1:B:370:ASP:N	2.79	0.45
1:A:166:PRO:HD2	5:A:468:HOH:O	2.17	0.45
1:B:119:LEU:O	1:B:124:VAL:HG13	2.17	0.45
1:B:320:ALA:HB1	1:B:369:ILE:HG12	1.98	0.45
1:B:108:THR:HG22	1:B:113:TRP:CD2	2.51	0.45
1:A:157:LYS:HA	5:A:469:HOH:O	2.16	0.45
1:B:122:ARG:HH22	1:B:211:MET:CE	2.30	0.45
1:A:203:HIS:HB2	1:A:255:ILE:HG21	1.98	0.45
1:A:138:PHE:HE2	1:A:164:MET:CE	2.30	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:105:ILE:HD11	1:B:113:TRP:HE3	1.81	0.45
1:B:288:LEU:HA	5:B:525:HOH:O	2.16	0.45
1:A:281:MET:O	1:A:285:LYS:HG2	2.17	0.44
1:B:182:LYS:HE2	1:B:182:LYS:HB2	1.66	0.44
1:A:378:LYS:HD3	1:A:379:TYR:CZ	2.52	0.44
1:B:122:ARG:HH22	1:B:211:MET:HE2	1.83	0.44
1:B:122:ARG:CG	1:B:122:ARG:O	2.65	0.44
1:B:108:THR:HG22	1:B:113:TRP:CE2	2.52	0.44
1:A:111:TYR:O	1:A:115:ILE:HG13	2.17	0.44
3:B:450:NAD:O2N	3:B:450:NAD:H2N	2.18	0.44
1:A:138:PHE:CE2	1:A:164:MET:CE	3.00	0.44
1:A:128:PHE:CZ	1:A:159:MET:HE1	2.51	0.44
1:A:210:ASN:HA	1:A:260:SER:OG	2.17	0.44
1:A:138:PHE:CE2	1:A:164:MET:HE2	2.52	0.44
1:B:103:ALA:HB1	1:B:167:PHE:CE2	2.53	0.44
1:A:398:LEU:HD11	1:A:411:ILE:HG13	1.99	0.43
1:A:212:LEU:HD21	1:A:248:LEU:HG	1.99	0.43
1:B:252:PHE:O	1:B:256:MET:HG3	2.18	0.43
1:A:109:ASN:CB	1:A:317:SER:HA	2.48	0.43
1:A:259:GLN:HG2	1:A:304:ASN:ND2	2.33	0.43
1:A:306:ARG:HD3	1:A:404:ARG:O	2.17	0.43
1:B:201:LEU:HA	5:B:556:HOH:O	2.17	0.43
1:A:132:PRO:N	1:A:133:PRO:CD	2.82	0.43
1:A:143:LYS:C	1:A:145:GLY:H	2.22	0.43
1:A:131:TRP:CD2	1:A:133:PRO:HD2	2.54	0.43
1:B:138:PHE:CE2	1:B:164:MET:CE	3.02	0.43
1:A:122:ARG:HH22	1:A:211:MET:HE2	1.84	0.42
1:A:265:LEU:HD22	1:A:265:LEU:N	2.34	0.42
1:B:113:TRP:HE1	1:B:117:LYS:NZ	2.18	0.42
1:A:162:LEU:HA	1:A:162:LEU:HD23	1.84	0.42
1:B:255:ILE:O	1:B:255:ILE:HG13	2.18	0.42
1:B:144:ASN:HB2	1:B:146:LYS:HG2	2.01	0.42
1:A:252:PHE:CD1	1:A:255:ILE:HD11	2.54	0.42
1:A:215:SER:HA	1:A:265:LEU:HD23	2.02	0.42
1:A:383:ARG:HA	1:A:383:ARG:HD2	1.53	0.42
1:A:377:GLU:O	1:A:383:ARG:NH1	2.52	0.42
1:B:121:LYS:HG2	1:B:153:ILE:CG2	2.49	0.41
1:A:177:ILE:CD1	1:A:181:THR:HB	2.50	0.41
1:A:153:ILE:HD11	1:A:157:LYS:HD3	2.01	0.41
1:A:171:PHE:CZ	1:A:181:THR:HG21	2.55	0.41
1:A:109:ASN:O	1:A:317:SER:HB3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:370:ASP:O	1:B:374:GLU:HB2	2.20	0.41
1:A:177:ILE:HD11	1:A:181:THR:HB	2.01	0.41
1:A:123:ASN:OD1	1:A:157:LYS:HE2	2.21	0.41
1:A:234:TYR:O	1:A:237:ALA:HB3	2.20	0.41
1:A:140:LYS:HB2	1:A:140:LYS:HE3	1.80	0.41
1:A:111:TYR:OH	1:A:313:GLY:O	2.38	0.41
1:A:120:SER:HB3	1:A:153:ILE:CD1	2.50	0.41
1:A:222:VAL:HG22	1:A:222:VAL:O	2.19	0.41
1:A:301:ARG:NE	1:B:383:ARG:HD2	2.36	0.40
1:B:261:SER:OG	1:B:399:LEU:HD23	2.20	0.40
1:A:222:VAL:HG13	1:A:223:GLN:HG2	2.03	0.40
1:B:131:TRP:HA	1:B:132:PRO:HD3	1.91	0.40
1:B:382:LEU:HB2	1:B:415:ASN:HB3	2.03	0.40
1:A:156:ASP:CG	1:A:156:ASP:O	2.60	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:543:HOH:O	5:B:545:HOH:O[8_665]	2.03	0.17

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/338 (80%)	251 (93%)	16 (6%)	4 (2%)	13	40
1	B	276/338 (82%)	256 (93%)	17 (6%)	3 (1%)	17	50
All	All	547/676 (81%)	507 (93%)	33 (6%)	7 (1%)	15	44

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	181	THR
1	A	316	LYS
1	A	423	PRO
1	B	369	ILE
1	B	404	ARG
1	A	144	ASN
1	B	423	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/297 (81%)	226 (94%)	15 (6%)	23	54
1	B	243/297 (82%)	228 (94%)	15 (6%)	23	54
All	All	484/594 (82%)	454 (94%)	30 (6%)	23	54

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	150	ASP
1	A	151	MET
1	A	153	ILE
1	A	162	LEU
1	A	175	ASN
1	A	180	GLU
1	A	181	THR
1	A	183	ASN
1	A	316	LYS
1	A	317	SER
1	A	369	ILE
1	A	383	ARG
1	A	384	GLN
1	A	417	LEU
1	A	422	LEU
1	B	108	THR
1	B	124	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	126	ILE
1	B	137	ILE
1	B	162	LEU
1	B	189	MET
1	B	201	LEU
1	B	226	LEU
1	B	238	LEU
1	B	254	ASN
1	B	261	SER
1	B	290	SER
1	B	323	ILE
1	B	382	LEU
1	B	417	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	160	ASN
1	A	183	ASN
1	A	200	ASN
1	A	228	ASN
1	A	302	ASN
1	A	304	ASN
1	B	184	ASN
1	B	254	ASN
1	B	302	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	A	426	-	4,4,4	0.59	0	6,6,6	0.33	0
3	NAD	B	450	-	38,48,48	1.32	7 (18%)	47,73,73	1.59	8 (17%)
4	7PC	B	500	-	25,25,25	1.59	3 (12%)	33,34,34	1.00	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	426	-	-	0/0/0/0	0/0/0/0
3	NAD	B	450	-	-	0/22/62/62	0/5/5/5
4	7PC	B	500	-	-	0/10/10/10	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	500	7PC	C29-C17	-6.56	1.29	1.51
3	B	450	NAD	C7N-N7N	-2.97	1.27	1.33
3	B	450	NAD	C2A-N1A	-2.87	1.28	1.33
3	B	450	NAD	C2A-N3A	-2.53	1.27	1.32
4	B	500	7PC	C29-N30	-2.02	1.16	1.39
3	B	450	NAD	C8A-N7A	2.05	1.38	1.34
3	B	450	NAD	C5A-C4A	2.11	1.45	1.40
3	B	450	NAD	O4D-C1D	2.14	1.43	1.41
4	B	500	7PC	C15-CL2	2.86	1.80	1.73
3	B	450	NAD	O7N-C7N	4.24	1.33	1.24

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	450	NAD	N3A-C2A-N1A	-4.85	125.18	128.89
3	B	450	NAD	C4A-C5A-N7A	-4.36	105.47	109.48
3	B	450	NAD	PN-O3-PA	-2.89	124.61	132.73
3	B	450	NAD	C2B-C1B-N9A	-2.52	110.44	114.29
3	B	450	NAD	O7N-C7N-N7N	-2.21	119.48	122.59
4	B	500	7PC	C24-N23-C7	2.43	120.56	117.20
3	B	450	NAD	C2A-N1A-C6A	2.51	123.26	118.77
3	B	450	NAD	O4D-C1D-N1N	3.16	111.61	108.13
3	B	450	NAD	C3N-C7N-N7N	3.90	122.08	117.82

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	450	NAD	1	0
4	B	500	7PC	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	277/338 (81%)	-0.30	15 (5%) 29 19	0, 6, 47, 82	0
1	B	282/338 (83%)	-0.27	12 (4%) 39 27	0, 8, 48, 97	0
All	All	559/676 (82%)	-0.29	27 (4%) 34 23	0, 7, 48, 97	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	367	THR	5.1
1	B	144	ASN	4.8
1	A	181	THR	4.6
1	A	317	SER	4.3
1	A	183	ASN	4.3
1	A	182	LYS	4.0
1	B	149	ASN	3.7
1	B	150	ASP	3.2
1	B	146	LYS	3.2
1	B	145	GLY	3.1
1	B	143	LYS	3.0
1	A	178	ASP	2.9
1	A	180	GLU	2.9
1	A	224	LYS	2.9
1	B	371	TYR	2.9
1	A	222	VAL	2.8
1	B	157	LYS	2.8
1	A	188	ASN	2.7
1	A	179	GLU	2.7
1	B	158	LYS	2.6
1	B	141	ASN	2.6
1	A	316	LYS	2.3
1	B	152	ILE	2.3
1	A	108	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	156	ASP	2.2
1	A	221	GLU	2.1
1	A	123	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	7PC	B	500	23/23	0.91	0.28	1.99	8,29,41,42	0
2	SO4	A	426	5/5	0.84	0.28	0.78	21,30,59,87	0
3	NAD	B	450	44/44	0.96	0.12	-0.82	3,13,26,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.