



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:23 PM GMT

PDB ID : 1OQO
Title : Complex between G0 version of an Fc bound to a minimized version of Protein A called Mini-Z
Authors : Raju, T.S.; Mulkerrin, M.G.; Parker, M.; De Vos, A.M.; Gazzano-Santoro, H.; Totpal, K.; Ultsch, M.H.
Deposited on : 2003-03-10
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	212	<div> <div>7%</div> <div>57%</div> <div>34%</div> <div>7%</div> <div>.</div> </div>
1	B	212	<div> <div>4%</div> <div>52%</div> <div>40%</div> <div>7%</div> <div>.</div> </div>
2	C	34	<div> <div>3%</div> <div>74%</div> <div>24%</div> <div>.</div> </div>
2	D	34	<div> <div>6%</div> <div>65%</div> <div>24%</div> <div>12%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	FUC	B	8	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4246 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called immunoglobulin gamma-1 heavy chain constant region.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	0	0
			1664	1059	280	319	6			
1	B	208	Total	C	N	O	S	0	0	0
			1662	1058	280	318	6			

- Molecule 2 is a protein called Minimized version of Protein A (Z34C).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	34	Total	C	N	O	S	0	0	0
			291	176	57	55	3			
2	D	34	Total	C	N	O	S	0	0	0
			291	176	57	55	3			

- Molecule 3 is a polymer of unknown type called SUGAR (nag-nag-man-man-nag-man-fuc-nag).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	8	Total	C	N	O	0	0
			99	56	4	39		

- Molecule 4 is a polymer of unknown type called SUGAR (8-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	8	Total	C	N	O	0	0
			99	56	4	39		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	59	Total	O	0	0
			59	59		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	58	Total	O	0	0
			58	58		
5	C	13	Total	O	0	0
			13	13		
5	D	10	Total	O	0	0
			10	10		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: immunoglobulin gamma-1 heavy chain constant region



- Molecule 1: immunoglobulin gamma-1 heavy chain constant region




- Molecule 2: Minimized version of Protein A (Z34C)



- Molecule 2: Minimized version of Protein A (Z34C)





4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	85.78 Å 126.41 Å 54.74 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 24.25 – 2.31	Depositor EDS
% Data completeness (in resolution range)	98.9 (20.00-2.30) 99.6 (24.25-2.31)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.81 (at 2.31 Å)	Xtriage
Refinement program	X-PLOR 98.1	Depositor
R, R_{free}	0.216 , 0.286 0.217 , 0.281	Depositor DCC
R_{free} test set	2671 reflections (11.05%)	DCC
Wilson B-factor (Å ²)	39.6	Xtriage
Anisotropy	0.086	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 59.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 26861 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4246	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, NDG, FUC, FUL, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.52	0/1710	0.70	0/2330
1	B	0.50	0/1708	0.69	0/2327
2	C	0.49	0/295	0.58	0/393
2	D	0.51	0/295	0.64	0/393
All	All	0.51	0/4008	0.69	0/5443

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	B	1	0

There are no bond length outliers.

There are no bond angle outliers.

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	B	8	FUC	C1

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1664	0	1630	63	0
1	B	1662	0	1628	77	0
2	C	291	0	272	9	0
2	D	291	0	272	10	0
3	A	99	0	85	0	0
4	B	99	0	85	4	0
5	A	59	0	0	1	0
5	B	58	0	0	5	0
5	C	13	0	0	1	0
5	D	10	0	0	1	0
All	All	4246	0	3972	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:MET:HG2	5:B:496:HOH:O	1.69	0.93
1:A:346:PRO:HB3	1:A:372:PHE:HB3	1.52	0.88
1:A:292:ARG:HD3	1:A:300:TYR:CE2	2.10	0.87
1:B:269:GLU:O	1:B:271:PRO:HD3	1.75	0.85
1:A:386:GLN:HG3	1:A:387:PRO:HD2	1.59	0.81
2:C:8:MET:O	2:C:12:ARG:HG3	1.80	0.81
1:B:359:THR:HG23	1:B:360:LYS:HD2	1.63	0.79
1:A:356:ASP:O	1:A:359:THR:HG22	1.86	0.75
1:A:429:HIS:CD2	1:A:431:ALA:H	2.04	0.75
1:A:429:HIS:HD2	1:A:431:ALA:H	1.33	0.74
1:A:270:ASP:N	1:A:271:PRO:HD3	2.07	0.70
1:B:240:VAL:HG22	1:B:263:VAL:HG22	1.74	0.69
2:C:28:ARG:HD3	5:C:47:HOH:O	1.92	0.68
1:A:292:ARG:HD3	1:A:300:TYR:CD2	2.27	0.68
1:A:266:VAL:HB	1:A:300:TYR:HB2	1.74	0.68
1:B:415:SER:O	1:B:419:GLN:HB2	1.94	0.68
1:B:248:LYS:NZ	1:B:255:ARG:HH12	1.91	0.68
1:B:359:THR:HG23	1:B:360:LYS:CD	2.24	0.67
2:D:38:ASP:O	2:D:39:CYS:HB3	1.94	0.67
1:A:359:THR:HG23	1:A:360:LYS:HE2	1.76	0.66
1:B:270:ASP:HA	1:B:326:LYS:HZ3	1.60	0.66
1:A:443:LEU:O	1:A:444:SER:HB2	1.95	0.66
2:D:8:MET:O	2:D:12:ARG:HG3	1.97	0.65
1:A:249:ASP:OD1	1:A:255:ARG:HD2	1.97	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:346:PRO:HB3	1:B:372:PHE:HB3	1.78	0.64
1:A:238:PRO:HA	1:A:265:ASP:HB2	1.78	0.64
1:A:311:GLN:HG2	2:C:32:ILE:CD1	2.28	0.64
1:B:386:GLN:HG3	1:B:387:PRO:HD2	1.81	0.63
1:A:311:GLN:HG2	2:C:32:ILE:HD13	1.80	0.62
1:B:360:LYS:HD2	1:B:360:LYS:N	2.14	0.62
1:A:415:SER:O	1:A:419:GLN:HB2	1.99	0.62
1:A:255:ARG:HH11	1:A:255:ARG:HG2	1.65	0.61
1:B:259:VAL:HG13	1:B:336:ILE:HD11	1.81	0.61
1:B:381:TRP:O	1:B:382:GLU:HG3	2.01	0.60
1:B:269:GLU:C	1:B:271:PRO:HD3	2.22	0.60
1:A:290:LYS:HE3	1:A:305:VAL:HG23	1.83	0.60
1:B:262:VAL:HG22	1:B:303:VAL:HG22	1.84	0.58
1:A:360:LYS:O	1:A:414:LYS:HE2	2.03	0.58
1:B:294:GLU:HB3	5:B:492:HOH:O	2.03	0.58
1:B:318:GLU:HG2	1:B:335:THR:CG2	2.34	0.58
1:B:292:ARG:HB2	1:B:300:TYR:HD2	1.69	0.57
1:A:356:ASP:OD1	1:B:439:LYS:NZ	2.37	0.57
1:A:345:GLU:HG3	1:A:431:ALA:O	2.05	0.57
1:B:255:ARG:O	2:D:36:ARG:NH2	2.37	0.57
1:B:292:ARG:HB3	1:B:302:VAL:HG22	1.87	0.57
1:A:311:GLN:CG	2:C:32:ILE:HD13	2.35	0.56
2:D:13:ARG:NH2	5:D:65:HOH:O	2.39	0.56
1:B:358:LEU:HD22	1:B:418:GLN:HE21	1.71	0.55
1:B:345:GLU:HG3	1:B:431:ALA:O	2.06	0.55
1:B:280:ASP:OD2	1:B:317:LYS:HG3	2.06	0.55
1:A:238:PRO:HD2	1:A:328:LEU:HD13	1.88	0.55
1:B:292:ARG:HG3	1:B:300:TYR:CE2	2.42	0.55
1:B:374:PRO:O	1:B:429:HIS:HE1	1.91	0.54
1:A:271:PRO:HD2	1:A:326:LYS:NZ	2.23	0.54
1:A:289:THR:HA	1:A:304:SER:HA	1.90	0.54
1:A:262:VAL:HG13	1:A:303:VAL:HG22	1.89	0.53
1:B:325:ASN:HB3	1:B:328:LEU:HD22	1.91	0.53
1:B:311:GLN:O	1:B:315:ASN:HB2	2.08	0.52
1:B:291:PRO:HA	5:B:484:HOH:O	2.09	0.52
1:B:242:LEU:HD13	1:B:336:ILE:HG12	1.91	0.52
1:A:429:HIS:O	1:A:435:HIS:HA	2.10	0.52
1:A:270:ASP:HA	1:A:326:LYS:HZ3	1.75	0.52
1:B:343:PRO:HA	1:B:373:TYR:O	2.10	0.52
1:B:368:LEU:HD13	1:B:407:TYR:CZ	2.45	0.51
1:A:354:SER:CB	1:B:349:TYR:HB3	2.40	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:MET:CG	5:B:496:HOH:O	2.42	0.51
1:A:277:TRP:O	1:A:283:GLU:HA	2.11	0.51
2:C:9:GLN:O	2:C:13:ARG:HG3	2.09	0.51
1:A:272:GLU:H	1:A:326:LYS:NZ	2.09	0.51
1:A:292:ARG:HD3	1:A:300:TYR:HE2	1.72	0.51
1:B:418:GLN:HA	1:B:443:LEU:HD22	1.93	0.51
1:A:343:PRO:HA	1:A:373:TYR:O	2.11	0.51
1:B:359:THR:HG23	1:B:360:LYS:CE	2.41	0.50
1:B:292:ARG:HG3	1:B:300:TYR:HE2	1.75	0.50
1:B:356:ASP:O	1:B:359:THR:HG22	2.12	0.50
1:A:351:LEU:HB3	5:B:467:HOH:O	2.12	0.49
2:D:11:GLN:HA	2:D:11:GLN:OE1	2.12	0.49
1:A:266:VAL:HB	1:A:300:TYR:CB	2.40	0.49
1:A:438:GLN:O	1:A:439:LYS:HG2	2.12	0.49
1:A:278:TYR:CE2	1:A:283:GLU:HB2	2.47	0.49
1:B:276:ASN:HB2	1:B:322:LYS:HB3	1.95	0.48
1:B:422:VAL:HG22	1:B:442:SER:HB3	1.94	0.48
1:A:297:ASN:O	1:A:298:SER:HB2	2.14	0.48
1:B:429:HIS:CD2	1:B:431:ALA:H	2.32	0.48
1:B:312:ASP:HB3	1:B:319:TYR:OH	2.14	0.48
2:D:9:GLN:O	2:D:13:ARG:HG3	2.14	0.47
1:B:350:THR:O	1:B:351:LEU:HD23	2.12	0.47
1:A:268:HIS:O	1:A:271:PRO:HG3	2.14	0.47
1:B:248:LYS:HZ3	1:B:255:ARG:HH12	1.60	0.47
1:A:433:HIS:O	1:A:434:ASN:HB2	2.14	0.47
1:B:264:VAL:HG12	1:B:301:ARG:HG3	1.97	0.47
1:A:290:LYS:HE3	1:A:305:VAL:CG2	2.44	0.47
1:B:312:ASP:O	1:B:317:LYS:HB2	2.15	0.47
1:B:318:GLU:HG2	1:B:335:THR:HG21	1.96	0.46
1:B:394:THR:HG23	1:B:407:TYR:O	2.15	0.46
1:B:270:ASP:HA	1:B:326:LYS:NZ	2.30	0.46
1:B:241:PHE:CE2	4:B:2:NAG:H4	2.50	0.46
1:B:248:LYS:HZ2	1:B:255:ARG:HH12	1.60	0.46
1:B:269:GLU:N	1:B:269:GLU:OE2	2.47	0.46
1:A:270:ASP:N	1:A:271:PRO:CD	2.73	0.46
1:A:242:LEU:HD13	1:A:336:ILE:HG12	1.98	0.46
1:A:346:PRO:CB	1:A:372:PHE:HB3	2.35	0.45
1:B:295:GLN:OE1	4:B:1:NAG:H62	2.16	0.45
1:B:248:LYS:NZ	1:B:255:ARG:NH1	2.61	0.45
1:A:270:ASP:OD1	1:A:326:LYS:HB2	2.16	0.45
1:A:255:ARG:CG	1:A:255:ARG:HH11	2.28	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:353:PRO:HD3	1:A:365:LEU:HD23	1.99	0.45
1:B:294:GLU:HG2	1:B:300:TYR:CZ	2.52	0.45
1:B:429:HIS:HD2	1:B:431:ALA:HB3	1.81	0.45
2:D:25:GLU:HA	2:D:28:ARG:NH2	2.32	0.45
2:D:38:ASP:O	2:D:39:CYS:CB	2.65	0.45
2:C:28:ARG:HG2	2:C:32:ILE:HD12	1.99	0.45
1:B:358:LEU:HD22	1:B:418:GLN:NE2	2.32	0.45
1:A:368:LEU:HB2	1:A:407:TYR:CE1	2.52	0.44
1:B:253:ILE:HB	2:D:14:PHE:CG	2.53	0.44
1:B:350:THR:C	1:B:351:LEU:HD23	2.37	0.44
1:A:394:THR:HG23	1:A:407:TYR:O	2.18	0.44
1:A:264:VAL:O	1:A:265:ASP:HB2	2.18	0.44
1:B:369:VAL:O	1:B:405:PHE:HA	2.18	0.43
1:B:417:TRP:CE2	1:B:443:LEU:HD13	2.54	0.43
1:B:241:PHE:CZ	4:B:2:NAG:H61	2.53	0.43
1:B:430:GLU:HA	1:B:435:HIS:CD2	2.54	0.43
1:B:240:VAL:HG21	1:B:323:VAL:HG21	2.00	0.43
1:A:320:LYS:HG3	1:A:335:THR:OG1	2.19	0.43
1:B:325:ASN:O	1:B:328:LEU:HB2	2.19	0.43
1:A:294:GLU:HG2	1:A:300:TYR:CZ	2.54	0.43
2:C:8:MET:SD	2:C:12:ARG:NH2	2.78	0.43
1:A:278:TYR:CD2	1:A:283:GLU:HB2	2.53	0.43
1:B:364:SER:HB3	1:B:409:LYS:HD2	2.01	0.43
1:A:368:LEU:HD13	1:A:407:TYR:CZ	2.54	0.42
1:A:398:LEU:O	1:B:392:LYS:HD2	2.19	0.42
1:A:263:VAL:O	1:A:301:ARG:HA	2.19	0.42
1:A:318:GLU:HG3	1:A:337:SER:HB3	2.00	0.42
1:B:266:VAL:O	1:B:300:TYR:HB2	2.19	0.42
4:B:2:NAG:H82	4:B:8:FUC:C1	2.49	0.42
1:B:414:LYS:HB3	1:B:414:LYS:HE2	1.87	0.42
1:A:270:ASP:HA	1:A:326:LYS:NZ	2.34	0.42
1:A:311:GLN:O	1:A:315:ASN:N	2.52	0.42
1:A:278:TYR:HA	1:A:282:VAL:O	2.20	0.41
1:B:357:GLU:OE2	1:B:364:SER:OG	2.37	0.41
1:B:259:VAL:CG1	1:B:336:ILE:HD11	2.47	0.41
1:A:277:TRP:CD1	1:A:287:ALA:HB2	2.55	0.41
5:A:499:HOH:O	1:B:354:SER:HA	2.20	0.41
1:A:354:SER:HB2	1:B:349:TYR:HB3	2.02	0.41
1:B:246:LYS:O	1:B:249:ASP:HB2	2.20	0.41
1:B:365:LEU:HB3	1:B:441:LEU:HD23	2.03	0.41
1:B:434:ASN:HA	2:D:15:TYR:CG	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:24:ASN:OD1	2:C:27:GLN:HG3	2.21	0.40
1:A:255:ARG:CG	1:A:255:ARG:NH1	2.82	0.40
1:B:272:GLU:HB3	1:B:326:LYS:CE	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/212 (97%)	198 (96%)	6 (3%)	2 (1%)	19	21
1	B	206/212 (97%)	200 (97%)	6 (3%)	0	100	100
2	C	32/34 (94%)	31 (97%)	1 (3%)	0	100	100
2	D	32/34 (94%)	31 (97%)	1 (3%)	0	100	100
All	All	476/492 (97%)	460 (97%)	14 (3%)	2 (0%)	39	48

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	292	ARG
1	A	296	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	194/196 (99%)	161 (83%)	33 (17%)	2	2
1	B	193/196 (98%)	165 (86%)	28 (14%)	4	3
2	C	32/32 (100%)	30 (94%)	2 (6%)	22	29
2	D	32/32 (100%)	28 (88%)	4 (12%)	6	6
All	All	451/456 (99%)	384 (85%)	67 (15%)	4	3

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	242	LEU
1	A	254	SER
1	A	255	ARG
1	A	258	GLU
1	A	267	SER
1	A	268	HIS
1	A	269	GLU
1	A	270	ASP
1	A	272	GLU
1	A	274	LYS
1	A	286	ASN
1	A	288	LYS
1	A	290	LYS
1	A	293	GLU
1	A	296	TYR
1	A	307	THR
1	A	309	LEU
1	A	311	GLN
1	A	317	LYS
1	A	322	LYS
1	A	324	SER
1	A	326	LYS
1	A	328	LEU
1	A	342	GLN
1	A	347	GLN
1	A	360	LYS
1	A	368	LEU
1	A	390	ASN
1	A	392	LYS
1	A	409	LYS
1	A	419	GLN
1	A	424	SER
1	A	443	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	8	MET
2	C	34	SER
1	B	242	LEU
1	B	252	MET
1	B	254	SER
1	B	255	ARG
1	B	267	SER
1	B	274	LYS
1	B	286	ASN
1	B	288	LYS
1	B	293	GLU
1	B	296	TYR
1	B	298	SER
1	B	309	LEU
1	B	311	GLN
1	B	317	LYS
1	B	318	GLU
1	B	322	LYS
1	B	324	SER
1	B	326	LYS
1	B	328	LEU
1	B	334	LYS
1	B	340	LYS
1	B	354	SER
1	B	360	LYS
1	B	364	SER
1	B	390	ASN
1	B	406	LEU
1	B	419	GLN
1	B	439	LYS
2	D	8	MET
2	D	13	ARG
2	D	28	ARG
2	D	39	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	361	ASN
1	A	390	ASN
1	A	429	HIS
1	A	434	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	19	HIS
1	B	361	ASN
1	B	362	GLN
1	B	384	ASN
1	B	390	ASN
1	B	418	GLN
1	B	429	HIS
1	B	434	ASN
2	D	19	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

16 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	1	1,3	14,14,15	0.58	0	15,19,21	0.82	1 (6%)
3	NAG	A	2	3	14,14,15	0.62	0	15,19,21	0.53	0
3	BMA	A	3	3	11,11,12	0.47	0	14,15,17	0.65	0
3	MAN	A	4	3	11,11,12	0.52	0	14,15,17	0.98	2 (14%)
3	NAG	A	5	3	14,14,15	0.54	0	15,19,21	0.90	1 (6%)
3	MAN	A	6	3	11,11,12	0.52	0	14,15,17	0.66	0
3	FUL	A	8	3	10,10,11	0.66	0	14,14,16	0.91	1 (7%)
3	NAG	A	9	3	14,14,15	0.61	0	15,19,21	0.63	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	1	1,4	14,14,15	0.56	0	15,19,21	0.79	1 (6%)
4	NAG	B	2	4	14,14,15	0.52	0	15,19,21	0.76	0
4	BMA	B	3	4	11,11,12	0.43	0	14,15,17	1.10	2 (14%)
4	MAN	B	4	4	11,11,12	0.54	0	14,15,17	0.79	1 (7%)
4	NAG	B	5	4	14,14,15	0.50	0	15,19,21	0.56	0
4	MAN	B	6	4	11,11,12	1.04	1 (9%)	14,15,17	1.67	2 (14%)
4	FUC	B	8	4	10,10,11	0.75	0	14,14,16	0.79	1 (7%)
4	NDG	B	9	4	14,14,15	0.64	0	15,19,21	0.82	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	2	3	-	0/6/23/26	0/1/1/1
3	BMA	A	3	3	-	0/2/19/22	0/1/1/1
3	MAN	A	4	3	-	0/2/19/22	0/1/1/1
3	NAG	A	5	3	-	0/6/23/26	0/1/1/1
3	MAN	A	6	3	-	0/2/19/22	0/1/1/1
3	FUL	A	8	3	-	0/0/17/20	0/1/1/1
3	NAG	A	9	3	-	0/6/23/26	0/1/1/1
4	NAG	B	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	B	2	4	-	0/6/23/26	0/1/1/1
4	BMA	B	3	4	-	0/2/19/22	0/1/1/1
4	MAN	B	4	4	-	0/2/19/22	0/1/1/1
4	NAG	B	5	4	-	0/6/23/26	0/1/1/1
4	MAN	B	6	4	-	0/2/19/22	0/1/1/1
4	FUC	B	8	4	1/1/4/5	0/0/17/20	0/1/1/1
4	NDG	B	9	4	-	0/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	6	MAN	C2-C3	3.07	1.56	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	5	NAG	C2-N2-C7	-2.83	119.40	123.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1	NAG	C2-N2-C7	-2.64	119.64	123.04
4	B	9	NDG	C2-N2-C7	-2.42	119.94	123.04
4	B	3	BMA	O3-C3-C4	-2.31	105.14	110.34
4	B	1	NAG	C2-N2-C7	-2.21	120.20	123.04
3	A	4	MAN	C1-C2-C3	2.00	111.91	109.54
4	B	3	BMA	C2-C3-C4	2.06	114.54	111.04
3	A	8	FUL	C1-O5-C5	2.11	115.64	112.38
3	A	4	MAN	C1-O5-C5	2.12	114.93	112.25
4	B	6	MAN	O2-C2-C3	2.28	114.71	110.12
4	B	8	FUC	C1-O5-C5	2.29	115.92	112.38
4	B	4	MAN	C1-O5-C5	2.39	115.28	112.25
4	B	6	MAN	C1-C2-C3	5.24	115.74	109.54

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	B	8	FUC	C1

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1	NAG	1	0
4	B	2	NAG	3	0
4	B	8	FUC	1	0

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	208/212 (98%)	0.02	14 (6%) 21 29	19, 36, 72, 96	0
1	B	208/212 (98%)	0.11	9 (4%) 39 48	21, 36, 72, 92	0
2	C	34/34 (100%)	0.10	1 (2%) 55 64	25, 42, 71, 99	0
2	D	34/34 (100%)	0.42	2 (5%) 26 34	29, 48, 73, 88	0
All	All	484/492 (98%)	0.09	26 (5%) 29 38	19, 38, 73, 99	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	6	PHE	10.7
1	A	296	TYR	8.0
2	D	6	PHE	6.0
1	B	296	TYR	5.8
1	B	366	THR	3.7
1	A	299	THR	3.6
1	B	368	LEU	3.2
1	A	300	TYR	3.0
1	B	407	TYR	2.9
1	A	368	LEU	2.7
2	D	23	LEU	2.7
1	B	367	CYS	2.7
1	A	351	LEU	2.7
1	A	366	THR	2.5
1	A	294	GLU	2.5
1	A	367	CYS	2.3
1	A	407	TYR	2.3
1	A	268	HIS	2.3
1	A	269	GLU	2.3
1	B	298	SER	2.2
1	A	384	ASN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	293	GLU	2.2
1	B	355	ARG	2.1
1	B	369	VAL	2.1
1	A	298	SER	2.1
1	A	355	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NAG	A	5	14/15	0.84	0.14	0.44	60,65,68,75	0
3	NAG	A	2	14/15	0.93	0.15	0.36	52,57,62,62	0
4	NAG	B	2	14/15	0.93	0.11	-0.83	38,47,50,60	0
4	NAG	B	5	14/15	0.92	0.10	-1.03	33,36,41,42	0
4	BMA	B	3	11/12	0.95	0.07	-	44,46,55,57	0
4	NAG	B	1	14/15	0.87	0.14	-	49,56,66,71	0
3	NAG	A	1	14/15	0.79	0.17	-	62,75,83,87	0
3	BMA	A	3	11/12	0.94	0.11	-	37,46,51,52	0
4	FUC	B	8	10/11	0.87	0.25	-	66,71,75,90	0
4	MAN	B	4	11/12	0.92	0.09	-	33,41,48,50	0
3	MAN	A	6	11/12	0.92	0.14	-	59,67,76,78	0
3	MAN	A	4	11/12	0.92	0.15	-	49,56,65,66	0
4	MAN	B	6	11/12	0.86	0.13	-	49,57,62,71	0
4	NDG	B	9	14/15	0.85	0.24	-	75,84,90,93	0
3	NAG	A	9	14/15	0.89	0.24	-	84,91,95,99	0
3	FUL	A	8	10/11	0.82	0.30	-	80,85,91,97	0

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.