



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:22 AM GMT

PDB ID : 3OSP
Title : Structure of rev1
Authors : Nair, D.T.; Aggarwal, A.K.
Deposited on : 2010-09-09
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	434	<div> <div>70%</div> <div>25%</div> <div>..</div> </div>
2	T	16	<div> <div>6%</div> <div>19%</div> <div>63%</div> <div>19%</div> </div>
3	P	12	<div> <div>8%</div> <div>50%</div> <div>50%</div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4158 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA repair protein REV1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	S	0	0	0
			3419	2179	585	632	23			


- Molecule 2 is a DNA chain called 5'-D(*TP*AP*AP*(3DR)P*GP*TP*AP*GP*GP*GP*GP*AP*GP*GP*AP*T)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	T	16	Total	C	N	O	P	0	0	0
			327	155	66	91	15			

- Molecule 3 is a DNA chain called 5'-D(*AP*TP*CP*CP*TP*CP*CP*CP*CP*TP*AP*(D OC))-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	P	12	Total	C	N	O	P	0	0	0
			231	113	37	70	11			

- Molecule 4 is 2'-DEOXYCYTIDINE-5'-TRIPHOSPHATE (three-letter code: DCP) (formula: C₉H₁₆N₃O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			28	9	3	13	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mg	0	0
			2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	139	Total	O	0	0
			139	139		
6	T	9	Total	O	0	0
			9	9		
6	P	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA repair protein REV1



- Molecule 2: 5'-D(*TP*AP*AP*(3DR)P*GP*TP*AP*GP*GP*GP*GP*AP*GP*GP*AP*T)-3'



- Molecule 3: 5'-D(*AP*TP*CP*CP*TP*CP*CP*CP*CP*TP*AP*(DOC))-3'



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	180.02Å 200.24Å 55.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.50 43.75 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.50) 94.1 (43.75-2.50)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.03 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.204 , 0.255 0.210 , 0.251	Depositor DCC
R_{free} test set	2688 reflections (8.06%)	DCC
Wilson B-factor (Å ²)	36.6	Xtriage
Anisotropy	0.717	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 49.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 33330 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4158	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DOC, MG, 3DR, DCP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.10	6/3487 (0.2%)	1.04	15/4700 (0.3%)
2	T	1.76	4/356 (1.1%)	2.60	38/548 (6.9%)
3	P	1.84	1/236 (0.4%)	2.65	27/360 (7.5%)
All	All	1.23	11/4079 (0.3%)	1.42	80/5608 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	382	CYS	CB-SG	-9.25	1.66	1.82
2	T	11	DG	N7-C5	7.11	1.43	1.39
1	A	403	CYS	CB-SG	-6.53	1.71	1.82
2	T	2	DA	O3'-P	6.26	1.68	1.61
1	A	708	ALA	CA-CB	-6.08	1.39	1.52
3	P	6	DC	C3'-O3'	-5.97	1.36	1.44
1	A	439	GLU	CG-CD	5.96	1.60	1.51
1	A	310	CYS	CB-SG	-5.83	1.72	1.81
2	T	8	DG	N7-C5	-5.76	1.35	1.39
2	T	6	DT	O5'-C5'	-5.30	1.28	1.42
1	A	546	LYS	CD-CE	5.24	1.64	1.51

All (80) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	P	8	DC	OP1-P-OP2	11.15	136.32	119.60
2	T	5	DG	O4'-C1'-N9	-9.62	101.27	108.00
2	T	6	DT	O4'-C1'-N1	9.26	114.48	108.00
2	T	3	DA	O4'-C4'-C3'	-9.24	100.46	106.00
2	T	6	DT	C5'-C4'-C3'	-8.70	98.44	114.10
2	T	6	DT	O5'-P-OP1	-8.68	97.89	105.70
1	A	525	LYS	C-N-CD	8.67	146.61	128.40
3	P	8	DC	O5'-P-OP2	-8.55	98.01	105.70
3	P	11	DA	O4'-C1'-N9	-8.51	102.04	108.00
1	A	666	LEU	CA-CB-CG	8.22	134.21	115.30
3	P	7	DC	O4'-C1'-N1	8.14	113.70	108.00
1	A	711	MET	CG-SD-CE	-8.04	87.33	100.20
3	P	10	DT	O4'-C1'-N1	-7.30	102.89	108.00
3	P	11	DA	C2-N3-C4	-7.21	106.99	110.60
2	T	3	DA	O4'-C1'-N9	6.96	112.87	108.00
2	T	8	DG	P-O3'-C3'	6.94	128.03	119.70
3	P	1	DA	P-O3'-C3'	6.90	127.98	119.70
2	T	9	DG	C5-C6-N1	6.89	114.94	111.50
2	T	5	DG	C8-N9-C4	-6.67	103.73	106.40
3	P	11	DA	C4'-C3'-C2'	6.63	109.07	103.10
3	P	6	DC	N3-C4-C5	-6.58	119.27	121.90
2	T	1	DT	C5-C4-O4	-6.58	120.30	124.90
3	P	2	DT	N3-C2-O2	-6.55	118.37	122.30
2	T	12	DA	N1-C2-N3	-6.52	126.04	129.30
2	T	9	DG	P-O5'-C5'	-6.44	110.60	120.90
3	P	4	DC	O4'-C1'-N1	6.38	112.47	108.00
2	T	2	DA	O5'-P-OP2	-6.33	100.00	105.70
1	A	671	ARG	NE-CZ-NH2	-6.30	117.15	120.30
3	P	6	DC	OP1-P-OP2	6.23	128.95	119.60
1	A	581	ASP	CB-CG-OD2	-6.23	112.69	118.30
3	P	5	DT	N1-C2-N3	6.09	118.26	114.60
2	T	8	DG	C8-N9-C4	-6.09	103.96	106.40
3	P	5	DT	C2-N3-C4	-6.08	123.56	127.20
2	T	12	DA	C6-N1-C2	6.07	122.24	118.60
2	T	1	DT	N3-C4-O4	6.02	123.51	119.90
3	P	8	DC	N3-C4-C5	5.99	124.30	121.90
2	T	9	DG	N3-C4-C5	-5.98	125.61	128.60
2	T	8	DG	OP2-P-O3'	5.98	118.35	105.20
3	P	10	DT	C5-C4-O4	-5.93	120.75	124.90
1	A	525	LYS	C-N-CA	-5.92	97.11	122.00
3	P	3	DC	N1-C2-O2	-5.91	115.35	118.90
2	T	6	DT	N1-C2-N3	5.91	118.14	114.60
2	T	14	DG	N1-C6-O6	-5.89	116.36	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	T	11	DG	N9-C4-C5	5.84	107.74	105.40
2	T	5	DG	N9-C4-C5	5.82	107.73	105.40
2	T	9	DG	C6-N1-C2	-5.74	121.65	125.10
1	A	408	ARG	NE-CZ-NH2	-5.68	117.46	120.30
2	T	12	DA	O4'-C4'-C3'	-5.68	102.23	104.50
2	T	7	DA	C4'-C3'-C2'	5.65	108.18	103.10
2	T	6	DT	N3-C4-O4	5.64	123.28	119.90
3	P	7	DC	C4'-C3'-C2'	5.63	108.17	103.10
1	A	460	LEU	CB-CG-CD1	-5.63	101.43	111.00
2	T	9	DG	N1-C6-O6	-5.61	116.53	119.90
2	T	2	DA	C2-N3-C4	5.58	113.39	110.60
3	P	11	DA	C6-N1-C2	5.58	121.95	118.60
2	T	14	DG	C5-C6-N1	5.57	114.28	111.50
1	A	518	ARG	NE-CZ-NH2	-5.53	117.54	120.30
2	T	5	DG	C6-N1-C2	-5.44	121.83	125.10
3	P	3	DC	C5-C6-N1	5.44	123.72	121.00
1	A	424	MET	CG-SD-CE	-5.41	91.55	100.20
2	T	6	DT	C6-N1-C2	-5.39	118.60	121.30
3	P	7	DC	O4'-C1'-C2'	5.38	110.20	105.90
3	P	2	DT	P-O3'-C3'	5.36	126.13	119.70
2	T	2	DA	N1-C2-N3	-5.36	126.62	129.30
1	A	661	THR	CB-CA-C	-5.33	97.20	111.60
2	T	8	DG	O4'-C1'-N9	5.30	111.71	108.00
2	T	2	DA	OP1-P-OP2	5.28	127.51	119.60
2	T	5	DG	N3-C4-C5	-5.26	125.97	128.60
2	T	9	DG	N1-C2-N2	-5.26	111.47	116.20
2	T	15	DA	O4'-C1'-N9	5.24	111.67	108.00
2	T	6	DT	P-O3'-C3'	-5.18	113.48	119.70
3	P	3	DC	N3-C4-N4	5.18	121.62	118.00
3	P	11	DA	C5-C6-N1	-5.17	115.12	117.70
1	A	693	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	A	455	LEU	C-N-CA	-5.03	109.14	121.70
3	P	9	DC	O4'-C1'-N1	-5.03	104.48	108.00
1	A	725	LEU	CB-CG-CD2	-5.02	102.47	111.00
1	A	581	ASP	CB-CG-OD1	5.02	122.81	118.30
3	P	8	DC	C4-C5-C6	-5.01	114.90	117.40
3	P	11	DA	O4'-C1'-C2'	5.00	109.90	105.90

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	347	TYR	Peptide
1	A	524	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3419	0	3455	69	0
2	T	327	0	178	7	0
3	P	231	0	137	8	0
4	A	28	0	12	2	0
5	A	2	0	0	0	0
6	A	139	0	0	2	0
6	P	3	0	0	0	0
6	T	9	0	0	0	0
All	All	4158	0	3782	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:501:THR:HG21	1:A:504:CYS:HB2	1.44	0.97
3:P:11:DA:H2''	3:P:12:DOC:H5''	1.45	0.97
2:T:3:DA:H5''	2:T:4:3DR:H5'	1.51	0.93
1:A:497:ILE:O	1:A:501:THR:HB	1.70	0.92
3:P:7:DC:H4'	3:P:7:DC:OP1	1.74	0.86
1:A:501:THR:CG2	1:A:504:CYS:HB2	2.14	0.78
1:A:326:HIS:HD2	2:T:6:DT:OP1	1.67	0.77
1:A:501:THR:CG2	1:A:504:CYS:H	2.01	0.74
1:A:364:ASP:OD2	1:A:505:THR:HG22	1.88	0.72
1:A:501:THR:HG22	1:A:504:CYS:H	1.56	0.70
1:A:318:SER:O	1:A:322:HIS:HD2	1.74	0.70
1:A:525:LYS:O	1:A:527:ASN:N	2.26	0.68
3:P:1:DA:H1'	3:P:2:DT:C5'	2.26	0.66
1:A:365:CYS:HA	4:A:739:DCP:O1B	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:635:ASN:ND2	1:A:638:GLN:H	1.97	0.62
1:A:668:LEU:C	1:A:668:LEU:HD12	2.20	0.62
1:A:573:ASP:O	1:A:577:ARG:HG3	2.01	0.60
1:A:362:ASP:OD1	1:A:525:LYS:NZ	2.31	0.60
1:A:635:ASN:HD22	1:A:635:ASN:C	2.04	0.60
1:A:460:LEU:HD12	1:A:460:LEU:C	2.23	0.59
1:A:525:LYS:O	1:A:526:PRO:C	2.35	0.58
1:A:510:CYS:O	1:A:531:ILE:O	2.21	0.58
1:A:520:ALA:HB1	1:A:530:ASN:HD22	1.67	0.58
1:A:674:ASP:CB	1:A:687:ARG:HH22	2.17	0.58
1:A:632:ARG:NH1	1:A:678:GLU:OE1	2.37	0.57
1:A:661:THR:CG2	1:A:732:PHE:HB3	2.33	0.57
2:T:3:DA:H5''	2:T:4:3DR:C5'	2.29	0.57
1:A:348:THR:HG23	1:A:614:PRO:HG2	1.88	0.56
1:A:523:MET:HE3	1:A:530:ASN:OD1	2.05	0.56
1:A:323:SER:O	1:A:327:HIS:HD2	1.89	0.55
1:A:349:LYS:HB3	1:A:612:TYR:O	2.07	0.55
1:A:640:ASP:OD2	1:A:716:ARG:NH2	2.40	0.54
1:A:501:THR:HG21	1:A:504:CYS:CB	2.28	0.54
1:A:365:CYS:HA	4:A:739:DCP:PB	2.48	0.53
1:A:661:THR:HG23	1:A:732:PHE:HB3	1.89	0.53
1:A:331:TRP:HE1	1:A:442:GLN:HE21	1.56	0.53
3:P:7:DC:H2''	3:P:8:DC:H5'	1.90	0.53
1:A:364:ASP:OD2	1:A:505:THR:CG2	2.55	0.53
1:A:669:MET:CE	1:A:685:MET:HE1	2.39	0.53
1:A:674:ASP:HB2	1:A:687:ARG:HH22	1.75	0.52
1:A:604:ASP:OD1	1:A:607:SER:OG	2.26	0.52
1:A:339:PHE:CD2	1:A:618:LEU:HD12	2.46	0.51
2:T:3:DA:C5'	2:T:4:3DR:H5'	2.33	0.51
1:A:501:THR:CG2	1:A:504:CYS:CB	2.86	0.51
3:P:2:DT:H2''	3:P:3:DC:OP2	2.10	0.51
1:A:495:GLN:OE1	1:A:499:GLN:NE2	2.45	0.50
3:P:1:DA:H1'	3:P:2:DT:H5''	1.95	0.48
1:A:619:GLN:HG3	6:A:841:HOH:O	2.14	0.48
1:A:363:PHE:CD1	1:A:467:ASP:HB2	2.49	0.47
1:A:674:ASP:HB2	1:A:687:ARG:NH2	2.29	0.47
1:A:402:SER:HA	1:A:414:ASN:OD1	2.15	0.47
1:A:405:TYR:OH	1:A:525:LYS:HG2	2.16	0.46
1:A:667:LYS:HB3	1:A:729:ALA:HB3	1.98	0.46
1:A:460:LEU:CD1	1:A:462:LEU:HG	2.45	0.46
1:A:322:HIS:CE1	2:T:3:DA:N6	2.84	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:654:LEU:HD22	1:A:659:LYS:O	2.16	0.45
1:A:487:ALA:O	1:A:491:GLU:HG3	2.16	0.45
1:A:501:THR:CG2	1:A:504:CYS:N	2.75	0.45
1:A:599:LEU:HD23	1:A:599:LEU:HA	1.73	0.45
2:T:5:DG:H2''	2:T:6:DT:H5''	1.99	0.45
1:A:407:ALA:O	1:A:412:ILE:HB	2.16	0.45
3:P:7:DC:C4'	3:P:7:DC:OP1	2.54	0.45
1:A:674:ASP:HB3	1:A:687:ARG:HH22	1.80	0.45
1:A:318:SER:O	1:A:322:HIS:CD2	2.62	0.43
1:A:539:GLU:HG2	1:A:572:ASN:HD21	1.82	0.43
1:A:668:LEU:O	1:A:668:LEU:HD12	2.18	0.43
1:A:547:LEU:HB2	1:A:558:LEU:HD23	2.01	0.43
1:A:635:ASN:ND2	1:A:635:ASN:C	2.71	0.42
1:A:619:GLN:CG	6:A:841:HOH:O	2.67	0.42
1:A:470:VAL:O	1:A:470:VAL:HG12	2.18	0.42
1:A:661:THR:HG21	1:A:732:PHE:HB3	2.02	0.42
1:A:635:ASN:HD21	1:A:638:GLN:H	1.68	0.42
1:A:520:ALA:CB	1:A:530:ASN:HD22	2.31	0.42
1:A:632:ARG:NH2	1:A:684:GLY:O	2.53	0.41
1:A:458:PHE:CG	1:A:471:CYS:HB3	2.56	0.41
1:A:322:HIS:CG	2:T:3:DA:C6	3.09	0.41
1:A:364:ASP:O	1:A:365:CYS:C	2.59	0.41
3:P:1:DA:H1'	3:P:2:DT:H5'	2.02	0.41
1:A:360:HIS:CD2	1:A:521:LEU:HD22	2.56	0.40
1:A:665:THR:OG1	1:A:733:ASN:ND2	2.51	0.40
1:A:493:ILE:HG22	1:A:497:ILE:HD12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	424/434 (98%)	408 (96%)	14 (3%)	2 (0%)	34 55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	306	ARG
1	A	532	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	385/391 (98%)	344 (89%)	41 (11%)	8 16

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	305	LYS
1	A	324	ARG
1	A	328	LEU
1	A	337	ASP
1	A	344	ILE
1	A	348	THR
1	A	353	LYS
1	A	362	ASP
1	A	375	ARG
1	A	386	ARG
1	A	431	LEU
1	A	466	ILE
1	A	476	PRO
1	A	484	THR
1	A	495	GLN
1	A	501	THR
1	A	505	THR
1	A	506	VAL
1	A	515	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	518	ARG
1	A	556	SER
1	A	558	LEU
1	A	559	SER
1	A	574	LEU
1	A	580	LEU
1	A	583	LEU
1	A	589	SER
1	A	591	LEU
1	A	607	SER
1	A	619	GLN
1	A	635	ASN
1	A	653	LYS
1	A	654	LEU
1	A	661	THR
1	A	666	LEU
1	A	693	ARG
1	A	695	SER
1	A	723	MET
1	A	724	GLU
1	A	728	LEU
1	A	737	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	322	HIS
1	A	326	HIS
1	A	327	HIS
1	A	420	GLN
1	A	442	GLN
1	A	459	ASN
1	A	495	GLN
1	A	499	GLN
1	A	572	ASN
1	A	635	ASN
1	A	648	GLN
1	A	663	GLN
1	A	733	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	DOC	P	12	3,2	11,19,20	0.83	0	14,26,29	1.03	1 (7%)
2	3DR	T	4	2	7,11,12	0.97	0	8,14,17	1.42	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DOC	P	12	3,2	-	0/3/18/19	0/2/2/2
2	3DR	T	4	2	-	0/3/15/16	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	T	4	3DR	O3'-C3'-C2'	-2.70	105.54	111.71
3	P	12	DOC	C2-N3-C4	3.11	120.00	115.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	P	12	DOC	1	0
2	T	4	3DR	3	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DCP	A	739	5	21,29,29	1.88	6 (28%)	33,45,45	2.34	10 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DCP	A	739	5	-	0/18/34/34	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	739	DCP	PA-O5'	-4.28	1.39	1.59
4	A	739	DCP	PA-O1A	-3.31	1.39	1.51
4	A	739	DCP	C5-C4	2.38	1.46	1.40
4	A	739	DCP	O5'-C5'	2.45	1.54	1.44
4	A	739	DCP	PG-O1G	2.55	1.59	1.51
4	A	739	DCP	C6-N1	3.89	1.41	1.35

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	739	DCP	C2'-C1'-N1	-7.88	95.00	114.16
4	A	739	DCP	PB-O3A-PA	-2.14	126.73	132.73
4	A	739	DCP	O3'-C3'-C2'	2.03	117.47	110.74
4	A	739	DCP	C3'-C2'-C1'	2.07	107.39	102.40
4	A	739	DCP	O4'-C4'-C3'	2.11	110.99	105.67
4	A	739	DCP	O2B-PB-O3B	2.54	116.62	105.09
4	A	739	DCP	O4'-C4'-C5'	2.90	119.69	109.32
4	A	739	DCP	O5'-C5'-C4'	3.46	121.86	109.12
4	A	739	DCP	C2-N3-C4	4.56	122.05	115.61
4	A	739	DCP	O4'-C1'-N1	5.60	117.42	107.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	739	DCP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	428/434 (98%)	-0.36	5 (1%) 81 83	16, 31, 55, 77	0
2	T	15/16 (93%)	-0.24	1 (6%) 21 23	21, 30, 59, 79	0
3	P	11/12 (91%)	-0.02	1 (9%) 11 12	26, 32, 65, 65	0
All	All	454/462 (98%)	-0.35	7 (1%) 76 79	16, 31, 57, 79	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	347	TYR	2.9
2	T	16	DT	2.8
1	A	386	ARG	2.7
1	A	381	ALA	2.6
1	A	353	LYS	2.6
3	P	1	DA	2.4
1	A	477	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	3DR	T	4	11/12	0.97	0.13	-	21,24,29,29	0
3	DOC	P	12	18/19	0.89	0.25	-	52,60,67,67	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	DCP	A	739	28/28	0.98	0.21	2.00	26,29,31,32	0
5	MG	A	298	1/1	0.96	0.19	0.87	21,21,21,21	0
5	MG	A	297	1/1	0.88	0.20	-	53,53,53,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.