



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:33 PM GMT

PDB ID : 1PK5  
Title : Crystal structure of the orphan nuclear receptor LRH-1  
Authors : Sablin, E.P.; Krylova, I.N.; Fletterick, R.J.; Ingraham, H.A.  
Deposited on : 2003-06-04  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	248	<div> <div>8%</div> <div> <div></div> <div>59%</div> <div>32%</div> <div>6% ..</div> </div> </div>
1	B	248	<div> <div>9%</div> <div> <div></div> <div>53%</div> <div>32%</div> <div>10% • 5%</div> </div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4051 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Orphan nuclear receptor NR5A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	242	Total	C	N	O	S	0	0	0
			1972	1264	333	366	9			
1	B	236	Total	C	N	O	S	0	0	0
			1921	1235	321	356	9			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	525	LEU	ILE	SEE REMARK 999	UNP P45448
B	525	LEU	ILE	SEE REMARK 999	UNP P45448


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	91	Total	O	0	0
			91	91		
2	B	67	Total	O	0	0
			67	67		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Orphan nuclear receptor NR5A2



#### • Molecule 1: Orphan nuclear receptor NR5A2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	34.77Å 127.54Å 53.21Å 90.00° 91.72° 90.00°	Depositor
Resolution (Å)	24.55 – 2.40 40.85 – 2.37	Depositor EDS
% Data completeness (in resolution range)	99.1 (24.55-2.40) 97.0 (40.85-2.37)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.08 (at 2.37Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.208 , 0.235 0.207 , 0.235	Depositor DCC
$R_{free}$ test set	693 reflections (3.86%)	DCC
Wilson B-factor (Å <sup>2</sup> )	36.8	Xtriage
Anisotropy	0.436	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 76.9	EDS
Estimated twinning fraction	0.077 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 18203 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4051	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.19% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.43	0/2008	0.70	1/2717 (0.0%)
1	B	0.47	0/1956	0.70	1/2647 (0.0%)
All	All	0.45	0/3964	0.70	2/5364 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	4
All	All	0	5

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	545	VAL	O-C-N	-7.38	107.08	121.10
1	B	383	ILE	O-C-N	-5.01	114.68	122.70

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	545	VAL	Mainchain
1	B	383	ILE	Mainchain
1	B	421	THR	Mainchain
1	B	441	VAL	Mainchain
1	B	546	PRO	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1972	0	1981	82	0
1	B	1921	0	1929	95	0
2	A	91	0	0	0	0
2	B	67	0	0	1	0
All	All	4051	0	3910	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:419:GLU:HG2	1:A:420:GLY:H	1.06	1.15
1:B:545:VAL:H	1:B:546:PRO:HD2	1.10	1.12
1:B:418:LYS:HG3	1:B:421:THR:CG2	1.86	1.06
1:B:536:LEU:HD23	1:B:555:LEU:HD11	1.36	1.05
1:A:419:GLU:HG2	1:A:420:GLY:N	1.83	0.92
1:A:366:LYS:HD2	1:A:548:ASN:HD21	1.38	0.89
1:B:513:GLU:HA	1:B:513:GLU:OE1	1.74	0.88
1:A:398:GLN:HA	1:A:554:MET:HE1	1.55	0.87
1:B:545:VAL:N	1:B:546:PRO:HD2	1.87	0.87
1:B:508:TYR:HB3	1:B:511:GLN:HG3	1.54	0.86
1:A:419:GLU:CG	1:A:420:GLY:H	1.87	0.85
1:B:442:ALA:HA	1:B:445:ASN:ND2	1.94	0.83
1:B:418:LYS:HG3	1:B:421:THR:HG22	1.61	0.83
1:B:477:SER:C	1:B:479:ASP:H	1.82	0.82
1:B:478:SER:HB2	1:B:490:GLU:HG2	1.60	0.82
1:A:353:ASN:HD22	1:A:353:ASN:C	1.83	0.81
1:B:545:VAL:H	1:B:546:PRO:CD	1.93	0.80
1:B:441:VAL:HG22	1:B:442:ALA:N	1.96	0.80
1:B:539:LYS:HB3	1:B:545:VAL:CG2	2.14	0.77
1:A:353:ASN:O	1:A:354:ARG:HB2	1.84	0.77
1:B:539:LYS:HE3	1:B:539:LYS:HA	1.66	0.76
1:A:398:GLN:HA	1:A:554:MET:CE	2.14	0.76
1:B:349:GLN:HE22	1:B:363:LEU:HD11	1.49	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:442:ALA:HA	1:B:445:ASN:HD22	1.52	0.73
1:B:417:GLY:C	1:B:418:LYS:HG2	2.10	0.73
1:A:352:ARG:O	1:A:352:ARG:HG2	1.89	0.72
1:B:395:LYS:HE2	1:B:482:ASN:HB2	1.70	0.72
1:B:487:GLN:CD	1:B:487:GLN:H	1.91	0.71
1:A:407:LEU:HB2	1:A:525:LEU:HD21	1.72	0.70
1:B:510:GLN:NE2	1:B:510:GLN:HA	2.06	0.70
1:B:539:LYS:HB3	1:B:545:VAL:HG21	1.73	0.70
1:B:466:GLU:OE2	1:B:514:LYS:HE3	1.90	0.70
1:A:353:ASN:ND2	1:A:353:ASN:C	2.46	0.69
1:B:520:LEU:O	1:B:523:PRO:HD2	1.92	0.69
1:A:419:GLU:CG	1:A:420:GLY:N	2.50	0.67
1:A:355:GLN:O	1:A:356:GLU:HB2	1.95	0.67
1:B:478:SER:CB	1:B:490:GLU:HG2	2.24	0.67
1:B:441:VAL:HG13	1:B:442:ALA:H	1.61	0.66
1:A:549:ASN:O	1:A:553:GLU:HB2	1.97	0.65
1:B:418:LYS:HG3	1:B:421:THR:HG21	1.77	0.65
1:B:379:ALA:O	1:B:382:SER:HB3	1.95	0.65
1:B:362:GLY:O	1:B:366:LYS:HD2	1.97	0.64
1:B:545:VAL:N	1:B:546:PRO:CD	2.58	0.64
1:A:545:VAL:HG12	1:A:546:PRO:HD2	1.79	0.64
1:B:333:ASP:O	1:B:337:VAL:HG23	2.00	0.61
1:B:389:LYS:HE2	1:B:484:GLU:OE2	2.00	0.61
1:B:460:LEU:HD11	1:B:517:GLN:HB3	1.81	0.61
1:A:345:LEU:HD11	1:A:367:MET:HB3	1.82	0.61
1:B:485:ASN:OD1	1:B:487:GLN:HG2	2.00	0.61
1:B:418:LYS:HD3	1:B:429:HIS:NE2	2.15	0.60
1:A:379:ALA:O	1:A:382:SER:HB3	2.02	0.60
1:B:446:LEU:HD21	1:B:531:GLN:HG2	1.83	0.60
1:A:323:LEU:HD22	1:A:495:GLN:HG2	1.83	0.60
1:A:372:LEU:O	1:A:376:VAL:HG23	2.02	0.60
1:B:412:ARG:HD2	1:B:423:PHE:O	2.01	0.59
1:B:349:GLN:NE2	1:B:363:LEU:HD11	2.17	0.59
1:A:513:GLU:OE1	1:A:513:GLU:HA	2.01	0.59
1:A:398:GLN:HG2	1:A:554:MET:HE1	1.84	0.59
1:A:334:GLU:O	1:A:338:GLN:HG3	2.03	0.58
1:A:321:PRO:HG2	1:A:324:ILE:HD12	1.85	0.58
1:A:453:LEU:O	1:A:457:LEU:HD22	2.03	0.57
1:A:546:PRO:O	1:A:547:TYR:HB2	2.04	0.57
1:A:452:GLU:O	1:A:456:ARG:HG3	2.05	0.57
1:A:511:GLN:HG2	1:A:514:LYS:HB3	1.87	0.57

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:418:LYS:HD3	1:B:429:HIS:CE1	2.40	0.56
1:A:413:GLN:HG3	1:A:451:GLN:HE22	1.71	0.56
1:A:478:SER:OG	1:A:490:GLU:HG2	2.06	0.56
1:A:511:GLN:CG	1:A:514:LYS:HB3	2.36	0.56
1:A:398:GLN:CA	1:A:554:MET:HE1	2.33	0.55
1:A:342:MET:HG2	1:A:426:THR:HB	1.87	0.55
1:A:535:TYR:O	1:A:539:LYS:HG2	2.07	0.55
1:A:394:MET:O	1:A:398:GLN:HG3	2.07	0.55
1:B:359:SER:O	1:B:363:LEU:HD12	2.06	0.54
1:B:477:SER:C	1:B:479:ASP:N	2.55	0.54
1:B:510:GLN:HE21	1:B:510:GLN:HA	1.71	0.54
1:B:402:SER:HB3	2:B:20:HOH:O	2.07	0.54
1:A:366:LYS:HD2	1:A:548:ASN:ND2	2.17	0.53
1:B:540:HIS:CD2	1:B:546:PRO:HB3	2.43	0.53
1:B:552:ILE:HA	1:B:555:LEU:HD13	1.91	0.53
1:A:355:GLN:O	1:A:356:GLU:CB	2.56	0.53
1:A:398:GLN:HG2	1:A:554:MET:CE	2.39	0.52
1:B:345:LEU:CD1	1:B:363:LEU:HD23	2.39	0.52
1:B:487:GLN:CD	1:B:487:GLN:N	2.62	0.52
1:A:511:GLN:HG2	1:A:514:LYS:CB	2.39	0.52
1:B:323:LEU:O	1:B:327:LEU:HG	2.10	0.52
1:B:396:LEU:CD1	1:B:483:LEU:HD21	2.39	0.52
1:B:486:LEU:O	1:B:490:GLU:HG3	2.10	0.52
1:A:500:LEU:O	1:A:504:THR:HG23	2.11	0.51
1:A:545:VAL:HG12	1:A:546:PRO:CD	2.41	0.50
1:A:478:SER:OG	1:A:493:GLN:NE2	2.45	0.50
1:A:441:VAL:O	1:A:444:ASN:HB2	2.12	0.50
1:A:432:TYR:HE2	1:A:451:GLN:HG3	1.76	0.50
1:B:385:PHE:HE1	1:B:396:LEU:HD23	1.77	0.50
1:B:438:HIS:O	1:B:439:THR:CG2	2.60	0.50
1:A:373:PHE:O	1:A:377:GLU:HG3	2.12	0.49
1:A:552:ILE:HG23	1:A:556:HIS:HD2	1.77	0.49
1:A:432:TYR:O	1:A:436:ILE:HG12	2.13	0.49
1:B:342:MET:HG2	1:B:426:THR:HB	1.94	0.49
1:B:521:ARG:N	1:B:521:ARG:CD	2.76	0.48
1:B:477:SER:HB3	1:B:479:ASP:HB3	1.96	0.48
1:B:522:LEU:HB2	1:B:523:PRO:HD3	1.96	0.48
1:B:524:GLU:O	1:B:528:ILE:HG13	2.13	0.48
1:B:536:LEU:CD2	1:B:555:LEU:HD11	2.27	0.48
1:B:334:GLU:HB2	1:B:335:PRO:HD3	1.96	0.48
1:B:540:HIS:HA	1:B:545:VAL:HB	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:356:GLU:O	1:A:357:LYS:HB2	2.13	0.48
1:A:343:ALA:O	1:A:347:GLN:HG2	2.13	0.48
1:A:334:GLU:HB3	1:A:335:PRO:HD3	1.95	0.48
1:A:547:TYR:O	1:A:552:ILE:HD13	2.15	0.47
1:A:380:ARG:HH11	1:A:380:ARG:HG3	1.79	0.47
1:B:383:ILE:HG12	1:B:384:PHE:CE2	2.49	0.47
1:A:554:MET:HA	1:A:554:MET:HE3	1.96	0.47
1:B:539:LYS:CE	1:B:539:LYS:HA	2.41	0.47
1:A:467:PHE:CZ	1:A:471:LYS:HD2	2.49	0.47
1:B:551:LEU:O	1:B:555:LEU:HD12	2.15	0.47
1:B:521:ARG:NH1	1:B:524:GLU:OE2	2.48	0.46
1:A:357:LYS:HA	1:A:357:LYS:HD3	1.45	0.46
1:B:432:TYR:CE2	1:B:436:ILE:HG13	2.51	0.45
1:A:465:ARG:HD2	1:A:503:TYR:CZ	2.52	0.45
1:B:450:ALA:O	1:B:454:VAL:HG23	2.17	0.45
1:B:383:ILE:O	1:B:386:ARG:HG2	2.17	0.45
1:B:511:GLN:HB3	1:B:514:LYS:HB2	1.99	0.45
1:B:383:ILE:HG23	1:B:384:PHE:H	1.82	0.45
1:B:378:TRP:CZ2	1:B:471:LYS:HE2	2.51	0.45
1:A:353:ASN:O	1:A:353:ASN:ND2	2.50	0.45
1:B:349:GLN:NE2	1:B:363:LEU:HD21	2.31	0.45
1:B:521:ARG:HA	1:B:521:ARG:HD2	1.66	0.44
1:A:419:GLU:CB	1:B:464:GLN:HE22	2.30	0.44
1:A:346:GLN:O	1:A:350:SER:N	2.50	0.44
1:A:465:ARG:HD2	1:A:503:TYR:OH	2.17	0.44
1:A:353:ASN:O	1:A:354:ARG:CB	2.61	0.44
1:A:361:PHE:HE2	1:A:545:VAL:HG22	1.82	0.44
1:B:345:LEU:HD13	1:B:363:LEU:HD23	1.99	0.44
1:B:321:PRO:HG2	1:B:324:ILE:HD12	1.98	0.44
1:B:333:ASP:HB3	1:B:336:GLN:HB2	1.99	0.44
1:A:348:GLU:HG3	1:A:352:ARG:NH1	2.33	0.43
1:B:333:ASP:OD2	1:B:336:GLN:NE2	2.52	0.43
1:B:549:ASN:OD1	1:B:550:LEU:N	2.52	0.43
1:A:398:GLN:CG	1:A:554:MET:HE1	2.47	0.43
1:A:478:SER:CB	1:A:493:GLN:HE22	2.32	0.43
1:B:350:SER:C	1:B:352:ARG:H	2.22	0.43
1:A:333:ASP:N	1:A:333:ASP:OD1	2.41	0.43
1:B:446:LEU:HD11	1:B:532:ALA:HA	2.00	0.43
1:A:352:ARG:HD3	1:A:358:LEU:HD21	1.99	0.43
1:A:514:LYS:O	1:A:518:LEU:HG	2.19	0.43
1:B:396:LEU:HD11	1:B:483:LEU:HD21	2.00	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:LEU:O	1:A:327:LEU:HG	2.18	0.42
1:B:521:ARG:HD3	1:B:521:ARG:N	2.35	0.42
1:A:348:GLU:CD	1:A:366:LYS:HE3	2.39	0.42
1:A:536:LEU:HD21	1:A:551:LEU:HD22	2.00	0.42
1:A:355:GLN:O	1:A:355:GLN:HG2	2.20	0.42
1:B:341:ILE:HG12	1:B:370:GLN:HB3	2.02	0.42
1:B:333:ASP:OD1	1:B:335:PRO:HD2	2.20	0.42
1:A:530:LYS:HA	1:A:530:LYS:HD3	1.88	0.42
1:B:501:LEU:C	1:B:501:LEU:HD23	2.40	0.42
1:B:481:LYS:HG2	1:B:481:LYS:H	1.54	0.41
1:B:508:TYR:O	1:B:511:GLN:HB2	2.20	0.41
1:B:412:ARG:HG2	1:B:423:PHE:HD2	1.85	0.41
1:A:467:PHE:CE2	1:A:471:LYS:HD2	2.56	0.41
1:A:379:ALA:O	1:A:385:PHE:HB3	2.21	0.41
1:A:513:GLU:HG3	1:A:516:GLY:H	1.85	0.41
1:A:376:VAL:O	1:A:380:ARG:HG2	2.21	0.41
1:A:432:TYR:CE1	1:A:436:ILE:HD11	2.56	0.41
1:B:483:LEU:HD12	1:B:483:LEU:HA	1.72	0.41
1:A:385:PHE:CE2	1:A:393:GLN:HB3	2.56	0.41
1:B:438:HIS:C	1:B:439:THR:HG23	2.41	0.41
1:A:550:LEU:HD23	1:A:550:LEU:HA	1.76	0.41
1:B:473:LEU:HA	1:B:473:LEU:HD12	1.93	0.40
1:A:509:PRO:HG2	1:A:510:GLN:OE1	2.21	0.40
1:B:501:LEU:O	1:B:505:VAL:HG13	2.20	0.40
1:B:539:LYS:HE3	1:B:539:LYS:CA	2.43	0.40
1:B:396:LEU:HD13	1:B:483:LEU:HD21	2.02	0.40
1:A:358:LEU:HD23	1:A:358:LEU:HA	1.97	0.40
1:B:511:GLN:NE2	1:B:514:LYS:HB2	2.36	0.40
1:B:438:HIS:O	1:B:439:THR:HG22	2.22	0.40
1:A:537:TYR:O	1:A:541:VAL:HG23	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	240/248 (97%)	219 (91%)	15 (6%)	6 (2%)	7	7
1	B	232/248 (94%)	211 (91%)	17 (7%)	4 (2%)	11	14
All	All	472/496 (95%)	430 (91%)	32 (7%)	10 (2%)	9	10

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	354	ARG
1	A	356	GLU
1	A	547	TYR
1	A	357	LYS
1	A	419	GLU
1	B	351	ASN
1	B	383	ILE
1	B	441	VAL
1	B	545	VAL
1	A	548	ASN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/226 (97%)	197 (90%)	23 (10%)	8	12
1	B	215/226 (95%)	178 (83%)	37 (17%)	2	3
All	All	435/452 (96%)	375 (86%)	60 (14%)	4	5

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	333	ASP
1	A	342	MET
1	A	349	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	352	ARG
1	A	353	ASN
1	A	354	ARG
1	A	355	GLN
1	A	357	LYS
1	A	359	SER
1	A	366	LYS
1	A	372	LEU
1	A	437	SER
1	A	457	LEU
1	A	481	LYS
1	A	484	GLU
1	A	505	VAL
1	A	514	LYS
1	A	521	ARG
1	A	526	ARG
1	A	542	ASN
1	A	544	ASP
1	A	550	LEU
1	A	558	LYS
1	B	342	MET
1	B	345	LEU
1	B	348	GLU
1	B	349	GLN
1	B	358	LEU
1	B	359	SER
1	B	366	LYS
1	B	372	LEU
1	B	383	ILE
1	B	396	LEU
1	B	405	LEU
1	B	418	LYS
1	B	419	GLU
1	B	429	HIS
1	B	431	ASP
1	B	440	GLU
1	B	441	VAL
1	B	457	LEU
1	B	465	ARG
1	B	470	LEU
1	B	473	LEU
1	B	481	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	483	LEU
1	B	487	GLN
1	B	494	GLU
1	B	495	GLN
1	B	511	GLN
1	B	513	GLU
1	B	517	GLN
1	B	520	LEU
1	B	521	ARG
1	B	529	SER
1	B	531	GLN
1	B	539	LYS
1	B	552	ILE
1	B	555	LEU
1	B	558	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	349	GLN
1	A	353	ASN
1	A	398	GLN
1	A	451	GLN
1	A	493	GLN
1	A	549	ASN
1	A	556	HIS
1	B	336	GLN
1	B	349	GLN
1	B	445	ASN
1	B	451	GLN
1	B	464	GLN
1	B	482	ASN
1	B	495	GLN
1	B	510	GLN
1	B	511	GLN
1	B	531	GLN
1	B	540	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	242/248 (97%)	0.13	19 (7%) 15 15	19, 42, 78, 83	0
1	B	236/248 (95%)	0.28	22 (9%) 11 10	23, 47, 82, 83	0
All	All	478/496 (96%)	0.20	41 (8%) 13 13	19, 44, 81, 83	0

All (41) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	547	TYR	7.0
1	A	355	GLN	6.8
1	A	353	ASN	6.4
1	B	359	SER	6.4
1	B	545	VAL	5.7
1	A	356	GLU	5.4
1	A	354	ARG	5.0
1	B	441	VAL	4.8
1	A	357	LYS	4.6
1	B	350	SER	4.0
1	A	546	PRO	4.0
1	B	360	ALA	3.7
1	A	358	LEU	3.6
1	B	358	LEU	3.4
1	B	363	LEU	3.1
1	B	438	HIS	3.1
1	B	549	ASN	3.1
1	A	319	SER	3.0
1	B	558	LYS	2.9
1	B	352	ARG	2.8
1	B	546	PRO	2.7
1	A	361	PHE	2.7
1	A	547	TYR	2.7
1	B	349	GLN	2.6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	437	SER	2.6
1	B	480	VAL	2.5
1	B	548	ASN	2.5
1	A	352	ARG	2.5
1	B	383	ILE	2.5
1	B	361	PHE	2.4
1	B	439	THR	2.4
1	A	391	ASP	2.4
1	A	559	ARG	2.4
1	B	346	GLN	2.4
1	A	557	ALA	2.3
1	A	482	ASN	2.3
1	A	484	GLU	2.2
1	A	545	VAL	2.2
1	A	544	ASP	2.1
1	A	318	ALA	2.0
1	B	351	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.