



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:40 PM GMT

PDB ID : 1Q2R
Title : Chemical trapping and crystal structure of a catalytic tRNA guanine transglycosylase covalent intermediate
Authors : Xie, W.; Liu, X.; Huang, R.H.
Deposited on : 2003-07-25
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1451 (2.90-2.90)
Clashscore	102246	1668 (2.90-2.90)
Ramachandran outliers	100387	1630 (2.90-2.90)
Sidechain outliers	100360	1632 (2.90-2.90)
RSRZ outliers	91569	1456 (2.90-2.90)
RNA backbone	2183	1093 (3.30-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	20	
1	F	20	
2	A	386	
2	B	386	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	C	386	<div> <div>%</div> <div> </div> <div>70%25% . .</div> </div>
2	D	386	<div> <div>3%</div> <div> </div> <div>66%27% . .</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	9DG	B	387	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 12672 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (5'-R(*AP*GP*CP*AP*CP*GP*GP*CP*UP*(N)P*UP*AP*AP*AP*CP*CP*GP*UP*GP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	E	20	Total	C	N	O	P	0	0	0
			414	186	74	135	19			
1	F	20	Total	C	N	O	P	0	0	0
			414	186	74	135	19			

- Molecule 2 is a protein called Queuine tRNA-ribosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	376	Total	C	N	O	S	0	0	0
			2933	1833	534	545	21			
2	B	372	Total	C	N	O	S	0	0	0
			2902	1817	526	538	21			
2	C	376	Total	C	N	O	S	0	0	0
			2933	1833	534	545	21			
2	D	372	Total	C	N	O	S	0	0	0
			2902	1817	526	538	21			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	INITIATING METHIONINE	UNP P28720
B	1	MET	-	INITIATING METHIONINE	UNP P28720
C	1	MET	-	INITIATING METHIONINE	UNP P28720
D	1	MET	-	INITIATING METHIONINE	UNP P28720

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		
3	C	1	Total	Zn	0	0
			1	1		

- Molecule 4 is 9-DEAZAGUANINE (three-letter code: 9DG) (formula: C₆H₆N₄O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			11	6	4	1		
4	B	1	Total	C	N	O	0	0
			11	6	4	1		
4	C	1	Total	C	N	O	0	0
			11	6	4	1		
4	D	1	Total	C	N	O	0	0
			11	6	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	39	Total	O	0	0
			39	39		
5	B	17	Total	O	0	0
			17	17		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	31	Total 31	O 31	0	0
5	D	26	Total 26	O 26	0	0
5	E	8	Total 8	O 8	0	0
5	F	5	Total 5	O 5	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RNA (5'-R(*AP*GP*CP*AP*CP*GP*GP*CP*UP*(N)P*UP*AP*AP*AP*CP*C P*GP*UP*GP*C)-3')

Chain E: 




- Molecule 1: RNA (5'-R(*AP*GP*CP*AP*CP*GP*GP*CP*UP*(N)P*UP*AP*AP*AP*CP*C P*GP*UP*GP*C)-3')

Chain F: 




- Molecule 2: Queuine tRNA-ribosyltransferase


Chain A: 




- Molecule 2: Queuine tRNA-ribosyltransferase

Chain B: 






• Molecule 2: Queuine tRNA-ribosyltransferase



• Molecule 2: Queuine tRNA-ribosyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	264.86Å 264.86Å 55.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.90 29.61 – 2.90	Depositor EDS
% Data completeness (in resolution range)	91.9 (30.00-2.90) 97.1 (29.61-2.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.79 (at 2.90Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.181 , 0.230 0.194 , 0.241	Depositor DCC
R_{free} test set	3455 reflections (8.14%)	DCC
Wilson B-factor (Å ²)	33.8	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.5	EDS
Estimated twinning fraction	0.015 for -k,-h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 43549 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	12672	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 9DG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	E	0.50	0/448	1.10	5/694 (0.7%)
1	F	0.50	0/448	1.07	8/694 (1.2%)
2	A	0.38	0/2995	0.63	2/4032 (0.0%)
2	B	0.37	0/2964	0.56	0/3992
2	C	0.40	0/2995	0.63	2/4032 (0.0%)
2	D	0.38	0/2964	0.56	0/3992
All	All	0.39	0/12814	0.65	17/17436 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	1	0

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	36	A	C2'-C3'-O3'	9.35	130.06	109.50
2	C	289	ARG	NE-CZ-NH2	-9.12	115.74	120.30
1	E	35	U	C2'-C3'-O3'	8.62	128.46	109.50
1	F	35	U	C2'-C3'-O3'	8.08	127.28	109.50
1	F	37	A	C2'-C3'-O3'	8.02	127.14	109.50
2	A	289	ARG	NE-CZ-NH1	-7.77	116.42	120.30
2	A	289	ARG	NE-CZ-NH2	7.76	124.18	120.30
2	C	289	ARG	NE-CZ-NH1	7.39	123.99	120.30
1	F	33	U	C5'-C4'-C3'	-7.24	104.42	116.00
1	E	37	A	N9-C1'-C2'	6.84	122.89	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	32	C	C5'-C4'-C3'	-6.09	106.25	116.00
1	E	33	U	N1-C1'-C2'	5.72	121.43	114.00
1	E	36	A	N9-C1'-C2'	5.69	121.39	114.00
1	F	36	A	N9-C1'-C2'	5.60	121.28	114.00
1	F	35	U	C4'-C3'-O3'	5.45	123.89	113.00
1	F	35	U	C4'-C3'-C2'	5.33	107.93	102.60
1	F	37	A	C4'-C3'-C2'	5.23	107.83	102.60

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	F	35	U	C3'

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	414	0	215	7	0
1	F	414	0	215	11	0
2	A	2933	0	2877	82	0
2	B	2902	0	2848	102	0
2	C	2933	0	2877	78	0
2	D	2902	0	2848	86	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	11	0	6	0	0
4	B	11	0	6	0	0
4	C	11	0	6	0	0
4	D	11	0	6	0	0
5	A	39	0	0	2	0
5	B	17	0	0	3	0
5	C	31	0	0	2	0
5	D	26	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	8	0	0	0	0
5	F	5	0	0	2	0
All	All	12672	0	11904	346	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (346) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:36:A:H5''	2:A:111:LEU:HD21	1.56	0.87
2:D:334:LEU:HD21	2:D:341:LEU:HD23	1.59	0.84
2:C:112:SER:O	2:C:115:THR:HG22	1.80	0.81
2:A:112:SER:O	2:A:115:THR:HG22	1.81	0.80
2:A:318:CYS:SG	2:A:320:CYS:HB3	2.21	0.79
2:B:174:ARG:HH11	2:B:174:ARG:HB2	1.47	0.79
2:D:364:SER:OG	2:D:370:PHE:HA	1.82	0.78
2:D:174:ARG:HB2	2:D:174:ARG:HH11	1.49	0.77
2:C:183:ARG:HD2	2:C:187:ASP:OD2	1.86	0.76
2:A:11:ARG:HG2	2:A:33:LYS:HA	1.68	0.75
2:B:334:LEU:HD21	2:B:341:LEU:HG	1.68	0.75
2:C:11:ARG:HG2	2:C:33:LYS:HA	1.69	0.75
2:A:38:ARG:O	2:A:41:ALA:HB2	1.87	0.74
2:B:71:THR:HG23	2:B:143:ILE:HG21	1.70	0.74
2:A:289:ARG:HD3	5:A:390:HOH:O	1.88	0.73
2:C:38:ARG:O	2:C:41:ALA:HB2	1.89	0.72
2:A:354:TYR:O	2:A:358:MET:HG2	1.89	0.72
2:B:11:ARG:HG2	2:B:11:ARG:HH11	1.54	0.71
2:D:71:THR:HG23	2:D:143:ILE:HG21	1.70	0.70
2:A:183:ARG:HD2	2:A:187:ASP:OD2	1.90	0.70
2:D:97:ARG:HB3	2:D:98:PRO:HD2	1.73	0.69
2:B:320:CYS:O	2:B:324:GLN:HG2	1.92	0.69
2:A:208:GLU:HB3	2:A:246:PHE:CZ	2.27	0.69
2:A:273:GLU:OE1	2:A:378:ARG:NH2	2.27	0.68
2:D:208:GLU:HG2	5:D:395:HOH:O	1.93	0.67
2:C:312:LYS:O	2:C:328:ARG:HG3	1.94	0.67
2:B:113:SER:HB3	2:B:125:LYS:HB3	1.77	0.67
2:C:352:ALA:O	2:C:356:GLN:HG3	1.95	0.67
2:C:332:HIS:CE1	2:C:336:ARG:HD2	2.29	0.66
2:A:52:LYS:HB3	5:A:390:HOH:O	1.96	0.66
2:C:208:GLU:HB3	2:C:246:PHE:CZ	2.31	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:284:PRO:HB2	2:C:351:ILE:HD12	1.76	0.66
2:C:39:THR:HA	2:C:40:PRO:C	2.17	0.65
2:A:39:THR:HA	2:A:40:PRO:C	2.17	0.65
2:A:97:ARG:HB3	2:A:98:PRO:HD2	1.79	0.65
2:B:38:ARG:O	2:B:41:ALA:HB2	1.96	0.65
2:C:273:GLU:OE1	2:C:378:ARG:NH2	2.28	0.64
2:C:43:MET:HG2	2:C:66:ILE:HG23	1.78	0.64
2:A:301:ASN:OD1	2:A:303:ARG:HD3	1.98	0.64
2:B:241:PHE:HB3	2:B:274:ARG:NH2	2.13	0.64
2:C:301:ASN:OD1	2:C:303:ARG:HD3	1.98	0.64
2:A:43:MET:CG	2:A:66:ILE:HG23	2.28	0.64
2:D:116:LYS:HB3	2:D:123:THR:HB	1.79	0.64
2:C:97:ARG:HB3	2:C:98:PRO:HD2	1.81	0.63
2:B:39:THR:HA	2:B:40:PRO:C	2.19	0.63
2:B:97:ARG:HB3	2:B:98:PRO:HD2	1.79	0.63
2:A:43:MET:HG2	2:A:66:ILE:HG23	1.80	0.63
2:D:241:PHE:HB3	2:D:274:ARG:NH2	2.14	0.63
2:D:11:ARG:HH11	2:D:11:ARG:HG2	1.63	0.63
2:A:263:GLY:O	2:A:264:LYS:HB2	1.99	0.63
2:D:128:LEU:HD12	2:D:129:ASP:N	2.13	0.63
2:B:116:LYS:HB3	2:B:123:THR:HB	1.80	0.63
1:E:25:A:H8	1:E:25:A:HO5'	1.46	0.62
2:B:259:LEU:HD21	2:B:262:VAL:HG21	1.81	0.62
2:D:284:PRO:HB2	2:D:351:ILE:HD12	1.81	0.61
2:B:137:PRO:O	2:B:141:ILE:HG12	1.99	0.61
2:C:43:MET:CG	2:C:66:ILE:HG23	2.31	0.61
2:C:263:GLY:O	2:C:264:LYS:HB2	1.98	0.61
2:A:40:PRO:HD2	2:A:362:ARG:HG2	1.83	0.61
2:D:113:SER:HB3	2:D:125:LYS:HB3	1.83	0.60
2:B:208:GLU:HB3	2:B:246:PHE:CZ	2.36	0.60
1:F:28:A:H1'	5:F:101:HOH:O	2.01	0.60
2:C:263:GLY:O	2:C:264:LYS:CB	2.50	0.60
2:D:38:ARG:O	2:D:41:ALA:HB2	2.02	0.60
1:F:36:A:H5''	2:C:111:LEU:HD21	1.83	0.59
2:D:39:THR:HA	2:D:40:PRO:C	2.23	0.59
2:A:274:ARG:HH11	2:A:274:ARG:HG3	1.68	0.59
2:A:263:GLY:O	2:A:264:LYS:CB	2.50	0.59
2:B:43:MET:HG2	2:B:66:ILE:HG23	1.83	0.59
2:B:128:LEU:HD12	2:B:129:ASP:N	2.17	0.58
2:B:259:LEU:CD2	2:B:262:VAL:HG21	2.34	0.58
2:D:259:LEU:HD21	2:D:262:VAL:HG21	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:287:SER:HB3	2:C:292:GLN:HB3	1.86	0.58
2:C:274:ARG:HH11	2:C:274:ARG:HG3	1.68	0.57
2:B:16:PHE:CD2	2:B:256:PRO:HD3	2.39	0.57
2:D:43:MET:HG2	2:D:66:ILE:HG23	1.87	0.57
2:B:183:ARG:HH21	2:B:223:PHE:HA	1.69	0.57
2:B:126:SER:HB3	2:B:130:GLY:H	1.70	0.57
2:B:172:MET:O	2:B:176:MET:HG2	2.04	0.57
2:A:31:GLU:HG2	2:A:36:VAL:HG22	1.87	0.56
1:E:28:A:OP2	2:A:336:ARG:NH2	2.26	0.56
1:F:28:A:OP2	2:C:336:ARG:NH2	2.39	0.56
2:B:233:VAL:O	2:B:233:VAL:HG22	2.05	0.56
2:B:11:ARG:HG2	2:B:11:ARG:NH1	2.15	0.56
2:D:126:SER:HB3	2:D:130:GLY:H	1.71	0.56
2:B:271:ALA:HB1	2:B:276:ILE:HG13	1.86	0.56
2:D:98:PRO:HA	2:D:150:ASP:OD2	2.06	0.56
2:C:295:THR:HB	2:C:315:ASP:OD1	2.06	0.56
2:D:208:GLU:HB3	2:D:246:PHE:CZ	2.40	0.56
2:A:361:ILE:O	2:A:365:ILE:HG13	2.06	0.55
2:D:137:PRO:O	2:D:141:ILE:HG12	2.06	0.55
2:A:62:THR:HB	2:A:352:ALA:HA	1.86	0.55
1:F:25:A:N3	1:F:25:A:O5'	2.27	0.55
2:B:116:LYS:O	2:B:116:LYS:HD3	2.05	0.55
1:F:35:U:H3	2:C:289:ARG:HH22	1.54	0.55
2:D:116:LYS:O	2:D:116:LYS:HD3	2.05	0.55
2:A:364:SER:HB2	2:A:370:PHE:HA	1.89	0.55
1:F:32:C:O2'	2:C:286:ARG:HD2	2.06	0.54
2:D:176:MET:SD	2:D:218:LEU:HD13	2.47	0.54
2:D:259:LEU:CD2	2:D:262:VAL:HG21	2.37	0.54
2:A:325:LYS:HD3	2:A:326:TRP:CZ2	2.42	0.54
2:C:357:LEU:O	2:C:361:ILE:HG13	2.08	0.54
1:E:36:A:C5'	2:A:111:LEU:HD21	2.31	0.53
2:C:308:SER:HA	2:C:332:HIS:CD2	2.43	0.53
2:D:183:ARG:HH21	2:D:223:PHE:HA	1.73	0.53
2:A:297:ASP:HB2	2:A:386:SER:HB2	1.90	0.53
2:D:11:ARG:NH1	2:D:11:ARG:HG2	2.22	0.53
2:D:332:HIS:O	2:D:336:ARG:HB2	2.09	0.53
2:D:248:VAL:HB	2:D:249:PRO:HD3	1.91	0.53
2:B:176:MET:SD	2:B:218:LEU:HD13	2.49	0.52
2:B:112:SER:HB3	2:B:124:PHE:HB2	1.91	0.52
2:C:334:LEU:HD21	2:C:341:LEU:HD23	1.91	0.52
2:D:186:PHE:CE1	2:D:193:ALA:HA	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:27:THR:HG22	2:D:365:ILE:HG22	1.92	0.52
1:E:30:G:O6	2:A:303:ARG:NH2	2.42	0.52
2:A:295:THR:HB	2:A:315:ASP:OD1	2.09	0.52
2:A:320:CYS:O	2:A:324:GLN:HG2	2.09	0.52
2:D:95:TRP:NE1	2:D:97:ARG:HB2	2.25	0.52
2:B:294:PHE:H	2:B:350:ASN:HD21	1.58	0.52
2:D:71:THR:HG22	2:D:75:MET:HE2	1.92	0.52
2:D:112:SER:HB3	2:D:124:PHE:HB2	1.92	0.52
2:C:248:VAL:HB	2:C:249:PRO:HD3	1.92	0.52
2:B:36:VAL:HG22	5:B:401:HOH:O	2.10	0.52
2:D:208:GLU:HB3	2:D:246:PHE:CE1	2.45	0.51
2:B:208:GLU:HB3	2:B:246:PHE:CE1	2.45	0.51
2:A:352:ALA:O	2:A:356:GLN:HG3	2.11	0.51
2:D:172:MET:O	2:D:176:MET:HG2	2.10	0.51
2:B:320:CYS:SG	2:B:322:VAL:HB	2.51	0.51
2:D:212:GLN:HA	2:D:250:MET:SD	2.50	0.51
2:C:144:GLN:OE1	2:C:152:VAL:HG13	2.11	0.51
2:B:248:VAL:HB	2:B:249:PRO:HD3	1.92	0.51
2:C:62:THR:HB	2:C:352:ALA:HA	1.93	0.51
2:A:311:LEU:CD1	2:B:86:LEU:HD12	2.40	0.51
2:C:364:SER:HB2	2:C:370:PHE:HA	1.93	0.51
5:F:116:HOH:O	2:C:52:LYS:HB2	2.11	0.51
2:A:98:PRO:HA	2:A:150:ASP:OD2	2.11	0.50
2:D:294:PHE:H	2:D:350:ASN:HD21	1.59	0.50
2:A:108:VAL:HG11	2:A:157:GLU:HG2	1.93	0.50
2:B:212:GLN:HA	2:B:250:MET:SD	2.51	0.50
2:D:82:ARG:O	2:D:86:LEU:HD22	2.12	0.50
2:B:100:LEU:HD23	2:B:100:LEU:C	2.32	0.50
2:D:357:LEU:O	2:D:361:ILE:HG13	2.11	0.50
2:B:259:LEU:HG	2:B:262:VAL:CG2	2.42	0.50
2:D:259:LEU:HG	2:D:262:VAL:CG2	2.41	0.50
2:A:161:TYR:CD1	2:A:162:PRO:HA	2.47	0.50
2:C:40:PRO:HD2	2:C:362:ARG:HG2	1.94	0.49
2:B:26:ARG:HH11	2:B:26:ARG:HG3	1.77	0.49
2:C:161:TYR:CD1	2:C:162:PRO:HA	2.46	0.49
2:B:312:LYS:O	2:B:328:ARG:HG3	2.12	0.49
2:B:186:PHE:CE1	2:B:193:ALA:HA	2.47	0.49
2:B:201:ILE:HG22	2:B:203:GLN:NE2	2.27	0.49
2:D:263:GLY:HA3	2:D:281:CYS:CB	2.42	0.49
2:A:86:LEU:HD21	2:B:329:ALA:HB1	1.94	0.49
2:B:82:ARG:O	2:B:86:LEU:HD22	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:287:SER:HB3	2:A:292:GLN:HB3	1.95	0.49
2:A:208:GLU:HB3	2:A:246:PHE:CE1	2.47	0.49
2:A:325:LYS:HE2	2:B:94:GLY:HA3	1.94	0.49
2:A:217:ALA:O	2:A:221:ILE:HG13	2.13	0.49
2:A:367:GLU:CD	2:A:369:ARG:HE	2.16	0.49
2:D:71:THR:HG23	2:D:143:ILE:CG2	2.39	0.49
1:E:34:N:O2'	2:A:45:VAL:HG22	2.12	0.49
2:C:372:GLN:HG3	2:C:376:ASP:OD2	2.12	0.49
2:A:367:GLU:HB2	2:A:369:ARG:HG2	1.94	0.48
2:D:263:GLY:HA3	2:D:281:CYS:HB2	1.95	0.48
2:D:114:LEU:HD12	2:D:125:LYS:HD2	1.95	0.48
2:A:259:LEU:HG	2:A:262:VAL:HG21	1.95	0.48
2:C:52:LYS:HB3	5:C:389:HOH:O	2.12	0.48
2:B:235:GLU:O	2:B:239:GLU:HB2	2.13	0.48
2:C:208:GLU:HB3	2:C:246:PHE:CE1	2.48	0.48
2:D:308:SER:HA	2:D:332:HIS:CD2	2.48	0.48
2:D:271:ALA:HB1	2:D:276:ILE:HG13	1.94	0.48
2:B:263:GLY:HA3	2:B:281:CYS:CB	2.44	0.48
2:D:233:VAL:O	2:D:233:VAL:HG22	2.14	0.48
2:A:311:LEU:HD11	2:B:86:LEU:HD12	1.95	0.48
2:B:235:GLU:H	2:B:235:GLU:CD	2.17	0.48
2:A:43:MET:CE	2:A:100:LEU:HD13	2.44	0.48
2:B:266:ASP:HB2	5:B:393:HOH:O	2.13	0.48
2:C:235:GLU:O	2:C:239:GLU:HB2	2.13	0.48
2:A:43:MET:HG3	2:A:66:ILE:HG23	1.95	0.48
2:A:235:GLU:O	2:A:239:GLU:HB2	2.14	0.47
2:D:24:LYS:HB2	2:D:273:GLU:O	2.13	0.47
2:B:18:ILE:HD11	2:B:26:ARG:NH1	2.29	0.47
2:A:339:GLU:HG3	2:B:50:THR:HG21	1.95	0.47
2:A:265:PRO:HB3	2:A:377:PHE:HZ	1.79	0.47
2:A:66:ILE:HG13	2:A:98:PRO:O	2.15	0.47
2:C:246:PHE:O	2:C:250:MET:HG3	2.14	0.47
2:D:26:ARG:HH11	2:D:26:ARG:HG3	1.80	0.47
2:C:284:PRO:HB2	2:C:351:ILE:CD1	2.42	0.47
2:B:126:SER:HB3	2:B:129:ASP:HB3	1.97	0.47
2:B:263:GLY:HA3	2:B:281:CYS:HB2	1.97	0.47
2:A:233:VAL:HG22	2:A:233:VAL:O	2.15	0.47
2:C:298:GLY:HA2	2:C:381:TYR:CE1	2.50	0.47
2:B:174:ARG:HB2	2:B:174:ARG:NH1	2.24	0.46
2:A:274:ARG:NH1	2:A:274:ARG:HG3	2.30	0.46
2:D:235:GLU:H	2:D:235:GLU:CD	2.18	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:298:GLY:HA2	2:A:381:TYR:CE1	2.49	0.46
2:C:31:GLU:HG2	2:C:36:VAL:HG22	1.97	0.46
2:D:21:ARG:HB3	2:D:26:ARG:CB	2.46	0.46
2:B:273:GLU:HG2	2:B:370:PHE:HE2	1.80	0.46
2:D:112:SER:O	2:D:113:SER:HB2	2.15	0.46
2:B:112:SER:O	2:B:113:SER:HB2	2.15	0.46
2:B:71:THR:HG23	2:B:143:ILE:CG2	2.40	0.46
2:B:98:PRO:HA	2:B:150:ASP:OD2	2.15	0.46
2:B:183:ARG:NH2	2:B:223:PHE:HA	2.31	0.46
2:A:265:PRO:O	2:A:269:VAL:HG23	2.16	0.46
2:B:24:LYS:HB2	2:B:273:GLU:O	2.16	0.46
2:D:48:ALA:O	2:D:49:ALA:HB3	2.15	0.46
2:A:248:VAL:HB	2:A:249:PRO:HD3	1.98	0.46
2:B:308:SER:HA	2:B:332:HIS:CD2	2.51	0.46
2:C:259:LEU:HG	2:C:262:VAL:HG21	1.98	0.46
2:B:71:THR:HG22	2:B:75:MET:HE2	1.98	0.46
2:B:114:LEU:HD12	2:B:125:LYS:HD2	1.98	0.46
1:F:36:A:C5'	2:C:111:LEU:HD21	2.46	0.46
2:A:48:ALA:O	2:A:49:ALA:HB3	2.16	0.46
2:D:16:PHE:CD2	2:D:256:PRO:HD3	2.51	0.46
1:F:29:C:O2'	1:F:30:G:H5'	2.15	0.46
2:A:246:PHE:O	2:A:250:MET:HG3	2.15	0.45
2:C:274:ARG:HG3	2:C:274:ARG:NH1	2.30	0.45
2:C:318:CYS:SG	2:C:356:GLN:NE2	2.84	0.45
1:F:33:U:O2'	2:C:261:GLY:O	2.28	0.45
2:B:95:TRP:NE1	2:B:97:ARG:HB2	2.31	0.45
2:D:285:THR:HG23	2:D:351:ILE:HD11	1.99	0.45
2:A:132:ARG:NH1	2:A:132:ARG:HG3	2.32	0.45
2:C:217:ALA:O	2:C:221:ILE:HG13	2.16	0.45
2:D:361:ILE:HG23	2:D:370:PHE:CE1	2.51	0.45
2:B:40:PRO:HA	2:B:277:ASP:O	2.17	0.45
2:A:228:VAL:HG23	2:A:259:LEU:HA	1.99	0.45
2:C:128:LEU:HD12	2:C:129:ASP:HB2	1.98	0.45
2:C:233:VAL:O	2:C:233:VAL:HG22	2.17	0.45
2:B:332:HIS:CE1	2:B:336:ARG:HD2	2.52	0.45
2:B:310:ASP:HB3	2:B:328:ARG:HB2	1.98	0.45
2:A:367:GLU:OE2	2:A:369:ARG:NH2	2.48	0.45
2:B:273:GLU:HG2	2:B:370:PHE:CE2	2.51	0.45
2:A:176:MET:SD	2:A:218:LEU:HD13	2.57	0.45
2:B:241:PHE:CZ	2:B:270:GLY:HA3	2.52	0.45
2:B:364:SER:HB2	2:B:370:PHE:HA	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:25:A:H2'	1:E:26:G:H5'	1.99	0.44
2:C:128:LEU:HD12	2:C:129:ASP:N	2.31	0.44
2:A:125:LYS:O	2:A:126:SER:C	2.55	0.44
2:B:58:THR:O	2:B:62:THR:HG23	2.17	0.44
2:A:326:TRP:HZ2	2:B:56:PRO:HD2	1.81	0.44
2:A:108:VAL:HG11	2:A:157:GLU:CG	2.47	0.44
2:C:98:PRO:HA	2:C:150:ASP:OD2	2.17	0.44
2:B:354:TYR:O	2:B:358:MET:HG2	2.18	0.44
2:A:43:MET:HE1	2:A:100:LEU:HD13	2.00	0.44
2:B:303:ARG:HB3	2:B:303:ARG:HE	1.57	0.44
2:A:97:ARG:CB	2:A:98:PRO:HD2	2.47	0.44
2:A:128:LEU:HD12	2:A:129:ASP:HB2	1.99	0.44
2:C:228:VAL:HG23	2:C:259:LEU:HA	1.99	0.44
2:B:138:GLU:O	2:B:142:GLU:HB2	2.17	0.44
2:D:27:THR:HG22	2:D:365:ILE:CG2	2.48	0.44
2:C:66:ILE:HG13	2:C:98:PRO:O	2.19	0.43
2:D:40:PRO:HA	2:D:277:ASP:O	2.18	0.43
2:B:37:ILE:HD11	2:B:66:ILE:HD12	2.00	0.43
2:B:214:SER:O	2:B:218:LEU:HB2	2.18	0.43
2:B:21:ARG:HB3	2:B:26:ARG:CB	2.48	0.43
2:D:239:GLU:HG2	5:D:414:HOH:O	2.17	0.43
2:D:100:LEU:C	2:D:100:LEU:HD23	2.38	0.43
2:A:128:LEU:HD12	2:A:129:ASP:N	2.34	0.43
2:D:58:THR:O	2:D:62:THR:HG23	2.18	0.43
2:B:374:ALA:HB1	2:B:378:ARG:HH12	1.83	0.43
2:B:298:GLY:HA2	2:B:381:TYR:CE1	2.54	0.43
2:D:345:LEU:N	2:D:345:LEU:CD1	2.82	0.43
2:D:367:GLU:C	2:D:369:ARG:H	2.22	0.43
2:C:101:THR:HG23	2:C:149:SER:HB3	2.00	0.43
2:D:126:SER:HB3	2:D:129:ASP:HB3	2.01	0.43
2:D:246:PHE:O	2:D:250:MET:HG3	2.19	0.43
2:B:18:ILE:HD11	2:B:26:ARG:HH12	1.84	0.43
2:A:82:ARG:O	2:A:86:LEU:HD13	2.19	0.43
2:C:186:PHE:CE1	2:C:193:ALA:HA	2.54	0.43
2:B:205:SER:OG	2:B:206:VAL:N	2.49	0.43
2:A:20:ALA:HB3	2:A:27:THR:CG2	2.49	0.43
2:D:241:PHE:CZ	2:D:270:GLY:HA3	2.54	0.43
2:A:281:CYS:SG	2:A:283:LEU:HB2	2.59	0.43
2:C:20:ALA:HB3	2:C:27:THR:CG2	2.49	0.43
2:B:75:MET:HE3	2:B:135:LEU:HD22	2.01	0.42
2:B:37:ILE:CD1	2:B:66:ILE:HD12	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:259:LEU:HG	2:A:262:VAL:CG2	2.48	0.42
2:D:26:ARG:NH1	2:D:26:ARG:HG3	2.34	0.42
2:D:202:GLN:OE1	2:D:211:ARG:HD2	2.18	0.42
1:F:32:C:O2'	2:C:286:ARG:CD	2.67	0.42
2:B:358:MET:O	2:B:362:ARG:HG3	2.18	0.42
2:D:81:GLU:O	2:D:84:ALA:HB3	2.20	0.42
2:D:18:ILE:HD11	2:D:26:ARG:NH1	2.35	0.42
2:D:314:LEU:HA	2:D:314:LEU:HD12	1.86	0.42
2:D:339:GLU:HA	2:D:339:GLU:OE1	2.19	0.42
2:C:108:VAL:HG11	2:C:157:GLU:HG2	2.02	0.42
2:C:218:LEU:HD12	2:C:218:LEU:HA	1.81	0.42
2:D:164:THR:HB	5:D:413:HOH:O	2.19	0.42
2:C:361:ILE:O	2:C:365:ILE:HG13	2.19	0.42
2:D:235:GLU:O	2:D:239:GLU:HB2	2.19	0.42
2:A:341:LEU:HA	2:A:344:MET:SD	2.60	0.42
2:C:62:THR:HG21	2:C:351:ILE:HG22	2.01	0.42
2:A:325:LYS:HD3	2:A:326:TRP:CH2	2.55	0.42
2:C:176:MET:SD	2:C:218:LEU:HD13	2.60	0.42
2:A:69:GLY:O	2:A:101:THR:HA	2.20	0.42
2:D:360:LYS:O	2:D:364:SER:HB2	2.20	0.42
2:B:374:ALA:HB1	2:B:378:ARG:NH1	2.35	0.42
2:B:314:LEU:HA	2:B:314:LEU:HD12	1.83	0.42
2:C:68:LEU:C	2:C:68:LEU:HD23	2.40	0.42
2:B:246:PHE:O	2:B:250:MET:HG3	2.19	0.41
2:B:301:ASN:OD1	2:B:303:ARG:HG3	2.20	0.41
2:D:161:TYR:CD1	2:D:162:PRO:HA	2.55	0.41
2:B:56:PRO:HD2	2:B:57:GLU:OE1	2.20	0.41
2:C:259:LEU:HG	2:C:262:VAL:CG2	2.50	0.41
2:B:294:PHE:H	2:B:350:ASN:ND2	2.18	0.41
2:D:47:THR:HG23	2:D:73:HIS:CD2	2.55	0.41
2:B:11:ARG:CG	2:B:11:ARG:NH1	2.81	0.41
2:C:132:ARG:NH1	2:C:132:ARG:HG3	2.36	0.41
2:B:161:TYR:CD1	2:B:162:PRO:HA	2.54	0.41
2:D:75:MET:HE3	2:D:135:LEU:HD22	2.02	0.41
2:C:40:PRO:HA	2:C:277:ASP:O	2.21	0.41
2:B:201:ILE:HG22	2:B:203:GLN:HE22	1.84	0.41
2:C:108:VAL:HG11	2:C:157:GLU:CG	2.51	0.41
2:D:183:ARG:HD3	2:D:183:ARG:O	2.21	0.41
2:C:341:LEU:HG	2:C:345:LEU:HD22	2.01	0.41
2:D:95:TRP:CE2	2:D:97:ARG:HB2	2.56	0.41
2:C:97:ARG:CB	2:C:98:PRO:HD2	2.48	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:132:ARG:HH11	2:A:132:ARG:HG3	1.86	0.41
2:C:183:ARG:HA	2:C:183:ARG:HD3	1.99	0.41
2:C:128:LEU:C	2:C:128:LEU:HD12	2.42	0.41
2:B:90:HIS:HB2	5:B:391:HOH:O	2.20	0.41
2:C:56:PRO:HD2	2:D:326:TRP:HZ2	1.86	0.41
2:B:285:THR:CG2	2:B:351:ILE:HD11	2.51	0.41
2:A:167:ARG:HG2	2:A:167:ARG:HH11	1.85	0.41
2:A:144:GLN:OE1	2:A:152:VAL:HG13	2.20	0.41
2:B:104:GLY:O	2:B:108:VAL:HG23	2.21	0.41
2:D:125:LYS:HG3	2:D:130:GLY:O	2.21	0.40
2:B:26:ARG:HG3	2:B:26:ARG:NH1	2.32	0.40
2:C:374:ALA:HB1	2:C:378:ARG:NH2	2.35	0.40
2:D:301:ASN:OD1	2:D:303:ARG:HG3	2.21	0.40
2:D:365:ILE:HA	2:D:370:PHE:HB2	2.04	0.40
2:B:183:ARG:O	2:B:183:ARG:HD3	2.21	0.40
2:A:101:THR:HG23	2:A:149:SER:HB3	2.03	0.40
2:D:330:TYR:O	2:D:333:HIS:HB3	2.22	0.40
2:B:127:HIS:CD2	2:B:128:LEU:HG	2.57	0.40
2:D:367:GLU:O	2:D:369:ARG:N	2.54	0.40
1:F:34:N:O2'	2:C:68:LEU:HD22	2.22	0.40
2:B:283:LEU:N	2:B:284:PRO:HD2	2.36	0.40
2:C:48:ALA:O	2:C:49:ALA:HB3	2.21	0.40
2:B:81:GLU:O	2:B:84:ALA:HB3	2.21	0.40
2:B:126:SER:CB	2:B:129:ASP:HB3	2.51	0.40
2:D:138:GLU:O	2:D:142:GLU:HB2	2.21	0.40
2:A:74:LEU:HA	2:A:77:ARG:O	2.22	0.40
2:C:202:GLN:HE21	2:C:215:ALA:HB2	1.85	0.40
2:C:205:SER:HA	5:C:395:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	374/386 (97%)	352 (94%)	20 (5%)	2 (0%)	34	71
2	B	370/386 (96%)	347 (94%)	20 (5%)	3 (1%)	24	60
2	C	374/386 (97%)	353 (94%)	18 (5%)	3 (1%)	24	60
2	D	370/386 (96%)	344 (93%)	21 (6%)	5 (1%)	14	44
All	All	1488/1544 (96%)	1396 (94%)	79 (5%)	13 (1%)	21	57

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	264	LYS
2	C	264	LYS
2	D	52	LYS
2	A	265	PRO
2	B	52	LYS
2	B	113	SER
2	D	113	SER
2	C	52	LYS
2	C	265	PRO
2	D	325	LYS
2	B	263	GLY
2	D	263	GLY
2	D	368	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	307/315 (98%)	296 (96%)	11 (4%)	42	78
2	B	304/315 (96%)	287 (94%)	17 (6%)	26	60
2	C	307/315 (98%)	293 (95%)	14 (5%)	33	69
2	D	304/315 (96%)	286 (94%)	18 (6%)	24	58
All	All	1222/1260 (97%)	1162 (95%)	60 (5%)	31	67

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	26	ARG
2	A	134	MET
2	A	138	GLU
2	A	157	GLU
2	A	166	SER
2	A	191	GLU
2	A	218	LEU
2	A	265	PRO
2	A	280	ASP
2	A	320	CYS
2	A	334	LEU
2	B	26	ARG
2	B	39	THR
2	B	57	GLU
2	B	86	LEU
2	B	109	MET
2	B	127	HIS
2	B	128	LEU
2	B	142	GLU
2	B	174	ARG
2	B	218	LEU
2	B	235	GLU
2	B	266	ASP
2	B	280	ASP
2	B	311	LEU
2	B	314	LEU
2	B	320	CYS
2	B	356	GLN
2	C	26	ARG
2	C	43	MET
2	C	134	MET
2	C	138	GLU
2	C	157	GLU
2	C	191	GLU
2	C	218	LEU
2	C	238	ASP
2	C	265	PRO
2	C	280	ASP
2	C	319	HIS
2	C	345	LEU
2	C	351	ILE
2	C	375	GLN
2	D	26	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	39	THR
2	D	50	THR
2	D	57	GLU
2	D	86	LEU
2	D	109	MET
2	D	127	HIS
2	D	128	LEU
2	D	142	GLU
2	D	174	ARG
2	D	218	LEU
2	D	235	GLU
2	D	266	ASP
2	D	280	ASP
2	D	311	LEU
2	D	314	LEU
2	D	334	LEU
2	D	364	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	213	GLN
2	A	257	HIS
2	A	304	ASN
2	A	372	GLN
2	A	375	GLN
2	B	73	HIS
2	B	127	HIS
2	B	203	GLN
2	B	257	HIS
2	B	324	GLN
2	B	350	ASN
2	C	213	GLN
2	C	257	HIS
2	C	304	ASN
2	C	372	GLN
2	D	73	HIS
2	D	127	HIS
2	D	203	GLN
2	D	257	HIS
2	D	350	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	E	18/20 (90%)	3 (16%)	3 (16%)
1	F	18/20 (90%)	6 (33%)	2 (11%)
All	All	36/40 (90%)	9 (25%)	5 (13%)

All (9) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	E	35	U
1	E	36	A
1	E	37	A
1	F	32	C
1	F	33	U
1	F	35	U
1	F	36	A
1	F	37	A
1	F	38	A

All (5) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	E	33	U
1	E	35	U
1	E	36	A
1	F	35	U
1	F	37	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	9DG	A	387	-	10,12,12	2.03	3 (30%)	7,17,17	2.74	4 (57%)
4	9DG	B	387	-	10,12,12	2.12	3 (30%)	7,17,17	2.79	3 (42%)
4	9DG	C	387	-	10,12,12	2.14	3 (30%)	7,17,17	2.79	3 (42%)
4	9DG	D	387	-	10,12,12	2.11	3 (30%)	7,17,17	2.79	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	9DG	A	387	-	-	0/0/0/0	0/2/2/2
4	9DG	B	387	-	-	0/0/0/0	0/2/2/2
4	9DG	C	387	-	-	0/0/0/0	0/2/2/2
4	9DG	D	387	-	-	0/0/0/0	0/2/2/2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	387	9DG	C9-C4	-2.56	1.31	1.42
4	B	387	9DG	C9-C4	-2.56	1.31	1.42
4	D	387	9DG	C9-C4	-2.55	1.31	1.42
4	A	387	9DG	C9-C4	-2.54	1.32	1.42
4	A	387	9DG	C2-N1	3.39	1.41	1.35
4	C	387	9DG	C2-N1	3.63	1.41	1.35
4	B	387	9DG	C2-N1	3.67	1.41	1.35
4	D	387	9DG	C2-N1	3.73	1.42	1.35
4	A	387	9DG	C6-N1	4.41	1.41	1.33
4	D	387	9DG	C6-N1	4.59	1.41	1.33
4	B	387	9DG	C6-N1	4.70	1.41	1.33
4	C	387	9DG	C6-N1	4.77	1.42	1.33

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	387	9DG	N3-C2-N1	-5.03	119.78	127.44
4	D	387	9DG	N3-C2-N1	-5.01	119.81	127.44
4	B	387	9DG	N3-C2-N1	-4.97	119.87	127.44
4	A	387	9DG	N3-C2-N1	-4.85	120.05	127.44
4	B	387	9DG	C5-C6-N1	-3.24	119.15	123.59
4	D	387	9DG	C5-C6-N1	-3.17	119.25	123.59
4	A	387	9DG	C5-C6-N1	-3.17	119.25	123.59
4	C	387	9DG	C5-C6-N1	-3.16	119.26	123.59
4	A	387	9DG	C6-C5-C4	-2.01	118.49	120.90
4	C	387	9DG	C6-N1-C2	2.77	119.78	115.94
4	A	387	9DG	C6-N1-C2	2.80	119.82	115.94
4	D	387	9DG	C6-N1-C2	2.82	119.85	115.94
4	B	387	9DG	C6-N1-C2	2.82	119.85	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	E	19/20 (95%)	0.01	0 100 100	12, 20, 31, 37	0
1	F	19/20 (95%)	0.10	0 100 100	12, 22, 37, 44	0
2	A	376/386 (97%)	-0.37	1 (0%) 94 94	7, 21, 35, 48	0
2	B	372/386 (96%)	0.09	15 (4%) 42 35	11, 37, 59, 79	0
2	C	376/386 (97%)	-0.34	4 (1%) 82 80	7, 22, 36, 59	0
2	D	372/386 (96%)	0.00	13 (3%) 48 40	6, 32, 57, 79	0
All	All	1534/1584 (96%)	-0.15	33 (2%) 65 60	6, 27, 54, 79	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	114	LEU	5.4
2	D	113	SER	4.9
2	B	114	LEU	4.7
2	B	115	THR	4.1
2	D	112	SER	3.9
2	C	386	SER	3.9
2	D	116	LYS	3.5
2	B	116	LYS	3.3
2	B	113	SER	3.3
2	A	386	SER	3.1
2	B	120	GLU	3.0
2	D	160	PRO	2.9
2	D	194	GLU	2.9
2	B	194	GLU	2.9
2	B	167	ARG	2.9
2	B	162	PRO	2.8
2	B	134	MET	2.8
2	D	188	SER	2.7
2	D	191	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	190	LYS	2.5
2	D	115	THR	2.5
2	C	191	GLU	2.4
2	D	167	ARG	2.4
2	D	159	THR	2.3
2	C	190	LYS	2.3
2	C	385	ASN	2.3
2	B	209	ASN	2.3
2	D	258	TYR	2.2
2	B	127	HIS	2.1
2	B	159	THR	2.1
2	B	188	SER	2.1
2	B	207	PHE	2.0
2	B	166	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	9DG	B	387	11/11	0.81	0.35	2.93	83,84,85,85	0
4	9DG	C	387	11/11	0.97	0.21	1.12	16,20,21,24	0
4	9DG	A	387	11/11	0.98	0.18	0.14	12,13,13,15	0
4	9DG	D	387	11/11	0.92	0.22	-0.09	44,45,45,47	0
3	ZN	D	404	1/1	0.99	0.07	-1.79	19,19,19,19	0
3	ZN	C	403	1/1	0.99	0.04	-2.02	25,25,25,25	0
3	ZN	B	402	1/1	0.99	0.07	-2.94	22,22,22,22	0
3	ZN	A	401	1/1	0.99	0.04	-5.65	19,19,19,19	0

6.5 Other polymers [i](#)

There are no such residues in this entry.