



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:20 AM GMT

PDB ID : 2Q4U
Title : Ensemble refinement of the crystal structure of an EF-hand protein from Danio rerio Dr.36843
Authors : Levin, E.J.; Kondrashov, D.A.; Wesenberg, G.E.; Phillips Jr., G.N.; Center for Eukaryotic Structural Genomics (CESG)
Deposited on : 2007-05-31
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1-A	272	
1	10-A	272	
1	11-A	272	
1	12-A	272	
1	13-A	272	
1	14-A	272	
1	15-A	272	
1	16-A	272	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	2-A	272	<div><div></div><div>12%</div><div>94%</div><div>5%</div><div></div></div>
1	3-A	272	<div><div></div><div>12%</div><div>95%</div><div></div><div></div></div>
1	4-A	272	<div><div></div><div>12%</div><div>94%</div><div>5%</div><div></div></div>
1	5-A	272	<div><div></div><div>12%</div><div>96%</div><div></div><div></div></div>
1	6-A	272	<div><div></div><div>12%</div><div>94%</div><div>5%</div><div></div></div>
1	7-A	272	<div><div></div><div>12%</div><div>93%</div><div>6%</div><div></div></div>
1	8-A	272	<div><div></div><div>12%</div><div>92%</div><div>6%</div><div></div></div>
1	9-A	272	<div><div></div><div>12%</div><div>90%</div><div>10%</div><div></div></div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 39088 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein Zgc:100843.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	1-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	2-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	3-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	4-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	5-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	6-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	7-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	8-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	9-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	10-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	11-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	12-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	13-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	14-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	15-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			
1	16-A	270	Total	C	N	O	S	Se	0	0	0
			2203	1402	374	414	3	10			

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	EXPRESSION TAG	UNP Q5XJX1
A	40	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	63	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	82	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	107	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	153	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	154	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	186	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	225	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	226	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1
A	251	MSE	MET	MODIFIED RESIDUE	UNP Q5XJX1

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	1-A	240	Total O 240 240	0	0
2	2-A	240	Total O 240 240	0	0
2	3-A	240	Total O 240 240	0	0
2	4-A	240	Total O 240 240	0	0
2	5-A	240	Total O 240 240	0	0
2	6-A	240	Total O 240 240	0	0
2	7-A	240	Total O 240 240	0	0
2	8-A	240	Total O 240 240	0	0
2	9-A	240	Total O 240 240	0	0
2	10-A	240	Total O 240 240	0	0
2	11-A	240	Total O 240 240	0	0
2	12-A	240	Total O 240 240	0	0
2	13-A	240	Total O 240 240	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	14-A	240	Total 240	O 240	0	0
2	15-A	240	Total 240	O 240	0	0
2	16-A	240	Total 240	O 240	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Protein Zgc:100843




• Molecule 1: Protein Zgc:100843




• Molecule 1: Protein Zgc:100843




• Molecule 1: Protein Zgc:100843








- Molecule 1: Protein Zgc:100843





- Molecule 1: Protein Zgc:100843



- Molecule 1: Protein Zgc:100843




- Molecule 1: Protein Zgc:100843




- Molecule 1: Protein Zgc:100843






• Molecule 1: Protein Zgc:100843

Chain 10-A: 12% 94% 5%




• Molecule 1: Protein Zgc:100843

Chain 11-A: 12% 94% 5%




• Molecule 1: Protein Zgc:100843

Chain 12-A: 12% 94% 5%




• Molecule 1: Protein Zgc:100843


Chain 13-A: 12% 91% 8%




• Molecule 1: Protein Zgc:100843



• Molecule 1: Protein Zgc:100843



• Molecule 1: Protein Zgc:100843



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	47.88Å 52.75Å 114.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.17 – 2.10 44.17 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.7 (44.17-2.10) 98.8 (44.17-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.35 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.154 , 0.242 (Not available) , (Not available)	Depositor DCC
R_{free} test set	NotAvailable	DCC
Wilson B-factor (Å ²)	35.8	Xtriage
Anisotropy	0.172	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.23 , 93.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 17336 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	39088	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1-A	0.50	0/2235	0.64	0/2976
1	2-A	0.50	0/2235	0.62	0/2976
1	3-A	0.50	0/2235	0.64	0/2976
1	4-A	0.50	0/2235	0.63	0/2976
1	5-A	0.50	0/2235	0.62	0/2976
1	6-A	0.50	0/2235	0.65	0/2976
1	7-A	0.50	0/2235	0.66	0/2976
1	8-A	0.51	0/2235	0.65	0/2976
1	9-A	0.51	0/2235	0.65	0/2976
1	10-A	0.48	0/2235	0.63	0/2976
1	11-A	0.51	0/2235	0.65	1/2976 (0.0%)
1	12-A	0.51	0/2235	0.65	1/2976 (0.0%)
1	13-A	0.55	0/2235	0.73	1/2976 (0.0%)
1	14-A	0.57	0/2235	0.75	0/2976
1	15-A	0.58	0/2235	0.73	1/2976 (0.0%)
1	16-A	0.56	0/2235	0.74	0/2976
All	All	0.52	0/35760	0.67	4/47616 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	16-A	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	15-A	228	LEU	CA-CB-CG	5.61	128.21	115.30
1	12-A	228	LEU	CA-CB-CG	5.32	127.53	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	13-A	228	LEU	CA-CB-CG	5.31	127.51	115.30
1	11-A	228	LEU	CA-CB-CG	5.18	127.22	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	16-A	27	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	2203	0	2186	0	0
1	2-A	2203	0	2186	0	0
1	3-A	2203	0	2186	0	0
1	4-A	2203	0	2186	0	0
1	5-A	2203	0	2186	0	0
1	6-A	2203	0	2186	0	0
1	7-A	2203	0	2186	0	0
1	8-A	2203	0	2186	0	0
1	9-A	2203	0	2186	0	0
1	10-A	2203	0	2186	0	0
1	11-A	2203	0	2186	0	0
1	12-A	2203	0	2186	0	0
1	13-A	2203	0	2186	0	0
1	14-A	2203	0	2186	0	0
1	15-A	2203	0	2186	0	0
1	16-A	2203	0	2186	0	0
2	1-A	240	0	0	0	0
2	2-A	240	0	0	0	0
2	3-A	240	0	0	0	0
2	4-A	240	0	0	0	0
2	5-A	240	0	0	0	0
2	6-A	240	0	0	0	0
2	7-A	240	0	0	0	0
2	8-A	240	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	9-A	240	0	0	0	0
2	10-A	240	0	0	0	0
2	11-A	240	0	0	0	0
2	12-A	240	0	0	0	0
2	13-A	240	0	0	0	0
2	14-A	240	0	0	0	0
2	15-A	240	0	0	0	0
2	16-A	240	0	0	0	0
All	All	39088	0	34976	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1-A	268/272 (98%)	234 (87%)	30 (11%)	4 (2%)	13	7
1	2-A	268/272 (98%)	243 (91%)	16 (6%)	9 (3%)	5	1
1	3-A	268/272 (98%)	239 (89%)	24 (9%)	5 (2%)	10	4
1	4-A	268/272 (98%)	245 (91%)	17 (6%)	6 (2%)	8	3
1	5-A	268/272 (98%)	244 (91%)	18 (7%)	6 (2%)	8	3
1	6-A	268/272 (98%)	236 (88%)	22 (8%)	10 (4%)	4	1
1	7-A	268/272 (98%)	225 (84%)	35 (13%)	8 (3%)	5	2
1	8-A	268/272 (98%)	240 (90%)	20 (8%)	8 (3%)	5	2
1	9-A	268/272 (98%)	227 (85%)	28 (10%)	13 (5%)	3	0
1	10-A	268/272 (98%)	228 (85%)	32 (12%)	8 (3%)	5	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	11-A	268/272 (98%)	238 (89%)	22 (8%)	8 (3%)	5	2
1	12-A	268/272 (98%)	238 (89%)	25 (9%)	5 (2%)	10	4
1	13-A	268/272 (98%)	235 (88%)	23 (9%)	10 (4%)	4	1
1	14-A	268/272 (98%)	211 (79%)	44 (16%)	13 (5%)	3	0
1	15-A	268/272 (98%)	225 (84%)	33 (12%)	10 (4%)	4	1
1	16-A	268/272 (98%)	235 (88%)	22 (8%)	11 (4%)	3	1
All	All	4288/4352 (98%)	3743 (87%)	411 (10%)	134 (3%)	5	1

All (134) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1-A	182	LEU
1	1-A	188	ALA
1	2-A	50	ILE
1	2-A	227	GLU
1	2-A	250	ASP
1	3-A	250	ASP
1	4-A	188	ALA
1	5-A	182	LEU
1	5-A	188	ALA
1	5-A	251	MSE
1	6-A	253	LYS
1	7-A	182	LEU
1	7-A	240	LYS
1	7-A	254	ASP
1	8-A	246	LEU
1	8-A	264	LEU
1	9-A	179	ASN
1	9-A	249	CYS
1	10-A	114	ASP
1	10-A	161	LYS
1	10-A	233	ILE
1	11-A	70	PHE
1	11-A	71	ASP
1	11-A	253	LYS
1	12-A	182	LEU
1	13-A	252	ASN
1	14-A	50	ILE
1	14-A	155	LYS
1	14-A	161	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	14-A	240	LYS
1	14-A	252	ASN
1	14-A	253	LYS
1	15-A	190	SER
1	15-A	250	ASP
1	16-A	225	MSE
1	16-A	227	GLU
1	16-A	251	MSE
1	2-A	181	LEU
1	2-A	182	LEU
1	3-A	182	LEU
1	4-A	8	LEU
1	4-A	161	LYS
1	6-A	161	LYS
1	6-A	182	LEU
1	6-A	188	ALA
1	6-A	215	GLY
1	6-A	251	MSE
1	6-A	264	LEU
1	7-A	192	VAL
1	7-A	204	HIS
1	8-A	8	LEU
1	8-A	161	LYS
1	8-A	162	ASP
1	9-A	182	LEU
1	9-A	215	GLY
1	10-A	187	ASP
1	11-A	161	LYS
1	11-A	182	LEU
1	12-A	138	LYS
1	12-A	250	ASP
1	13-A	182	LEU
1	13-A	226	MSE
1	13-A	253	LYS
1	14-A	183	GLN
1	14-A	187	ASP
1	15-A	65	ALA
1	15-A	161	LYS
1	15-A	233	ILE
1	16-A	253	LYS
1	1-A	252	ASN
1	2-A	258	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3-A	161	LYS
1	4-A	182	LEU
1	5-A	250	ASP
1	6-A	4	ALA
1	8-A	182	LEU
1	8-A	250	ASP
1	9-A	190	SER
1	9-A	253	LYS
1	10-A	69	THR
1	10-A	182	LEU
1	12-A	188	ALA
1	13-A	188	ALA
1	14-A	188	ALA
1	15-A	231	PRO
1	16-A	86	GLN
1	16-A	155	LYS
1	16-A	228	LEU
1	2-A	254	ASP
1	3-A	183	GLN
1	3-A	249	CYS
1	4-A	183	GLN
1	4-A	189	SER
1	5-A	161	LYS
1	5-A	253	LYS
1	6-A	112	LYS
1	7-A	229	VAL
1	7-A	231	PRO
1	7-A	239	ASP
1	9-A	13	PHE
1	9-A	142	PRO
1	9-A	240	LYS
1	11-A	183	GLN
1	12-A	183	GLN
1	13-A	143	PRO
1	13-A	270	HIS
1	14-A	138	LYS
1	15-A	70	PHE
1	15-A	209	ARG
1	15-A	232	SER
1	16-A	161	LYS
1	16-A	250	ASP
1	1-A	231	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	2-A	46	PRO
1	2-A	240	LYS
1	8-A	183	GLN
1	9-A	188	ALA
1	9-A	223	LYS
1	11-A	211	GLY
1	13-A	47	LYS
1	13-A	198	PHE
1	14-A	181	LEU
1	14-A	198	PHE
1	15-A	83	ILE
1	16-A	204	HIS
1	16-A	231	PRO
1	6-A	190	SER
1	9-A	155	LYS
1	13-A	225	MSE
1	14-A	98	ALA
1	9-A	50	ILE
1	11-A	98	ALA
1	10-A	121	ILE
1	10-A	192	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-A	238/230 (104%)	229 (96%)	9 (4%)	40	40
1	2-A	238/230 (104%)	231 (97%)	7 (3%)	50	53
1	3-A	238/230 (104%)	231 (97%)	7 (3%)	50	53
1	4-A	238/230 (104%)	228 (96%)	10 (4%)	36	35
1	5-A	238/230 (104%)	233 (98%)	5 (2%)	61	66
1	6-A	238/230 (104%)	232 (98%)	6 (2%)	55	59
1	7-A	238/230 (104%)	230 (97%)	8 (3%)	44	45
1	8-A	238/230 (104%)	225 (94%)	13 (6%)	27	23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	9-A	238/230 (104%)	225 (94%)	13 (6%)	27	23
1	10-A	238/230 (104%)	232 (98%)	6 (2%)	55	59
1	11-A	238/230 (104%)	233 (98%)	5 (2%)	61	66
1	12-A	238/230 (104%)	229 (96%)	9 (4%)	40	40
1	13-A	238/230 (104%)	226 (95%)	12 (5%)	30	27
1	14-A	238/230 (104%)	223 (94%)	15 (6%)	22	18
1	15-A	238/230 (104%)	218 (92%)	20 (8%)	14	9
1	16-A	238/230 (104%)	230 (97%)	8 (3%)	44	45
All	All	3808/3680 (104%)	3655 (96%)	153 (4%)	38	38

All (153) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1-A	104	VAL
1	1-A	107	MSE
1	1-A	184	PHE
1	1-A	187	ASP
1	1-A	191	GLN
1	1-A	230	ARG
1	1-A	237	ASP
1	1-A	244	CYS
1	1-A	265	CYS
1	2-A	48	ASP
1	2-A	86	GLN
1	2-A	122	SER
1	2-A	161	LYS
1	2-A	182	LEU
1	2-A	193	GLU
1	2-A	239	ASP
1	3-A	7	ASN
1	3-A	51	THR
1	3-A	71	ASP
1	3-A	219	ASP
1	3-A	227	GLU
1	3-A	228	LEU
1	3-A	252	ASN
1	4-A	7	ASN
1	4-A	51	THR
1	4-A	86	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	4-A	161	LYS
1	4-A	239	ASP
1	4-A	244	CYS
1	4-A	245	LEU
1	4-A	251	MSE
1	4-A	254	ASP
1	4-A	262	LEU
1	5-A	87	GLU
1	5-A	132	ASP
1	5-A	161	LYS
1	5-A	227	GLU
1	5-A	260	SER
1	6-A	34	ASP
1	6-A	38	ARG
1	6-A	52	ASP
1	6-A	86	GLN
1	6-A	182	LEU
1	6-A	266	LEU
1	7-A	86	GLN
1	7-A	179	ASN
1	7-A	180	PHE
1	7-A	186	MSE
1	7-A	189	SER
1	7-A	193	GLU
1	7-A	219	ASP
1	7-A	248	HIS
1	8-A	7	ASN
1	8-A	18	GLN
1	8-A	51	THR
1	8-A	63	MSE
1	8-A	74	LEU
1	8-A	122	SER
1	8-A	161	LYS
1	8-A	162	ASP
1	8-A	219	ASP
1	8-A	234	SER
1	8-A	239	ASP
1	8-A	247	THR
1	8-A	269	LYS
1	9-A	48	ASP
1	9-A	74	LEU
1	9-A	86	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	9-A	95	ARG
1	9-A	132	ASP
1	9-A	158	ASP
1	9-A	166	ASP
1	9-A	169	ASP
1	9-A	185	LYS
1	9-A	221	PHE
1	9-A	242	ARG
1	9-A	243	GLU
1	9-A	251	MSE
1	10-A	7	ASN
1	10-A	64	SER
1	10-A	219	ASP
1	10-A	238	LEU
1	10-A	246	LEU
1	10-A	248	HIS
1	11-A	7	ASN
1	11-A	34	ASP
1	11-A	86	GLN
1	11-A	219	ASP
1	11-A	243	GLU
1	12-A	35	ASP
1	12-A	44	LEU
1	12-A	74	LEU
1	12-A	87	GLU
1	12-A	194	ARG
1	12-A	228	LEU
1	12-A	243	GLU
1	12-A	246	LEU
1	12-A	269	LYS
1	13-A	35	ASP
1	13-A	61	SER
1	13-A	92	LEU
1	13-A	95	ARG
1	13-A	132	ASP
1	13-A	161	LYS
1	13-A	240	LYS
1	13-A	249	CYS
1	13-A	251	MSE
1	13-A	254	ASP
1	13-A	261	GLU
1	13-A	269	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	14-A	7	ASN
1	14-A	27	TYR
1	14-A	51	THR
1	14-A	61	SER
1	14-A	138	LYS
1	14-A	161	LYS
1	14-A	181	LEU
1	14-A	219	ASP
1	14-A	239	ASP
1	14-A	241	PHE
1	14-A	243	GLU
1	14-A	251	MSE
1	14-A	254	ASP
1	14-A	261	GLU
1	14-A	262	LEU
1	15-A	15	GLN
1	15-A	29	GLU
1	15-A	31	LYS
1	15-A	32	GLU
1	15-A	39	HIS
1	15-A	63	MSE
1	15-A	88	GLU
1	15-A	108	LYS
1	15-A	160	ASN
1	15-A	161	LYS
1	15-A	162	ASP
1	15-A	166	ASP
1	15-A	191	GLN
1	15-A	210	THR
1	15-A	226	MSE
1	15-A	240	LYS
1	15-A	244	CYS
1	15-A	251	MSE
1	15-A	261	GLU
1	15-A	262	LEU
1	16-A	57	GLN
1	16-A	69	THR
1	16-A	92	LEU
1	16-A	161	LYS
1	16-A	183	GLN
1	16-A	185	LYS
1	16-A	228	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16-A	247	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (81) such sidechains are listed below:

Mol	Chain	Res	Type
1	1-A	86	GLN
1	1-A	191	GLN
1	1-A	248	HIS
1	1-A	270	HIS
1	2-A	86	GLN
1	2-A	89	ASN
1	2-A	204	HIS
1	3-A	7	ASN
1	3-A	86	GLN
1	3-A	183	GLN
1	3-A	204	HIS
1	4-A	7	ASN
1	4-A	18	GLN
1	4-A	86	GLN
1	4-A	89	ASN
1	4-A	177	GLN
1	4-A	183	GLN
1	4-A	204	HIS
1	4-A	270	HIS
1	5-A	86	GLN
1	5-A	168	ASN
1	5-A	248	HIS
1	5-A	258	GLN
1	5-A	270	HIS
1	6-A	15	GLN
1	6-A	86	GLN
1	6-A	160	ASN
1	6-A	191	GLN
1	7-A	7	ASN
1	7-A	86	GLN
1	7-A	248	HIS
1	8-A	7	ASN
1	8-A	19	HIS
1	8-A	75	GLN
1	8-A	160	ASN
1	8-A	204	HIS
1	8-A	252	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	8-A	270	HIS
1	9-A	7	ASN
1	9-A	86	GLN
1	9-A	177	GLN
1	9-A	191	GLN
1	9-A	204	HIS
1	9-A	252	ASN
1	10-A	7	ASN
1	10-A	56	GLN
1	10-A	86	GLN
1	10-A	160	ASN
1	10-A	183	GLN
1	10-A	252	ASN
1	10-A	270	HIS
1	11-A	86	GLN
1	11-A	183	GLN
1	11-A	191	GLN
1	11-A	204	HIS
1	11-A	270	HIS
1	12-A	7	ASN
1	12-A	204	HIS
1	13-A	18	GLN
1	13-A	19	HIS
1	13-A	160	ASN
1	13-A	177	GLN
1	13-A	183	GLN
1	13-A	248	HIS
1	14-A	86	GLN
1	14-A	160	ASN
1	14-A	270	HIS
1	15-A	7	ASN
1	15-A	56	GLN
1	15-A	86	GLN
1	15-A	136	GLN
1	15-A	168	ASN
1	15-A	191	GLN
1	15-A	204	HIS
1	15-A	252	ASN
1	15-A	258	GLN
1	15-A	270	HIS
1	16-A	56	GLN
1	16-A	86	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16-A	160	ASN
1	16-A	191	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	2-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	3-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	4-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	5-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	6-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	7-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	8-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	9-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	10-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	11-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	12-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	13-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	14-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	15-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
1	16-A	260/272 (95%)	0.46	33 (12%) 5 6	13, 29, 53, 69	260 (100%)
All	All	4160/4352 (95%)	0.46	528 (12%) 7 6	13, 29, 53, 69	4160 (100%)

All (528) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1-A	231	PRO	7.7
1	2-A	231	PRO	7.7
1	3-A	231	PRO	7.7
1	4-A	231	PRO	7.7
1	5-A	231	PRO	7.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	6-A	231	PRO	7.7
1	7-A	231	PRO	7.7
1	8-A	231	PRO	7.7
1	9-A	231	PRO	7.7
1	10-A	231	PRO	7.7
1	11-A	231	PRO	7.7
1	12-A	231	PRO	7.7
1	13-A	231	PRO	7.7
1	14-A	231	PRO	7.7
1	15-A	231	PRO	7.7
1	16-A	231	PRO	7.7
1	1-A	184	PHE	6.3
1	2-A	184	PHE	6.3
1	3-A	184	PHE	6.3
1	4-A	184	PHE	6.3
1	5-A	184	PHE	6.3
1	6-A	184	PHE	6.3
1	7-A	184	PHE	6.3
1	8-A	184	PHE	6.3
1	9-A	184	PHE	6.3
1	10-A	184	PHE	6.3
1	11-A	184	PHE	6.3
1	12-A	184	PHE	6.3
1	13-A	184	PHE	6.3
1	14-A	184	PHE	6.3
1	15-A	184	PHE	6.3
1	16-A	184	PHE	6.3
1	1-A	180	PHE	4.6
1	2-A	180	PHE	4.6
1	3-A	180	PHE	4.6
1	4-A	180	PHE	4.6
1	5-A	180	PHE	4.6
1	6-A	180	PHE	4.6
1	7-A	180	PHE	4.6
1	8-A	180	PHE	4.6
1	9-A	180	PHE	4.6
1	10-A	180	PHE	4.6
1	11-A	180	PHE	4.6
1	12-A	180	PHE	4.6
1	13-A	180	PHE	4.6
1	14-A	180	PHE	4.6
1	15-A	180	PHE	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	16-A	180	PHE	4.6
1	1-A	229	VAL	4.0
1	2-A	229	VAL	4.0
1	3-A	229	VAL	4.0
1	4-A	229	VAL	4.0
1	5-A	229	VAL	4.0
1	6-A	229	VAL	4.0
1	7-A	229	VAL	4.0
1	8-A	229	VAL	4.0
1	9-A	229	VAL	4.0
1	10-A	229	VAL	4.0
1	11-A	229	VAL	4.0
1	12-A	229	VAL	4.0
1	13-A	229	VAL	4.0
1	14-A	229	VAL	4.0
1	15-A	229	VAL	4.0
1	16-A	229	VAL	4.0
1	1-A	241	PHE	3.9
1	2-A	241	PHE	3.9
1	3-A	241	PHE	3.9
1	4-A	241	PHE	3.9
1	5-A	241	PHE	3.9
1	6-A	241	PHE	3.9
1	7-A	241	PHE	3.9
1	8-A	241	PHE	3.9
1	9-A	241	PHE	3.9
1	10-A	241	PHE	3.9
1	11-A	241	PHE	3.9
1	12-A	241	PHE	3.9
1	13-A	241	PHE	3.9
1	14-A	241	PHE	3.9
1	15-A	241	PHE	3.9
1	16-A	241	PHE	3.9
1	1-A	181	LEU	3.6
1	2-A	181	LEU	3.6
1	3-A	181	LEU	3.6
1	4-A	181	LEU	3.6
1	5-A	181	LEU	3.6
1	6-A	181	LEU	3.6
1	7-A	181	LEU	3.6
1	8-A	181	LEU	3.6
1	9-A	181	LEU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	10-A	181	LEU	3.6
1	11-A	181	LEU	3.6
1	12-A	181	LEU	3.6
1	13-A	181	LEU	3.6
1	14-A	181	LEU	3.6
1	15-A	181	LEU	3.6
1	16-A	181	LEU	3.6
1	1-A	233	ILE	3.5
1	2-A	233	ILE	3.5
1	3-A	233	ILE	3.5
1	4-A	233	ILE	3.5
1	5-A	233	ILE	3.5
1	6-A	233	ILE	3.5
1	7-A	233	ILE	3.5
1	8-A	233	ILE	3.5
1	9-A	233	ILE	3.5
1	10-A	233	ILE	3.5
1	11-A	233	ILE	3.5
1	12-A	233	ILE	3.5
1	13-A	233	ILE	3.5
1	14-A	233	ILE	3.5
1	15-A	233	ILE	3.5
1	16-A	233	ILE	3.5
1	1-A	228	LEU	3.4
1	1-A	234	SER	3.4
1	2-A	228	LEU	3.4
1	2-A	234	SER	3.4
1	3-A	228	LEU	3.4
1	3-A	234	SER	3.4
1	4-A	228	LEU	3.4
1	4-A	234	SER	3.4
1	5-A	228	LEU	3.4
1	5-A	234	SER	3.4
1	6-A	228	LEU	3.4
1	6-A	234	SER	3.4
1	7-A	228	LEU	3.4
1	7-A	234	SER	3.4
1	8-A	228	LEU	3.4
1	8-A	234	SER	3.4
1	9-A	228	LEU	3.4
1	9-A	234	SER	3.4
1	10-A	228	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	10-A	234	SER	3.4
1	11-A	228	LEU	3.4
1	11-A	234	SER	3.4
1	12-A	228	LEU	3.4
1	12-A	234	SER	3.4
1	13-A	228	LEU	3.4
1	13-A	234	SER	3.4
1	14-A	228	LEU	3.4
1	14-A	234	SER	3.4
1	15-A	228	LEU	3.4
1	15-A	234	SER	3.4
1	16-A	228	LEU	3.4
1	16-A	234	SER	3.4
1	1-A	183	GLN	3.2
1	2-A	183	GLN	3.2
1	3-A	183	GLN	3.2
1	4-A	183	GLN	3.2
1	5-A	183	GLN	3.2
1	6-A	183	GLN	3.2
1	7-A	183	GLN	3.2
1	8-A	183	GLN	3.2
1	9-A	183	GLN	3.2
1	10-A	183	GLN	3.2
1	11-A	183	GLN	3.2
1	12-A	183	GLN	3.2
1	13-A	183	GLN	3.2
1	14-A	183	GLN	3.2
1	15-A	183	GLN	3.2
1	16-A	183	GLN	3.2
1	1-A	182	LEU	3.2
1	2-A	182	LEU	3.2
1	3-A	182	LEU	3.2
1	4-A	182	LEU	3.2
1	5-A	182	LEU	3.2
1	6-A	182	LEU	3.2
1	7-A	182	LEU	3.2
1	8-A	182	LEU	3.2
1	9-A	182	LEU	3.2
1	10-A	182	LEU	3.2
1	11-A	182	LEU	3.2
1	12-A	182	LEU	3.2
1	13-A	182	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	14-A	182	LEU	3.2
1	15-A	182	LEU	3.2
1	16-A	182	LEU	3.2
1	1-A	230	ARG	3.2
1	2-A	230	ARG	3.2
1	3-A	230	ARG	3.2
1	4-A	230	ARG	3.2
1	5-A	230	ARG	3.2
1	6-A	230	ARG	3.2
1	7-A	230	ARG	3.2
1	8-A	230	ARG	3.2
1	9-A	230	ARG	3.2
1	10-A	230	ARG	3.2
1	11-A	230	ARG	3.2
1	12-A	230	ARG	3.2
1	13-A	230	ARG	3.2
1	14-A	230	ARG	3.2
1	15-A	230	ARG	3.2
1	16-A	230	ARG	3.2
1	1-A	232	SER	3.1
1	2-A	232	SER	3.1
1	3-A	232	SER	3.1
1	4-A	232	SER	3.1
1	5-A	232	SER	3.1
1	6-A	232	SER	3.1
1	7-A	232	SER	3.1
1	8-A	232	SER	3.1
1	9-A	232	SER	3.1
1	10-A	232	SER	3.1
1	11-A	232	SER	3.1
1	12-A	232	SER	3.1
1	13-A	232	SER	3.1
1	14-A	232	SER	3.1
1	15-A	232	SER	3.1
1	16-A	232	SER	3.1
1	1-A	237	ASP	3.1
1	2-A	237	ASP	3.1
1	3-A	237	ASP	3.1
1	4-A	237	ASP	3.1
1	5-A	237	ASP	3.1
1	6-A	237	ASP	3.1
1	7-A	237	ASP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	8-A	237	ASP	3.1
1	9-A	237	ASP	3.1
1	10-A	237	ASP	3.1
1	11-A	237	ASP	3.1
1	12-A	237	ASP	3.1
1	13-A	237	ASP	3.1
1	14-A	237	ASP	3.1
1	15-A	237	ASP	3.1
1	16-A	237	ASP	3.1
1	1-A	65	ALA	2.9
1	2-A	65	ALA	2.9
1	3-A	65	ALA	2.9
1	4-A	65	ALA	2.9
1	5-A	65	ALA	2.9
1	6-A	65	ALA	2.9
1	7-A	65	ALA	2.9
1	8-A	65	ALA	2.9
1	9-A	65	ALA	2.9
1	10-A	65	ALA	2.9
1	11-A	65	ALA	2.9
1	12-A	65	ALA	2.9
1	13-A	65	ALA	2.9
1	14-A	65	ALA	2.9
1	15-A	65	ALA	2.9
1	16-A	65	ALA	2.9
1	1-A	189	SER	2.7
1	2-A	189	SER	2.7
1	3-A	189	SER	2.7
1	4-A	189	SER	2.7
1	5-A	189	SER	2.7
1	6-A	189	SER	2.7
1	7-A	189	SER	2.7
1	8-A	189	SER	2.7
1	9-A	189	SER	2.7
1	10-A	189	SER	2.7
1	11-A	189	SER	2.7
1	12-A	189	SER	2.7
1	13-A	189	SER	2.7
1	14-A	189	SER	2.7
1	15-A	189	SER	2.7
1	16-A	189	SER	2.7
1	1-A	255	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	2-A	255	GLY	2.6
1	3-A	255	GLY	2.6
1	4-A	255	GLY	2.6
1	5-A	255	GLY	2.6
1	6-A	255	GLY	2.6
1	7-A	255	GLY	2.6
1	8-A	255	GLY	2.6
1	9-A	255	GLY	2.6
1	10-A	255	GLY	2.6
1	11-A	255	GLY	2.6
1	12-A	255	GLY	2.6
1	13-A	255	GLY	2.6
1	14-A	255	GLY	2.6
1	15-A	255	GLY	2.6
1	16-A	255	GLY	2.6
1	1-A	227	GLU	2.6
1	2-A	227	GLU	2.6
1	3-A	227	GLU	2.6
1	4-A	227	GLU	2.6
1	5-A	227	GLU	2.6
1	6-A	227	GLU	2.6
1	7-A	227	GLU	2.6
1	8-A	227	GLU	2.6
1	9-A	227	GLU	2.6
1	10-A	227	GLU	2.6
1	11-A	227	GLU	2.6
1	12-A	227	GLU	2.6
1	13-A	227	GLU	2.6
1	14-A	227	GLU	2.6
1	15-A	227	GLU	2.6
1	16-A	227	GLU	2.6
1	1-A	252	ASN	2.5
1	2-A	252	ASN	2.5
1	3-A	252	ASN	2.5
1	4-A	252	ASN	2.5
1	5-A	252	ASN	2.5
1	6-A	252	ASN	2.5
1	7-A	252	ASN	2.5
1	8-A	252	ASN	2.5
1	9-A	252	ASN	2.5
1	10-A	252	ASN	2.5
1	11-A	252	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	12-A	252	ASN	2.5
1	13-A	252	ASN	2.5
1	14-A	252	ASN	2.5
1	15-A	252	ASN	2.5
1	16-A	252	ASN	2.5
1	1-A	91	LEU	2.5
1	2-A	91	LEU	2.5
1	3-A	91	LEU	2.5
1	4-A	91	LEU	2.5
1	5-A	91	LEU	2.5
1	6-A	91	LEU	2.5
1	7-A	91	LEU	2.5
1	8-A	91	LEU	2.5
1	9-A	91	LEU	2.5
1	10-A	91	LEU	2.5
1	11-A	91	LEU	2.5
1	12-A	91	LEU	2.5
1	13-A	91	LEU	2.5
1	14-A	91	LEU	2.5
1	15-A	91	LEU	2.5
1	16-A	91	LEU	2.5
1	1-A	254	ASP	2.5
1	2-A	254	ASP	2.5
1	3-A	254	ASP	2.5
1	4-A	254	ASP	2.5
1	5-A	254	ASP	2.5
1	6-A	254	ASP	2.5
1	7-A	254	ASP	2.5
1	8-A	254	ASP	2.5
1	9-A	254	ASP	2.5
1	10-A	254	ASP	2.5
1	11-A	254	ASP	2.5
1	12-A	254	ASP	2.5
1	13-A	254	ASP	2.5
1	14-A	254	ASP	2.5
1	15-A	254	ASP	2.5
1	16-A	254	ASP	2.5
1	1-A	66	TYR	2.4
1	1-A	70	PHE	2.4
1	2-A	66	TYR	2.4
1	2-A	70	PHE	2.4
1	3-A	66	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	3-A	70	PHE	2.4
1	4-A	66	TYR	2.4
1	4-A	70	PHE	2.4
1	5-A	66	TYR	2.4
1	5-A	70	PHE	2.4
1	6-A	66	TYR	2.4
1	6-A	70	PHE	2.4
1	7-A	66	TYR	2.4
1	7-A	70	PHE	2.4
1	8-A	66	TYR	2.4
1	8-A	70	PHE	2.4
1	9-A	66	TYR	2.4
1	9-A	70	PHE	2.4
1	10-A	66	TYR	2.4
1	10-A	70	PHE	2.4
1	11-A	66	TYR	2.4
1	11-A	70	PHE	2.4
1	12-A	66	TYR	2.4
1	12-A	70	PHE	2.4
1	13-A	66	TYR	2.4
1	13-A	70	PHE	2.4
1	14-A	66	TYR	2.4
1	14-A	70	PHE	2.4
1	15-A	66	TYR	2.4
1	15-A	70	PHE	2.4
1	16-A	66	TYR	2.4
1	16-A	70	PHE	2.4
1	1-A	235	GLY	2.3
1	2-A	235	GLY	2.3
1	3-A	235	GLY	2.3
1	4-A	235	GLY	2.3
1	5-A	235	GLY	2.3
1	6-A	235	GLY	2.3
1	7-A	235	GLY	2.3
1	8-A	235	GLY	2.3
1	9-A	235	GLY	2.3
1	10-A	235	GLY	2.3
1	11-A	235	GLY	2.3
1	12-A	235	GLY	2.3
1	13-A	235	GLY	2.3
1	14-A	235	GLY	2.3
1	15-A	235	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	16-A	235	GLY	2.3
1	1-A	190	SER	2.2
1	2-A	190	SER	2.2
1	3-A	190	SER	2.2
1	4-A	190	SER	2.2
1	5-A	190	SER	2.2
1	6-A	190	SER	2.2
1	7-A	190	SER	2.2
1	8-A	190	SER	2.2
1	9-A	190	SER	2.2
1	10-A	190	SER	2.2
1	11-A	190	SER	2.2
1	12-A	190	SER	2.2
1	13-A	190	SER	2.2
1	14-A	190	SER	2.2
1	15-A	190	SER	2.2
1	16-A	190	SER	2.2
1	1-A	68	ALA	2.2
1	2-A	68	ALA	2.2
1	3-A	68	ALA	2.2
1	4-A	68	ALA	2.2
1	5-A	68	ALA	2.2
1	6-A	68	ALA	2.2
1	7-A	68	ALA	2.2
1	8-A	68	ALA	2.2
1	9-A	68	ALA	2.2
1	10-A	68	ALA	2.2
1	11-A	68	ALA	2.2
1	12-A	68	ALA	2.2
1	13-A	68	ALA	2.2
1	14-A	68	ALA	2.2
1	15-A	68	ALA	2.2
1	16-A	68	ALA	2.2
1	1-A	269	LYS	2.1
1	2-A	269	LYS	2.1
1	3-A	269	LYS	2.1
1	4-A	269	LYS	2.1
1	5-A	269	LYS	2.1
1	6-A	269	LYS	2.1
1	7-A	269	LYS	2.1
1	8-A	269	LYS	2.1
1	9-A	269	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	10-A	269	LYS	2.1
1	11-A	269	LYS	2.1
1	12-A	269	LYS	2.1
1	13-A	269	LYS	2.1
1	14-A	269	LYS	2.1
1	15-A	269	LYS	2.1
1	16-A	269	LYS	2.1
1	1-A	239	ASP	2.1
1	2-A	239	ASP	2.1
1	3-A	239	ASP	2.1
1	4-A	239	ASP	2.1
1	5-A	239	ASP	2.1
1	6-A	239	ASP	2.1
1	7-A	239	ASP	2.1
1	8-A	239	ASP	2.1
1	9-A	239	ASP	2.1
1	10-A	239	ASP	2.1
1	11-A	239	ASP	2.1
1	12-A	239	ASP	2.1
1	13-A	239	ASP	2.1
1	14-A	239	ASP	2.1
1	15-A	239	ASP	2.1
1	16-A	239	ASP	2.1
1	1-A	253	LYS	2.1
1	2-A	253	LYS	2.1
1	3-A	253	LYS	2.1
1	4-A	253	LYS	2.1
1	5-A	253	LYS	2.1
1	6-A	253	LYS	2.1
1	7-A	253	LYS	2.1
1	8-A	253	LYS	2.1
1	9-A	253	LYS	2.1
1	10-A	253	LYS	2.1
1	11-A	253	LYS	2.1
1	12-A	253	LYS	2.1
1	13-A	253	LYS	2.1
1	14-A	253	LYS	2.1
1	15-A	253	LYS	2.1
1	16-A	253	LYS	2.1
1	1-A	178	GLU	2.0
1	2-A	178	GLU	2.0
1	3-A	178	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	4-A	178	GLU	2.0
1	5-A	178	GLU	2.0
1	6-A	178	GLU	2.0
1	7-A	178	GLU	2.0
1	8-A	178	GLU	2.0
1	9-A	178	GLU	2.0
1	10-A	178	GLU	2.0
1	11-A	178	GLU	2.0
1	12-A	178	GLU	2.0
1	13-A	178	GLU	2.0
1	14-A	178	GLU	2.0
1	15-A	178	GLU	2.0
1	16-A	178	GLU	2.0
1	1-A	93	ILE	2.0
1	1-A	141	ILE	2.0
1	2-A	93	ILE	2.0
1	2-A	141	ILE	2.0
1	3-A	93	ILE	2.0
1	3-A	141	ILE	2.0
1	4-A	93	ILE	2.0
1	4-A	141	ILE	2.0
1	5-A	93	ILE	2.0
1	5-A	141	ILE	2.0
1	6-A	93	ILE	2.0
1	6-A	141	ILE	2.0
1	7-A	93	ILE	2.0
1	7-A	141	ILE	2.0
1	8-A	93	ILE	2.0
1	8-A	141	ILE	2.0
1	9-A	93	ILE	2.0
1	9-A	141	ILE	2.0
1	10-A	93	ILE	2.0
1	10-A	141	ILE	2.0
1	11-A	93	ILE	2.0
1	11-A	141	ILE	2.0
1	12-A	93	ILE	2.0
1	12-A	141	ILE	2.0
1	13-A	93	ILE	2.0
1	13-A	141	ILE	2.0
1	14-A	93	ILE	2.0
1	14-A	141	ILE	2.0
1	15-A	93	ILE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	15-A	141	ILE	2.0
1	16-A	93	ILE	2.0
1	16-A	141	ILE	2.0
1	1-A	240	LYS	2.0
1	2-A	240	LYS	2.0
1	3-A	240	LYS	2.0
1	4-A	240	LYS	2.0
1	5-A	240	LYS	2.0
1	6-A	240	LYS	2.0
1	7-A	240	LYS	2.0
1	8-A	240	LYS	2.0
1	9-A	240	LYS	2.0
1	10-A	240	LYS	2.0
1	11-A	240	LYS	2.0
1	12-A	240	LYS	2.0
1	13-A	240	LYS	2.0
1	14-A	240	LYS	2.0
1	15-A	240	LYS	2.0
1	16-A	240	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.