



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:42 PM GMT

PDB ID : 1Q84
Title : Crystal structure of the mouse acetylcholinesterase-TZ2PA6 anti complex
Authors : Bourne, Y.; Kolb, H.C.; Radic, Z.; Sharpless, K.B.; Taylor, P.; Marchot, P.
Deposited on : 2003-08-20
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1030 (2.48-2.44)
Ramachandran outliers	100387	1024 (2.48-2.44)
Sidechain outliers	100360	1024 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	580	 81% 10% • 8%
1	B	580	 81% 9% • 8%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8799 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetylcholinesterase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	536	Total	C	N	O	S	0	0	0
			4172	2678	723	757	14			
1	B	531	Total	C	N	O	S	0	0	0
			4142	2662	715	751	14			

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $C_{12}H_{26}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			19	12	7		

- Molecule 4 is 3,8-DIAMINO-6-PHENYL-5-[6-[1-[2-[(1,2,3,4-TETRAHYDRO-9-ACRIDINYL)AMINO]ETHYL]-1H-1,2,3-TRIAZOL-4-YL]HEXYL]-PHENANTHRIDINIUM (three-letter code: TZ4) (formula: $C_{42}H_{45}N_8$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			50	42	8		
4	B	1	Total	C	N	0	0
			50	42	8		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	214	Total 214	O 214	0	0
5	B	124	Total 124	O 124	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


• Molecule 1: Acetylcholinesterase

Chain A: 



• Molecule 1: Acetylcholinesterase

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	79.27 Å 111.77 Å 227.17 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.45	Depositor
% Data completeness (in resolution range)	99.7 (20.00-2.45)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.184 , 0.214	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	8799	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, P6G, TZ4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	0/4296	0.88	8/5872 (0.1%)
1	B	0.67	0/4266	0.83	13/5833 (0.2%)
All	All	0.70	0/8562	0.86	21/11705 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	404	ASP	CB-CG-OD2	6.96	124.56	118.30
1	A	396	ASP	CB-CG-OD2	6.89	124.50	118.30
1	B	74	ASP	CB-CG-OD2	6.87	124.48	118.30
1	A	491	ASP	CB-CG-OD2	6.61	124.25	118.30
1	A	390	ASP	CB-CG-OD2	6.49	124.14	118.30
1	B	5	ASP	CB-CG-OD2	6.13	123.82	118.30
1	B	349	ASP	CB-CG-OD2	6.05	123.75	118.30
1	B	396	ASP	CB-CG-OD2	6.04	123.73	118.30
1	B	320	ASP	CB-CG-OD2	5.97	123.68	118.30
1	A	433	ARG	NE-CZ-NH2	-5.90	117.35	120.30
1	B	498	PRO	N-CA-C	-5.74	97.17	112.10
1	A	433	ARG	NE-CZ-NH1	5.55	123.07	120.30
1	B	488	ASP	CB-CG-OD2	5.51	123.26	118.30
1	A	349	ASP	CB-CG-OD2	5.41	123.17	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	193	ASP	CB-CG-OD2	5.39	123.15	118.30
1	B	491	ASP	CB-CG-OD2	5.39	123.15	118.30
1	B	390	ASP	CB-CG-OD2	5.37	123.13	118.30
1	A	18	ARG	NE-CZ-NH2	-5.31	117.64	120.30
1	A	475	ARG	NE-CZ-NH2	-5.25	117.67	120.30
1	B	306	ASP	CB-CG-OD2	5.17	122.95	118.30
1	B	494	ASP	CB-CG-OD2	5.10	122.89	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	497	SER	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4172	0	4050	27	0
1	B	4142	0	4023	17	0
2	A	28	0	26	0	0
3	A	19	0	26	3	0
4	A	50	0	45	1	0
4	B	50	0	45	1	0
5	A	214	0	0	6	0
5	B	124	0	0	2	0
All	All	8799	0	8215	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:197:VAL:H	1:B:223:HIS:HD2	1.36	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:30:SER:HB2	1:B:103:THR:HG22	1.71	0.71
1:B:245:ARG:O	1:B:249:THR:HG23	1.94	0.67
1:B:112:THR:HG21	1:B:143:GLY:O	1.96	0.65
4:A:951:TZ4:H291	5:A:1755:HOH:O	1.96	0.65
1:A:4:GLU:OE2	1:A:18:ARG:HD3	1.99	0.61
1:A:197:VAL:H	1:A:223:HIS:HD2	1.48	0.61
1:A:527:GLN:HG3	3:A:901:P6G:H22	1.83	0.59
1:B:534:ARG:HD3	5:B:1075:HOH:O	2.02	0.58
1:A:325:GLN:HE21	1:A:487:GLY:HA3	1.68	0.58
1:A:113:PRO:HG2	1:A:485:ARG:HG2	1.86	0.57
1:A:112:THR:HG21	1:A:143:GLY:O	2.05	0.56
1:B:211:MET:HG2	1:B:308:LEU:HD21	1.90	0.54
1:A:369:GLN:HB2	5:A:1726:HOH:O	2.09	0.52
1:A:13:ARG:NH2	5:A:1722:HOH:O	2.43	0.51
1:A:245:ARG:O	1:A:249:THR:HG23	2.11	0.50
1:A:328:VAL:O	1:A:427:ALA:HA	2.12	0.49
1:A:433:ARG:HD3	5:A:1810:HOH:O	2.13	0.48
1:A:274:ARG:HD3	5:A:1794:HOH:O	2.12	0.48
1:A:300:VAL:HB	1:A:301:PRO:HD2	1.95	0.48
1:A:161:LEU:HD12	1:A:270:ILE:HD11	1.96	0.48
1:A:458:PRO:HA	1:A:465:TYR:CD2	2.50	0.47
1:A:381:HIS:HA	3:A:901:P6G:H172	1.96	0.46
1:B:328:VAL:O	1:B:427:ALA:HA	2.15	0.46
1:A:393:HIS:HB2	5:A:1780:HOH:O	2.14	0.46
1:A:437:LEU:HD11	1:A:449:TYR:CD2	2.50	0.46
1:B:458:PRO:HA	1:B:465:TYR:CD2	2.51	0.46
1:B:369:GLN:HB3	5:B:1024:HOH:O	2.16	0.46
1:A:224:ARG:HD3	1:A:325:GLN:NE2	2.31	0.45
1:A:353:LEU:HB3	1:A:391:PRO:HB2	1.98	0.44
1:B:497:SER:HB2	1:B:498:PRO:HA	2.00	0.43
1:B:528:THR:O	1:B:531:PHE:HB3	2.18	0.43
1:B:497:SER:CB	1:B:498:PRO:HA	2.49	0.43
1:A:200:PHE:CB	1:A:226:VAL:HB	2.48	0.43
1:A:245:ARG:O	1:A:249:THR:CG2	2.67	0.42
1:A:224:ARG:HG2	1:A:325:GLN:HB2	2.01	0.42
1:B:294:ILE:HD11	1:B:402:VAL:HG21	2.02	0.42
1:B:130:LEU:HD12	1:B:133:TYR:CE2	2.55	0.42
1:B:439:TRP:CZ2	4:B:952:TZ4:H36	2.55	0.41
1:B:161:LEU:HD11	1:B:269:LEU:HD22	2.03	0.41
1:A:531:PHE:HB2	3:A:901:P6G:H62	2.02	0.41
1:A:327:LEU:HD11	1:A:500:TRP:CH2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:ILE:HD12	1:A:187:ILE:HA	1.94	0.41
1:A:291:GLN:HE22	1:A:369:GLN:NE2	2.19	0.40
1:B:295:PHE:CE2	1:B:338:PHE:CE1	3.09	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	532/580 (92%)	517 (97%)	15 (3%)	0	100	100
1	B	527/580 (91%)	511 (97%)	15 (3%)	1 (0%)	52	64
All	All	1059/1160 (91%)	1028 (97%)	30 (3%)	1 (0%)	56	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	497	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	437/473 (92%)	408 (93%)	29 (7%)	21	28
1	B	435/473 (92%)	414 (95%)	21 (5%)	31	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	872/946 (92%)	822 (94%)	50 (6%)	25	35

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ARG
1	A	4	GLU
1	A	13	ARG
1	A	23	LYS
1	A	45	ARG
1	A	70	TYR
1	A	195	MET
1	A	200	PHE
1	A	216	LEU
1	A	246	ARG
1	A	249	THR
1	A	251	LEU
1	A	291	GLN
1	A	295	PHE
1	A	313	GLU
1	A	322	GLN
1	A	325	GLN
1	A	337	TYR
1	A	356	ARG
1	A	389	GLU
1	A	413	GLN
1	A	424	ARG
1	A	433	ARG
1	A	478	LYS
1	A	497	SER
1	A	524	LEU
1	A	525	ARG
1	A	536	LEU
1	A	540	LEU
1	B	11	ARG
1	B	21	ARG
1	B	61	ASP
1	B	115	LEU
1	B	136	ARG
1	B	165	ARG
1	B	195	MET
1	B	200	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	246	ARG
1	B	249	THR
1	B	281	LEU
1	B	291	GLN
1	B	295	PHE
1	B	337	TYR
1	B	369	GLN
1	B	389	GLU
1	B	413	GLN
1	B	424	ARG
1	B	461	PRO
1	B	525	ARG
1	B	536	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	223	HIS
1	A	291	GLN
1	A	325	GLN
1	B	223	HIS
1	B	291	GLN
1	B	369	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	1501	1	14,14,15	1.17	1 (7%)	15,19,21	1.91	5 (33%)
2	NAG	A	1701	1	14,14,15	0.74	0	15,19,21	1.59	3 (20%)
3	P6G	A	901	-	18,18,18	2.13	6 (33%)	17,17,17	1.27	1 (5%)
4	TZ4	A	951	-	55,57,57	1.53	9 (16%)	69,80,80	2.54	19 (27%)
4	TZ4	B	952	-	55,57,57	1.67	11 (20%)	69,80,80	2.50	26 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1501	1	-	0/6/23/26	0/1/1/1
2	NAG	A	1701	1	-	0/6/23/26	0/1/1/1
3	P6G	A	901	-	-	0/16/16/16	0/0/0/0
4	TZ4	A	951	-	-	0/19/26/26	0/8/8/8
4	TZ4	B	952	-	-	1/19/26/26	0/8/8/8

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	952	TZ4	C40-C39	-5.27	1.43	1.51
4	A	951	TZ4	C40-C39	-4.50	1.44	1.51
4	B	952	TZ4	C41-C40	-3.84	1.37	1.51
4	B	952	TZ4	C42-C38	-3.81	1.37	1.51
4	A	951	TZ4	C41-C40	-3.78	1.37	1.51
4	B	952	TZ4	C38-C37	-3.66	1.45	1.50
4	A	951	TZ4	C42-C38	-3.60	1.38	1.51
4	A	951	TZ4	C38-C37	-3.33	1.45	1.50
4	B	952	TZ4	C42-C41	-2.15	1.42	1.51
4	A	951	TZ4	C27-N6	-2.12	1.33	1.35
4	A	951	TZ4	C42-C41	-2.08	1.42	1.51
4	B	952	TZ4	C6-N2	2.12	1.43	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	951	TZ4	C4-C6	2.15	1.45	1.41
4	B	952	TZ4	C14-C16	2.15	1.45	1.42
4	A	951	TZ4	C3-C4	2.19	1.45	1.41
4	B	952	TZ4	C37-N8	2.25	1.35	1.32
4	B	952	TZ4	C15-C14	2.34	1.46	1.42
4	B	952	TZ4	C30-C39	2.59	1.43	1.39
4	B	952	TZ4	C39-C37	2.87	1.44	1.40
3	A	901	P6G	O7-C6	2.87	1.54	1.42
4	A	951	TZ4	C39-C37	2.92	1.44	1.40
3	A	901	P6G	O19-C18	3.14	1.59	1.42
3	A	901	P6G	O4-C3	3.40	1.56	1.42
2	A	1501	NAG	C1-C2	3.49	1.57	1.52
3	A	901	P6G	O16-C15	3.57	1.57	1.42
3	A	901	P6G	O13-C12	3.84	1.58	1.42
3	A	901	P6G	O10-C9	4.09	1.59	1.42

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	952	TZ4	C40-C39-C37	-11.47	112.36	121.05
4	A	951	TZ4	C40-C39-C37	-8.86	114.34	121.05
4	B	952	TZ4	C28-C29-N7	-4.89	103.97	113.01
4	A	951	TZ4	C28-C29-N7	-3.35	106.82	113.01
4	B	952	TZ4	C39-C30-C31	-3.26	118.05	120.38
4	A	951	TZ4	C9-C8-C7	-3.16	114.82	120.19
2	A	1701	NAG	C3-C4-C5	-2.98	105.01	110.20
4	B	952	TZ4	C9-C8-C7	-2.97	115.14	120.19
4	A	951	TZ4	C24-C25-C26	-2.87	102.67	112.79
4	B	952	TZ4	C17-C16-C14	-2.56	114.10	117.70
4	A	951	TZ4	C17-C16-C14	-2.55	114.12	117.70
4	A	951	TZ4	C38-C37-C39	-2.27	119.32	121.69
4	B	952	TZ4	C24-C25-C26	-2.23	104.92	112.79
4	A	951	TZ4	C18-C19-C15	-2.21	114.66	119.77
4	B	952	TZ4	C8-C7-C14	-2.20	116.94	122.53
4	B	952	TZ4	C31-C30-N7	-2.20	111.51	121.39
4	A	951	TZ4	C31-C30-N7	-2.15	111.73	121.39
4	B	952	TZ4	C39-C37-N8	-2.08	121.66	123.40
4	B	952	TZ4	C3-C4-C6	-2.07	114.87	117.73
2	A	1501	NAG	O7-C7-C8	-2.05	118.29	122.06
4	A	951	TZ4	C3-C4-C6	-2.04	114.91	117.73
4	B	952	TZ4	C18-C19-C15	-2.04	115.06	119.77
4	B	952	TZ4	C32-C31-C33	-2.03	116.26	118.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	952	TZ4	C2-C1-C5	-2.02	115.11	119.77
4	B	952	TZ4	C42-C41-C40	2.01	121.87	112.69
2	A	1501	NAG	O3-C3-C2	2.02	113.11	109.11
4	B	952	TZ4	C37-N8-C33	2.02	119.86	117.64
2	A	1501	NAG	C2-N2-C7	2.16	125.82	123.04
4	B	952	TZ4	C8-C7-N2	2.24	123.14	120.46
4	B	952	TZ4	C2-C3-C4	2.31	124.99	121.49
2	A	1701	NAG	O4-C4-C5	2.44	115.70	109.24
4	A	951	TZ4	C37-N8-C33	2.61	120.50	117.64
2	A	1701	NAG	O5-C5-C6	2.62	113.03	107.35
4	B	952	TZ4	C1-C5-C6	2.64	125.40	118.99
4	A	951	TZ4	C1-C5-C6	2.72	125.59	118.99
2	A	1501	NAG	O5-C5-C6	2.93	113.69	107.35
3	A	901	P6G	O1-C2-C3	2.96	130.28	112.03
4	B	952	TZ4	C19-C15-C14	3.09	124.18	120.81
4	B	952	TZ4	C13-C8-C7	3.17	125.56	120.19
4	B	952	TZ4	C40-C39-C30	3.25	127.43	120.78
4	A	951	TZ4	C40-C39-C30	3.29	127.49	120.78
4	A	951	TZ4	C19-C15-C14	3.76	124.91	120.81
4	A	951	TZ4	C42-C38-C37	3.77	119.84	113.48
4	B	952	TZ4	C21-C20-N2	3.88	115.57	112.29
4	A	951	TZ4	N4-N5-N6	3.95	110.29	107.31
4	A	951	TZ4	C13-C8-C7	4.30	127.49	120.19
4	A	951	TZ4	C41-C40-C39	4.34	121.90	113.02
4	A	951	TZ4	C39-C30-N7	4.42	128.62	119.56
4	B	952	TZ4	N4-N5-N6	4.87	110.99	107.31
2	A	1501	NAG	C1-O5-C5	5.19	118.84	112.25
4	B	952	TZ4	C41-C40-C39	5.28	123.82	113.02
4	B	952	TZ4	C39-C30-N7	5.29	130.41	119.56
4	B	952	TZ4	C42-C38-C37	5.33	122.47	113.48
4	A	951	TZ4	C21-C20-N2	11.32	121.85	112.29

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	952	TZ4	C29-C28-N6-N5

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	901	P6G	3	0
4	A	951	TZ4	1	0
4	B	952	TZ4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.