



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:19 AM GMT

PDB ID : 2Q80  
Title : Crystal structure of human geranylgeranyl pyrophosphate synthase bound to GGPP  
Authors : Kavanagh, K.L.; Dunford, J.E.; Bunkoczi, G.; Smee, C.; von Delft, F.; Arrow-smith, C.; Weigelt, J.; Edwards, A.; Sundstrom, M.; Oppermann, U.; Structural Genomics Consortium (SGC)  
Deposited on : 2007-06-08  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	<div><div></div><div>80%13%5%</div></div>
1	B	301	<div><div></div><div>80%12%6%</div></div>
1	C	301	<div><div>%</div><div>84%10%6%</div></div>
1	D	301	<div><div></div><div>79%15%5%</div></div>
1	E	301	<div><div></div><div>81%13%6%</div></div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	301	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MG	C	401	-	-	-	X
2	MG	D	400	-	-	-	X
2	MG	F	400	-	-	-	X
3	GRG	E	500	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Geranylgeranyl pyrophosphate synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	285	Total	C	N	O	S	0	1	0
			2322	1499	391	425	7			
1	B	284	Total	C	N	O	S	0	0	0
			2292	1481	382	422	7			
1	C	284	Total	C	N	O	S	0	0	0
			2271	1466	377	421	7			
1	D	285	Total	C	N	O	S	0	1	0
			2317	1493	386	431	7			
1	E	284	Total	C	N	O	S	0	0	0
			2273	1472	375	419	7			
1	F	284	Total	C	N	O	S	0	0	0
			2248	1453	370	418	7			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	CLONING ARTIFACT	UNP O95749
B	0	SER	-	CLONING ARTIFACT	UNP O95749
C	0	SER	-	CLONING ARTIFACT	UNP O95749
D	0	SER	-	CLONING ARTIFACT	UNP O95749
E	0	SER	-	CLONING ARTIFACT	UNP O95749
F	0	SER	-	CLONING ARTIFACT	UNP O95749

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	2	Total	Mg	0	0
			2	2		
2	E	2	Total	Mg	0	0
			2	2		
2	B	2	Total	Mg	0	0
			2	2		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	2	Total	Mg	0	0
			2	2		
2	A	2	Total	Mg	0	0
			2	2		
2	F	2	Total	Mg	0	0
			2	2		

- Molecule 3 is GERANYLGERANYL DIPHOSPHATE (three-letter code: GRG) (formula:  $C_{20}H_{36}O_7P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			29	20	7	2		
3	B	1	Total	C	O	P	0	0
			29	20	7	2		
3	C	1	Total	C	O	P	0	0
			29	20	7	2		
3	D	1	Total	C	O	P	0	0
			29	20	7	2		
3	E	1	Total	C	O	P	0	0
			29	20	7	2		
3	F	1	Total	C	O	P	0	0
			19	10	7	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total 3	O 3	0	0
4	B	8	Total 8	O 8	0	0
4	C	3	Total 3	O 3	0	0
4	D	6	Total 6	O 6	0	0
4	E	2	Total 2	O 2	0	0
4	F	2	Total 2	O 2	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Geranylgeranyl pyrophosphate synthetase




- Molecule 1: Geranylgeranyl pyrophosphate synthetase




- Molecule 1: Geranylgeranyl pyrophosphate synthetase



- Molecule 1: Geranylgeranyl pyrophosphate synthetase





• Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain E: 81% 13% 6%



• Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain F: 3% 80% 12% 6%





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	141.25Å 141.25Å 211.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.08 – 2.70 47.07 – 2.55	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.08-2.70) 99.9 (47.07-2.55)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.71 (at 2.54Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.202 , 0.253 0.207 , 0.259	Depositor DCC
$R_{free}$ test set	2212 reflections (3.87%)	DCC
Wilson B-factor (Å <sup>2</sup> )	40.1	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 45.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 70280 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	13923	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.70% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GRG, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.70	1/2377 (0.0%)	0.72	1/3217 (0.0%)
1	B	0.69	1/2343 (0.0%)	0.75	4/3176 (0.1%)
1	C	0.61	0/2322	0.66	0/3151
1	D	0.71	0/2371	0.74	2/3212 (0.1%)
1	E	0.65	1/2324 (0.0%)	0.69	0/3154
1	F	0.59	0/2299	0.68	2/3126 (0.1%)
All	All	0.66	3/14036 (0.0%)	0.71	9/19036 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	247	CYS	CB-SG	-8.06	1.68	1.82
1	B	247	CYS	CB-SG	-5.90	1.72	1.81
1	A	247	CYS	CB-SG	-5.79	1.72	1.81

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	224	ARG	NE-CZ-NH1	-6.94	116.83	120.30
1	D	278	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	D	278	ARG	NE-CZ-NH2	-5.65	117.48	120.30
1	F	224	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	B	237	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	B	237	ARG	NE-CZ-NH1	5.29	122.95	120.30
1	B	189	ASP	CB-CG-OD1	5.10	122.89	118.30
1	B	189	ASP	CB-CG-OD2	-5.08	113.73	118.30
1	A	147	MET	CG-SD-CE	-5.07	92.09	100.20

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2322	0	2315	31	0
1	B	2292	0	2259	27	0
1	C	2271	0	2205	27	0
1	D	2317	0	2292	29	0
1	E	2273	0	2213	27	0
1	F	2248	0	2141	31	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
3	A	29	0	33	2	0
3	B	29	0	33	0	0
3	C	29	0	33	2	0
3	D	29	0	33	2	0
3	E	29	0	33	2	0
3	F	19	0	14	3	0
4	A	3	0	0	0	0
4	B	8	0	0	0	0
4	C	3	0	0	0	0
4	D	6	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
All	All	13923	0	13604	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:8:VAL:HG12	1:F:12:LEU:HD12	1.39	1.04
1:A:127:GLY:HA3	1:B:12:LEU:HD21	1.44	1.00
1:F:9:GLN:OE1	1:F:94:TYR:OH	1.88	0.91

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:8:VAL:HG12	1:E:12:LEU:HD12	1.51	0.89
1:F:8:VAL:HG12	1:F:12:LEU:CD1	2.10	0.80
1:E:8:VAL:HG12	1:E:12:LEU:CD1	2.14	0.77
1:B:6:GLU:HA	1:B:8:VAL:HG22	1.68	0.75
1:A:119:LEU:HD13	1:B:97:PHE:CE1	2.23	0.73
1:E:224:ARG:NE	1:E:254:VAL:HG22	2.04	0.73
1:D:12:LEU:O	1:D:91:SER:OG	2.07	0.71
1:B:254:VAL:O	1:B:254:VAL:HG12	1.90	0.71
1:E:48:ILE:O	1:E:52:VAL:HG23	1.92	0.69
1:C:12:LEU:HD21	1:D:127:GLY:HA3	1.75	0.69
1:E:56:LEU:HD11	1:E:115:PHE:CE1	2.28	0.68
1:D:56:LEU:HD23	1:D:119:LEU:HD21	1.76	0.67
1:F:8:VAL:CG1	1:F:12:LEU:HD12	2.23	0.66
1:A:220:ALA:HB2	1:A:251:LEU:HD22	1.78	0.65
1:C:97:PHE:CE1	1:D:119:LEU:HD13	2.32	0.65
1:C:124:GLN:HA	1:D:12:LEU:HD11	1.78	0.65
1:C:97:PHE:CZ	1:D:119:LEU:HD13	2.32	0.65
1:E:220:ALA:HB2	1:E:251:LEU:CD2	2.27	0.64
1:F:56:LEU:HD11	1:F:115:PHE:HE1	1.63	0.63
1:E:56:LEU:HD11	1:E:115:PHE:HE1	1.65	0.62
1:A:8:VAL:HG12	1:A:12:LEU:HD13	1.84	0.59
1:B:56:LEU:HD11	1:B:115:PHE:HE1	1.66	0.59
1:F:19:LEU:HA	1:F:22:LEU:HD13	1.85	0.59
1:E:104:LEU:HD11	1:F:112:VAL:HG12	1.85	0.58
1:E:224:ARG:CZ	1:E:254:VAL:HG22	2.34	0.58
1:B:254:VAL:O	1:B:254:VAL:CG1	2.52	0.58
1:F:39:LEU:HD23	1:F:169:TYR:HB3	1.86	0.57
1:D:162:LEU:O	1:D:165:LEU:HB2	2.05	0.56
1:C:48:ILE:O	1:C:52:VAL:HG23	2.05	0.55
1:C:56:LEU:HD11	1:C:115:PHE:CE1	2.42	0.55
1:C:56:LEU:HD11	1:C:115:PHE:HE1	1.71	0.55
1:B:56:LEU:HD11	1:B:115:PHE:CE1	2.42	0.54
1:D:160:VAL:HG23	3:D:500:GRG:H193	1.89	0.54
1:A:56:LEU:HD11	1:A:115:PHE:CE1	2.43	0.54
1:A:114:LEU:C	1:A:114:LEU:HD23	2.28	0.54
1:F:202:LYS:NZ	3:F:500:GRG:O3B	2.41	0.54
1:B:169:TYR:OH	1:B:278:ARG:HG3	2.08	0.53
1:B:39:LEU:HD23	1:B:169:TYR:HB3	1.90	0.53
1:E:119:LEU:HD13	1:F:97:PHE:CE1	2.43	0.53
1:A:116:THR:HG21	1:B:101:GLU:HB2	1.90	0.53
1:B:52:VAL:HG22	1:B:102:LYS:HB3	1.91	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:220:ALA:HB2	1:E:251:LEU:HD22	1.88	0.53
1:C:114:LEU:HD11	1:C:161:GLY:HA3	1.91	0.53
1:D:228:THR:O	1:D:232:ASN:ND2	2.39	0.53
1:E:108:HIS:CE1	1:E:165:LEU:HD22	2.44	0.53
1:A:12:LEU:O	1:A:91:SER:OG	2.18	0.53
1:A:56:LEU:HD12	1:A:158:LEU:CD2	2.40	0.52
1:A:220:ALA:HB2	1:A:251:LEU:CD2	2.38	0.52
1:F:132:TRP:CZ3	1:F:147:MET:HG2	2.45	0.51
1:C:32:SER:HA	3:C:500:GRG:H203	1.93	0.51
1:B:226:GLU:HB3	1:F:10:ARG:HD3	1.93	0.50
1:C:12:LEU:HD11	1:D:124:GLN:HA	1.93	0.50
1:E:132:TRP:CZ3	1:E:147:MET:HG2	2.47	0.50
1:A:34:ALA:O	1:A:37[A]:HIS:HB3	2.11	0.50
1:E:160:VAL:HG21	1:E:177:LEU:HD21	1.94	0.50
1:F:56:LEU:HD11	1:F:115:PHE:CE1	2.45	0.49
1:A:169:TYR:CE2	1:A:171:GLU:HB2	2.46	0.49
1:C:114:LEU:HD23	1:C:118:GLN:HG2	1.95	0.49
1:F:61:LEU:HD22	1:F:73:ARG:CZ	2.43	0.48
1:A:114:LEU:O	1:A:114:LEU:HD23	2.13	0.48
1:A:61:LEU:HD22	1:A:73:ARG:NH2	2.29	0.48
1:B:48:ILE:O	1:B:52:VAL:HG23	2.13	0.48
1:D:254:VAL:HG12	1:D:254:VAL:O	2.14	0.48
1:E:171:GLU:OE1	1:E:278:ARG:HD3	2.14	0.48
1:A:56:LEU:HD12	1:A:158:LEU:HD21	1.96	0.48
1:F:61:LEU:HD22	1:F:73:ARG:NH2	2.28	0.48
1:F:108:HIS:CE1	1:F:165:LEU:HD22	2.49	0.48
1:C:114:LEU:C	1:C:114:LEU:HD23	2.34	0.48
1:E:31:LEU:HB3	3:E:500:GRG:H192	1.96	0.47
1:F:8:VAL:CG1	1:F:12:LEU:CD1	2.89	0.47
1:B:294:MET:O	1:B:294:MET:HG3	2.14	0.47
1:F:155:LEU:HD13	3:F:500:GRG:HC7	1.96	0.47
1:D:254:VAL:CG1	1:D:254:VAL:O	2.62	0.47
1:A:123:HIS:NE2	1:B:93:ASN:HB3	2.29	0.47
3:F:500:GRG:O1B	3:F:500:GRG:O1	2.33	0.47
1:C:114:LEU:HD23	1:C:114:LEU:O	2.15	0.47
1:E:114:LEU:HD11	1:E:161:GLY:HA3	1.97	0.47
1:F:55:MET:HE1	1:F:98:LEU:HB3	1.97	0.46
1:C:97:PHE:CE1	1:D:119:LEU:CD1	2.98	0.46
1:E:220:ALA:CB	1:E:251:LEU:CD2	2.94	0.46
1:B:94:TYR:CE2	1:B:98:LEU:HD11	2.50	0.46
1:C:151:LYS:NZ	3:C:500:GRG:O2A	2.48	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:272:TYR:CE1	1:B:285:VAL:HG13	2.50	0.46
1:E:128:LEU:HD22	1:E:132:TRP:CE2	2.51	0.46
1:C:123:HIS:NE2	1:D:93:ASN:HB3	2.30	0.46
1:D:219:HIS:O	1:D:223:SER:HB2	2.16	0.46
1:B:8:VAL:HA	1:B:11:ILE:HD12	1.98	0.46
1:B:144:TYR:O	1:B:148:VAL:HG23	2.15	0.46
1:D:169:TYR:CZ	1:D:171:GLU:HB2	2.51	0.46
1:E:93:ASN:O	1:E:96:TYR:HB2	2.16	0.45
1:E:224:ARG:HE	1:E:254:VAL:HG22	1.75	0.45
1:C:12:LEU:CD2	1:D:127:GLY:HA3	2.42	0.45
1:C:254:VAL:O	1:C:254:VAL:HG12	2.16	0.45
1:A:39:LEU:HD11	1:A:160:VAL:HG13	1.99	0.45
1:E:128:LEU:HD22	1:E:132:TRP:CZ2	2.51	0.45
1:A:78:VAL:HG21	1:A:80:HIS:CE1	2.52	0.45
1:D:240:ASN:OD1	1:D:242:ASP:N	2.49	0.45
1:E:131:TYR:CD1	1:F:11:ILE:HG21	2.52	0.45
1:C:12:LEU:CD1	1:D:124:GLN:HG2	2.47	0.44
1:F:132:TRP:HZ3	1:F:147:MET:HG2	1.82	0.44
1:D:33:GLN:NE2	1:D:283:GLU:OE2	2.50	0.44
1:F:149:LEU:HD21	1:F:182:LEU:CD1	2.47	0.44
1:A:82:ILE:O	1:E:232:ASN:HB3	2.17	0.44
1:D:51:GLU:OE1	1:D:102:LYS:HE2	2.17	0.44
1:A:220:ALA:CB	1:A:251:LEU:CD2	2.96	0.44
1:A:174:LYS:N	1:A:175:PRO:CD	2.80	0.44
1:C:240:ASN:HB3	1:C:243:ILE:HD12	1.98	0.44
1:F:91:SER:O	1:F:95:VAL:HG23	2.18	0.44
1:D:56:LEU:HD21	1:D:115:PHE:CE1	2.53	0.44
1:B:268:GLU:O	1:B:271:ALA:HB3	2.18	0.44
1:A:159:ALA:HB3	3:A:500:GRG:H193	2.00	0.43
1:F:232:ASN:O	1:F:236:GLN:HG2	2.16	0.43
1:A:119:LEU:HD13	1:B:97:PHE:CZ	2.53	0.43
1:D:202:LYS:HE2	3:D:500:GRG:O3B	2.18	0.43
1:F:51:GLU:O	1:F:55:MET:HG3	2.18	0.43
1:B:114:LEU:HD11	1:B:161:GLY:HA3	1.99	0.43
1:C:274:GLN:O	1:C:277:ALA:HB3	2.18	0.43
1:B:174:LYS:N	1:B:175:PRO:CD	2.82	0.43
1:A:115:PHE:HA	1:A:158:LEU:CD1	2.48	0.43
1:D:232:ASN:O	1:D:236:GLN:HG2	2.18	0.43
1:C:131:TYR:CD1	1:D:11:ILE:HG21	2.54	0.43
1:D:148:VAL:HG22	1:D:185:GLN:HG2	2.00	0.43
1:C:215:PHE:HB3	1:C:216:PRO:HD3	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:VAL:HG22	1:C:185:GLN:HG2	2.00	0.43
1:A:39:LEU:HD23	1:A:169:TYR:HB3	2.02	0.42
1:E:89:ILE:HG21	1:F:63:ILE:HG23	2.01	0.42
1:E:12:LEU:HD21	1:F:127:GLY:HA3	2.01	0.42
1:A:159:ALA:HB3	3:A:500:GRG:C19	2.49	0.42
1:F:169:TYR:CZ	1:F:171:GLU:HB2	2.55	0.42
1:C:103:VAL:HG21	1:C:115:PHE:CD1	2.55	0.42
1:B:93:ASN:O	1:B:96:TYR:HB2	2.20	0.42
1:D:39:LEU:HD23	1:D:169:TYR:HB3	2.02	0.41
1:D:229:GLN:NE2	1:D:250:TYR:CD1	2.89	0.41
1:C:44:ASP:OD1	1:C:45:LYS:N	2.53	0.41
1:A:78:VAL:O	1:A:79:ALA:C	2.58	0.41
1:C:180:LEU:O	1:C:184:PHE:HD2	2.03	0.41
1:B:115:PHE:CE2	1:B:119:LEU:HD12	2.56	0.41
1:A:7:THR:CG2	1:A:10:ARG:HD2	2.51	0.41
1:B:162:LEU:HD23	1:B:162:LEU:HA	1.88	0.41
1:A:220:ALA:HA	1:A:254:VAL:HG11	2.03	0.41
1:F:29:THR:HG22	1:F:33:GLN:NE2	2.35	0.41
1:B:186:ILE:HG22	1:B:264:LEU:HD21	2.03	0.41
1:F:55:MET:CE	1:F:98:LEU:HB3	2.51	0.40
1:A:215:PHE:HB3	1:A:216:PRO:HD3	2.03	0.40
1:D:114:LEU:C	1:D:114:LEU:HD23	2.41	0.40
1:E:275:ILE:HG22	1:E:280:GLY:HA2	2.04	0.40
3:E:500:GRG:H111	3:E:500:GRG:H141	1.86	0.40
1:F:29:THR:HG22	1:F:33:GLN:HE21	1.85	0.40
1:A:211:GLY:HA3	1:A:237:ARG:NH1	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/301 (94%)	277 (98%)	5 (2%)	0	100	100
1	B	280/301 (93%)	275 (98%)	5 (2%)	0	100	100
1	C	280/301 (93%)	276 (99%)	4 (1%)	0	100	100
1	D	282/301 (94%)	276 (98%)	5 (2%)	1 (0%)	39	69
1	E	280/301 (93%)	277 (99%)	3 (1%)	0	100	100
1	F	280/301 (93%)	276 (99%)	4 (1%)	0	100	100
All	All	1684/1806 (93%)	1657 (98%)	26 (2%)	1 (0%)	56	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	294	MET

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/273 (92%)	242 (96%)	10 (4%)	38	69
1	B	245/273 (90%)	236 (96%)	9 (4%)	41	72
1	C	238/273 (87%)	235 (99%)	3 (1%)	76	92
1	D	252/273 (92%)	238 (94%)	14 (6%)	26	54
1	E	237/273 (87%)	227 (96%)	10 (4%)	36	68
1	F	229/273 (84%)	219 (96%)	10 (4%)	35	65
All	All	1453/1638 (89%)	1397 (96%)	56 (4%)	40	70

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	12	LEU
1	A	25	LYS
1	A	71	LYS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	102	LYS
1	A	147	MET
1	A	203	SER
1	A	224	ARG
1	A	254	VAL
1	A	294	MET
1	B	8	VAL
1	B	51	GLU
1	B	87	SER
1	B	147	MET
1	B	188	ASP
1	B	226	GLU
1	B	237	ARG
1	B	278	ARG
1	B	294	MET
1	C	147	MET
1	C	188	ASP
1	C	294	MET
1	D	26	GLN
1	D	43	GLU
1	D	71	LYS
1	D	91	SER
1	D	107	ASP
1	D	147	MET
1	D	164	GLN
1	D	188	ASP
1	D	203[A]	SER
1	D	203[B]	SER
1	D	212	LYS
1	D	237	ARG
1	D	270	LYS
1	D	294	MET
1	E	7	THR
1	E	26	GLN
1	E	44	ASP
1	E	71	LYS
1	E	137	THR
1	E	147	MET
1	E	212	LYS
1	E	224	ARG
1	E	237	ARG
1	E	294	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	7	THR
1	F	9	GLN
1	F	12	LEU
1	F	91	SER
1	F	147	MET
1	F	188	ASP
1	F	224	ARG
1	F	226	GLU
1	F	237	ARG
1	F	294	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	80	HIS
1	B	33	GLN
1	B	249	HIS
1	C	58	ASN
1	C	150	GLN
1	E	80	HIS
1	F	33	GLN
1	F	249	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 12 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	GRG	A	500	2	26,28,28	2.17	11 (42%)	33,37,37	1.45	6 (18%)
3	GRG	B	500	1,2	26,28,28	2.32	11 (42%)	33,37,37	1.67	8 (24%)
3	GRG	C	500	2	26,28,28	2.42	11 (42%)	33,37,37	1.22	4 (12%)
3	GRG	D	500	2	26,28,28	2.48	12 (46%)	33,37,37	1.18	2 (6%)
3	GRG	E	500	2	26,28,28	2.28	10 (38%)	33,37,37	1.31	5 (15%)
3	GRG	F	500	2	16,18,28	2.50	7 (43%)	21,25,37	1.53	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GRG	A	500	2	-	0/31/31/31	0/0/0/0
3	GRG	B	500	1,2	-	0/31/31/31	0/0/0/0
3	GRG	C	500	2	-	0/31/31/31	0/0/0/0
3	GRG	D	500	2	-	0/31/31/31	0/0/0/0
3	GRG	E	500	2	-	0/31/31/31	0/0/0/0
3	GRG	F	500	2	-	0/19/19/31	0/0/0/0

All (62) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	GRG	C6-C7	-4.23	1.38	1.50
3	A	500	GRG	C16-C17	-4.05	1.39	1.50
3	D	500	GRG	C6-C7	-3.92	1.39	1.50
3	C	500	GRG	C16-C17	-3.85	1.39	1.50
3	F	500	GRG	C6-C7	-3.81	1.39	1.50
3	E	500	GRG	C6-C7	-3.81	1.39	1.50
3	E	500	GRG	C16-C17	-3.77	1.39	1.50
3	D	500	GRG	C11-C12	-3.76	1.40	1.50
3	E	500	GRG	C11-C12	-3.75	1.40	1.50
3	B	500	GRG	C11-C12	-3.72	1.40	1.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	500	GRG	C6-C7	-3.72	1.40	1.50
3	A	500	GRG	C11-C12	-3.68	1.40	1.50
3	B	500	GRG	C16-C17	-3.58	1.40	1.50
3	D	500	GRG	C16-C17	-3.57	1.40	1.50
3	C	500	GRG	C11-C12	-3.53	1.40	1.50
3	B	500	GRG	C6-C7	-3.31	1.41	1.50
3	A	500	GRG	C1-C2	-3.02	1.39	1.49
3	E	500	GRG	C1-C2	-2.92	1.39	1.49
3	B	500	GRG	C1-C2	-2.89	1.39	1.49
3	D	500	GRG	C1-C2	-2.88	1.39	1.49
3	D	500	GRG	O1-C1	-2.73	1.40	1.43
3	F	500	GRG	C1-C2	-2.58	1.40	1.49
3	C	500	GRG	C1-C2	-2.40	1.41	1.49
3	A	500	GRG	PB-O1B	-2.32	1.46	1.54
3	D	500	GRG	PB-O1B	-2.04	1.47	1.54
3	C	500	GRG	PB-O2B	2.09	1.62	1.54
3	E	500	GRG	C17-C18	2.25	1.39	1.32
3	F	500	GRG	PB-O2B	2.26	1.62	1.54
3	C	500	GRG	C17-C18	2.28	1.39	1.32
3	F	500	GRG	C7-C8	2.29	1.39	1.32
3	A	500	GRG	PB-O2B	2.32	1.63	1.54
3	A	500	GRG	C17-C18	2.38	1.39	1.32
3	B	500	GRG	C5-C3	2.39	1.56	1.51
3	B	500	GRG	C17-C18	2.42	1.39	1.32
3	D	500	GRG	C17-C18	2.50	1.39	1.32
3	A	500	GRG	PB-O3B	2.51	1.59	1.51
3	C	500	GRG	O1-C1	2.61	1.47	1.43
3	B	500	GRG	PB-O2B	2.80	1.64	1.54
3	E	500	GRG	PB-O2B	2.89	1.65	1.54
3	A	500	GRG	C7-C8	3.00	1.38	1.33
3	F	500	GRG	PA-O1A	3.11	1.68	1.54
3	A	500	GRG	C2-C3	3.17	1.39	1.33
3	B	500	GRG	C2-C3	3.24	1.39	1.33
3	E	500	GRG	C7-C8	3.27	1.39	1.33
3	E	500	GRG	C12-C13	3.29	1.39	1.33
3	A	500	GRG	C12-C13	3.37	1.39	1.33
3	D	500	GRG	C12-C13	3.37	1.39	1.33
3	B	500	GRG	C12-C13	3.42	1.39	1.33
3	B	500	GRG	PB-O3B	3.62	1.63	1.51
3	D	500	GRG	C2-C3	3.75	1.40	1.33
3	E	500	GRG	C2-C3	3.78	1.40	1.33
3	D	500	GRG	C7-C8	3.81	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	500	GRG	C12-C13	3.84	1.40	1.33
3	D	500	GRG	PA-O1A	3.94	1.71	1.54
3	C	500	GRG	C7-C8	4.03	1.40	1.33
3	F	500	GRG	C2-C3	4.08	1.41	1.33
3	E	500	GRG	PB-O3B	4.08	1.64	1.51
3	C	500	GRG	C2-C3	4.13	1.41	1.33
3	B	500	GRG	C7-C8	4.24	1.41	1.33
3	C	500	GRG	PB-O3B	4.38	1.65	1.51
3	D	500	GRG	PB-O3B	4.65	1.66	1.51
3	F	500	GRG	PB-O3B	4.92	1.67	1.51

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	500	GRG	PA-O3A-PB	-4.74	116.78	132.67
3	B	500	GRG	PA-O3A-PB	-4.52	117.52	132.67
3	B	500	GRG	C4-C3-C2	-2.60	118.39	123.50
3	A	500	GRG	C9-C8-C7	-2.52	116.28	121.05
3	A	500	GRG	PA-O3A-PB	-2.47	124.40	132.67
3	E	500	GRG	PA-O3A-PB	-2.28	125.03	132.67
3	E	500	GRG	C14-C13-C12	-2.13	119.32	123.50
3	B	500	GRG	C9-C11-C12	-2.07	106.26	111.69
3	B	500	GRG	O2B-PB-O3B	-2.01	104.12	110.58
3	A	500	GRG	C4-C3-C5	2.06	118.56	115.41
3	D	500	GRG	O1A-PA-O3A	2.12	114.72	105.09
3	B	500	GRG	O3A-PA-O1	2.18	108.72	102.94
3	C	500	GRG	O1B-PB-O3A	2.30	115.55	105.09
3	E	500	GRG	C19-C18-C20	2.31	120.32	114.64
3	D	500	GRG	C10-C8-C9	2.35	118.99	115.41
3	A	500	GRG	O1B-PB-O3A	2.36	115.78	105.09
3	C	500	GRG	C19-C18-C20	2.40	120.54	114.64
3	C	500	GRG	C14-C13-C15	2.53	119.28	115.41
3	C	500	GRG	C10-C8-C9	2.58	119.34	115.41
3	E	500	GRG	C10-C8-C9	2.72	119.57	115.41
3	B	500	GRG	C10-C8-C9	2.76	119.62	115.41
3	A	500	GRG	O3A-PA-O1	3.05	111.03	102.94
3	F	500	GRG	C10-C8-C9	3.24	122.60	114.64
3	B	500	GRG	C4-C3-C5	3.25	120.38	115.41
3	B	500	GRG	C14-C13-C15	3.43	120.64	115.41
3	E	500	GRG	C14-C13-C15	4.04	121.57	115.41
3	A	500	GRG	C10-C8-C9	4.50	122.29	115.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	500	GRG	2	0
3	C	500	GRG	2	0
3	D	500	GRG	2	0
3	E	500	GRG	2	0
3	F	500	GRG	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	285/301 (94%)	-0.29	0 100 100	44, 52, 60, 68	0
1	B	284/301 (94%)	-0.15	0 100 100	44, 52, 60, 68	0
1	C	284/301 (94%)	-0.12	3 (1%) 82 83	44, 52, 60, 66	0
1	D	285/301 (94%)	-0.25	0 100 100	44, 52, 60, 71	0
1	E	284/301 (94%)	-0.11	1 (0%) 93 94	44, 52, 60, 67	0
1	F	284/301 (94%)	0.16	8 (2%) 56 57	44, 52, 60, 67	0
All	All	1706/1806 (94%)	-0.13	12 (0%) 89 90	44, 52, 60, 71	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	202	LYS	3.4
1	F	288	VAL	2.8
1	F	172	ASP	2.8
1	F	182	LEU	2.7
1	C	294	MET	2.6
1	F	275	ILE	2.5
1	F	226	GLU	2.4
1	C	156	PHE	2.3
1	E	275	ILE	2.1
1	F	44	ASP	2.1
1	F	215	PHE	2.0
1	F	267	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	MG	C	401	1/1	0.94	0.17	6.53	45,45,45,45	0
2	MG	D	400	1/1	0.98	0.23	2.50	44,44,44,44	0
2	MG	F	400	1/1	0.98	0.24	2.24	48,48,48,48	0
3	GRG	E	500	29/29	0.94	0.24	2.07	46,59,75,76	0
3	GRG	C	500	29/29	0.94	0.26	1.96	47,58,61,61	0
2	MG	B	400	1/1	0.98	0.18	1.43	46,46,46,46	0
2	MG	E	400	1/1	0.94	0.19	1.10	47,47,47,47	0
2	MG	A	401	1/1	0.96	0.20	0.96	45,45,45,45	0
2	MG	D	401	1/1	0.93	0.19	0.64	45,45,45,45	0
2	MG	A	400	1/1	0.76	0.18	0.59	46,46,46,46	0
3	GRG	D	500	29/29	0.97	0.17	0.36	46,54,59,59	0
3	GRG	B	500	29/29	0.95	0.18	0.28	47,59,62,63	0
3	GRG	A	500	29/29	0.96	0.15	-0.28	47,52,59,60	0
2	MG	B	401	1/1	0.89	0.16	-0.29	46,46,46,46	0
2	MG	C	400	1/1	0.97	0.14	-0.35	45,45,45,45	0
2	MG	F	401	1/1	0.90	0.18	-0.49	46,46,46,46	0
2	MG	E	401	1/1	0.95	0.14	-0.95	47,47,47,47	0
3	GRG	F	500	19/29	0.94	0.15	-1.03	50,54,61,62	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.