



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:42 PM GMT

PDB ID : 1Q97  
Title : The structure of the *Saccharomyces cerevisiae* SR protein kinase, Sky1p, with bound ATP  
Authors : Nolen, B.; Ngo, J.; Chakrabarti, S.; Vu, D.; Adams, J.A.; Ghosh, G.  
Deposited on : 2003-08-22  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	
1	B	373	

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 5940 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SR protein kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	351	Total	C	N	O	S	0	0	0
			2826	1816	480	518	12			
1	B	361	Total	C	N	O	S	0	0	0
			2906	1862	494	538	12			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	305	VAL	-	SEE REMARK 999	UNP Q03656
A	306	ASP	-	SEE REMARK 999	UNP Q03656
B	305	VAL	-	SEE REMARK 999	UNP Q03656
B	306	ASP	-	SEE REMARK 999	UNP Q03656


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		

- Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ni	0	0
			1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 6 is ADENOSINE (three-letter code: ADN) (formula:  $C_{10}H_{13}N_5O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	N	O	0	0
			19	10	5	4		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	63	Total	O	0	0
			63	63		
7	B	82	Total	O	0	0
			82	82		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	71.82Å 88.69Å 133.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.89 – 2.30 48.89 – 2.30	Depositor EDS
% Data completeness (in resolution range)	86.0 (19.89-2.30) 80.9 (48.89-2.30)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.08 (at 2.29Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.215 , 0.264 0.216 , 0.215	Depositor DCC
$R_{free}$ test set	1551 reflections (4.97%)	DCC
Wilson B-factor (Å <sup>2</sup> )	31.3	Xtriage
Anisotropy	0.455	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 53.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 33136 reflections (0.003%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5940	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.62 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.2990e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADN, NI, MG, SO4, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/2891	0.57	0/3910
1	B	0.34	0/2975	0.57	0/4027
All	All	0.34	0/5866	0.57	0/7937

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2826	0	2797	94	1
1	B	2906	0	2874	69	1
2	A	2	0	0	0	0
3	B	1	0	0	0	0
4	A	5	0	0	1	0
4	B	5	0	0	0	0
5	A	31	0	12	2	0
6	B	19	0	13	0	0
7	A	63	0	0	3	0
7	B	82	0	0	4	0
All	All	5940	0	5696	161	1



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:238:ASN:H	1:B:238:ASN:HD22	1.20	0.84
1:A:205:LEU:HD13	1:A:554:ALA:HB3	1.60	0.84
1:A:238:ASN:H	1:A:238:ASN:HD22	1.30	0.80
1:B:164:LEU:HD21	1:B:174:LEU:HB2	1.64	0.79
1:B:737:ARG:NE	1:B:737:ARG:H	1.80	0.78
1:A:203:ILE:O	1:A:207:GLN:HG3	1.84	0.78
1:A:655:LYS:HD3	1:A:657:LYS:NZ	1.99	0.77
1:B:737:ARG:HE	1:B:737:ARG:H	1.32	0.77
1:B:297:PRO:HD3	1:B:593:LEU:HD13	1.68	0.75
1:A:238:ASN:ND2	1:A:238:ASN:H	1.85	0.75
1:B:238:ASN:H	1:B:238:ASN:ND2	1.84	0.74
1:B:688:GLN:HE21	1:B:690:ASP:H	1.35	0.74
1:B:702:ASN:OD1	1:B:716:ARG:HB2	1.87	0.74
1:A:623:ILE:CD1	1:A:629:LEU:HD13	2.19	0.73
1:A:297:PRO:HD3	1:A:593:LEU:HD13	1.71	0.73
1:A:624:GLU:HG3	1:A:657:LYS:O	1.88	0.72
1:A:170:SER:HB2	1:A:188:ILE:O	1.91	0.70
1:B:172:VAL:HG22	1:B:187:LYS:HG2	1.74	0.69
1:A:282:ASP:OD1	1:A:286:ARG:HD3	1.93	0.69
1:B:170:SER:HB2	1:B:188:ILE:O	1.93	0.69
1:B:650:LEU:HD23	1:B:653:ILE:HB	1.77	0.67
1:A:623:ILE:HD13	1:A:629:LEU:HD13	1.76	0.67
1:A:272:GLN:HE22	1:A:543:LEU:HA	1.61	0.66
1:A:562:THR:HG22	1:A:564:SER:H	1.60	0.66
1:A:655:LYS:HD3	1:A:657:LYS:HZ1	1.60	0.66
1:A:569:GLU:CD	1:A:569:GLU:H	1.99	0.66
1:B:252:ASN:OD1	1:B:254:LEU:HB2	1.96	0.66
1:A:238:ASN:N	1:A:238:ASN:HD22	1.92	0.64
1:A:254:LEU:HD22	1:A:258:LYS:HE2	1.78	0.64
1:A:304:ILE:HD12	1:A:304:ILE:N	2.14	0.63
1:B:192:ASP:HB3	1:B:195:TYR:HB2	1.81	0.62
1:A:617:ASP:OD1	1:A:653:ILE:HD11	2.00	0.62
1:B:170:SER:HB3	1:B:189:VAL:HA	1.81	0.62
1:B:272:GLN:HE22	1:B:543:LEU:HA	1.64	0.62
1:B:282:ASP:OD1	1:B:286:ARG:HD3	2.00	0.61
1:B:254:LEU:HD12	1:B:298:GLU:HG3	1.82	0.61
1:B:254:LEU:CD1	1:B:298:GLU:HG3	2.32	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:619:ILE:O	1:A:623:ILE:HG12	2.01	0.59
1:A:306:ASP:OD2	1:A:540:PRO:HD2	2.02	0.59
1:A:560:HIS:HE1	7:A:746:HOH:O	1.86	0.58
1:A:568:ARG:HB3	1:A:569:GLU:OE2	2.02	0.58
1:A:164:LEU:HD21	1:A:174:LEU:HB2	1.86	0.58
1:B:722:LEU:O	1:B:723:TYR:HB2	2.04	0.58
1:A:170:SER:HB3	1:A:189:VAL:HA	1.87	0.57
1:A:254:LEU:HG	1:A:298:GLU:OE2	2.05	0.56
1:B:737:ARG:CD	1:B:737:ARG:H	2.18	0.56
1:B:272:GLN:HE22	1:B:544:ILE:H	1.52	0.56
1:A:180:ASN:O	1:A:182:THR:HG23	2.06	0.56
1:B:655:LYS:HD2	1:B:657:LYS:HE3	1.88	0.56
1:A:144:TYR:CE1	1:A:146:PRO:HB3	2.41	0.55
1:B:584:GLY:HA3	7:B:772:HOH:O	2.07	0.55
1:B:569:GLU:HG2	1:B:602:PHE:CD2	2.41	0.55
1:A:712:MET:HB3	1:A:715:ILE:HD12	1.89	0.55
1:A:675:GLU:HA	1:A:675:GLU:OE2	2.07	0.55
1:A:722:LEU:O	1:A:723:TYR:HB2	2.08	0.54
1:A:655:LYS:HD3	1:A:657:LYS:HZ2	1.72	0.54
1:B:605:GLU:H	1:B:621:GLN:HE22	1.56	0.54
1:A:683:LEU:HA	1:A:686:MET:HE3	1.89	0.54
1:B:275:LYS:HD2	1:B:706:LEU:HB3	1.89	0.54
1:B:546:ILE:C	1:B:546:ILE:HD12	2.28	0.54
1:A:683:LEU:HD23	1:A:686:MET:CE	2.38	0.54
1:B:272:GLN:NE2	1:B:544:ILE:H	2.06	0.53
1:B:203:ILE:O	1:B:207:GLN:HG3	2.09	0.53
1:A:253:LEU:HD13	1:A:300:VAL:O	2.09	0.53
1:A:167:GLY:HA3	5:A:485:ATP:O2B	2.07	0.53
1:A:254:LEU:CD2	1:A:258:LYS:HE2	2.40	0.52
1:B:542:ASN:HA	7:B:818:HOH:O	2.10	0.52
1:B:238:ASN:N	1:B:238:ASN:ND2	2.51	0.52
1:A:655:LYS:HG3	1:B:659:TRP:CZ2	2.45	0.51
1:A:688:GLN:HE21	1:A:690:ASP:H	1.57	0.51
1:A:546:ILE:C	1:A:546:ILE:HD12	2.31	0.51
1:B:249:LEU:HD22	1:B:303:GLU:OE1	2.10	0.51
1:A:539:SER:HB3	1:A:540:PRO:HD3	1.93	0.51
1:B:157:ARG:HG3	1:B:179:VAL:HG23	1.93	0.51
1:A:696:ASP:HA	1:A:732:TRP:CH2	2.45	0.51
1:B:572:SER:HB2	1:B:574:GLU:OE2	2.11	0.51
1:A:683:LEU:HD23	1:A:686:MET:HE1	1.93	0.50
1:A:158:TYR:HA	1:A:176:LYS:O	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:249:LEU:HD23	1:A:301:LEU:CB	2.40	0.50
1:B:180:ASN:O	1:B:182:THR:HG23	2.11	0.50
1:B:737:ARG:N	1:B:737:ARG:HE	2.07	0.49
1:B:574:GLU:HG2	1:B:691:PRO:HG3	1.94	0.49
1:B:273:ILE:O	1:B:277:LEU:HB2	2.12	0.49
1:A:712:MET:CB	1:A:715:ILE:HD12	2.43	0.48
1:B:238:ASN:N	1:B:238:ASN:HD22	1.90	0.48
1:A:285:HIS:HD2	7:A:758:HOH:O	1.95	0.48
1:A:205:LEU:HD13	1:A:554:ALA:CB	2.37	0.48
1:B:254:LEU:O	1:B:258:LYS:HG3	2.12	0.48
1:A:662:GLU:O	1:A:666:THR:HG23	2.13	0.48
1:A:263:ARG:HH11	1:A:263:ARG:HG2	1.79	0.48
1:A:187:LYS:HE3	5:A:485:ATP:O1B	2.14	0.48
1:A:191:GLY:O	1:A:192:ASP:HB2	2.14	0.48
1:A:271:LYS:NZ	1:A:708:ASP:OD1	2.47	0.47
1:A:630:PRO:HD2	1:A:633:LEU:HD12	1.96	0.47
1:A:217:GLU:O	1:A:220:MET:HB2	2.15	0.47
1:B:666:THR:HG22	1:B:667:GLU:N	2.29	0.47
1:B:261:GLU:O	1:B:263:ARG:HG3	2.15	0.47
1:A:249:LEU:HD23	1:A:301:LEU:HB2	1.97	0.46
1:A:157:ARG:HG3	1:A:179:VAL:HG23	1.97	0.46
1:A:265:ILE:HG23	1:A:266:PRO:HD2	1.97	0.46
1:A:615:ASP:O	1:A:619:ILE:HG13	2.16	0.46
1:A:144:TYR:O	1:A:146:PRO:HD3	2.16	0.46
1:A:234:HIS:HD2	4:A:745:SO4:O2	1.99	0.46
1:A:249:LEU:O	1:A:303:GLU:HB3	2.15	0.46
1:B:305:VAL:CG2	1:B:545:GLN:HB2	2.46	0.46
1:A:298:GLU:CD	1:A:298:GLU:H	2.19	0.45
1:A:287:ARG:HH11	1:A:287:ARG:HG3	1.81	0.45
1:A:562:THR:HG22	1:A:563:ASN:H	1.82	0.45
1:A:304:ILE:H	1:A:304:ILE:HD12	1.81	0.45
1:A:297:PRO:CD	1:A:593:LEU:HD13	2.45	0.45
1:B:737:ARG:NE	1:B:737:ARG:N	2.56	0.45
1:A:205:LEU:HD23	1:A:556:TRP:CZ2	2.53	0.44
1:A:218:ASP:OD1	1:A:287:ARG:HG2	2.17	0.44
1:A:562:THR:HG22	1:A:563:ASN:N	2.31	0.44
1:B:151:GLU:HG2	1:B:153:TYR:CE1	2.52	0.44
1:A:617:ASP:O	1:A:621:GLN:HG3	2.17	0.44
1:A:582:GLY:HA3	1:A:731:GLY:O	2.17	0.44
1:B:596:GLU:HA	1:B:601:ASP:O	2.18	0.44
1:B:649:LEU:HD12	1:B:649:LEU:N	2.33	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:568:ARG:HH21	1:B:618:HIS:HD2	1.66	0.44
1:A:568:ARG:HH21	1:A:576:LEU:HD21	1.84	0.43
1:A:304:ILE:CD1	1:A:304:ILE:N	2.81	0.43
1:A:659:TRP:CH2	1:B:655:LYS:HG2	2.53	0.43
1:A:151:GLU:HG2	1:A:153:TYR:CE1	2.54	0.43
1:B:560:HIS:HE1	7:B:748:HOH:O	1.99	0.43
1:B:643:PHE:O	1:B:651:ARG:HG2	2.19	0.43
1:B:253:LEU:HD22	1:B:300:VAL:HB	2.01	0.43
1:A:714:GLU:HG2	7:A:754:HOH:O	2.18	0.43
1:B:296:LYS:HB2	1:B:297:PRO:HD2	1.98	0.43
1:A:170:SER:CB	1:A:189:VAL:HA	2.48	0.43
1:A:579:ALA:HB1	1:A:580:PRO:HD2	2.01	0.43
1:B:193:LYS:O	1:B:197:GLU:HG3	2.19	0.43
1:A:574:GLU:HG2	1:A:691:PRO:HG3	1.99	0.43
1:B:604:PHE:O	1:B:606:PRO:HD3	2.19	0.43
1:A:297:PRO:HD3	1:A:593:LEU:CD1	2.45	0.42
1:A:249:LEU:CD2	1:A:547:LYS:HB2	2.49	0.42
1:B:249:LEU:HD11	1:B:547:LYS:HD2	2.01	0.42
1:B:696:ASP:HA	1:B:732:TRP:CH2	2.54	0.42
1:B:666:THR:HG22	1:B:667:GLU:HG3	2.01	0.42
1:B:225:ILE:HD11	1:B:284:MET:HG3	2.01	0.42
1:B:247:GLU:HG2	7:B:811:HOH:O	2.19	0.42
1:A:673:LYS:HB3	1:A:673:LYS:HE2	1.84	0.42
1:A:572:SER:HB2	1:A:574:GLU:OE2	2.20	0.42
1:A:565:ILE:HD13	1:A:581:TRP:CH2	2.55	0.42
1:B:641:ARG:HA	1:B:641:ARG:HE	1.84	0.42
1:A:703:HIS:CG	1:A:704:PRO:HD2	2.54	0.41
1:A:193:LYS:O	1:A:197:GLU:HG3	2.20	0.41
1:B:163:LYS:HG2	1:B:173:TRP:CE2	2.54	0.41
1:A:629:LEU:HA	1:A:630:PRO:HD3	1.94	0.41
1:A:660:PRO:O	1:A:664:VAL:HG23	2.19	0.41
1:B:189:VAL:HG12	1:B:190:ARG:N	2.36	0.41
1:B:539:SER:N	1:B:540:PRO:CD	2.83	0.41
1:A:301:LEU:O	1:A:546:ILE:HA	2.20	0.41
1:B:539:SER:HB2	1:B:540:PRO:HD3	2.01	0.41
1:A:688:GLN:CG	1:A:693:LYS:HB2	2.50	0.41
1:A:688:GLN:HG2	1:A:693:LYS:HB2	2.02	0.41
1:A:697:ALA:HA	1:A:700:LEU:HD12	2.03	0.41
1:B:306:ASP:OD1	1:B:540:PRO:HD2	2.21	0.40
1:A:203:ILE:HD13	1:A:231:HIS:CD2	2.56	0.40
1:B:170:SER:OG	1:B:187:LYS:HE3	2.22	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:184:VAL:HA	1:B:248:VAL:HG23	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:714:GLU:OE1	1:B:713:GLU:OE2[2_654]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	345/373 (92%)	324 (94%)	17 (5%)	4 (1%)	16	16
1	B	359/373 (96%)	337 (94%)	19 (5%)	3 (1%)	24	27
All	All	704/746 (94%)	661 (94%)	36 (5%)	7 (1%)	19	21

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	250	GLY
1	A	568	ARG
1	B	568	ARG
1	B	550	ASP
1	A	192	ASP
1	A	550	ASP
1	A	566	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/327 (93%)	298 (98%)	6 (2%)	63	79
1	B	314/327 (96%)	304 (97%)	10 (3%)	46	62
All	All	618/654 (94%)	602 (97%)	16 (3%)	54	71

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	238	ASN
1	A	254	LEU
1	A	277	LEU
1	A	287	ARG
1	A	618	HIS
1	A	714	GLU
1	B	169	PHE
1	B	238	ASN
1	B	256	LEU
1	B	277	LEU
1	B	287	ARG
1	B	576	LEU
1	B	641	ARG
1	B	666	THR
1	B	714	GLU
1	B	737	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	224	HIS
1	A	231	HIS
1	A	234	HIS
1	A	238	ASN
1	A	262	HIS
1	A	272	GLN
1	A	285	HIS
1	A	560	HIS
1	A	688	GLN
1	B	145	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	234	HIS
1	B	238	ASN
1	B	272	GLN
1	B	285	HIS
1	B	618	HIS
1	B	621	GLN
1	B	688	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	ATP	A	485	2	24,33,33	1.51	2 (8%)	31,52,52	2.47	5 (16%)
4	SO4	A	745	-	4,4,4	0.29	0	6,6,6	0.11	0
6	ADN	B	486	-	16,21,21	1.56	1 (6%)	16,31,31	3.14	3 (18%)
4	SO4	B	744	-	4,4,4	0.28	0	6,6,6	0.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ATP	A	485	2	-	0/18/38/38	0/3/3/3
4	SO4	A	745	-	-	0/0/0/0	0/0/0/0
6	ADN	B	486	-	-	0/2/22/22	0/3/3/3
4	SO4	B	744	-	-	0/0/0/0	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	485	ATP	PG-O3G	2.19	1.62	1.54
6	B	486	ADN	O4'-C1'	5.17	1.47	1.41
5	A	485	ATP	O4'-C1'	5.78	1.48	1.41

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	486	ADN	N3-C2-N1	-11.39	120.17	128.89
5	A	485	ATP	N3-C2-N1	-11.09	120.40	128.89
5	A	485	ATP	C2'-C1'-N9	-4.14	107.97	114.29
5	A	485	ATP	PA-O3A-PB	-3.58	122.67	132.73
5	A	485	ATP	PB-O3B-PG	-3.29	121.65	132.67
6	B	486	ADN	C5'-C4'-C3'	-3.01	107.97	115.08
5	A	485	ATP	O2G-PG-O1G	2.50	118.63	110.58
6	B	486	ADN	O4'-C1'-N9	2.57	113.47	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	485	ATP	2	0
4	A	745	SO4	1	0

## 5.7 Other polymers

There are no such residues in this entry.



## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	351/373 (94%)	0.22	19 (5%)	29 38	19, 35, 58, 84	0
1	B	361/373 (96%)	0.08	10 (2%)	56 66	15, 32, 52, 64	0
All	All	712/746 (95%)	0.15	29 (4%)	41 50	15, 34, 56, 84	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	646	SER	7.7
1	A	145	HIS	6.7
1	A	144	TYR	4.1
1	B	304	ILE	4.0
1	B	641	ARG	3.9
1	A	641	ARG	3.9
1	A	645	ASN	3.8
1	B	649	LEU	3.2
1	A	181	ASN	3.2
1	A	262	HIS	3.2
1	A	305	VAL	3.0
1	A	651	ARG	3.0
1	B	145	HIS	2.9
1	B	647	ARG	2.8
1	B	250	GLY	2.8
1	B	737	ARG	2.7
1	A	654	SER	2.6
1	B	673	LYS	2.6
1	A	166	TRP	2.6
1	A	263	ARG	2.6
1	A	260	TYR	2.5
1	A	179	VAL	2.5
1	A	178	MET	2.5
1	B	251	GLU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	261	GLU	2.2
1	A	673	LYS	2.2
1	A	182	THR	2.2
1	B	258	LYS	2.2
1	A	656	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	ADN	B	486	19/19	0.77	0.20	0.85	72,75,79,80	0
4	SO4	A	745	5/5	0.89	0.15	0.64	62,64,66,66	0
4	SO4	B	744	5/5	0.81	0.17	0.61	86,87,88,89	0
5	ATP	A	485	31/31	0.94	0.14	-0.22	32,47,66,67	0
3	NI	B	743	1/1	0.97	0.06	-1.44	59,59,59,59	0
2	MG	A	744	1/1	0.75	0.17	-	59,59,59,59	0
2	MG	A	743	1/1	0.78	0.10	-	46,46,46,46	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.