



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 12:10 PM GMT

PDB ID : 3QMN  
Title : Crystal Structure of 4'-Phosphopantetheinyl Transferase AcpS from *Vibrio cholerae* O1 biovar eltor  
Authors : Kim, Y.; Halavaty, A.S.; Zhou, M.; Kwon, K.; Anderson, W.F.; Joachimiak, A.; Center for Structural Genomics of Infectious Diseases (CSGID)  
Deposited on : 2011-02-04  
Resolution : 1.85 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1745 (1.86-1.86)
Clashscore	102246	1898 (1.86-1.86)
Ramachandran outliers	100387	1875 (1.86-1.86)
Sidechain outliers	100360	1875 (1.86-1.86)
RSRZ outliers	91569	1747 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	129	<div> <div>5%</div> <div>88%</div> <div>10%</div> <div>•</div> </div>
1	B	129	<div> <div>6%</div> <div>90%</div> <div>8%</div> <div>•</div> </div>
1	C	129	<div> <div>2%</div> <div>84%</div> <div>13%</div> <div>•</div> </div>
1	D	129	<div> <div>2%</div> <div>83%</div> <div>15%</div> <div>•</div> </div>
1	E	129	<div> <div>5%</div> <div>87%</div> <div>12%</div> <div>•</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	129	
1	G	129	
1	H	129	
1	I	129	
1	J	129	
1	K	129	
1	L	129	
1	M	129	
1	N	129	
1	O	129	
1	P	129	
1	Q	129	
1	R	129	
1	S	129	
1	T	129	
1	U	129	
1	V	129	
1	W	129	
1	X	129	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	MPD	M	2572	-	-	X	-
5	MPD	V	1945	-	-	-	X
6	ACT	A	2597	-	-	X	-
6	ACT	C	2598	-	-	X	-
7	MRD	F	2559	-	-	-	X

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	MRD	K	2564	-	-	-	X

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 28565 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Holo-[acyl-carrier-protein] synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	126	Total	C	N	O	Se	0	7	0
			1035	644	193	196	2			
1	B	126	Total	C	N	O	Se	0	4	0
			1006	628	186	190	2			
1	C	126	Total	C	N	O	Se	0	7	0
			1033	643	191	197	2			
1	D	126	Total	C	N	O	Se	0	9	0
			1056	657	199	198	2			
1	E	127	Total	C	N	O	Se	0	5	0
			1029	642	191	194	2			
1	F	126	Total	C	N	O	Se	0	6	0
			1022	638	187	195	2			
1	G	126	Total	C	N	O	Se	0	3	0
			995	622	181	190	2			
1	H	126	Total	C	N	O	Se	0	8	0
			1043	651	192	198	2			
1	I	126	Total	C	N	O	Se	0	5	0
			1018	635	187	194	2			
1	J	126	Total	C	N	O	Se	0	3	0
			999	626	185	186	2			
1	K	126	Total	C	N	O	Se	0	6	0
			1020	638	189	191	2			
1	L	126	Total	C	N	O	Se	0	6	0
			1022	637	187	196	2			
1	M	126	Total	C	N	O	Se	0	6	0
			1022	638	188	194	2			
1	N	126	Total	C	N	O	Se	0	6	0
			1024	641	189	192	2			
1	O	127	Total	C	N	O	Se	0	5	0
			1023	637	191	193	2			
1	P	126	Total	C	N	O	Se	0	6	0
			1025	642	189	192	2			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Q	126	Total	C	N	O	Se	0	4	0
			1011	631	189	189	2			
1	R	126	Total	C	N	O	Se	0	6	0
			1024	638	190	194	2			
1	S	125	Total	C	N	O	Se	0	11	0
			1062	660	197	203	2			
1	T	126	Total	C	N	O	Se	0	6	0
			1023	638	187	196	2			
1	U	126	Total	C	N	O	Se	0	8	0
			1045	650	191	202	2			
1	V	126	Total	C	N	O	Se	0	4	0
			1009	630	186	191	2			
1	W	125	Total	C	N	O	Se	0	4	0
			1000	625	180	193	2			
1	X	126	Total	C	N	O	Se	0	5	0
			1022	636	191	193	2			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
A	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
A	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
B	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
B	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
B	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
C	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
C	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
C	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
D	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
D	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
D	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
E	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
E	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
E	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
F	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
F	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
F	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
G	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
G	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
G	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
H	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
H	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
H	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
I	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
I	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
I	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
J	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
J	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
J	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
K	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
K	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
K	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
L	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
L	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
L	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
M	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
M	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
M	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
N	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
N	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
N	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
O	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
O	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
O	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
P	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
P	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
P	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
Q	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
Q	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
Q	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
R	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
R	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
R	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
S	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
S	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
S	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
T	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
T	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
T	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
U	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
U	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
U	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
V	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
V	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
V	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
W	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
W	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
W	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6
X	-2	SER	-	EXPRESSION TAG	UNP Q9KPB6
X	-1	ASN	-	EXPRESSION TAG	UNP Q9KPB6
X	0	ALA	-	EXPRESSION TAG	UNP Q9KPB6

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	E	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	F	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	G	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	H	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	I	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	J	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	K	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	L	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	N	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	N	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	1
2	O	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	P	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	Q	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	R	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	S	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	T	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	U	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	W	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	W	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0
2	X	1	Total 48	C 21	N 7	O 16	P 3	S 1	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	P	1	Total 1	Cl 1	0	0
3	G	1	Total 1	Cl 1	0	0
3	J	1	Total 1	Cl 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	1	Total 1	Cl 1	0	0
3	C	1	Total 1	Cl 1	0	0
3	A	1	Total 1	Cl 1	0	0
3	T	1	Total 1	Cl 1	0	0
3	L	1	Total 1	Cl 1	0	0
3	M	1	Total 1	Cl 1	0	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	P	2	Total 2	Ca 2	0	0
4	K	2	Total 2	Ca 2	0	0
4	B	2	Total 2	Ca 2	0	0
4	W	2	Total 2	Ca 2	0	0
4	N	1	Total 1	Ca 1	0	0
4	X	2	Total 2	Ca 2	0	0
4	S	2	Total 2	Ca 2	0	0
4	J	2	Total 2	Ca 2	0	0
4	E	2	Total 2	Ca 2	0	0
4	V	2	Total 2	Ca 2	0	0
4	A	2	Total 2	Ca 2	0	0
4	R	2	Total 2	Ca 2	0	0
4	M	2	Total 2	Ca 2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	2	Total 2	Ca 2	0	0
4	I	2	Total 2	Ca 2	0	0
4	U	2	Total 2	Ca 2	0	0
4	L	2	Total 2	Ca 2	0	0
4	G	2	Total 2	Ca 2	0	0
4	Q	2	Total 2	Ca 2	0	0
4	H	2	Total 2	Ca 2	0	0
4	C	2	Total 2	Ca 2	0	0
4	T	2	Total 2	Ca 2	0	0
4	O	1	Total 1	Ca 1	0	0
4	F	2	Total 2	Ca 2	0	0

- Molecule 5 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula:  $C_6H_{14}O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			8	6	2		
5	B	1	Total	C	O	0	0
			8	6	2		
5	C	1	Total	C	O	0	0
			8	6	2		
5	E	1	Total	C	O	0	0
			8	6	2		
5	G	1	Total	C	O	0	0
			8	6	2		
5	H	1	Total	C	O	0	0
			8	6	2		
5	I	1	Total	C	O	0	0
			8	6	2		
5	M	1	Total	C	O	0	0
			8	6	2		
5	O	1	Total	C	O	0	0
			8	6	2		
5	P	1	Total	C	O	0	0
			8	6	2		
5	Q	1	Total	C	O	0	0
			8	6	2		
5	R	1	Total	C	O	0	0
			8	6	2		
5	S	1	Total	C	O	0	0
			8	6	2		
5	U	1	Total	C	O	0	0
			8	6	2		
5	V	1	Total	C	O	0	0
			8	6	2		
5	W	1	Total	C	O	0	0
			8	6	2		

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	E	1	Total	C	O	0	0
			4	2	2		
6	K	1	Total	C	O	0	0
			4	2	2		
6	K	1	Total	C	O	0	0
			4	2	2		
6	R	1	Total	C	O	0	0
			4	2	2		
6	T	1	Total	C	O	0	0
			4	2	2		
6	W	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is (4R)-2-METHYLPENTANE-2,4-DIOL (three-letter code: MRD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			8	6	2		
7	F	1	Total	C	O	0	0
			8	6	2		
7	K	1	Total	C	O	0	0
			8	6	2		
7	L	1	Total	C	O	0	0
			8	6	2		
7	N	1	Total	C	O	0	0
			8	6	2		
7	T	1	Total	C	O	0	0
			8	6	2		

- Molecule 8 is ADENOSINE-3'-5'-DIPHOSPHATE (three-letter code: A3P) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	O	1	Total	C	N	O	P	0	1
			27	10	5	10	2		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	115	Total	O	0	8
			119	119		
9	B	80	Total	O	0	2
			81	81		
9	C	123	Total	O	0	7
			126	126		
9	D	121	Total	O	0	5
			124	124		
9	E	97	Total	O	0	5
			100	100		
9	F	104	Total	O	0	6
			107	107		
9	G	78	Total	O	0	5
			81	81		
9	H	84	Total	O	0	5
			87	87		
9	I	102	Total	O	0	3
			105	105		
9	J	130	Total	O	0	11
			137	137		
9	K	113	Total	O	0	7
			116	116		

Continued on next page...

*Continued from previous page...*



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	L	134	Total 137	O 137	0	4
9	M	103	Total 105	O 105	0	4
9	N	127	Total 132	O 132	0	11
9	O	101	Total 105	O 105	0	6
9	P	106	Total 110	O 110	0	6
9	Q	103	Total 104	O 104	0	3
9	R	99	Total 100	O 100	0	1
9	S	110	Total 114	O 114	0	12
9	T	81	Total 81	O 81	0	2
9	U	108	Total 113	O 113	0	5
9	V	85	Total 85	O 85	0	0
9	W	99	Total 100	O 100	0	1
9	X	84	Total 86	O 86	0	4




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Holo-[acyl-carrier-protein] synthase





- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase




- Molecule 1: Holo-[acyl-carrier-protein] synthase



- Molecule 1: Holo-[acyl-carrier-protein] synthase



- Molecule 1: Holo-[acyl-carrier-protein] synthase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	94.55Å 139.04Å 138.32Å 90.00° 93.72° 90.00°	Depositor
Resolution (Å)	29.89 – 1.85 29.75 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.89-1.85) 99.2 (29.75-1.85)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.39 (at 1.85Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, $R_{free}$	0.156 , 0.191 0.171 , 0.205	Depositor DCC
$R_{free}$ test set	15148 reflections (5.32%)	DCC
Wilson B-factor (Å <sup>2</sup> )	23.4	Xtriage
Anisotropy	0.052	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 51.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 300124 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	28565	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, A3P, CL, CA, COA, ACT, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.58	0/1045	0.78	0/1397
1	B	0.58	0/1016	0.77	0/1359
1	C	0.64	0/1043	0.81	0/1395
1	D	0.61	0/1066	0.78	0/1425
1	E	0.55	0/1039	0.76	0/1388
1	F	0.56	0/1032	0.79	0/1380
1	G	0.48	0/1005	0.74	0/1346
1	H	0.53	0/1053	0.72	0/1408
1	I	0.55	0/1028	0.76	0/1375
1	J	0.64	0/1009	0.79	0/1350
1	K	0.62	1/1030 (0.1%)	0.78	0/1377
1	L	0.62	0/1032	0.80	0/1381
1	M	0.60	0/1032	0.77	0/1380
1	N	0.63	0/1034	0.79	0/1383
1	O	0.57	0/1034	0.76	0/1382
1	P	0.55	0/1036	0.77	0/1386
1	Q	0.56	0/1021	0.76	0/1365
1	R	0.56	0/1034	0.82	1/1383 (0.1%)
1	S	0.60	0/1073	0.77	0/1436
1	T	0.52	0/1034	0.74	0/1384
1	U	0.61	0/1055	0.78	0/1411
1	V	0.55	0/1019	0.76	0/1363
1	W	0.60	0/1011	0.80	0/1355
1	X	0.59	0/1033	0.76	0/1381
All	All	0.58	1/24814 (0.0%)	0.77	1/33190 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	M	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	K	113	GLU	CB-CG	-5.32	1.42	1.52

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	R	14	ARG	NE-CZ-NH1	5.83	123.22	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	M	52[A]	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1035	0	1044	17	0
1	B	1006	0	1020	7	0
1	C	1033	0	1039	19	0
1	D	1056	0	1069	22	0
1	E	1029	0	1044	12	0
1	F	1022	0	1032	20	0
1	G	995	0	1004	18	0
1	H	1043	0	1053	19	0
1	I	1018	0	1026	20	0
1	J	999	0	1021	16	0
1	K	1020	0	1041	19	0
1	L	1022	0	1028	12	0
1	M	1022	0	1034	27	0
1	N	1024	0	1044	19	0
1	O	1023	0	1033	15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	P	1025	0	1040	12	0
1	Q	1011	0	1028	11	0
1	R	1024	0	1034	18	0
1	S	1062	0	1065	23	0
1	T	1023	0	1025	7	0
1	U	1045	0	1044	23	0
1	V	1009	0	1021	13	0
1	W	1000	0	1004	16	0
1	X	1022	0	1035	14	0
2	A	96	0	64	4	0
2	C	48	0	32	0	0
2	D	48	0	32	2	0
2	E	48	0	32	0	0
2	F	48	0	32	1	0
2	G	48	0	32	0	0
2	H	48	0	32	2	0
2	I	48	0	32	1	0
2	J	48	0	32	0	0
2	K	48	0	32	0	0
2	L	48	0	32	0	0
2	N	96	0	61	8	0
2	O	48	0	32	0	0
2	P	48	0	32	0	0
2	Q	48	0	32	0	0
2	R	48	0	32	0	0
2	S	48	0	32	4	0
2	T	48	0	32	0	0
2	U	48	0	32	0	0
2	W	96	0	64	12	0
2	X	48	0	32	3	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
3	E	1	0	0	0	0
3	G	1	0	0	0	0
3	J	1	0	0	0	0
3	L	1	0	0	0	0
3	M	1	0	0	1	0
3	P	1	0	0	0	0
3	T	1	0	0	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	2	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
4	G	2	0	0	0	0
4	H	2	0	0	0	0
4	I	2	0	0	0	0
4	J	2	0	0	0	0
4	K	2	0	0	0	0
4	L	2	0	0	0	0
4	M	2	0	0	0	0
4	N	1	0	0	0	0
4	O	1	0	0	0	0
4	P	2	0	0	0	0
4	Q	2	0	0	0	0
4	R	2	0	0	0	0
4	S	2	0	0	0	0
4	T	2	0	0	0	0
4	U	2	0	0	0	0
4	V	2	0	0	0	0
4	W	2	0	0	0	0
4	X	2	0	0	0	0
5	A	8	0	14	2	0
5	B	8	0	14	1	0
5	C	8	0	14	0	0
5	E	8	0	14	0	0
5	G	8	0	14	0	0
5	H	8	0	14	2	0
5	I	8	0	14	1	0
5	M	8	0	14	6	0
5	O	8	0	14	0	0
5	P	8	0	14	0	0
5	Q	8	0	14	1	0
5	R	8	0	14	0	0
5	S	8	0	14	2	0
5	U	8	0	14	1	0
5	V	8	0	14	0	0
5	W	8	0	14	0	0
6	A	4	0	3	3	0
6	C	4	0	3	3	0
6	E	4	0	3	1	0
6	K	8	0	6	1	0
6	R	4	0	3	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	T	4	0	3	1	0
6	W	4	0	3	0	0
7	D	8	0	14	4	0
7	F	8	0	14	3	0
7	K	8	0	14	4	0
7	L	8	0	14	0	0
7	N	8	0	14	3	0
7	T	8	0	14	0	0
8	O	27	0	9	1	0
9	A	119	0	0	3	0
9	B	81	0	0	2	0
9	C	126	0	0	9	0
9	D	124	0	0	3	0
9	E	100	0	0	4	0
9	F	107	0	0	4	0
9	G	81	0	0	2	0
9	H	87	0	0	4	0
9	I	105	0	0	3	0
9	J	137	0	0	2	0
9	K	116	0	0	6	0
9	L	137	0	0	3	0
9	M	105	0	0	4	0
9	N	132	0	0	5	0
9	O	105	0	0	2	0
9	P	110	0	0	2	0
9	Q	104	0	0	3	0
9	R	100	0	0	4	0
9	S	114	0	0	10	0
9	T	81	0	0	2	0
9	U	113	0	0	3	0
9	V	85	0	0	5	0
9	W	100	0	0	4	0
9	X	86	0	0	2	0
All	All	28565	0	25934	403	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 403 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:89:ILE:HD13	9:F:510:HOH:O	1.36	1.25
1:K:87:LEU:HD21	9:K:1004:HOH:O	1.34	1.23
1:M:38[B]:GLN:HG2	9:M:2465[B]:HOH:O	1.41	1.18
1:N:7[B]:THR:CG2	1:O:118:MSE:HE3	1.82	1.10
1:J:28[A]:ARG:HD2	1:J:36:LEU:HD11	1.34	1.08

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	131/129 (102%)	127 (97%)	4 (3%)	0	100	100
1	B	128/129 (99%)	126 (98%)	2 (2%)	0	100	100
1	C	131/129 (102%)	127 (97%)	4 (3%)	0	100	100
1	D	133/129 (103%)	130 (98%)	3 (2%)	0	100	100
1	E	130/129 (101%)	128 (98%)	2 (2%)	0	100	100
1	F	130/129 (101%)	127 (98%)	3 (2%)	0	100	100
1	G	127/129 (98%)	123 (97%)	4 (3%)	0	100	100
1	H	132/129 (102%)	129 (98%)	3 (2%)	0	100	100
1	I	129/129 (100%)	127 (98%)	2 (2%)	0	100	100
1	J	127/129 (98%)	125 (98%)	2 (2%)	0	100	100
1	K	130/129 (101%)	128 (98%)	2 (2%)	0	100	100
1	L	130/129 (101%)	128 (98%)	2 (2%)	0	100	100
1	M	130/129 (101%)	126 (97%)	4 (3%)	0	100	100
1	N	130/129 (101%)	126 (97%)	4 (3%)	0	100	100
1	O	130/129 (101%)	126 (97%)	4 (3%)	0	100	100
1	P	130/129 (101%)	127 (98%)	3 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	Q	128/129 (99%)	125 (98%)	3 (2%)	0	100	100
1	R	130/129 (101%)	127 (98%)	3 (2%)	0	100	100
1	S	134/129 (104%)	130 (97%)	4 (3%)	0	100	100
1	T	130/129 (101%)	127 (98%)	3 (2%)	0	100	100
1	U	132/129 (102%)	130 (98%)	2 (2%)	0	100	100
1	V	128/129 (99%)	126 (98%)	2 (2%)	0	100	100
1	W	127/129 (98%)	124 (98%)	3 (2%)	0	100	100
1	X	129/129 (100%)	126 (98%)	3 (2%)	0	100	100
All	All	3116/3096 (101%)	3045 (98%)	71 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	106/100 (106%)	106 (100%)	0	100	100
1	B	103/100 (103%)	102 (99%)	1 (1%)	82	76
1	C	106/100 (106%)	106 (100%)	0	100	100
1	D	108/100 (108%)	108 (100%)	0	100	100
1	E	105/100 (105%)	105 (100%)	0	100	100
1	F	105/100 (105%)	105 (100%)	0	100	100
1	G	102/100 (102%)	102 (100%)	0	100	100
1	H	107/100 (107%)	105 (98%)	2 (2%)	65	49
1	I	104/100 (104%)	104 (100%)	0	100	100
1	J	102/100 (102%)	102 (100%)	0	100	100
1	K	105/100 (105%)	105 (100%)	0	100	100
1	L	105/100 (105%)	105 (100%)	0	100	100
1	M	105/100 (105%)	104 (99%)	1 (1%)	82	76

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	N	105/100 (105%)	105 (100%)	0	100	100
1	O	105/100 (105%)	105 (100%)	0	100	100
1	P	105/100 (105%)	105 (100%)	0	100	100
1	Q	103/100 (103%)	102 (99%)	1 (1%)	82	76
1	R	105/100 (105%)	103 (98%)	2 (2%)	65	49
1	S	110/100 (110%)	109 (99%)	1 (1%)	84	79
1	T	105/100 (105%)	105 (100%)	0	100	100
1	U	107/100 (107%)	107 (100%)	0	100	100
1	V	103/100 (103%)	103 (100%)	0	100	100
1	W	103/100 (103%)	103 (100%)	0	100	100
1	X	105/100 (105%)	105 (100%)	0	100	100
All	All	2519/2400 (105%)	2511 (100%)	8 (0%)	94	94

5 of 8 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	1	MSE
1	S	90	LEU
1	R	14	ARG
1	H	90	LEU
1	Q	82	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
1	P	69	GLN
1	P	105	ASN
1	T	44	GLN
1	O	38	GLN
1	O	100	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 110 ligands modelled in this entry, 55 are monoatomic - leaving 55 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	COA	A	127	4	40,50,50	1.08	1 (2%)	50,75,75	2.09	12 (24%)
2	COA	A	129	4	40,50,50	1.11	1 (2%)	50,75,75	2.03	8 (16%)
5	MPD	A	2570	-	6,7,7	0.29	0	7,10,10	0.33	0
6	ACT	A	2597	4	1,3,3	1.60	0	0,3,3	0.00	-
5	MPD	B	127	-	6,7,7	0.25	0	7,10,10	0.36	0
2	COA	C	169	4	40,50,50	1.04	1 (2%)	50,75,75	2.37	14 (28%)
5	MPD	C	2571	-	6,7,7	0.29	0	7,10,10	0.31	0
6	ACT	C	2598	-	1,3,3	1.70	0	0,3,3	0.00	-
7	MRD	D	2573	-	6,7,7	0.20	0	7,10,10	0.32	0
2	COA	D	283	4	40,50,50	1.00	1 (2%)	50,75,75	2.01	11 (22%)
5	MPD	E	2560	-	6,7,7	0.38	0	7,10,10	0.32	0
6	ACT	E	2594	4	1,3,3	1.53	0	0,3,3	0.00	-
2	COA	E	387	4	40,50,50	1.10	1 (2%)	50,75,75	2.06	11 (22%)
7	MRD	F	2559	-	6,7,7	0.28	0	7,10,10	0.32	0
2	COA	F	477	4	40,50,50	0.97	1 (2%)	50,75,75	2.06	10 (20%)
2	COA	G	570	4	40,50,50	1.03	1 (2%)	50,75,75	2.07	14 (28%)
5	MPD	G	571	-	6,7,7	0.25	0	7,10,10	0.28	0
2	COA	H	630	4	40,50,50	0.99	1 (2%)	50,75,75	2.28	14 (28%)
5	MPD	H	631	-	6,7,7	0.23	0	7,10,10	0.29	0
5	MPD	I	2561	-	6,7,7	0.31	0	7,10,10	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	COA	I	699	4	40,50,50	1.00	1 (2%)	50,75,75	2.28	18 (36%)
2	COA	J	780	4	40,50,50	1.08	2 (5%)	50,75,75	2.23	11 (22%)
6	ACT	K	2563	-	1,3,3	1.49	0	0,3,3	0.00	-
7	MRD	K	2564	-	6,7,7	0.29	0	7,10,10	0.47	0
6	ACT	K	629	4	1,3,3	1.07	0	0,3,3	0.00	-
2	COA	K	900	4	40,50,50	0.87	1 (2%)	50,75,75	2.27	12 (24%)
2	COA	L	1008	4	40,50,50	1.01	1 (2%)	50,75,75	2.12	15 (30%)
7	MRD	L	2562	-	6,7,7	0.37	0	7,10,10	0.29	0
5	MPD	M	2572	-	6,7,7	0.28	0	7,10,10	0.44	0
2	COA	N	1221	4	40,50,50	1.04	1 (2%)	50,75,75	2.27	14 (28%)
2	COA	N	1333[A]	-	40,50,50	0.98	1 (2%)	50,75,75	2.03	7 (14%)
7	MRD	N	2565	-	6,7,7	0.22	0	7,10,10	0.19	0
2	COA	O	1127	4	40,50,50	1.04	1 (2%)	50,75,75	2.14	12 (24%)
5	MPD	O	1334	-	6,7,7	0.28	0	7,10,10	0.28	0
8	A3P	O	2575[B]	-	24,29,29	0.95	1 (4%)	28,45,45	2.03	5 (17%)
2	COA	P	1424	4	40,50,50	1.08	1 (2%)	50,75,75	2.04	10 (20%)
5	MPD	P	1425	-	6,7,7	0.28	0	7,10,10	0.41	0
2	COA	Q	1515	4	40,50,50	1.11	1 (2%)	50,75,75	2.11	12 (24%)
5	MPD	Q	2567	-	6,7,7	0.31	0	7,10,10	0.30	0
2	COA	R	1606	4	40,50,50	1.05	1 (2%)	50,75,75	2.24	14 (28%)
5	MPD	R	2566	-	6,7,7	0.27	0	7,10,10	0.26	0
6	ACT	R	2595	4	1,3,3	1.89	0	0,3,3	0.00	-
2	COA	S	1696	4	40,50,50	1.05	1 (2%)	50,75,75	2.04	12 (24%)
5	MPD	S	1697	-	6,7,7	0.28	0	7,10,10	0.22	0
2	COA	T	1791	4	40,50,50	1.00	1 (2%)	50,75,75	1.85	7 (14%)
6	ACT	T	2568	4	1,3,3	1.08	0	0,3,3	0.00	-
7	MRD	T	2569	-	6,7,7	0.31	0	7,10,10	0.22	0
5	MPD	U	1698	-	6,7,7	0.33	0	7,10,10	0.24	0
2	COA	U	1854	4	40,50,50	1.01	1 (2%)	50,75,75	2.12	10 (20%)
5	MPD	V	1945	-	6,7,7	0.24	0	7,10,10	0.27	0
2	COA	W	2019	4	40,50,50	1.04	1 (2%)	50,75,75	2.19	12 (24%)
2	COA	W	2105	4	40,50,50	1.04	1 (2%)	50,75,75	2.14	9 (18%)
5	MPD	W	2106	-	6,7,7	0.29	0	7,10,10	0.18	0
6	ACT	W	2596	4	1,3,3	1.43	0	0,3,3	0.00	-
2	COA	X	1944	4	40,50,50	0.97	1 (2%)	50,75,75	2.08	11 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	A	127	4	-	0/44/64/64	0/3/3/3
2	COA	A	129	4	-	0/44/64/64	0/3/3/3
5	MPD	A	2570	-	-	0/5/5/5	0/0/0/0
6	ACT	A	2597	4	-	0/0/0/0	0/0/0/0
5	MPD	B	127	-	-	0/5/5/5	0/0/0/0
2	COA	C	169	4	-	0/44/64/64	0/3/3/3
5	MPD	C	2571	-	-	0/5/5/5	0/0/0/0
6	ACT	C	2598	-	-	0/0/0/0	0/0/0/0
7	MRD	D	2573	-	-	0/5/5/5	0/0/0/0
2	COA	D	283	4	-	0/44/64/64	0/3/3/3
5	MPD	E	2560	-	-	0/5/5/5	0/0/0/0
6	ACT	E	2594	4	-	0/0/0/0	0/0/0/0
2	COA	E	387	4	-	0/44/64/64	0/3/3/3
7	MRD	F	2559	-	-	0/5/5/5	0/0/0/0
2	COA	F	477	4	-	0/44/64/64	0/3/3/3
2	COA	G	570	4	-	0/44/64/64	0/3/3/3
5	MPD	G	571	-	-	0/5/5/5	0/0/0/0
2	COA	H	630	4	-	0/44/64/64	0/3/3/3
5	MPD	H	631	-	-	0/5/5/5	0/0/0/0
5	MPD	I	2561	-	-	0/5/5/5	0/0/0/0
2	COA	I	699	4	-	0/44/64/64	0/3/3/3
2	COA	J	780	4	-	0/44/64/64	0/3/3/3
6	ACT	K	2563	-	-	0/0/0/0	0/0/0/0
7	MRD	K	2564	-	-	0/5/5/5	0/0/0/0
6	ACT	K	629	4	-	0/0/0/0	0/0/0/0
2	COA	K	900	4	-	0/44/64/64	0/3/3/3
2	COA	L	1008	4	-	0/44/64/64	0/3/3/3
7	MRD	L	2562	-	-	0/5/5/5	0/0/0/0
5	MPD	M	2572	-	-	0/5/5/5	0/0/0/0
2	COA	N	1221	4	-	0/44/64/64	0/3/3/3
2	COA	N	1333[A]	-	-	0/44/64/64	0/3/3/3
7	MRD	N	2565	-	-	0/5/5/5	0/0/0/0
2	COA	O	1127	4	-	0/44/64/64	0/3/3/3
5	MPD	O	1334	-	-	0/5/5/5	0/0/0/0
8	A3P	O	2575[B]	-	-	0/11/31/31	0/3/3/3
2	COA	P	1424	4	-	0/44/64/64	0/3/3/3
5	MPD	P	1425	-	-	0/5/5/5	0/0/0/0
2	COA	Q	1515	4	-	0/44/64/64	0/3/3/3
5	MPD	Q	2567	-	-	0/5/5/5	0/0/0/0
2	COA	R	1606	4	-	0/44/64/64	0/3/3/3
5	MPD	R	2566	-	-	0/5/5/5	0/0/0/0
6	ACT	R	2595	4	-	0/0/0/0	0/0/0/0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	S	1696	4	-	0/44/64/64	0/3/3/3
5	MPD	S	1697	-	-	0/5/5/5	0/0/0/0
2	COA	T	1791	4	-	0/44/64/64	0/3/3/3
6	ACT	T	2568	4	-	0/0/0/0	0/0/0/0
7	MRD	T	2569	-	-	0/5/5/5	0/0/0/0
5	MPD	U	1698	-	-	0/5/5/5	0/0/0/0
2	COA	U	1854	4	-	0/44/64/64	0/3/3/3
5	MPD	V	1945	-	-	0/5/5/5	0/0/0/0
2	COA	W	2019	4	-	0/44/64/64	0/3/3/3
2	COA	W	2105	4	-	0/44/64/64	0/3/3/3
5	MPD	W	2106	-	-	0/5/5/5	0/0/0/0
6	ACT	W	2596	4	-	0/0/0/0	0/0/0/0
2	COA	X	1944	4	-	0/44/64/64	0/3/3/3

The worst 5 of 26 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	780	COA	C2A-N3A	2.40	1.36	1.32
8	O	2575[B]	A3P	C5-C4	2.97	1.47	1.40
2	K	900	COA	O9P-C9P	3.72	1.30	1.23
2	D	283	COA	O9P-C9P	4.66	1.32	1.23
2	U	1854	COA	O9P-C9P	4.77	1.32	1.23

The worst 5 of 285 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	R	1606	COA	N3A-C2A-N1A	-10.68	120.72	128.89
2	W	2105	COA	N3A-C2A-N1A	-10.68	120.72	128.89
2	J	780	COA	N3A-C2A-N1A	-10.59	120.79	128.89
2	U	1854	COA	N3A-C2A-N1A	-10.47	120.88	128.89
2	K	900	COA	N3A-C2A-N1A	-10.46	120.89	128.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

31 monomers are involved in 75 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	127	COA	2	0
2	A	129	COA	2	0
5	A	2570	MPD	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	2597	ACT	3	0
5	B	127	MPD	1	0
6	C	2598	ACT	3	0
7	D	2573	MRD	4	0
2	D	283	COA	2	0
6	E	2594	ACT	1	0
7	F	2559	MRD	3	0
2	F	477	COA	1	0
2	H	630	COA	2	0
5	H	631	MPD	2	0
5	I	2561	MPD	1	0
2	I	699	COA	1	0
7	K	2564	MRD	4	0
6	K	629	ACT	1	0
5	M	2572	MPD	6	0
2	N	1221	COA	5	0
2	N	1333[A]	COA	3	0
7	N	2565	MRD	3	0
8	O	2575[B]	A3P	1	0
5	Q	2567	MPD	1	0
6	R	2595	ACT	1	0
2	S	1696	COA	4	0
5	S	1697	MPD	2	0
6	T	2568	ACT	1	0
5	U	1698	MPD	1	0
2	W	2019	COA	5	0
2	W	2105	COA	7	0
2	X	1944	COA	3	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	124/129 (96%)	0.18	7 (5%) 28 26	15, 25, 37, 43	0
1	B	124/129 (96%)	0.21	8 (6%) 22 21	16, 26, 41, 47	0
1	C	124/129 (96%)	0.07	2 (1%) 74 74	12, 21, 36, 45	0
1	D	124/129 (96%)	-0.03	2 (1%) 74 74	15, 22, 35, 44	0
1	E	125/129 (96%)	0.22	7 (5%) 28 26	16, 24, 38, 56	0
1	F	124/129 (96%)	0.18	4 (3%) 51 48	16, 24, 37, 46	0
1	G	124/129 (96%)	0.29	4 (3%) 51 48	20, 34, 52, 59	0
1	H	124/129 (96%)	0.05	4 (3%) 51 48	19, 30, 47, 54	0
1	I	124/129 (96%)	0.01	1 (0%) 87 87	18, 26, 39, 49	0
1	J	124/129 (96%)	0.01	1 (0%) 87 87	13, 21, 35, 44	0
1	K	124/129 (96%)	0.13	2 (1%) 74 74	14, 23, 37, 46	0
1	L	124/129 (96%)	-0.03	2 (1%) 74 74	13, 21, 34, 46	0
1	M	124/129 (96%)	0.27	6 (4%) 34 32	15, 24, 37, 44	0
1	N	124/129 (96%)	0.05	4 (3%) 51 48	13, 21, 34, 45	0
1	O	125/129 (96%)	0.12	3 (2%) 62 60	16, 26, 42, 59	0
1	P	124/129 (96%)	0.08	4 (3%) 51 48	18, 27, 39, 49	0
1	Q	124/129 (96%)	-0.03	1 (0%) 87 87	17, 26, 37, 47	0
1	R	124/129 (96%)	0.06	6 (4%) 34 32	17, 26, 40, 48	0
1	S	123/129 (95%)	0.15	4 (3%) 50 47	17, 25, 39, 46	0
1	T	124/129 (96%)	0.23	4 (3%) 51 48	18, 30, 46, 52	0
1	U	124/129 (96%)	0.15	4 (3%) 51 48	14, 23, 37, 52	0
1	V	124/129 (96%)	0.15	4 (3%) 51 48	18, 28, 42, 50	0
1	W	123/129 (95%)	0.03	1 (0%) 87 87	17, 25, 39, 43	0
1	X	124/129 (96%)	0.10	2 (1%) 74 74	16, 26, 40, 63	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
All	All	2976/3096 (96%)	0.11	87 (2%) 55 52	12, 25, 41, 63	0

The worst 5 of 87 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	V	0	ALA	8.1
1	X	126	ARG	7.1
1	E	126	ARG	7.0
1	J	0	ALA	6.6
1	O	126	ARG	6.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
5	MPD	V	1945	8/8	0.86	0.21	3.61	53,54,54,54	0
7	MRD	F	2559	8/8	0.80	0.26	3.29	73,73,74,74	0
7	MRD	K	2564	8/8	0.81	0.24	3.24	57,59,59,59	0
7	MRD	L	2562	8/8	0.80	0.16	1.92	43,45,46,47	0
5	MPD	W	2106	8/8	0.90	0.17	1.85	47,48,49,49	0
5	MPD	U	1698	8/8	0.91	0.17	1.80	45,45,47,48	0
5	MPD	M	2572	8/8	0.89	0.22	1.69	63,63,64,64	0
5	MPD	G	571	8/8	0.90	0.18	1.36	46,47,50,51	0
6	ACT	C	2598	4/4	0.81	0.20	1.23	47,48,48,48	0
7	MRD	D	2573	8/8	0.93	0.16	1.16	51,51,52,53	0
5	MPD	H	631	8/8	0.92	0.14	1.15	55,57,57,57	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
7	MRD	T	2569	8/8	0.90	0.16	1.13	46,48,49,49	0
5	MPD	I	2561	8/8	0.93	0.14	0.96	48,50,51,52	0
5	MPD	C	2571	8/8	0.91	0.16	0.93	52,53,54,54	0
5	MPD	Q	2567	8/8	0.91	0.15	0.90	47,49,50,51	0
2	COA	N	1333[A]	48/48	0.94	0.15	0.85	24,44,68,69	48
5	MPD	A	2570	8/8	0.91	0.14	0.80	45,46,47,47	0
2	COA	E	387	48/48	0.94	0.13	0.49	19,28,64,70	0
2	COA	C	169	48/48	0.96	0.12	0.48	18,26,68,73	0
2	COA	W	2105	48/48	0.94	0.12	0.45	20,34,67,72	0
2	COA	I	699	48/48	0.95	0.12	0.41	22,30,66,69	0
2	COA	W	2019	48/48	0.96	0.11	0.34	22,32,72,75	0
3	CL	A	128	1/1	0.98	0.13	0.25	48,48,48,48	0
2	COA	U	1854	48/48	0.96	0.11	0.24	21,29,67,72	0
2	COA	D	283	48/48	0.97	0.11	0.21	18,28,53,65	0
2	COA	R	1606	48/48	0.96	0.12	0.17	21,29,65,70	0
2	COA	O	1127	48/48	0.96	0.11	0.15	21,29,65,71	0
5	MPD	P	1425	8/8	0.93	0.13	0.10	49,49,51,51	0
2	COA	P	1424	48/48	0.96	0.12	0.06	22,29,69,75	0
2	COA	G	570	48/48	0.95	0.12	0.04	25,33,68,74	0
2	COA	X	1944	48/48	0.96	0.11	0.03	24,32,58,65	0
2	COA	H	630	48/48	0.95	0.12	-0.01	30,35,71,74	0
2	COA	A	129	48/48	0.95	0.12	-0.01	23,33,70,75	0
2	COA	F	477	48/48	0.96	0.11	-0.02	20,30,57,65	0
5	MPD	E	2560	8/8	0.92	0.12	-0.07	45,46,47,47	0
2	COA	J	780	48/48	0.97	0.10	-0.08	17,26,54,65	0
5	MPD	R	2566	8/8	0.91	0.12	-0.09	46,48,49,49	0
5	MPD	B	127	8/8	0.93	0.12	-0.09	51,52,54,54	0
2	COA	N	1221	48/48	0.96	0.11	-0.11	18,28,68,72	0
8	A3P	O	2575[B]	27/27	0.97	0.11	-0.20	5,9,22,23	27
4	CA	U	2537	1/1	0.98	0.12	-0.30	34,34,34,34	1
7	MRD	N	2565	8/8	0.95	0.10	-0.32	45,46,47,48	0
2	COA	L	1008	48/48	0.97	0.10	-0.41	17,26,48,59	0
2	COA	K	900	48/48	0.98	0.09	-0.49	16,20,39,48	0
5	MPD	O	1334	8/8	0.92	0.10	-0.50	55,56,57,58	0
2	COA	Q	1515	48/48	0.96	0.10	-0.51	23,32,70,75	0
2	COA	T	1791	48/48	0.96	0.09	-0.61	23,28,45,55	0
2	COA	S	1696	48/48	0.97	0.10	-0.68	21,29,66,72	0
2	COA	A	127	48/48	0.97	0.09	-0.69	17,25,40,54	0
6	ACT	T	2568	4/4	0.92	0.12	-0.71	54,55,55,55	0
6	ACT	K	629	4/4	0.93	0.12	-0.91	45,46,46,46	0
3	CL	G	2574	1/1	0.98	0.07	-0.98	51,51,51,51	0
3	CL	L	2543	1/1	0.94	0.08	-1.12	43,43,43,43	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	CA	V	2547	1/1	0.98	0.09	-1.24	37,37,37,37	1
3	CL	M	2555	1/1	0.98	0.07	-1.44	48,48,48,48	0
4	CA	A	2514	1/1	0.94	0.10	-1.76	36,36,36,36	1
4	CA	X	2556	1/1	0.94	0.09	-1.95	35,35,35,35	1
3	CL	C	2558	1/1	0.96	0.05	-1.95	41,41,41,41	0
3	CL	P	2544	1/1	0.99	0.04	-2.26	49,49,49,49	0
4	CA	S	2539	1/1	0.99	0.05	-2.43	26,26,26,26	1
4	CA	D	2517	1/1	0.98	0.07	-2.46	27,27,27,27	1
4	CA	P	1426	1/1	0.97	0.05	-2.47	36,36,36,36	1
4	CA	G	2523	1/1	0.97	0.05	-2.59	42,42,42,42	1
4	CA	B	2515	1/1	0.99	0.06	-2.60	29,29,29,29	1
4	CA	F	2516	1/1	0.98	0.06	-2.64	34,34,34,34	1
4	CA	M	2533	1/1	0.99	0.06	-2.68	28,28,28,28	1
4	CA	W	2549	1/1	0.97	0.07	-2.85	35,35,35,35	1
4	CA	T	2545	1/1	0.95	0.06	-2.93	29,29,29,29	1
4	CA	J	2527	1/1	0.99	0.07	-2.97	21,21,21,21	1
4	CA	C	2513	1/1	0.98	0.07	-3.03	23,23,23,23	1
4	CA	E	2519	1/1	0.98	0.06	-3.12	26,26,26,26	1
4	CA	H	2524	1/1	0.99	0.06	-3.53	36,36,36,36	1
4	CA	L	2526	1/1	0.98	0.04	-3.54	26,26,26,26	1
4	CA	R	1607	1/1	0.98	0.05	-3.88	34,34,34,34	1
4	CA	Q	2536	1/1	0.99	0.06	-3.99	28,28,28,28	1
4	CA	O	2531	1/1	0.98	0.04	-4.56	34,34,34,34	1
4	CA	I	2521	1/1	0.97	0.05	-4.83	43,43,43,43	0
4	CA	K	2529	1/1	1.00	0.04	-5.87	31,31,31,31	1
4	CA	H	2522	1/1	0.98	0.04	-	48,48,48,48	0
5	MPD	S	1697	8/8	0.67	0.28	-	65,66,68,68	0
4	CA	W	2548	1/1	0.95	0.10	-	38,38,38,38	1
4	CA	J	2542	1/1	0.98	0.06	-	29,29,29,29	1
4	CA	B	2551	1/1	0.99	0.09	-	38,38,38,38	1
3	CL	T	2592	1/1	0.98	0.10	-	51,51,51,51	0
4	CA	N	2532	1/1	0.93	0.10	-	43,43,43,43	1
4	CA	X	2550	1/1	0.91	0.08	-	50,50,50,50	1
4	CA	A	2552	1/1	0.97	0.12	-	35,35,35,35	1
4	CA	L	2528	1/1	0.98	0.05	-	31,31,31,31	1
6	ACT	E	2594	4/4	0.92	0.11	-	50,50,50,50	0
4	CA	F	2518	1/1	0.97	0.08	-	54,54,54,54	0
4	CA	K	569	1/1	0.99	0.09	-	20,20,20,20	1
3	CL	J	2541	1/1	0.99	0.05	-	43,43,43,43	0
6	ACT	K	2563	4/4	0.80	0.20	-	47,48,48,49	0
4	CA	V	2557	1/1	0.94	0.10	-	47,47,47,47	0
4	CA	P	2534	1/1	0.97	0.07	-	42,42,42,42	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	CA	M	2530	1/1	0.91	0.09	-	41,41,41,41	1
4	CA	T	1792	1/1	0.99	0.05	-	26,26,26,26	1
6	ACT	A	2597	4/4	0.87	0.19	-	35,36,37,38	0
4	CA	D	2540	1/1	0.97	0.04	-	30,30,30,30	1
4	CA	R	2512	1/1	0.97	0.07	-	36,36,36,36	1
6	ACT	W	2596	4/4	0.82	0.23	-	50,50,50,50	0
4	CA	C	2553	1/1	0.97	0.06	-	32,32,32,32	1
4	CA	E	2554	1/1	0.93	0.14	-	44,44,44,44	1
6	ACT	R	2595	4/4	0.78	0.17	-	39,39,39,40	4
4	CA	U	2546	1/1	0.94	0.10	-	27,27,27,27	1
4	CA	Q	2535	1/1	0.94	0.08	-	35,35,35,35	1
4	CA	G	2520	1/1	0.97	0.04	-	44,44,44,44	0
4	CA	I	2525	1/1	0.96	0.07	-	31,31,31,31	1
4	CA	S	2538	1/1	0.98	0.12	-	36,36,36,36	1
3	CL	E	2591	1/1	0.98	0.05	-	42,42,42,42	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.