



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:49 PM GMT

PDB ID : 1QRS
Title : GLUTAMINYL-TRNA SYNTHETASE MUTANT D235N COMPLEXED
WITH GLUTAMINE TRANSFER RNA
Authors : Arnez, J.G.; Steitz, T.A.
Deposited on : 1996-06-14
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)
RNA backbone	2183	1022 (3.00-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	75	
2	A	553	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7205 atoms, of which 1209 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called TRNAGLN2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	B	74	Total	C	H	N	O	P	0	0	0
			1802	702	229	279	518	74			


- Molecule 2 is a protein called PROTEIN (GLUTAMINYL-TRNA SYNTHETASE (E.C.6.1.1.18)).

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	A	529	Total	C	H	N	O	S	0	0	0
			5256	2704	977	753	801	21			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	235	ASN	ASP	ENGINEERED	UNP P00962

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			34	10	3	5	13	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	90	Total	O	0	0
			90	90		
4	B	23	Total	O	0	0
			23	23		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: TRNAGLN2



• Molecule 2: PROTEIN (GLUTAMINYL-TRNA SYNTHETASE (E.C.6.1.1.18))



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	243.70 Å 93.70 Å 115.90 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 2.60 8.08 – 2.59	Depositor EDS
% Data completeness (in resolution range)	(Not available) (6.00-2.60) 89.9 (8.08-2.59)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 2.59 Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.207 , (Not available) 0.207 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	31.6	Xtriage
Anisotropy	0.059	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 69.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 36332 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7205	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.53	0/1756	0.86	3/2734 (0.1%)
2	A	0.47	0/4379	0.69	0/5928
All	All	0.49	0/6135	0.75	3/8662 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	19	G	N9-C1'-C2'	8.03	124.43	114.00
1	B	18	G	N9-C1'-C2'	5.27	120.85	114.00
1	B	74	C	N1-C1'-C2'	5.21	120.78	114.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	19	G	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1573	229	800	78	0
2	A	4279	977	4174	112	1
3	A	31	3	12	2	0
4	A	90	0	0	4	0
4	B	23	0	0	2	0
All	All	5996	1209	4986	175	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:U:H4'	1:B:47:U:C5	1.90	1.05
1:B:46:U:H4'	1:B:47:U:C6	1.92	1.03
1:B:58:A:H4'	1:B:59:A:OP1	1.56	1.03
1:B:21:A:H62	1:B:47:U:H1'	1.26	0.97
1:B:40:C:O2'	1:B:41:C:H5'	1.71	0.91
2:A:39:LEU:HD13	2:A:81:ILE:HG12	1.50	0.90
1:B:34:C:H4'	1:B:35:U:OP1	1.74	0.87
1:B:36:G:H4'	1:B:37:A:OP2	1.72	0.87
1:B:7:A:H5'	2:A:318:GLN:HE22	1.41	0.86
2:A:522:GLY:HA2	2:A:544:LEU:HD13	1.58	0.85
2:A:30:ARG:NH1	2:A:215:HIS:HE1	1.77	0.82
2:A:352:VAL:HG12	2:A:384:GLU:HG2	1.62	0.82
1:B:47:U:H2'	1:B:47:U:O2	1.79	0.81
1:B:46:U:C4'	1:B:47:U:C5	2.65	0.79
2:A:363:VAL:HG11	2:A:413:ASN:O	1.83	0.78
2:A:467:VAL:HG23	2:A:536:PRO:HB2	1.65	0.78
1:B:44:C:H5''	1:B:44:C:H6	1.49	0.77
1:B:16:C:OP2	1:B:16:C:H3'	1.85	0.75
2:A:407:LYS:HG2	2:A:408:GLU:H	1.52	0.73
1:B:7:A:H5'	2:A:318:GLN:NE2	2.03	0.73
2:A:30:ARG:NH1	2:A:215:HIS:CE1	2.57	0.72
1:B:18:G:O2'	1:B:57:G:N2	2.21	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:30:ARG:HH11	2:A:215:HIS:CE1	2.08	0.71
2:A:534:GLU:O	2:A:536:PRO:HD3	1.90	0.71
2:A:30:ARG:HH11	2:A:215:HIS:HE1	1.38	0.71
1:B:61:C:O2'	1:B:62:C:H5'	1.91	0.71
1:B:58:A:C4'	1:B:59:A:OP1	2.39	0.68
1:B:60:U:OP2	1:B:60:U:H6	1.78	0.67
2:A:471:LEU:HB2	2:A:497:VAL:HG13	1.77	0.67
2:A:362:MET:CG	2:A:378:GLN:HG3	2.24	0.67
2:A:349:VAL:HB	2:A:389:ARG:HD3	1.79	0.65
1:B:34:C:C4'	1:B:35:U:OP1	2.46	0.64
2:A:341:ARG:HD3	2:A:369:PRO:HD2	1.79	0.64
1:B:21:A:N6	1:B:47:U:H1'	2.06	0.62
2:A:441:THR:O	2:A:442:LEU:HB3	1.99	0.62
2:A:397:ASN:HD21	2:A:399:GLN:CG	2.12	0.62
1:B:44:C:C5'	1:B:44:C:H6	2.11	0.62
2:A:393:ARG:O	2:A:404:VAL:HA	2.00	0.61
1:B:40:C:H2'	1:B:41:C:C6	2.36	0.61
2:A:40:HIS:HA	2:A:292:THR:HA	1.83	0.60
2:A:346:ILE:HG12	2:A:469:ILE:HD13	1.82	0.60
2:A:142:ASN:HD22	2:A:178:MET:HG3	1.65	0.60
1:B:44:C:OP1	1:B:44:C:H4'	2.01	0.60
1:B:40:C:H2'	1:B:41:C:H6	1.67	0.59
2:A:46:SER:OG	3:A:999:ATP:H1'	2.02	0.59
2:A:48:CYS:HG	2:A:310:CYS:HG	1.45	0.59
1:B:19:G:HO2'	1:B:20:U:H5	1.51	0.59
2:A:362:MET:HG3	2:A:378:GLN:HG3	1.84	0.59
1:B:35:U:H1'	2:A:520:ARG:HG2	1.85	0.58
2:A:51:PHE:O	2:A:55:GLN:HG2	2.03	0.58
1:B:36:G:C4'	1:B:37:A:OP2	2.48	0.58
2:A:264:GLU:HG2	2:A:265:TYR:CD2	2.38	0.58
1:B:9:C:H6	4:B:801:HOH:O	1.87	0.58
1:B:34:C:O2'	2:A:412:ARG:NH2	2.38	0.57
1:B:50:G:H2'	1:B:51:A:C8	2.40	0.56
2:A:487:PHE:O	2:A:490:VAL:HG12	2.05	0.56
2:A:474:ARG:HD3	4:A:704:HOH:O	2.05	0.56
1:B:42:G:O2'	1:B:43:G:H5'	2.05	0.56
2:A:362:MET:HG2	2:A:378:GLN:HG3	1.87	0.56
1:B:50:G:H2'	1:B:51:A:H8	1.71	0.56
1:B:19:G:O2'	1:B:20:U:H5	1.88	0.56
2:A:263:LEU:HB3	2:A:266:THR:CG2	2.36	0.56
2:A:166:GLU:O	2:A:169:LYS:HB2	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:173:ARG:HD2	2:A:187:ASP:O	2.06	0.55
1:B:18:G:HO2'	1:B:57:G:H22	1.53	0.55
1:B:37:A:C2	1:B:38:U:H1'	2.42	0.54
1:B:45:A:HO2'	1:B:47:U:H6	1.55	0.54
2:A:296:LEU:O	2:A:301:TYR:HB2	2.07	0.54
2:A:418:LYS:O	2:A:435:CYS:HB3	2.07	0.54
1:B:16:C:H4'	1:B:18:G:OP2	2.08	0.53
2:A:331:ILE:HG13	2:A:335:LEU:HD22	1.90	0.53
1:B:19:G:C4	1:B:57:G:N2	2.76	0.53
2:A:335:LEU:HB3	2:A:523:TYR:CD1	2.43	0.53
2:A:343:MET:HE1	2:A:457:HIS:HA	1.90	0.53
2:A:106:LEU:HD21	2:A:214:THR:HG23	1.91	0.53
1:B:44:C:OP1	1:B:44:C:C4'	2.56	0.52
1:B:35:U:O2'	2:A:520:ARG:HG2	2.09	0.52
1:B:15:G:O2'	1:B:16:C:P	2.66	0.52
1:B:36:G:O6	2:A:402:ARG:NH2	2.42	0.52
2:A:408:GLU:HG2	2:A:418:LYS:HB2	1.90	0.52
2:A:44:ALA:HB2	2:A:293:ILE:HD11	1.91	0.52
2:A:527:ASP:HB2	2:A:539:ASN:ND2	2.25	0.52
1:B:36:G:C6	2:A:401:LYS:HG2	2.46	0.51
2:A:464:ALA:HB1	2:A:502:PHE:HB3	1.92	0.51
1:B:40:C:HO2'	1:B:41:C:H5'	1.71	0.51
1:B:36:G:N3	2:A:401:LYS:HD3	2.25	0.51
1:B:74:C:N3	2:A:168:GLY:HA2	2.25	0.51
2:A:288:PRO:HG3	2:A:298:ARG:HG2	1.93	0.51
1:B:15:G:HO2'	1:B:16:C:P	2.34	0.51
2:A:39:LEU:CD1	2:A:81:ILE:HG12	2.34	0.51
2:A:401:LYS:O	2:A:454:GLY:HA2	2.12	0.50
2:A:30:ARG:NH1	2:A:32:PRO:HG3	2.26	0.50
2:A:517:GLN:HG3	2:A:523:TYR:CE1	2.46	0.50
1:B:36:G:C4	2:A:401:LYS:HD3	2.46	0.50
1:B:37:A:H2'	1:B:38:U:O4'	2.11	0.50
2:A:42:GLY:HA2	2:A:261:LEU:HD23	1.93	0.50
1:B:43:G:H2'	1:B:44:C:O4'	2.11	0.49
1:B:41:C:H2'	1:B:42:G:C8	2.46	0.49
2:A:425:ASP:HB3	2:A:431:THR:HG23	1.93	0.49
1:B:72:A:H5'	2:A:183:ILE:HG21	1.94	0.49
2:A:377:ARG:HG2	2:A:377:ARG:HH11	1.78	0.49
2:A:32:PRO:HA	2:A:64:ARG:O	2.13	0.48
2:A:12:ARG:HH22	2:A:56:ASP:CG	2.17	0.48
1:B:9:C:C4	1:B:45:A:C6	3.02	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:301:TYR:HE2	2:A:327:LEU:HD22	1.78	0.48
2:A:393:ARG:HB2	2:A:400:TYR:CZ	2.48	0.48
2:A:503:ALA:HB1	2:A:507:LEU:HD23	1.95	0.48
2:A:463:HIS:O	2:A:505:PRO:HD3	2.14	0.47
1:B:31:A:C2	1:B:32:U:C2	3.02	0.47
1:B:3:G:O2'	1:B:4:G:H5'	2.14	0.47
1:B:73:G:H2'	4:B:749:HOH:O	2.15	0.47
1:B:15:G:O2'	1:B:16:C:OP1	2.31	0.47
2:A:397:ASN:ND2	2:A:399:GLN:HG2	2.30	0.47
2:A:64:ARG:HD3	2:A:222:GLU:OE2	2.14	0.47
2:A:346:ILE:HG12	2:A:469:ILE:CD1	2.45	0.47
2:A:407:LYS:CG	2:A:408:GLU:H	2.23	0.46
2:A:105:GLN:HG2	2:A:221:LEU:HD11	1.97	0.46
2:A:403:LEU:HD13	2:A:409:VAL:HG22	1.97	0.46
2:A:354:GLU:HG2	4:A:723:HOH:O	2.15	0.46
2:A:397:ASN:HD21	2:A:399:GLN:HG3	1.81	0.46
1:B:47:U:C2'	1:B:47:U:O2	2.50	0.46
1:B:58:A:H4'	1:B:60:U:H5	1.81	0.46
2:A:12:ARG:HD2	4:A:776:HOH:O	2.15	0.46
2:A:114:ILE:HG21	2:A:154:LEU:HD13	1.96	0.46
2:A:121:VAL:H	2:A:153:ASN:ND2	2.14	0.45
2:A:345:VAL:HA	4:A:717:HOH:O	2.16	0.45
2:A:386:TRP:CD1	2:A:461:ALA:HA	2.51	0.45
1:B:46:U:H4'	1:B:47:U:H5	1.66	0.45
1:B:46:U:C4'	1:B:47:U:C6	2.83	0.45
1:B:37:A:C6	1:B:38:U:C2	3.03	0.45
2:A:322:ILE:N	2:A:322:ILE:HD12	2.32	0.45
2:A:510:ALA:HB1	2:A:516:PHE:HE2	1.81	0.45
2:A:252:HIS:HD2	2:A:253:PRO:O	2.00	0.45
2:A:397:ASN:HD21	2:A:399:GLN:HG2	1.82	0.45
2:A:180:SER:O	2:A:186:ARG:NH1	2.50	0.45
2:A:423:GLU:HB3	2:A:432:THR:HG23	1.99	0.45
2:A:467:VAL:HG21	2:A:538:PHE:CE1	2.53	0.44
1:B:54:U:O5'	1:B:54:U:H6	2.01	0.44
2:A:474:ARG:HE	2:A:474:ARG:HB3	1.59	0.43
1:B:43:G:C2'	1:B:44:C:OP1	2.67	0.43
1:B:8:U:OP2	2:A:318:GLN:NE2	2.51	0.43
1:B:27:C:OP2	2:A:545:ARG:NH2	2.47	0.43
1:B:41:C:H2'	1:B:42:G:O4'	2.19	0.43
1:B:61:C:C2'	1:B:62:C:H5'	2.49	0.43
2:A:424:LYS:HA	2:A:430:ILE:HA	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:A:H2'	1:B:68:C:O4'	2.19	0.43
2:A:545:ARG:HG3	2:A:545:ARG:HH11	1.84	0.43
1:B:50:G:O2'	1:B:51:A:H5'	2.19	0.43
1:B:59:A:H3'	1:B:60:U:C6	2.54	0.42
2:A:287:ASP:OD1	2:A:289:ARG:HD3	2.20	0.42
2:A:357:GLN:CD	2:A:357:GLN:N	2.72	0.42
1:B:46:U:H1'	1:B:47:U:C4	2.54	0.42
1:B:19:G:O2'	1:B:20:U:C5	2.64	0.42
2:A:270:LYS:HE3	3:A:999:ATP:O1B	2.20	0.42
2:A:410:ARG:O	2:A:455:VAL:HA	2.20	0.42
1:B:59:A:H2'	1:B:60:U:O4'	2.20	0.42
1:B:7:A:C5'	2:A:318:GLN:NE2	2.79	0.42
1:B:37:A:C2'	1:B:38:U:H5'	2.50	0.41
2:A:271:ARG:HH12	2:A:272:LYS:NZ	2.18	0.41
1:B:46:U:H4'	1:B:47:U:H6	1.68	0.41
2:A:407:LYS:HG2	2:A:408:GLU:N	2.29	0.41
2:A:261:LEU:CD1	2:A:322:ILE:HD13	2.50	0.41
2:A:402:ARG:HG2	2:A:456:ILE:HG22	2.02	0.41
2:A:371:LYS:HA	2:A:372:PRO:HD2	1.88	0.41
2:A:63:LEU:HD23	2:A:96:VAL:HG22	2.01	0.41
1:B:34:C:O2'	2:A:412:ARG:CZ	2.67	0.41
2:A:178:MET:O	2:A:186:ARG:HD2	2.21	0.41
2:A:411:LEU:HB3	2:A:458:TRP:CD1	2.55	0.41
2:A:467:VAL:CG2	2:A:536:PRO:HB2	2.42	0.41
1:B:8:U:C2	1:B:15:G:O6	2.74	0.41
2:A:11:ILE:HD13	2:A:228:LEU:HD22	2.03	0.40
2:A:545:ARG:HG2	2:A:547:THR:HG23	2.03	0.40
2:A:403:LEU:HA	2:A:409:VAL:HG11	2.03	0.40
2:A:423:GLU:HB2	2:A:434:PHE:HE1	1.87	0.40
2:A:422:VAL:HG11	2:A:430:ILE:HG12	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:105:GLN:HE22	2:A:105:GLN:HE22[4_565]	1.27	0.33

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	525/553 (95%)	492 (94%)	28 (5%)	5 (1%)	19	39

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	32	PRO
2	A	390	ALA
2	A	405	LEU
2	A	348	PRO
2	A	176	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	463/481 (96%)	418 (90%)	45 (10%)	10	19

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	19	LEU
2	A	30	ARG
2	A	32	PRO
2	A	49	LEU
2	A	66	ASP
2	A	72	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	78	VAL
2	A	83	ASN
2	A	95	ASN
2	A	106	LEU
2	A	113	LEU
2	A	124	LEU
2	A	126	PRO
2	A	154	LEU
2	A	156	LEU
2	A	186	ARG
2	A	190	LEU
2	A	192	ARG
2	A	194	LYS
2	A	230	THR
2	A	231	LEU
2	A	232	GLU
2	A	238	ARG
2	A	263	LEU
2	A	274	ASN
2	A	318	GLN
2	A	326	SER
2	A	327	LEU
2	A	335	LEU
2	A	341	ARG
2	A	357	GLN
2	A	395	GLU
2	A	410	ARG
2	A	412	ARG
2	A	425	ASP
2	A	431	THR
2	A	432	THR
2	A	474	ARG
2	A	475	LEU
2	A	490	VAL
2	A	507	LEU
2	A	514	LYS
2	A	528	SER
2	A	529	ARG
2	A	544	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	55	GLN
2	A	95	ASN
2	A	142	ASN
2	A	153	ASN
2	A	215	HIS
2	A	234	GLN
2	A	274	ASN
2	A	318	GLN
2	A	336	ASN
2	A	397	ASN
2	A	413	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	B	73/75 (97%)	26 (35%)	16 (21%)

All (26) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B	7	A
1	B	8	U
1	B	9	C
1	B	10	G
1	B	16	C
1	B	18	G
1	B	19	G
1	B	21	A
1	B	29	G
1	B	30	G
1	B	35	U
1	B	36	G
1	B	37	A
1	B	44	C
1	B	45	A
1	B	46	U
1	B	48	C
1	B	49	C
1	B	59	A
1	B	60	U
1	B	61	C
1	B	62	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	64	C
1	B	73	G
1	B	74	C
1	B	75	C

All (16) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	B	7	A
1	B	9	C
1	B	15	G
1	B	16	C
1	B	18	G
1	B	19	G
1	B	20	U
1	B	34	C
1	B	35	U
1	B	36	G
1	B	45	A
1	B	48	C
1	B	58	A
1	B	60	U
1	B	73	G
1	B	74	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ATP	A	999	-	24,33,33	0.75	0	31,52,52	0.93	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	999	-	-	0/18/38/38	0/3/3/3

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	A	999	ATP	O3'-C3'-C4'	-2.86	102.48	111.05

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	999	ATP	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	74/75 (98%)	0.34	8 (10%) 8 4	9, 48, 83, 99	0
2	A	529/553 (95%)	-0.41	23 (4%) 39 31	3, 19, 67, 78	0
All	All	603/628 (96%)	-0.32	31 (5%) 32 25	3, 21, 70, 99	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	440	ASP	5.9
1	B	46	U	5.4
1	B	47	U	5.0
2	A	426	ALA	4.6
2	A	533	ALA	3.6
2	A	429	ASN	3.5
2	A	534	GLU	3.4
2	A	441	THR	3.1
2	A	409	VAL	2.9
1	B	45	A	2.9
2	A	400	TYR	2.9
2	A	427	GLU	2.9
1	B	20	U	2.8
2	A	425	ASP	2.8
2	A	395	GLU	2.7
2	A	454	GLY	2.7
1	B	44	C	2.7
2	A	532	THR	2.6
2	A	397	ASN	2.6
1	B	30	G	2.6
2	A	138	GLN	2.5
2	A	398	LYS	2.5
2	A	393	ARG	2.4
2	A	407	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	A	355	ASN	2.3
2	A	404	VAL	2.3
2	A	528	SER	2.2
2	A	463	HIS	2.1
1	B	43	G	2.1
1	B	48	C	2.1
2	A	485	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	ATP	A	999	31/31	0.93	0.15	0.85	0,28,58,60	0

6.5 Other polymers [i](#)

There are no such residues in this entry.