



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 08:06 PM GMT

PDB ID : 4QVT
Title : Crystal structure of predicted N-acyltransferase (ypeA) in complex with acetyl-CoA from Escherichia coli
Authors : Filippova, E.V.; Minasov, G.; Winsor, G.; Dubrovskaya, I.; Shuvalova, L.; Wolfe, A.J.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2014-07-15
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2910 (1.96-1.92)
Clashscore	102246	3095 (1.96-1.92)
Ramachandran outliers	100387	3062 (1.96-1.92)
Sidechain outliers	100360	3062 (1.96-1.92)
RSRZ outliers	91569	2915 (1.96-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	<div> <div>4%</div> <div>80% 8% 12%</div> </div>
1	B	158	<div> <div>4%</div> <div>80% 6% • 12%</div> </div>
1	C	158	<div> <div>7%</div> <div>78% 10% • 11%</div> </div>
1	D	158	<div> <div>5%</div> <div>81% 11% • 8%</div> </div>
1	E	158	<div> <div>4%</div> <div>80% 11% • 8%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	158	<div><div></div><div>7%</div><div></div><div>78%</div><div></div><div>10%</div><div></div><div>11%</div></div>
1	G	158	<div><div></div><div>3%</div><div></div><div>78%</div><div></div><div>11%</div><div></div><div>11%</div></div>
1	H	158	<div><div></div><div>4%</div><div></div><div>75%</div><div></div><div>9%</div><div></div><div>13%</div></div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9904 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyltransferase YpeA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	139	Total	C	N	O	S	0	1	0
			1132	711	200	213	8			
1	B	139	Total	C	N	O	S	0	0	0
			1123	706	199	210	8			
1	C	141	Total	C	N	O	S	0	2	0
			1161	729	203	221	8			
1	D	146	Total	C	N	O	S	0	2	0
			1195	749	211	227	8			
1	E	145	Total	C	N	O	S	0	0	0
			1170	734	206	222	8			
1	F	141	Total	C	N	O	S	0	1	0
			1152	724	203	217	8			
1	G	141	Total	C	N	O	S	0	0	0
			1144	720	201	215	8			
1	H	138	Total	C	N	O	S	0	1	0
			1122	705	200	209	8			

There are 136 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	142	ALA	-	EXPRESSION TAG	UNP P76539
A	143	GLY	-	EXPRESSION TAG	UNP P76539
A	144	GLU	-	EXPRESSION TAG	UNP P76539
A	145	ASN	-	EXPRESSION TAG	UNP P76539
A	146	LEU	-	EXPRESSION TAG	UNP P76539
A	147	TYR	-	EXPRESSION TAG	UNP P76539
A	148	PHE	-	EXPRESSION TAG	UNP P76539
A	149	GLN	-	EXPRESSION TAG	UNP P76539
A	150	SER	-	EXPRESSION TAG	UNP P76539
A	151	ALA	-	EXPRESSION TAG	UNP P76539
A	152	GLY	-	EXPRESSION TAG	UNP P76539
A	153	HIS	-	EXPRESSION TAG	UNP P76539
A	154	HIS	-	EXPRESSION TAG	UNP P76539

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	155	HIS	-	EXPRESSION TAG	UNP P76539
A	156	HIS	-	EXPRESSION TAG	UNP P76539
A	157	HIS	-	EXPRESSION TAG	UNP P76539
A	158	HIS	-	EXPRESSION TAG	UNP P76539
B	142	ALA	-	EXPRESSION TAG	UNP P76539
B	143	GLY	-	EXPRESSION TAG	UNP P76539
B	144	GLU	-	EXPRESSION TAG	UNP P76539
B	145	ASN	-	EXPRESSION TAG	UNP P76539
B	146	LEU	-	EXPRESSION TAG	UNP P76539
B	147	TYR	-	EXPRESSION TAG	UNP P76539
B	148	PHE	-	EXPRESSION TAG	UNP P76539
B	149	GLN	-	EXPRESSION TAG	UNP P76539
B	150	SER	-	EXPRESSION TAG	UNP P76539
B	151	ALA	-	EXPRESSION TAG	UNP P76539
B	152	GLY	-	EXPRESSION TAG	UNP P76539
B	153	HIS	-	EXPRESSION TAG	UNP P76539
B	154	HIS	-	EXPRESSION TAG	UNP P76539
B	155	HIS	-	EXPRESSION TAG	UNP P76539
B	156	HIS	-	EXPRESSION TAG	UNP P76539
B	157	HIS	-	EXPRESSION TAG	UNP P76539
B	158	HIS	-	EXPRESSION TAG	UNP P76539
C	142	ALA	-	EXPRESSION TAG	UNP P76539
C	143	GLY	-	EXPRESSION TAG	UNP P76539
C	144	GLU	-	EXPRESSION TAG	UNP P76539
C	145	ASN	-	EXPRESSION TAG	UNP P76539
C	146	LEU	-	EXPRESSION TAG	UNP P76539
C	147	TYR	-	EXPRESSION TAG	UNP P76539
C	148	PHE	-	EXPRESSION TAG	UNP P76539
C	149	GLN	-	EXPRESSION TAG	UNP P76539
C	150	SER	-	EXPRESSION TAG	UNP P76539
C	151	ALA	-	EXPRESSION TAG	UNP P76539
C	152	GLY	-	EXPRESSION TAG	UNP P76539
C	153	HIS	-	EXPRESSION TAG	UNP P76539
C	154	HIS	-	EXPRESSION TAG	UNP P76539
C	155	HIS	-	EXPRESSION TAG	UNP P76539
C	156	HIS	-	EXPRESSION TAG	UNP P76539
C	157	HIS	-	EXPRESSION TAG	UNP P76539
C	158	HIS	-	EXPRESSION TAG	UNP P76539
D	142	ALA	-	EXPRESSION TAG	UNP P76539
D	143	GLY	-	EXPRESSION TAG	UNP P76539
D	144	GLU	-	EXPRESSION TAG	UNP P76539
D	145	ASN	-	EXPRESSION TAG	UNP P76539

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	146	LEU	-	EXPRESSION TAG	UNP P76539
D	147	TYR	-	EXPRESSION TAG	UNP P76539
D	148	PHE	-	EXPRESSION TAG	UNP P76539
D	149	GLN	-	EXPRESSION TAG	UNP P76539
D	150	SER	-	EXPRESSION TAG	UNP P76539
D	151	ALA	-	EXPRESSION TAG	UNP P76539
D	152	GLY	-	EXPRESSION TAG	UNP P76539
D	153	HIS	-	EXPRESSION TAG	UNP P76539
D	154	HIS	-	EXPRESSION TAG	UNP P76539
D	155	HIS	-	EXPRESSION TAG	UNP P76539
D	156	HIS	-	EXPRESSION TAG	UNP P76539
D	157	HIS	-	EXPRESSION TAG	UNP P76539
D	158	HIS	-	EXPRESSION TAG	UNP P76539
E	142	ALA	-	EXPRESSION TAG	UNP P76539
E	143	GLY	-	EXPRESSION TAG	UNP P76539
E	144	GLU	-	EXPRESSION TAG	UNP P76539
E	145	ASN	-	EXPRESSION TAG	UNP P76539
E	146	LEU	-	EXPRESSION TAG	UNP P76539
E	147	TYR	-	EXPRESSION TAG	UNP P76539
E	148	PHE	-	EXPRESSION TAG	UNP P76539
E	149	GLN	-	EXPRESSION TAG	UNP P76539
E	150	SER	-	EXPRESSION TAG	UNP P76539
E	151	ALA	-	EXPRESSION TAG	UNP P76539
E	152	GLY	-	EXPRESSION TAG	UNP P76539
E	153	HIS	-	EXPRESSION TAG	UNP P76539
E	154	HIS	-	EXPRESSION TAG	UNP P76539
E	155	HIS	-	EXPRESSION TAG	UNP P76539
E	156	HIS	-	EXPRESSION TAG	UNP P76539
E	157	HIS	-	EXPRESSION TAG	UNP P76539
E	158	HIS	-	EXPRESSION TAG	UNP P76539
F	142	ALA	-	EXPRESSION TAG	UNP P76539
F	143	GLY	-	EXPRESSION TAG	UNP P76539
F	144	GLU	-	EXPRESSION TAG	UNP P76539
F	145	ASN	-	EXPRESSION TAG	UNP P76539
F	146	LEU	-	EXPRESSION TAG	UNP P76539
F	147	TYR	-	EXPRESSION TAG	UNP P76539
F	148	PHE	-	EXPRESSION TAG	UNP P76539
F	149	GLN	-	EXPRESSION TAG	UNP P76539
F	150	SER	-	EXPRESSION TAG	UNP P76539
F	151	ALA	-	EXPRESSION TAG	UNP P76539
F	152	GLY	-	EXPRESSION TAG	UNP P76539
F	153	HIS	-	EXPRESSION TAG	UNP P76539

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	154	HIS	-	EXPRESSION TAG	UNP P76539
F	155	HIS	-	EXPRESSION TAG	UNP P76539
F	156	HIS	-	EXPRESSION TAG	UNP P76539
F	157	HIS	-	EXPRESSION TAG	UNP P76539
F	158	HIS	-	EXPRESSION TAG	UNP P76539
G	142	ALA	-	EXPRESSION TAG	UNP P76539
G	143	GLY	-	EXPRESSION TAG	UNP P76539
G	144	GLU	-	EXPRESSION TAG	UNP P76539
G	145	ASN	-	EXPRESSION TAG	UNP P76539
G	146	LEU	-	EXPRESSION TAG	UNP P76539
G	147	TYR	-	EXPRESSION TAG	UNP P76539
G	148	PHE	-	EXPRESSION TAG	UNP P76539
G	149	GLN	-	EXPRESSION TAG	UNP P76539
G	150	SER	-	EXPRESSION TAG	UNP P76539
G	151	ALA	-	EXPRESSION TAG	UNP P76539
G	152	GLY	-	EXPRESSION TAG	UNP P76539
G	153	HIS	-	EXPRESSION TAG	UNP P76539
G	154	HIS	-	EXPRESSION TAG	UNP P76539
G	155	HIS	-	EXPRESSION TAG	UNP P76539
G	156	HIS	-	EXPRESSION TAG	UNP P76539
G	157	HIS	-	EXPRESSION TAG	UNP P76539
G	158	HIS	-	EXPRESSION TAG	UNP P76539
H	142	ALA	-	EXPRESSION TAG	UNP P76539
H	143	GLY	-	EXPRESSION TAG	UNP P76539
H	144	GLU	-	EXPRESSION TAG	UNP P76539
H	145	ASN	-	EXPRESSION TAG	UNP P76539
H	146	LEU	-	EXPRESSION TAG	UNP P76539
H	147	TYR	-	EXPRESSION TAG	UNP P76539
H	148	PHE	-	EXPRESSION TAG	UNP P76539
H	149	GLN	-	EXPRESSION TAG	UNP P76539
H	150	SER	-	EXPRESSION TAG	UNP P76539
H	151	ALA	-	EXPRESSION TAG	UNP P76539
H	152	GLY	-	EXPRESSION TAG	UNP P76539
H	153	HIS	-	EXPRESSION TAG	UNP P76539
H	154	HIS	-	EXPRESSION TAG	UNP P76539
H	155	HIS	-	EXPRESSION TAG	UNP P76539
H	156	HIS	-	EXPRESSION TAG	UNP P76539
H	157	HIS	-	EXPRESSION TAG	UNP P76539
H	158	HIS	-	EXPRESSION TAG	UNP P76539

- Molecule 2 is ACETYL COENZYME *A (three-letter code: ACO) (formula: C₂₃H₃₈N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	E	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	F	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	G	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	H	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	45	Total	O	0	1
			46	46		
4	B	26	Total	O	0	0
			26	26		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	33	Total 34	O 34	0	1
4	D	36	Total 37	O 37	0	1
4	E	30	Total 31	O 31	0	1
4	F	23	Total 23	O 23	0	0
4	G	25	Total 25	O 25	0	0
4	H	25	Total 25	O 25	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyltransferase YpeA




- Molecule 1: Acetyltransferase YpeA




- Molecule 1: Acetyltransferase YpeA




- Molecule 1: Acetyltransferase YpeA




- Molecule 1: Acetyltransferase YpeA




● Molecule 1: Acetyltransferase YpeA



● Molecule 1: Acetyltransferase YpeA



● Molecule 1: Acetyltransferase YpeA



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	67.33Å 139.97Å 75.36Å 90.00° 112.11° 90.00°	Depositor
Resolution (Å)	69.98 – 1.95 34.52 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.1 (69.98-1.95) 98.1 (34.52-1.95)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.15 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.8.0069	Depositor
R, R_{free}	0.188 , 0.232 0.196 , 0.232	Depositor DCC
R_{free} test set	4600 reflections (5.24%)	DCC
Wilson B-factor (Å ²)	44.4	Xtriage
Anisotropy	0.379	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 92393 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9904	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	0/1153	0.84	0/1554
1	B	0.64	0/1144	0.89	2/1542 (0.1%)
1	C	0.67	0/1183	0.90	1/1595 (0.1%)
1	D	0.65	0/1217	0.89	2/1641 (0.1%)
1	E	0.68	0/1192	0.86	1/1607 (0.1%)
1	F	0.64	0/1174	0.88	2/1583 (0.1%)
1	G	0.63	0/1166	0.88	1/1572 (0.1%)
1	H	0.62	0/1143	0.91	2/1541 (0.1%)
All	All	0.65	0/9372	0.88	11/12635 (0.1%)

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	87	LEU	CB-CG-CD1	5.94	121.10	111.00
1	G	36	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	B	87	LEU	CB-CG-CD1	5.64	120.59	111.00
1	B	79	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	D	63	ASP	CB-CG-OD1	5.39	123.15	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1132	0	1107	12	0
1	B	1123	0	1102	9	0
1	C	1161	0	1125	15	0
1	D	1195	0	1160	10	0
1	E	1170	0	1137	10	0
1	F	1152	0	1122	16	0
1	G	1144	0	1117	13	0
1	H	1122	0	1101	15	0
2	A	51	0	34	2	0
2	B	51	0	34	1	0
2	C	51	0	34	2	0
2	D	51	0	34	0	0
2	E	51	0	34	0	0
2	F	51	0	34	0	0
2	G	51	0	34	1	0
2	H	51	0	34	2	0
3	A	10	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
3	E	15	0	0	1	0
3	G	10	0	0	0	0
4	A	46	0	0	1	0
4	B	26	0	0	1	0
4	C	34	0	0	2	0
4	D	37	0	0	0	0
4	E	31	0	0	0	0
4	F	23	0	0	2	0
4	G	25	0	0	3	0
4	H	25	0	0	1	0
All	All	9904	0	9243	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 95 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:79:ARG:HG2	1:F:79:ARG:HH11	1.22	0.98
1:E:78:PHE:O	1:E:81:ARG:HD3	1.82	0.79
1:C:75:HIS:CE1	1:C:77:GLU:HG2	2.26	0.70
1:F:79:ARG:HH11	1:F:79:ARG:CG	2.03	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:75:HIS:HD2	1:G:77:GLU:H	1.41	0.68

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	138/158 (87%)	135 (98%)	2 (1%)	1 (1%)	26	13
1	B	137/158 (87%)	134 (98%)	2 (2%)	1 (1%)	26	13
1	C	141/158 (89%)	136 (96%)	4 (3%)	1 (1%)	26	13
1	D	146/158 (92%)	142 (97%)	4 (3%)	0	100	100
1	E	143/158 (90%)	140 (98%)	2 (1%)	1 (1%)	26	13
1	F	140/158 (89%)	136 (97%)	4 (3%)	0	100	100
1	G	139/158 (88%)	136 (98%)	2 (1%)	1 (1%)	26	13
1	H	137/158 (87%)	132 (96%)	5 (4%)	0	100	100
All	All	1121/1264 (89%)	1091 (97%)	25 (2%)	5 (0%)	39	26

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	41	ASP
1	C	41	ASP
1	E	41	ASP
1	B	41	ASP
1	G	41	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	121/135 (90%)	121 (100%)	0	100	100
1	B	120/135 (89%)	116 (97%)	4 (3%)	45	31
1	C	124/135 (92%)	122 (98%)	2 (2%)	70	64
1	D	127/135 (94%)	124 (98%)	3 (2%)	57	46
1	E	124/135 (92%)	122 (98%)	2 (2%)	70	64
1	F	123/135 (91%)	120 (98%)	3 (2%)	57	46
1	G	122/135 (90%)	122 (100%)	0	100	100
1	H	120/135 (89%)	114 (95%)	6 (5%)	30	14
All	All	981/1080 (91%)	961 (98%)	20 (2%)	61	53

5 of 20 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	54	VAL
1	E	128	VAL
1	H	87	LEU
1	D	20	ARG
1	D	115	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	65	HIS
1	E	75	HIS
1	G	75	HIS
1	C	85	ASN
1	G	65	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACO	A	201	-	43,53,53	0.93	2 (4%)	55,79,79	2.17	15 (27%)
3	SO4	A	202	-	4,4,4	0.35	0	6,6,6	0.30	0
3	SO4	A	203	-	4,4,4	0.18	0	6,6,6	0.36	0
2	ACO	B	201	-	43,53,53	0.91	2 (4%)	55,79,79	2.10	15 (27%)
3	SO4	B	202	-	4,4,4	0.14	0	6,6,6	0.84	0
2	ACO	C	201	-	43,53,53	0.91	2 (4%)	55,79,79	2.08	10 (18%)
3	SO4	C	202	-	4,4,4	0.18	0	6,6,6	0.28	0
2	ACO	D	201	-	43,53,53	0.85	2 (4%)	55,79,79	1.94	11 (20%)
3	SO4	D	202	-	4,4,4	0.25	0	6,6,6	0.56	0
2	ACO	E	201	-	43,53,53	0.87	2 (4%)	55,79,79	1.99	12 (21%)
3	SO4	E	202	-	4,4,4	0.15	0	6,6,6	0.89	0
3	SO4	E	203	-	4,4,4	0.31	0	6,6,6	0.22	0
3	SO4	E	204	-	4,4,4	0.35	0	6,6,6	0.15	0
2	ACO	F	201	-	43,53,53	0.87	2 (4%)	55,79,79	1.63	5 (9%)
2	ACO	G	201	-	43,53,53	0.82	1 (2%)	55,79,79	1.97	11 (20%)
3	SO4	G	202	-	4,4,4	0.45	0	6,6,6	0.30	0
3	SO4	G	203	-	4,4,4	0.37	0	6,6,6	0.47	0
2	ACO	H	201	-	43,53,53	0.91	3 (6%)	55,79,79	1.82	9 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACO	A	201	-	-	0/47/67/67	0/3/3/3
3	SO4	A	202	-	-	0/0/0/0	0/0/0/0
3	SO4	A	203	-	-	0/0/0/0	0/0/0/0
2	ACO	B	201	-	-	0/47/67/67	0/3/3/3
3	SO4	B	202	-	-	0/0/0/0	0/0/0/0
2	ACO	C	201	-	-	0/47/67/67	0/3/3/3
3	SO4	C	202	-	-	0/0/0/0	0/0/0/0
2	ACO	D	201	-	-	0/47/67/67	0/3/3/3
3	SO4	D	202	-	-	0/0/0/0	0/0/0/0
2	ACO	E	201	-	-	0/47/67/67	0/3/3/3
3	SO4	E	202	-	-	0/0/0/0	0/0/0/0
3	SO4	E	203	-	-	0/0/0/0	0/0/0/0
3	SO4	E	204	-	-	0/0/0/0	0/0/0/0
2	ACO	F	201	-	-	0/47/67/67	0/3/3/3
2	ACO	G	201	-	-	0/47/67/67	0/3/3/3
3	SO4	G	202	-	-	0/0/0/0	0/0/0/0
3	SO4	G	203	-	-	0/0/0/0	0/0/0/0
2	ACO	H	201	-	-	0/47/67/67	0/3/3/3

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	201	ACO	C2A-N3A	2.10	1.35	1.32
2	C	201	ACO	O4B-C1B	2.15	1.43	1.41
2	B	201	ACO	O4B-C1B	2.22	1.44	1.41
2	F	201	ACO	C2A-N3A	2.28	1.36	1.32
2	D	201	ACO	O4B-C1B	2.36	1.44	1.41

The worst 5 of 88 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	201	ACO	N3A-C2A-N1A	-9.64	121.51	128.89
2	B	201	ACO	N3A-C2A-N1A	-9.39	121.70	128.89
2	D	201	ACO	N3A-C2A-N1A	-9.37	121.72	128.89
2	C	201	ACO	N3A-C2A-N1A	-8.99	122.01	128.89
2	E	201	ACO	N3A-C2A-N1A	-8.96	122.03	128.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	ACO	2	0
2	B	201	ACO	1	0
2	C	201	ACO	2	0
3	E	204	SO4	1	0
2	G	201	ACO	1	0
2	H	201	ACO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	139/158 (87%)	0.25	7 (5%) 32 42	37, 47, 71, 98	0
1	B	139/158 (87%)	0.10	6 (4%) 39 48	36, 50, 78, 94	0
1	C	141/158 (89%)	0.15	11 (7%) 16 23	36, 48, 72, 92	0
1	D	146/158 (92%)	0.20	8 (5%) 29 37	38, 50, 84, 100	0
1	E	145/158 (91%)	0.07	6 (4%) 41 50	39, 51, 73, 86	0
1	F	141/158 (89%)	0.25	11 (7%) 16 23	40, 56, 84, 113	0
1	G	141/158 (89%)	0.01	5 (3%) 48 57	39, 53, 76, 103	0
1	H	138/158 (87%)	0.21	7 (5%) 32 41	40, 56, 78, 96	0
All	All	1130/1264 (89%)	0.15	61 (5%) 29 39	36, 52, 79, 113	0

The worst 5 of 61 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	142	ALA	4.8
1	F	141	TYR	4.6
1	A	103	ILE	3.7
1	C	140	GLU	3.6
1	F	140	GLU	3.5

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	ACO	A	201	51/51	0.93	0.16	0.92	45,71,138,148	0
2	ACO	B	201	51/51	0.92	0.14	0.61	47,68,105,109	0
2	ACO	C	201	51/51	0.93	0.13	0.40	43,64,83,105	0
2	ACO	D	201	51/51	0.94	0.12	0.16	49,74,131,144	0
2	ACO	G	201	51/51	0.95	0.10	-0.05	43,63,76,81	0
3	SO4	E	203	5/5	0.97	0.14	-0.06	57,64,71,90	0
2	ACO	F	201	51/51	0.94	0.10	-0.26	53,68,82,95	0
3	SO4	B	202	5/5	0.97	0.13	-0.42	58,60,71,74	0
2	ACO	E	201	51/51	0.96	0.08	-0.63	46,52,64,73	0
2	ACO	H	201	51/51	0.93	0.10	-0.81	49,65,76,90	0
3	SO4	E	202	5/5	0.97	0.11	-0.86	59,60,66,69	0
3	SO4	D	202	5/5	0.98	0.08	-0.88	57,58,65,69	0
3	SO4	G	203	5/5	0.97	0.10	-0.93	55,57,70,89	0
3	SO4	C	202	5/5	0.99	0.09	-1.12	58,59,71,72	0
3	SO4	A	203	5/5	0.99	0.07	-1.19	54,57,62,78	0
3	SO4	G	202	5/5	0.99	0.05	-2.16	56,62,68,71	0
3	SO4	E	204	5/5	0.95	0.25	-	80,97,100,118	0
3	SO4	A	202	5/5	0.97	0.16	-	58,71,81,95	0

6.5 Other polymers [i](#)

There are no such residues in this entry.