



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:35 AM GMT

PDB ID : 2R9Z  
Title : Glutathione amide reductase from *Chromatium gracile*  
Authors : Van Petegem, F.; Vergauwen, B.; Savvides, S.; De Vos, D.; Van Beeumen, J.  
Deposited on : 2007-09-14  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	463	<div> <div></div> <div>79%</div> <div>16%</div> <div>• •</div> </div>
1	B	463	<div> <div></div> <div>77%</div> <div>18%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CL	A	467	-	-	-	X
3	CL	A	469	-	-	-	X
3	CL	B	467	-	-	-	X

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7239 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutathione amide reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	451	Total	C	N	O	S	0	0	0
			3341	2109	592	630	10			
1	B	453	Total	C	N	O	S	0	0	0
			3331	2106	594	621	10			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	4	Total Cl 4 4	0	0
3	A	4	Total Cl 4 4	0	0

- Molecule 4 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	2	Total Ni 2 2	0	0
4	A	2	Total Ni 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	251	Total O 251 251	0	0
5	B	198	Total O 198 198	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Glutathione amide reductase



#### • Molecule 1: Glutathione amide reductase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	71.93Å 71.93Å 223.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.96 – 2.10 19.95 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.96-2.10) 95.1 (19.95-2.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.69 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.197 , 0.246 0.203 , 0.230	Depositor DCC
$R_{free}$ test set	3176 reflections (5.34%)	DCC
Wilson B-factor (Å <sup>2</sup> )	31.3	Xtriage
Anisotropy	0.301	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 27.7	EDS
Estimated twinning fraction	0.478 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 62670 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7239	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NI, FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.61	0/3405	0.73	0/4631
1	B	0.62	0/3395	0.78	5/4620 (0.1%)
All	All	0.61	0/6800	0.75	5/9251 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	262	ARG	NE-CZ-NH2	-10.10	115.25	120.30
1	B	262	ARG	NE-CZ-NH1	7.24	123.92	120.30
1	B	268	ASP	CB-CG-OD2	-6.09	112.82	118.30
1	B	323	ARG	NE-CZ-NH1	-5.70	117.45	120.30
1	B	364	ASP	N-CA-CB	5.13	119.84	110.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	250	LEU	Peptide

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	B	363	GLY	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3341	0	3289	54	0
1	B	3331	0	3284	62	0
2	A	53	0	31	1	0
2	B	53	0	31	2	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
5	A	251	0	0	5	1
5	B	198	0	0	7	1
All	All	7239	0	6635	110	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:80:TRP:CE3	1:B:165:GLN:HB3	2.01	0.96
1:B:118:ASP:OD1	1:B:121:THR:HG23	1.74	0.86
1:B:153:GLY:HA2	1:B:256:VAL:HG13	1.58	0.85
1:B:323:ARG:NH1	5:B:656:HOH:O	2.01	0.85
1:A:271:LEU:HD13	1:A:278:VAL:HG21	1.60	0.84
1:B:400:VAL:HG12	1:B:425:ALA:O	1.83	0.78
1:A:415:GLN:HE22	1:B:436:ILE:H	1.33	0.75
1:A:113:HIS:HE1	1:A:268:ASP:O	1.71	0.73
1:A:200:ARG:NH2	1:A:205:PHE:O	2.23	0.71
1:A:338:ILE:HD12	1:B:434:VAL:HG21	1.74	0.69
1:B:241:THR:HA	1:B:251:GLU:HA	1.76	0.68
1:B:262:ARG:NH2	5:B:529:HOH:O	1.98	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:195:VAL:HG12	1:B:225:HIS:HB2	1.78	0.64
1:A:113:HIS:HD2	5:A:528:HOH:O	1.82	0.63
1:A:212:THR:HG21	1:A:388:ALA:HB3	1.81	0.63
1:A:186:ARG:HB2	1:A:192:VAL:HG21	1.81	0.62
1:B:186:ARG:HG2	1:B:222:ILE:HG13	1.82	0.61
1:B:236:ASP:OD2	1:B:241:THR:HG22	2.00	0.60
1:A:415:GLN:NE2	1:B:436:ILE:H	2.00	0.60
1:A:436:ILE:H	1:B:415:GLN:HE22	1.47	0.60
1:B:113:HIS:HD2	5:B:672:HOH:O	1.85	0.59
1:B:289:TYR:HB3	1:B:323:ARG:NH1	2.17	0.59
1:A:193:THR:HA	1:A:223:GLU:O	2.03	0.59
1:A:192:VAL:CG2	1:A:222:ILE:HG12	2.32	0.58
1:A:435:ALA:HA	1:B:415:GLN:HE22	1.68	0.58
1:A:319:ARG:HG2	1:A:331:ARG:HD3	1.85	0.58
1:A:271:LEU:CD1	1:A:278:VAL:HG21	2.32	0.57
1:A:386:LYS:O	5:A:723:HOH:O	2.17	0.57
1:A:202:LEU:HG	1:A:205:PHE:CD1	2.39	0.57
1:A:159:PHE:HZ	1:A:184:LEU:HD11	1.70	0.56
1:A:208:LEU:O	1:A:212:THR:HG22	2.06	0.55
1:B:80:TRP:CD2	1:B:165:GLN:HB3	2.42	0.55
1:B:241:THR:O	1:B:242:LEU:HB2	2.07	0.55
1:B:57:SER:HB2	1:B:187:SER:HB3	1.90	0.54
1:B:186:ARG:O	1:B:186:ARG:HD3	2.08	0.54
1:A:435:ALA:HB1	1:A:442:GLU:HB2	1.90	0.54
1:B:95:ASN:ND2	5:B:639:HOH:O	2.41	0.54
1:B:49:PRO:HB3	1:B:91:ILE:HD11	1.90	0.53
1:A:342:VAL:HB	1:A:348:LEU:HG	1.90	0.53
1:A:436:ILE:H	1:B:415:GLN:NE2	2.07	0.53
1:B:260:VAL:HG13	5:B:554:HOH:O	2.10	0.51
1:A:271:LEU:HD13	1:A:278:VAL:CG2	2.36	0.51
1:B:118:ASP:CG	1:B:121:THR:HG23	2.31	0.50
1:A:48:VAL:HG12	1:A:91:ILE:CD1	2.41	0.50
1:B:50:LYS:HD2	1:B:180:GLU:OE1	2.12	0.50
1:A:322:GLU:OE1	1:A:331:ARG:HD2	2.11	0.50
1:A:89:ARG:NH2	5:A:517:HOH:O	2.45	0.50
1:B:386:LYS:O	5:B:628:HOH:O	2.19	0.49
1:B:264:PRO:HG3	1:B:283:MET:SD	2.54	0.48
1:B:193:THR:HA	1:B:223:GLU:O	2.13	0.48
1:B:260:VAL:O	1:B:260:VAL:HG13	2.14	0.47
1:A:208:LEU:O	1:A:212:THR:CG2	2.62	0.47
1:A:212:THR:HG21	1:A:388:ALA:CB	2.43	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:PHE:CZ	1:A:184:LEU:HD11	2.49	0.47
1:A:8:ILE:HG13	1:A:131:ALA:HB2	1.96	0.47
1:A:128:ARG:O	1:A:129:LEU:HD23	2.14	0.47
1:A:272:GLU:CD	1:A:272:GLU:H	2.18	0.47
1:B:74:SER:OG	1:B:75:GLY:N	2.49	0.46
1:B:186:ARG:HD2	1:B:220:GLN:O	2.16	0.46
1:A:186:ARG:HG2	1:A:220:GLN:HG3	1.98	0.46
1:B:197:LEU:O	1:B:227:GLU:HA	2.16	0.46
1:A:233:LEU:HD22	1:A:242:LEU:HD22	1.97	0.45
1:B:220:GLN:NE2	1:B:345:HIS:O	2.35	0.45
1:B:69:PHE:HA	1:B:380:LEU:HD12	1.98	0.45
1:A:117:VAL:HG11	1:A:128:ARG:CZ	2.47	0.45
1:A:192:VAL:HG21	1:A:222:ILE:HG12	1.97	0.45
1:A:186:ARG:HB2	1:A:192:VAL:CG2	2.46	0.45
1:B:177:ILE:HG12	2:B:500:FAD:HM73	1.99	0.45
1:B:289:TYR:HB3	1:B:323:ARG:CZ	2.46	0.45
1:B:154:ILE:HG12	1:B:158:GLY:HA3	1.98	0.45
1:B:342:VAL:HB	1:B:348:LEU:HG	1.99	0.45
1:B:269:LEU:HD13	1:B:271:LEU:HD21	2.00	0.44
1:B:358:ALA:HB3	1:B:366:LEU:HD21	2.00	0.43
1:A:69:PHE:HA	1:A:380:LEU:HD12	2.00	0.43
1:A:415:GLN:HE22	1:B:435:ALA:HA	1.83	0.43
1:A:264:PRO:HG3	1:A:283:MET:SD	2.58	0.43
1:B:435:ALA:HB1	1:B:442:GLU:HB2	1.99	0.43
1:A:2:THR:HG22	5:A:666:HOH:O	2.18	0.43
1:B:50:LYS:HD2	1:B:180:GLU:CD	2.39	0.43
1:A:146:ARG:HH11	1:A:146:ARG:HB3	1.84	0.43
1:B:66:ALA:HB3	1:B:67:PRO:HD3	2.00	0.43
1:A:233:LEU:CD2	1:A:242:LEU:HD22	2.48	0.43
1:A:48:VAL:HG12	1:A:91:ILE:HD11	2.01	0.43
1:A:195:VAL:HG12	1:A:225:HIS:HB2	2.01	0.43
1:A:50:LYS:HD2	1:A:180:GLU:OE1	2.18	0.43
1:B:250:LEU:HA	1:B:250:LEU:HD12	1.85	0.42
1:A:192:VAL:HG23	1:A:222:ILE:HG12	1.99	0.42
1:A:240:THR:CG2	5:A:543:HOH:O	2.67	0.42
1:B:289:TYR:O	1:B:323:ARG:NH1	2.51	0.42
1:B:400:VAL:HG13	1:B:400:VAL:O	2.20	0.42
1:B:291:ASN:ND2	1:B:298:TYR:CE1	2.88	0.42
1:A:13:GLY:HA3	2:A:500:FAD:O5B	2.20	0.41
1:A:200:ARG:HE	1:A:210:SER:CB	2.33	0.41
1:B:422:LYS:HB3	1:B:422:LYS:NZ	2.35	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:197:LEU:O	1:A:227:GLU:HA	2.19	0.41
1:B:11:GLY:O	1:B:16:GLY:HA3	2.20	0.41
1:B:13:GLY:O	1:B:17:LEU:HB2	2.20	0.41
1:B:351:VAL:HG13	1:B:403:VAL:HG13	2.03	0.41
1:B:446:THR:HG21	5:B:665:HOH:O	2.20	0.41
1:A:110:VAL:HG21	1:A:129:LEU:HD11	2.02	0.41
1:B:202:LEU:HD22	1:B:213:LEU:HD22	2.01	0.41
1:A:357:GLU:O	1:A:361:ARG:HG3	2.21	0.41
1:B:427:LYS:NZ	1:B:447:LEU:O	2.50	0.41
1:B:359:ARG:CZ	1:B:364:ASP:HB3	2.52	0.40
1:B:117:VAL:HG11	1:B:128:ARG:CZ	2.51	0.40
1:B:202:LEU:HG	1:B:205:PHE:CD1	2.56	0.40
1:B:417:PHE:O	1:B:421:VAL:HG23	2.22	0.40
1:B:116:PHE:HB3	1:B:274:ALA:HB2	2.02	0.40
2:B:500:FAD:H1'1	2:B:500:FAD:H9	1.90	0.40
1:A:419:VAL:O	1:A:423:MET:HG3	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:689:HOH:O	5:B:639:HOH:O[3_655]	1.63	0.57

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/463 (96%)	428 (96%)	17 (4%)	2 (0%)	39	37
1	B	449/463 (97%)	434 (97%)	14 (3%)	1 (0%)	52	53
All	All	896/926 (97%)	862 (96%)	31 (4%)	3 (0%)	46	45

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	449	GLU
1	B	3	GLN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/352 (95%)	302 (90%)	32 (10%)	10	6
1	B	330/352 (94%)	304 (92%)	26 (8%)	15	11
All	All	664/704 (94%)	606 (91%)	58 (9%)	13	8

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LEU
1	A	47	CYS
1	A	61	GLU
1	A	63	VAL
1	A	64	ARG
1	A	74	SER
1	A	78	LEU
1	A	83	LEU
1	A	91	ILE
1	A	109	ARG
1	A	111	ASP
1	A	185	LEU
1	A	187	SER
1	A	193	THR
1	A	194	VAL
1	A	200	ARG
1	A	202	LEU
1	A	208	LEU
1	A	212	THR
1	A	220	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	226	LEU
1	A	230	VAL
1	A	240	THR
1	A	242	LEU
1	A	254	ASP
1	A	294	VAL
1	A	310	THR
1	A	331	ARG
1	A	350	LYS
1	A	360	GLU
1	A	382	GLU
1	A	422	LYS
1	B	17	LEU
1	B	36	LYS
1	B	47	CYS
1	B	59	LEU
1	B	77	THR
1	B	78	LEU
1	B	121	THR
1	B	146	ARG
1	B	154	ILE
1	B	194	VAL
1	B	202	LEU
1	B	233	LEU
1	B	240	THR
1	B	245	GLN
1	B	250	LEU
1	B	260	VAL
1	B	267	ARG
1	B	269	LEU
1	B	300	LEU
1	B	350	LYS
1	B	362	LEU
1	B	364	ASP
1	B	403	VAL
1	B	422	LYS
1	B	427	LYS
1	B	447	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	ASN
1	A	113	HIS
1	A	165	GLN
1	A	279	GLN
1	A	308	GLN
1	A	415	GLN
1	B	113	HIS
1	B	291	ASN
1	B	415	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 12 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	FAD	A	500	-	48,58,58	1.20	6 (12%)	54,89,89	2.18	8 (14%)
2	FAD	B	500	-	48,58,58	1.30	6 (12%)	54,89,89	2.45	11 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	500	-	-	0/30/50/50	0/6/6/6
2	FAD	B	500	-	-	0/30/50/50	0/6/6/6

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	FAD	C5X-N5	2.36	1.39	1.35
2	A	500	FAD	C1'-N10	2.39	1.50	1.48
2	A	500	FAD	C5X-N5	2.47	1.39	1.35
2	A	500	FAD	C2A-N1A	2.51	1.38	1.33
2	B	500	FAD	C2A-N1A	2.76	1.39	1.33
2	B	500	FAD	C4X-N5	3.01	1.38	1.33
2	B	500	FAD	C4-N3	3.02	1.38	1.33
2	A	500	FAD	C4X-N5	3.25	1.38	1.33
2	A	500	FAD	C4-N3	3.43	1.39	1.33
2	A	500	FAD	C2A-N3A	3.44	1.38	1.32
2	B	500	FAD	C1'-N10	3.77	1.52	1.48
2	B	500	FAD	C2A-N3A	3.98	1.39	1.32

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	FAD	N3A-C2A-N1A	-12.05	119.67	128.89
2	A	500	FAD	N3A-C2A-N1A	-11.71	119.93	128.89
2	B	500	FAD	C4X-C4-N3	-3.57	118.70	123.59
2	A	500	FAD	C4X-C4-N3	-2.73	119.85	123.59
2	B	500	FAD	C1B-N9A-C4A	-2.34	123.41	126.94
2	B	500	FAD	C9A-C5X-N5	-2.34	118.90	122.36
2	A	500	FAD	C1B-N9A-C4A	-2.19	123.64	126.94
2	B	500	FAD	C4-C4X-N5	2.13	121.31	118.72
2	A	500	FAD	C2A-N1A-C6A	2.19	122.68	118.77
2	B	500	FAD	O4'-C4'-C3'	2.19	114.53	109.02
2	A	500	FAD	C2B-C1B-N9A	2.69	118.40	114.29
2	A	500	FAD	C4X-N5-C5X	2.97	120.18	116.76
2	A	500	FAD	C5X-C9A-N10	3.12	119.99	117.62
2	B	500	FAD	O3P-P-O5'	3.13	111.25	102.94
2	B	500	FAD	C2B-C1B-N9A	3.19	119.16	114.29
2	B	500	FAD	C4X-N5-C5X	3.30	120.56	116.76
2	B	500	FAD	C5X-C9A-N10	4.36	120.93	117.62
2	A	500	FAD	C4-N3-C2	6.48	120.85	115.25
2	B	500	FAD	C4-N3-C2	7.82	122.00	115.25



There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	FAD	1	0
2	B	500	FAD	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	451/463 (97%)	-0.20	3 (0%) 89 91	20, 29, 38, 49	0
1	B	453/463 (97%)	-0.18	3 (0%) 89 91	20, 29, 38, 48	0
All	All	904/926 (97%)	-0.19	6 (0%) 89 91	20, 29, 38, 49	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	238	GLN	4.5
1	B	238	GLN	4.0
1	B	239	GLY	2.9
1	B	237	ALA	2.4
1	A	237	ALA	2.3
1	A	74	SER	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CL	A	467	1/1	0.96	0.19	4.17	49,49,49,49	0
3	CL	A	469	1/1	0.89	0.15	3.77	64,64,64,64	0
3	CL	B	467	1/1	0.88	0.22	3.58	49,49,49,49	0
2	FAD	A	500	53/53	0.97	0.10	0.05	21,24,26,28	0
2	FAD	B	500	53/53	0.97	0.09	-0.49	21,25,27,28	0
3	CL	B	469	1/1	0.86	0.09	-1.09	62,62,62,62	0
3	CL	B	464	1/1	0.96	0.26	-	48,48,48,48	0
3	CL	A	464	1/1	0.93	0.33	-	48,48,48,48	0
4	NI	B	468	1/1	0.97	0.09	-	36,36,36,36	0
4	NI	B	466	1/1	0.97	0.07	-	37,37,37,37	0
3	CL	A	465	1/1	0.97	0.26	-	44,44,44,44	0
4	NI	A	466	1/1	0.99	0.09	-	36,36,36,36	0
4	NI	A	468	1/1	0.99	0.13	-	36,36,36,36	0
3	CL	B	465	1/1	0.96	0.27	-	47,47,47,47	0

## 6.5 Other polymers

There are no such residues in this entry.