



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:25 PM GMT

PDB ID : 3RA4  
Title : Structural studies of AAV8 capsid transitions associated with endosomal trafficking  
Authors : Nam, H.-J.; Gurda, B.; McKenna, R.; Porter, M.; Byrne, B.; Salganik, M.; Muzyczka, N.; Agbandje-McKenna, M.  
Deposited on : 2011-03-27  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*



The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	519	
2	D	2	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4249 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	519	Total	C	N	O	S	0	0	0
			4136	2609	716	798	13			

- Molecule 2 is a DNA chain called DNA (5'-D(\*CP\*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	2	Total	C	N	O	P	0	0	0
			37	19	8	9	1			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	75	Total	O	0	0
			75	75		
3	D	1	Total	O	0	0
			1	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Capsid protein



#### • Molecule 2: DNA (5'-D(\*CP\*A)-3')



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	257.94Å 257.94Å 448.69Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	40.00 – 2.70 39.96 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (40.00-2.70) 80.9 (39.96-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.24 (at 2.51Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.212 , 0.213 0.204 , 0.203	Depositor DCC
$R_{free}$ test set	11088 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	39.1	Xtriage
Anisotropy	0.500	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 32.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	3 of 242539 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4249	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.44	0/4259	0.71	0/5811
2	D	0.47	0/41	1.00	0/61
All	All	0.44	0/4300	0.71	0/5872

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4136	0	3893	107	0
2	D	37	0	24	8	0
3	A	75	0	0	0	0
3	D	1	0	0	0	0
All	All	4249	0	3917	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:ARG:HG2	1:A:289:ARG:HH11	0.95	1.07

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:382:THR:HG21	1:A:394:SER:H	1.25	1.01
1:A:289:ARG:HG2	1:A:289:ARG:NH1	1.71	1.00
1:A:487:ARG:HG3	1:A:488:GLN:N	1.77	0.98
1:A:718:ASN:HB3	1:A:720:GLU:H	1.32	0.91
1:A:289:ARG:CG	1:A:289:ARG:HH11	1.82	0.91
1:A:698:ASN:H	1:A:698:ASN:HD22	1.22	0.85
1:A:420:ASP:HB3	2:D:1:DC:N4	1.91	0.85
1:A:632:HIS:N	1:A:633:PRO:HD3	1.96	0.81
1:A:426:SER:HA	1:A:731:THR:HG23	1.67	0.75
1:A:529:HIS:CG	1:A:533:GLU:O	2.39	0.75
1:A:633:PRO:HD2	2:D:2:DA:H2''	1.71	0.73
1:A:529:HIS:CD2	1:A:533:GLU:O	2.43	0.72
1:A:698:ASN:ND2	1:A:698:ASN:H	1.89	0.69
1:A:566:GLU:O	1:A:569:LYS:HG3	1.92	0.68
1:A:429:HIS:HB2	1:A:570:THR:HG21	1.75	0.68
1:A:630:ASN:OD1	1:A:633:PRO:HG3	1.95	0.67
1:A:487:ARG:CG	1:A:488:GLN:N	2.55	0.66
1:A:486:TYR:O	1:A:526:MET:CE	2.44	0.65
1:A:632:HIS:N	1:A:633:PRO:CD	2.61	0.63
1:A:329:ASN:O	1:A:332:THR:HG23	1.98	0.63
1:A:363:GLY:HA3	1:A:376:PRO:HG3	1.82	0.62
1:A:718:ASN:HB2	1:A:722:VAL:H	1.65	0.61
1:A:420:ASP:HB3	2:D:1:DC:H41	1.63	0.61
1:A:321:ILE:CD1	1:A:406:LEU:HD12	2.31	0.60
1:A:421:VAL:HG22	1:A:422:PRO:HD2	1.83	0.60
1:A:383:LEU:HD12	1:A:392:ARG:HB2	1.84	0.60
1:A:321:ILE:HD13	1:A:343:ILE:HD11	1.83	0.59
1:A:422:PRO:HG3	2:D:1:DC:H2'	1.85	0.58
1:A:420:ASP:CB	2:D:1:DC:H41	2.17	0.56
1:A:420:ASP:C	2:D:1:DC:N4	2.59	0.56
1:A:486:TYR:O	1:A:526:MET:HE2	2.07	0.54
1:A:285:PHE:CZ	1:A:318:LEU:HD21	2.43	0.54
1:A:450:ARG:HH11	1:A:450:ARG:HG3	1.71	0.54
1:A:314:LEU:HD12	1:A:314:LEU:C	2.27	0.54
1:A:326:VAL:HG13	1:A:674:THR:HG22	1.89	0.54
1:A:439:PRO:O	1:A:470:PRO:HB3	2.09	0.53
1:A:610:GLN:CA	1:A:610:GLN:HE21	2.20	0.53
1:A:435:ARG:CZ	1:A:473:MET:HE3	2.38	0.53
1:A:435:ARG:NE	1:A:473:MET:HE3	2.24	0.52
1:A:623:LYS:HB2	1:A:645:PRO:HG3	1.90	0.52
1:A:570:THR:HG23	1:A:571:THR:HG23	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:ILE:HD12	1:A:406:LEU:HD12	1.92	0.52
1:A:510:LYS:HB3	1:A:518:SER:O	2.08	0.52
1:A:264:GLY:CA	1:A:387:SER:HB3	2.40	0.52
1:A:613:ASP:OD1	1:A:731:THR:HG22	2.11	0.51
1:A:329:ASN:O	1:A:332:THR:CG2	2.58	0.51
1:A:289:ARG:NH1	1:A:617:GLN:O	2.41	0.51
1:A:487:ARG:NH1	1:A:576:THR:O	2.44	0.51
1:A:421:VAL:HG22	1:A:422:PRO:CD	2.41	0.50
1:A:565:GLU:O	1:A:568:ILE:HG12	2.12	0.50
1:A:424:HIS:CD2	1:A:731:THR:HG21	2.47	0.49
1:A:670:ASN:HD22	1:A:670:ASN:H	1.61	0.49
1:A:398:LEU:HD23	1:A:398:LEU:N	2.28	0.49
1:A:289:ARG:CG	1:A:289:ARG:NH1	2.53	0.49
1:A:731:THR:HG22	1:A:732:ARG:HG3	1.94	0.48
1:A:326:VAL:HG13	1:A:674:THR:CG2	2.43	0.48
1:A:264:GLY:HA3	1:A:387:SER:HB3	1.96	0.47
1:A:289:ARG:HD2	1:A:364:CYS:SG	2.53	0.47
1:A:426:SER:HA	1:A:731:THR:CG2	2.39	0.47
1:A:568:ILE:C	1:A:570:THR:N	2.69	0.46
1:A:368:PHE:CE2	1:A:370:ALA:HB3	2.51	0.46
1:A:422:PRO:CG	2:D:1:DC:H2'	2.46	0.46
1:A:529:HIS:HD2	1:A:530:LYS:O	1.99	0.46
1:A:533:GLU:HB3	1:A:536:PHE:HD1	1.81	0.46
1:A:406:LEU:HB3	1:A:410:ASN:HB2	1.97	0.46
1:A:330:GLU:C	1:A:332:THR:H	2.18	0.45
1:A:405:MET:C	1:A:406:LEU:HD23	2.37	0.45
1:A:404:GLN:HE21	1:A:406:LEU:HD22	1.81	0.45
1:A:451:THR:O	1:A:451:THR:HG22	2.14	0.45
1:A:437:MET:HG2	1:A:476:GLN:OE1	2.16	0.45
1:A:286:ASP:O	1:A:364:CYS:HA	2.17	0.45
1:A:444:TYR:CE2	1:A:445:LEU:HD13	2.52	0.45
1:A:610:GLN:NE2	1:A:610:GLN:HA	2.32	0.44
1:A:344:GLN:HG2	1:A:405:MET:HG2	2.00	0.44
1:A:406:LEU:N	1:A:406:LEU:HD23	2.32	0.44
1:A:321:ILE:HD13	1:A:343:ILE:CD1	2.46	0.44
1:A:450:ARG:HG3	1:A:450:ARG:NH1	2.32	0.44
1:A:435:ARG:CD	1:A:473:MET:HE3	2.48	0.44
1:A:382:THR:HG21	1:A:394:SER:N	2.10	0.44
1:A:424:HIS:NE2	1:A:731:THR:HG21	2.33	0.43
1:A:291:HIS:CD2	1:A:367:PRO:HG3	2.53	0.43
1:A:398:LEU:CD1	1:A:650:LEU:HD22	2.49	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:GLU:O	1:A:332:THR:N	2.51	0.43
1:A:270:THR:HG23	1:A:273:ASN:HD22	1.82	0.43
1:A:227:GLY:HA3	1:A:319:PHE:CD1	2.53	0.43
1:A:505:TRP:CZ3	1:A:519:LEU:HD13	2.53	0.43
1:A:610:GLN:HE21	1:A:610:GLN:HA	1.84	0.43
1:A:291:HIS:CE1	1:A:367:PRO:HG3	2.54	0.43
1:A:670:ASN:HD22	1:A:670:ASN:C	2.22	0.43
1:A:245:THR:HA	1:A:681:VAL:O	2.19	0.42
1:A:526:MET:HB2	1:A:575:ALA:HB2	2.01	0.42
1:A:406:LEU:HB3	1:A:410:ASN:CB	2.49	0.42
1:A:426:SER:CA	1:A:731:THR:HG23	2.42	0.42
1:A:670:ASN:HD22	1:A:670:ASN:N	2.17	0.42
1:A:486:TYR:O	1:A:526:MET:HE1	2.18	0.42
1:A:544:ILE:HG23	1:A:562:LEU:HD23	2.03	0.41
1:A:718:ASN:HB3	1:A:720:GLU:N	2.16	0.41
1:A:610:GLN:NE2	1:A:610:GLN:CA	2.83	0.41
1:A:490:ARG:HD2	1:A:536:PHE:CG	2.55	0.41
1:A:488:GLN:HA	1:A:509:THR:OG1	2.21	0.41
1:A:291:HIS:NE2	1:A:367:PRO:HG3	2.36	0.41
1:A:451:THR:O	1:A:451:THR:CG2	2.70	0.40
1:A:420:ASP:HB3	2:D:1:DC:H42	1.78	0.40
1:A:265:THR:O	1:A:265:THR:HG23	2.21	0.40
1:A:670:ASN:ND2	1:A:670:ASN:C	2.74	0.40
1:A:521:ASN:HA	1:A:522:PRO:HA	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	517/519 (100%)	499 (96%)	17 (3%)	1 (0%)	52 80

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	633	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	453/453 (100%)	413 (91%)	40 (9%)	12	28

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	265	THR
1	A	270	THR
1	A	289	ARG
1	A	291	HIS
1	A	325	GLU
1	A	326	VAL
1	A	332	THR
1	A	349	SER
1	A	356	VAL
1	A	382	THR
1	A	398	LEU
1	A	406	LEU
1	A	420	ASP
1	A	437	MET
1	A	445	LEU
1	A	448	LEU
1	A	461	GLN
1	A	463	LEU
1	A	481	LEU
1	A	491	VAL
1	A	516	ARG
1	A	519	LEU
1	A	548	GLN
1	A	549	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	566	GLU
1	A	570	THR
1	A	578	GLU
1	A	589	GLN
1	A	604	LEU
1	A	610	GLN
1	A	650	LEU
1	A	662	THR
1	A	663	THR
1	A	669	LEU
1	A	670	ASN
1	A	680	GLN
1	A	698	ASN
1	A	711	THR
1	A	718	ASN
1	A	731	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	260	GLN
1	A	263	ASN
1	A	273	ASN
1	A	404	GLN
1	A	429	HIS
1	A	467	GLN
1	A	475	ASN
1	A	499	ASN
1	A	529	HIS
1	A	549	ASN
1	A	610	GLN
1	A	611	ASN
1	A	653	ASN
1	A	665	ASN
1	A	666	GLN
1	A	670	ASN
1	A	698	ASN
1	A	718	ASN
1	A	737	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	519/519 (100%)	-0.35	16 (3%)	52 52	33, 42, 63, 101	0
2	D	2/2 (100%)	3.14	1 (50%)	0 0	57, 57, 57, 82	2 (100%)
All	All	521/521 (100%)	-0.34	17 (3%)	50 50	33, 42, 63, 101	2 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	1	DC	5.4
1	A	458	ALA	5.1
1	A	220	ASP	4.9
1	A	330	GLU	4.5
1	A	267	GLY	4.3
1	A	457	THR	4.1
1	A	268	GLY	4.0
1	A	332	THR	3.9
1	A	238	ASP	3.2
1	A	329	ASN	3.2
1	A	455	GLY	2.9
1	A	420	ASP	2.9
1	A	266	SER	2.8
1	A	331	GLY	2.4
1	A	456	GLY	2.4
1	A	454	THR	2.4
1	A	589	GLN	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.