



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 06:41 PM GMT

PDB ID : 3RH7
Title : Crystal structure of a putative oxidoreductase (SMa0793) from Sinorhizobium meliloti 1021 at 3.00 Å resolution
Authors : Joint Center for Structural Genomics (JCSG)
Deposited on : 2011-04-11
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026982
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	91344	1578 (3.00-3.00)
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	<div><div></div><div>82%9%9%</div></div>
1	B	321	<div><div>%</div><div>78%11%11%</div></div>
1	C	321	<div><div></div><div>80%9%11%</div></div>
1	D	321	<div><div></div><div>77%12%11%</div></div>
1	E	321	<div><div>%</div><div>83%7%9%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	321	 A horizontal bar chart showing the quality of chain F. The bar is divided into three segments: a green segment representing 80%, a yellow segment representing 9%, and a grey segment representing 11%. The percentages are labeled below the corresponding segments.

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 12892 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hypothetical oxidoreductase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	S	Se	0	0	0
			2152	1358	367	420	4	3			
1	B	286	Total	C	N	O	S	Se	0	1	0
			2124	1340	363	415	4	2			
1	C	286	Total	C	N	O	S	Se	0	0	0
			2117	1337	361	413	4	2			
1	D	286	Total	C	N	O	S	Se	0	0	0
			2119	1337	363	413	4	2			
1	E	291	Total	C	N	O	S	Se	0	0	0
			2143	1351	365	420	4	3			
1	F	286	Total	C	N	O	S	Se	0	0	0
			2113	1334	360	413	4	2			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	GLY	-	leader sequence	UNP Q92ZM6
A	-8	MSE	-	leader sequence	UNP Q92ZM6
A	-7	ALA	-	leader sequence	UNP Q92ZM6
A	-6	ASP	-	leader sequence	UNP Q92ZM6
A	-5	PHE	-	leader sequence	UNP Q92ZM6
A	-4	GLN	-	leader sequence	UNP Q92ZM6
A	-3	GLY	-	leader sequence	UNP Q92ZM6
A	-2	GLU	-	leader sequence	UNP Q92ZM6
A	-1	THR	-	leader sequence	UNP Q92ZM6
A	0	GLU	-	leader sequence	UNP Q92ZM6
B	-9	GLY	-	leader sequence	UNP Q92ZM6
B	-8	MSE	-	leader sequence	UNP Q92ZM6
B	-7	ALA	-	leader sequence	UNP Q92ZM6
B	-6	ASP	-	leader sequence	UNP Q92ZM6
B	-5	PHE	-	leader sequence	UNP Q92ZM6
B	-4	GLN	-	leader sequence	UNP Q92ZM6
B	-3	GLY	-	leader sequence	UNP Q92ZM6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLU	-	leader sequence	UNP Q92ZM6
B	-1	THR	-	leader sequence	UNP Q92ZM6
B	0	GLU	-	leader sequence	UNP Q92ZM6
C	-9	GLY	-	leader sequence	UNP Q92ZM6
C	-8	MSE	-	leader sequence	UNP Q92ZM6
C	-7	ALA	-	leader sequence	UNP Q92ZM6
C	-6	ASP	-	leader sequence	UNP Q92ZM6
C	-5	PHE	-	leader sequence	UNP Q92ZM6
C	-4	GLN	-	leader sequence	UNP Q92ZM6
C	-3	GLY	-	leader sequence	UNP Q92ZM6
C	-2	GLU	-	leader sequence	UNP Q92ZM6
C	-1	THR	-	leader sequence	UNP Q92ZM6
C	0	GLU	-	leader sequence	UNP Q92ZM6
D	-9	GLY	-	leader sequence	UNP Q92ZM6
D	-8	MSE	-	leader sequence	UNP Q92ZM6
D	-7	ALA	-	leader sequence	UNP Q92ZM6
D	-6	ASP	-	leader sequence	UNP Q92ZM6
D	-5	PHE	-	leader sequence	UNP Q92ZM6
D	-4	GLN	-	leader sequence	UNP Q92ZM6
D	-3	GLY	-	leader sequence	UNP Q92ZM6
D	-2	GLU	-	leader sequence	UNP Q92ZM6
D	-1	THR	-	leader sequence	UNP Q92ZM6
D	0	GLU	-	leader sequence	UNP Q92ZM6
E	-9	GLY	-	leader sequence	UNP Q92ZM6
E	-8	MSE	-	leader sequence	UNP Q92ZM6
E	-7	ALA	-	leader sequence	UNP Q92ZM6
E	-6	ASP	-	leader sequence	UNP Q92ZM6
E	-5	PHE	-	leader sequence	UNP Q92ZM6
E	-4	GLN	-	leader sequence	UNP Q92ZM6
E	-3	GLY	-	leader sequence	UNP Q92ZM6
E	-2	GLU	-	leader sequence	UNP Q92ZM6
E	-1	THR	-	leader sequence	UNP Q92ZM6
E	0	GLU	-	leader sequence	UNP Q92ZM6
F	-9	GLY	-	leader sequence	UNP Q92ZM6
F	-8	MSE	-	leader sequence	UNP Q92ZM6
F	-7	ALA	-	leader sequence	UNP Q92ZM6
F	-6	ASP	-	leader sequence	UNP Q92ZM6
F	-5	PHE	-	leader sequence	UNP Q92ZM6
F	-4	GLN	-	leader sequence	UNP Q92ZM6
F	-3	GLY	-	leader sequence	UNP Q92ZM6
F	-2	GLU	-	leader sequence	UNP Q92ZM6
F	-1	THR	-	leader sequence	UNP Q92ZM6

Continued on next page...

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
F	0	GLU	-	leader sequence	UNP Q92ZM6

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	F	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 1: Hypothetical oxidoreductase







• Molecule 1: Hypothetical oxidoreductase



• Molecule 1: Hypothetical oxidoreductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	91.92Å 99.73Å 234.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.76 – 3.00 29.76 – 3.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (29.76-3.00) 97.8 (29.76-3.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.54 (at 3.00Å)	Xtriage
Refinement program	BUSTER 2.8.0	Depositor
R, R_{free}	0.187 , 0.227 0.199 , 0.237	Depositor DCC
R_{free} test set	2158 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	68.9	Xtriage
Anisotropy	0.509	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 49.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 42920 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12892	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	0/2190	0.73	0/2974
1	B	0.57	0/2166	0.75	0/2943
1	C	0.52	0/2156	0.72	0/2929
1	D	0.52	0/2158	0.72	0/2932
1	E	0.47	0/2181	0.69	0/2962
1	F	0.47	0/2152	0.69	0/2925
All	All	0.51	0/13003	0.72	0/17665

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2152	0	2081	18	0
1	B	2124	0	2055	19	0
1	C	2117	0	2051	18	0
1	D	2119	0	2051	25	0
1	E	2143	0	2060	14	0
1	F	2113	0	2040	20	0
2	A	31	0	19	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	31	0	19	2	0
2	D	31	0	19	2	0
2	F	31	0	19	3	0
All	All	12892	0	12414	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:ILE:HD13	1:B:126:ILE:HD13	1.74	0.69
1:A:233:ASP:HB3	1:A:236:ASP:HB3	1.82	0.62
1:E:233:ASP:HB3	1:E:236:ASP:HB3	1.82	0.61
1:D:52:LEU:HD21	1:D:74:ILE:HG13	1.82	0.60
1:A:52:LEU:HD21	1:A:74:ILE:HG13	1.83	0.60
1:A:92:VAL:CG2	1:A:95:ARG:HG3	2.32	0.60
1:F:233:ASP:HB3	1:F:236:ASP:HB3	1.83	0.60
1:B:52:LEU:HD21	1:B:74:ILE:HG13	1.84	0.59
1:D:86:ASN:O	1:D:90:ARG:HG2	2.03	0.59
1:C:126:ILE:HD13	1:D:126:ILE:HD13	1.85	0.58
1:E:126:ILE:HD13	1:F:126:ILE:HD13	1.85	0.58
1:B:233:ASP:HB3	1:B:236:ASP:HB3	1.84	0.58
1:C:233:ASP:HB3	1:C:236:ASP:HB3	1.84	0.58
1:E:46:SER:HB3	1:E:51:LEU:HB2	1.87	0.57
1:A:46:SER:HB3	1:A:51:LEU:HB2	1.87	0.56
1:D:46:SER:HB3	1:D:51:LEU:HB2	1.86	0.56
1:F:46:SER:HB3	1:F:51:LEU:HB2	1.87	0.56
1:D:184:GLY:H	1:D:259:ARG:NH1	2.03	0.56
1:C:46:SER:HB3	1:C:51:LEU:HB2	1.87	0.56
1:E:174:ILE:HD12	1:E:241:ILE:HD12	1.87	0.56
1:D:286:ILE:HD13	2:D:321:FMN:C8M	2.36	0.56
1:B:283:GLU:HA	1:B:286:ILE:HG13	1.88	0.55
1:B:46:SER:HB3	1:B:51:LEU:HB2	1.89	0.55
1:D:79:GLU:HG2	1:D:158:THR:HB	1.88	0.55
1:D:71:ARG:HD3	1:D:106:ASP:HB3	1.89	0.55
1:A:286:ILE:HD13	2:A:321:FMN:C8M	2.37	0.55
1:F:52:LEU:HD21	1:F:74:ILE:HG13	1.89	0.54
1:B:71:ARG:HD3	1:B:106:ASP:HB3	1.90	0.53
1:A:71:ARG:HD3	1:A:106:ASP:HB3	1.91	0.53
1:D:236:ASP:HB3	1:D:238:ARG:H	1.74	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:PRO:HB2	1:B:138:VAL:HB	1.92	0.52
1:F:174:ILE:HD12	1:F:241:ILE:HD12	1.92	0.52
1:F:286:ILE:HD13	2:F:321:FMN:C8M	2.40	0.52
1:B:79:GLU:OE2	1:B:160:ARG:HB2	2.09	0.51
1:A:153:ARG:NH1	1:B:146:LEU:O	2.43	0.51
1:C:286:ILE:HD13	2:C:321:FMN:C8M	2.41	0.51
1:E:43:THR:HG23	1:F:41:SER:HB2	1.92	0.51
1:C:79:GLU:OE2	1:C:160:ARG:HB2	2.11	0.51
1:A:174:ILE:HD12	1:A:241:ILE:HD12	1.93	0.51
1:B:23:THR:HA	1:B:75:ASN:O	2.10	0.51
1:E:52:LEU:HD21	1:E:74:ILE:HG13	1.93	0.50
1:B:174:ILE:HD12	1:B:241:ILE:HD12	1.94	0.50
1:F:23:THR:HA	1:F:75:ASN:O	2.12	0.50
1:C:23:THR:HA	1:C:75:ASN:O	2.12	0.49
1:C:71:ARG:HD3	1:C:106:ASP:HB3	1.95	0.49
1:F:79:GLU:OE2	1:F:160:ARG:HB2	2.12	0.49
1:D:233:ASP:HB3	1:D:236:ASP:CB	2.43	0.49
1:B:71:ARG:HH12	1:B:139:THR:HG21	1.78	0.48
1:E:71:ARG:HD3	1:E:106:ASP:HB3	1.94	0.48
1:E:71:ARG:HH12	1:E:139:THR:HG21	1.79	0.48
1:E:79:GLU:OE2	1:E:160:ARG:HB2	2.14	0.48
1:A:182:GLN:HB2	1:A:257:PHE:CD1	2.49	0.48
1:A:71:ARG:HH12	1:A:139:THR:HG21	1.78	0.48
1:D:174:ILE:HD12	1:D:241:ILE:HD12	1.95	0.47
1:C:174:ILE:HD12	1:C:241:ILE:HD12	1.96	0.47
1:A:79:GLU:OE2	1:A:160:ARG:HB2	2.13	0.47
1:F:71:ARG:HD3	1:F:106:ASP:HB3	1.97	0.47
1:D:23:THR:HA	1:D:75:ASN:O	2.15	0.47
1:C:78:SER:HA	1:C:148:GLY:HA2	1.97	0.47
1:F:71:ARG:HH12	1:F:139:THR:HG21	1.80	0.46
1:D:283:GLU:HA	1:D:286:ILE:HG13	1.98	0.45
1:F:23:THR:HG22	1:F:76:VAL:HG22	1.98	0.45
1:D:233:ASP:HB3	1:D:236:ASP:HB2	1.97	0.45
1:C:71:ARG:HH12	1:C:139:THR:HG21	1.81	0.45
1:C:43:THR:HG23	1:D:41:SER:HB2	1.98	0.45
1:F:41:SER:OG	2:F:321:FMN:O4	2.27	0.45
1:F:88:PHE:HA	1:F:95:ARG:HD3	1.97	0.45
1:C:52:LEU:HD21	1:C:74:ILE:HG13	1.99	0.45
1:B:194:LEU:HD12	1:B:266:ALA:HB1	1.99	0.45
1:C:166:VAL:HG13	1:D:169:ALA:CB	2.47	0.45
1:A:87:THR:HG21	1:A:98:ALA:HB3	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:41:SER:HB2	1:F:43:THR:HG23	1.99	0.44
1:D:79:GLU:OE2	1:D:160:ARG:HB2	2.17	0.44
1:B:117:TRP:CZ3	1:B:119:GLU:HG3	2.52	0.44
1:C:205:ASP:HB3	1:C:208:ARG:HB2	2.00	0.44
1:D:184:GLY:H	1:D:259:ARG:HH12	1.66	0.44
1:B:182:GLN:HB2	1:B:257:PHE:CD1	2.52	0.44
1:A:146:LEU:O	1:B:153:ARG:NH1	2.50	0.44
1:C:78:SER:O	1:C:149:LEU:HB2	2.18	0.44
1:F:37:PHE:HB2	2:F:321:FMN:H5'2	2.00	0.43
1:A:205:ASP:HB3	1:A:208:ARG:HB2	2.00	0.43
1:D:182:GLN:HB2	1:D:257:PHE:CD1	2.53	0.43
1:F:205:ASP:HB3	1:F:208:ARG:HB2	2.00	0.43
1:B:205:ASP:HB3	1:B:208:ARG:HB2	2.00	0.43
1:C:182:GLN:HB2	1:C:257:PHE:CD1	2.54	0.43
1:A:39:ALA:HA	2:A:321:FMN:N5	2.34	0.43
1:E:182:GLN:HB2	1:E:257:PHE:CD1	2.53	0.43
1:D:42:PHE:CE2	1:D:74:ILE:HG21	2.54	0.43
1:F:182:GLN:HB2	1:F:257:PHE:CD1	2.53	0.43
1:D:37:PHE:HB2	2:D:321:FMN:H5'2	2.02	0.42
1:E:166:VAL:HG13	1:F:169:ALA:CB	2.49	0.42
1:A:92:VAL:HG22	1:A:95:ARG:HG3	2.00	0.42
1:C:37:PHE:HB2	2:C:321:FMN:H5'2	2.02	0.42
1:D:87:THR:HG21	1:D:98:ALA:HB3	2.02	0.42
1:B:56:LEU:HD21	1:B:63:TYR:HA	2.02	0.42
1:C:146:LEU:O	1:D:153:ARG:NH1	2.53	0.41
1:D:56:LEU:HD21	1:D:63:TYR:HA	2.03	0.41
1:D:181:GLU:HA	1:D:185:ALA:O	2.21	0.41
1:E:283:GLU:HA	1:E:286:ILE:HG13	2.03	0.41
1:F:233:ASP:HB3	1:F:236:ASP:CB	2.50	0.40
1:E:74:ILE:O	1:E:117:TRP:HA	2.20	0.40
1:A:166:VAL:HG13	1:B:169:ALA:CB	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	290/321 (90%)	274 (94%)	16 (6%)	0	100	100
1	B	285/321 (89%)	271 (95%)	14 (5%)	0	100	100
1	C	284/321 (88%)	269 (95%)	15 (5%)	0	100	100
1	D	284/321 (88%)	267 (94%)	17 (6%)	0	100	100
1	E	289/321 (90%)	271 (94%)	18 (6%)	0	100	100
1	F	284/321 (88%)	269 (95%)	15 (5%)	0	100	100
All	All	1716/1926 (89%)	1621 (94%)	95 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/242 (90%)	214 (98%)	4 (2%)	66	91
1	B	217/242 (90%)	214 (99%)	3 (1%)	74	93
1	C	216/242 (89%)	213 (99%)	3 (1%)	74	93
1	D	216/242 (89%)	211 (98%)	5 (2%)	58	87
1	E	216/242 (89%)	215 (100%)	1 (0%)	92	98
1	F	215/242 (89%)	214 (100%)	1 (0%)	92	98
All	All	1298/1452 (89%)	1281 (99%)	17 (1%)	76	93

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	THR
1	A	123	GLN
1	A	174	ILE
1	A	195	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	78	SER
1	B	174	ILE
1	B	195	SER
1	C	174	ILE
1	C	195	SER
1	C	244	HIS
1	D	83	ASP
1	D	174	ILE
1	D	195	SER
1	D	236	ASP
1	D	244	HIS
1	E	195	SER
1	F	195	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	288	ASN
1	C	288	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FMN	A	321	-	32,33,33	2.85	10 (31%)	34,50,50	3.42	15 (44%)
2	FMN	C	321	-	32,33,33	2.81	11 (34%)	34,50,50	3.35	13 (38%)
2	FMN	D	321	-	32,33,33	2.57	8 (25%)	34,50,50	3.28	17 (50%)
2	FMN	F	321	-	32,33,33	2.67	8 (25%)	34,50,50	3.32	15 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	A	321	-	-	0/18/18/18	0/3/3/3
2	FMN	C	321	-	-	0/18/18/18	0/3/3/3
2	FMN	D	321	-	-	0/18/18/18	0/3/3/3
2	FMN	F	321	-	-	0/18/18/18	0/3/3/3

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	321	FMN	C9-C8	2.11	1.43	1.37
2	C	321	FMN	P-O1P	2.14	1.57	1.50
2	F	321	FMN	C9A-C5A	2.28	1.47	1.42
2	C	321	FMN	C6-C7	2.39	1.44	1.37
2	C	321	FMN	C9A-C5A	2.49	1.47	1.42
2	C	321	FMN	C9-C8	2.53	1.44	1.37
2	A	321	FMN	C9-C8	2.59	1.45	1.37
2	A	321	FMN	C9A-C5A	2.65	1.48	1.42
2	A	321	FMN	P-O1P	2.92	1.60	1.50
2	A	321	FMN	C1'-N10	3.39	1.52	1.48
2	D	321	FMN	C1'-N10	3.46	1.52	1.48
2	C	321	FMN	C1'-N10	3.52	1.52	1.48
2	D	321	FMN	C4-N3	3.58	1.39	1.33
2	D	321	FMN	C10-N10	3.65	1.43	1.39
2	F	321	FMN	C4-N3	3.79	1.39	1.33
2	D	321	FMN	C5A-N5	3.83	1.41	1.35
2	F	321	FMN	C1'-N10	3.84	1.52	1.48
2	C	321	FMN	C4-N3	3.94	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	321	FMN	C5A-N5	3.94	1.41	1.35
2	F	321	FMN	C10-N10	3.96	1.43	1.39
2	A	321	FMN	C5A-N5	4.36	1.42	1.35
2	C	321	FMN	C9A-N10	4.39	1.45	1.38
2	A	321	FMN	C4-N3	4.51	1.41	1.33
2	C	321	FMN	C5A-N5	4.56	1.42	1.35
2	A	321	FMN	C10-N10	4.68	1.44	1.39
2	C	321	FMN	C10-N10	5.22	1.45	1.39
2	F	321	FMN	C4-C4A	5.36	1.52	1.41
2	D	321	FMN	C9A-N10	5.44	1.46	1.38
2	A	321	FMN	C9A-N10	5.52	1.46	1.38
2	C	321	FMN	C4-C4A	5.85	1.53	1.41
2	D	321	FMN	C4-C4A	5.90	1.53	1.41
2	A	321	FMN	C4-C4A	6.04	1.53	1.41
2	F	321	FMN	C9A-N10	6.07	1.47	1.38
2	A	321	FMN	C4A-C10	8.40	1.56	1.40
2	D	321	FMN	C4A-C10	8.47	1.56	1.40
2	F	321	FMN	C4A-C10	8.48	1.56	1.40
2	C	321	FMN	C4A-C10	8.70	1.56	1.40

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	321	FMN	C4A-C4-N3	-7.41	113.84	123.52
2	A	321	FMN	C4A-C4-N3	-7.32	113.95	123.52
2	C	321	FMN	C4A-C4-N3	-7.24	114.05	123.52
2	D	321	FMN	C4A-C4-N3	-7.06	114.29	123.52
2	A	321	FMN	N3-C2-N1	-5.33	118.72	127.69
2	C	321	FMN	N3-C2-N1	-5.05	119.19	127.69
2	F	321	FMN	N3-C2-N1	-5.01	119.25	127.69
2	D	321	FMN	N3-C2-N1	-4.65	119.86	127.69
2	D	321	FMN	C4A-C10-N10	-3.57	117.92	120.52
2	C	321	FMN	O5'-P-O1P	-3.52	98.24	107.08
2	A	321	FMN	O5'-P-O1P	-3.50	98.30	107.08
2	D	321	FMN	C4-C4A-C10	-3.41	117.76	119.94
2	A	321	FMN	C4-C4A-C10	-3.38	117.78	119.94
2	F	321	FMN	C4A-C10-N10	-3.23	118.17	120.52
2	F	321	FMN	O5'-P-O1P	-3.18	99.10	107.08
2	F	321	FMN	C4-C4A-C10	-3.12	117.94	119.94
2	A	321	FMN	C4A-C10-N10	-3.07	118.28	120.52
2	C	321	FMN	C6-C5A-N5	-3.07	115.09	118.92
2	D	321	FMN	O5'-P-O1P	-3.06	99.38	107.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	321	FMN	C4A-C10-N10	-2.90	118.41	120.52
2	C	321	FMN	C4-C4A-C10	-2.89	118.09	119.94
2	F	321	FMN	C6-C5A-N5	-2.84	115.37	118.92
2	D	321	FMN	C9-C9A-C5A	-2.83	114.56	119.65
2	A	321	FMN	C9-C9A-C5A	-2.46	115.22	119.65
2	D	321	FMN	C6-C5A-N5	-2.43	115.89	118.92
2	A	321	FMN	C6-C5A-N5	-2.35	115.98	118.92
2	F	321	FMN	C9-C9A-C5A	-2.25	115.61	119.65
2	D	321	FMN	C4A-N5-C5A	2.01	119.09	116.72
2	C	321	FMN	O3'-C3'-C4'	2.03	114.00	108.73
2	F	321	FMN	O3'-C3'-C4'	2.11	114.20	108.73
2	D	321	FMN	C6-C5A-C9A	2.13	121.46	119.11
2	C	321	FMN	O3P-P-O1P	2.19	117.77	110.63
2	D	321	FMN	O3P-P-O1P	2.21	117.84	110.63
2	C	321	FMN	O2'-C2'-C1'	2.29	115.60	109.93
2	A	321	FMN	O3'-C3'-C2'	2.39	114.92	108.73
2	A	321	FMN	O3'-C3'-C4'	2.43	115.02	108.73
2	F	321	FMN	C6-C5A-C9A	2.43	121.79	119.11
2	A	321	FMN	O3P-P-O1P	2.50	118.79	110.63
2	A	321	FMN	C5A-C9A-N10	2.55	119.48	117.58
2	F	321	FMN	O2'-C2'-C1'	2.55	116.22	109.93
2	D	321	FMN	O2'-C2'-C1'	2.60	116.36	109.93
2	F	321	FMN	O4'-C4'-C3'	2.66	115.81	108.96
2	D	321	FMN	O4'-C4'-C3'	2.67	115.82	108.96
2	A	321	FMN	O2'-C2'-C1'	2.72	116.66	109.93
2	F	321	FMN	C5A-C9A-N10	2.78	119.66	117.58
2	D	321	FMN	O3'-C3'-C4'	2.80	115.99	108.73
2	D	321	FMN	O3'-C3'-C2'	2.91	116.28	108.73
2	C	321	FMN	O3'-C3'-C2'	2.99	116.49	108.73
2	F	321	FMN	O3'-C3'-C2'	3.01	116.53	108.73
2	A	321	FMN	O4'-C4'-C3'	3.22	117.24	108.96
2	C	321	FMN	O4'-C4'-C3'	3.24	117.31	108.96
2	D	321	FMN	C5A-C9A-N10	3.32	120.06	117.58
2	F	321	FMN	C1'-C2'-C3'	3.49	119.80	109.82
2	D	321	FMN	C1'-C2'-C3'	3.64	120.23	109.82
2	C	321	FMN	C1'-C2'-C3'	3.98	121.20	109.82
2	A	321	FMN	C1'-C2'-C3'	4.10	121.53	109.82
2	D	321	FMN	C4-N3-C2	12.89	125.91	115.16
2	F	321	FMN	C4-N3-C2	13.49	126.41	115.16
2	A	321	FMN	C4-N3-C2	13.79	126.67	115.16
2	C	321	FMN	C4-N3-C2	13.82	126.69	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	321	FMN	2	0
2	C	321	FMN	2	0
2	D	321	FMN	2	0
2	F	321	FMN	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/321 (90%)	-0.41	0 100 100	45, 66, 91, 124	0
1	B	284/321 (88%)	-0.42	2 (0%) 89 70	40, 60, 95, 133	0
1	C	284/321 (88%)	-0.39	0 100 100	43, 75, 109, 127	0
1	D	284/321 (88%)	-0.41	1 (0%) 93 80	40, 70, 103, 132	0
1	E	288/321 (89%)	-0.23	2 (0%) 89 70	44, 93, 134, 155	0
1	F	284/321 (88%)	-0.19	0 100 100	47, 94, 142, 160	0
All	All	1713/1926 (88%)	-0.34	5 (0%) 94 84	40, 74, 126, 160	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	93	GLU	2.2
1	D	43	THR	2.2
1	B	285	SER	2.1
1	E	93	GLU	2.1
1	E	31	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	FMN	A	321	31/31	0.86	0.24	0.86	109,112,122,124	0
2	FMN	F	321	31/31	0.86	0.26	0.47	131,141,156,157	0
2	FMN	D	321	31/31	0.91	0.22	0.33	122,129,139,142	0
2	FMN	C	321	31/31	0.91	0.18	-0.23	98,103,118,121	0

6.5 Other polymers

There are no such residues in this entry.