



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:20 PM GMT

PDB ID : 4RL6
Title : Crystal Structure of the Q04L03_STRP2 protein from Streptococcus pneumoniae. Northeast Structural Genomics Consortium Target SpR105
Authors : Vorobiev, S.; Neely, H.M.; Odukwe, C.D.; Seetharaman, J.; Mao, L.; Xiao, R.; Kohan, E.; Wang, D.; Everett, J.K.; Acton, T.B.; Montelione, G.T.; Tong, L.; Hunt, J.F.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2014-10-15
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	<div> <div>5%</div> <div>74%</div> <div>22%</div> <div>• •</div> </div>
1	B	427	<div> <div>4%</div> <div>70%</div> <div>22%</div> <div>• 7%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6511 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Saccharopine dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	414	Total	C	N	O	S	Se	0	0	0
			3255	2089	520	626	10	10			
1	B	396	Total	C	N	O	S	Se	0	0	0
			3113	1994	497	602	10	10			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	420	LEU	-	EXPRESSION TAG	UNP Q04L03
A	421	GLU	-	EXPRESSION TAG	UNP Q04L03
A	422	HIS	-	EXPRESSION TAG	UNP Q04L03
A	423	HIS	-	EXPRESSION TAG	UNP Q04L03
A	424	HIS	-	EXPRESSION TAG	UNP Q04L03
A	425	HIS	-	EXPRESSION TAG	UNP Q04L03
A	426	HIS	-	EXPRESSION TAG	UNP Q04L03
A	427	HIS	-	EXPRESSION TAG	UNP Q04L03
B	420	LEU	-	EXPRESSION TAG	UNP Q04L03
B	421	GLU	-	EXPRESSION TAG	UNP Q04L03
B	422	HIS	-	EXPRESSION TAG	UNP Q04L03
B	423	HIS	-	EXPRESSION TAG	UNP Q04L03
B	424	HIS	-	EXPRESSION TAG	UNP Q04L03
B	425	HIS	-	EXPRESSION TAG	UNP Q04L03
B	426	HIS	-	EXPRESSION TAG	UNP Q04L03
B	427	HIS	-	EXPRESSION TAG	UNP Q04L03

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: $C_{21}H_{30}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	34	Total	O	0	0
			34	34		
3	B	13	Total	O	0	0
			13	13		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Saccharopine dehydrogenase



• Molecule 1: Saccharopine dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	53.70Å 120.84Å 154.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.08 – 2.79 49.08 – 2.79	Depositor EDS
% Data completeness (in resolution range)	99.7 (49.08-2.79) 99.7 (49.08-2.79)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 2.77Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.179 , 0.204 0.206 , 0.222	Depositor DCC
R_{free} test set	1308 reflections (5.37%)	DCC
Wilson B-factor (Å ²)	65.7	Xtriage
Anisotropy	0.168	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 36.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 25685 reflections (0.004%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6511	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/3322	0.71	1/4494 (0.0%)
1	B	0.44	0/3170	0.71	0/4281
All	All	0.44	0/6492	0.71	1/8775 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	303	PRO	N-CA-C	5.16	125.50	112.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3255	0	3167	80	0
1	B	3113	0	3033	77	0
2	A	48	0	26	4	0
2	B	48	0	26	3	0
3	A	34	0	0	1	0
3	B	13	0	0	1	0
All	All	6511	0	6252	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:4:LEU:HB2	1:B:378:MSE:HE1	1.43	0.99
1:A:286:VAL:O	1:B:310:LEU:HD13	1.64	0.95
1:A:93:MSE:HE1	1:A:141:GLN:HG2	1.50	0.91
1:A:295:ASN:CB	1:A:296:PHE:HB2	2.00	0.91
1:B:229:MSE:HE2	1:B:248:LEU:HD21	1.56	0.88
1:B:211:VAL:HA	1:B:229:MSE:HE3	1.56	0.86
1:A:302:VAL:HG23	1:A:303:PRO:HD2	1.60	0.82
1:A:293:THR:C	1:A:294:ILE:HG12	2.01	0.81
1:A:31:MSE:CE	1:A:71:LEU:HD11	2.14	0.77
1:B:291:THR:HA	1:B:302:VAL:HG23	1.65	0.76
1:A:250:HIS:HD2	1:A:252:GLU:OE1	1.71	0.73
1:A:250:HIS:CD2	1:A:252:GLU:OE1	2.46	0.69
1:A:31:MSE:HE3	1:A:71:LEU:HD11	1.74	0.69
1:B:107:ALA:HB2	2:B:501:NDP:O2D	1.93	0.68
1:A:302:VAL:CG2	1:A:303:PRO:HD2	2.22	0.68
1:B:311:LEU:H	1:B:311:LEU:HD12	1.58	0.68
1:A:288:LEU:HD22	1:B:288:LEU:HD11	1.78	0.66
1:A:289:LEU:HA	1:A:304:ILE:HD13	1.78	0.65
1:A:303:PRO:HG2	1:A:304:ILE:H	1.61	0.65
1:A:4:LEU:HD13	1:A:378:MSE:HE2	1.80	0.64
1:B:87:TYR:HB2	1:B:88:GLN:NE2	2.12	0.64
1:B:302:VAL:HG13	1:B:305:GLN:HG2	1.82	0.62
1:B:106:THR:HG22	2:B:501:NDP:H2N	1.82	0.62
1:B:87:TYR:HB2	1:B:88:GLN:HE22	1.64	0.62
1:A:100:GLY:HA2	1:A:153:LEU:HD11	1.81	0.62
1:B:107:ALA:CB	2:B:501:NDP:O2D	2.48	0.61
1:A:4:LEU:HB2	1:A:378:MSE:HE1	1.82	0.61
1:A:303:PRO:HG2	1:A:304:ILE:N	2.16	0.60
1:A:162:ASP:H	2:A:501:NDP:H72N	1.49	0.60
1:A:192:GLY:HA2	1:A:323:GLY:HA3	1.86	0.58
1:B:190:ASN:OD1	1:B:362:ILE:HD11	2.03	0.58
1:A:149:LYS:HA	1:A:385:ALA:HB1	1.85	0.58
1:A:293:THR:O	1:A:294:ILE:HG12	2.03	0.58
1:A:208:LEU:CD2	1:A:290:ARG:HH12	2.17	0.57
1:B:399:MSE:HE3	1:B:409:TRP:CE2	2.41	0.56
1:B:305:GLN:HA	1:B:308:LYS:HG2	1.88	0.56
1:A:86:PRO:HD3	2:A:501:NDP:O3D	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:PRO:HB2	1:B:304:ILE:HD11	1.88	0.56
1:A:110:GLU:HB2	1:A:136:PHE:HB3	1.89	0.55
1:B:290:ARG:HB2	1:B:303:PRO:HG2	1.88	0.55
1:A:303:PRO:O	1:A:306:PHE:N	2.34	0.54
1:A:90:LEU:HA	1:A:93:MSE:HE3	1.88	0.54
1:A:202:PHE:HE1	1:A:362:ILE:HG21	1.71	0.54
1:B:371:MSE:HE1	1:B:405:TYR:CE2	2.43	0.54
1:B:120:ARG:HB3	1:B:120:ARG:NH1	2.24	0.53
1:B:27:PHE:CE1	1:B:378:MSE:HE3	2.44	0.53
1:B:100:GLY:HA2	1:B:153:LEU:HD11	1.90	0.53
1:A:368:VAL:HB	1:A:369:PRO:HD3	1.90	0.53
1:A:208:LEU:HD21	1:A:290:ARG:HH12	1.73	0.53
1:A:107:ALA:HB2	2:A:501:NDP:O2D	2.09	0.52
1:A:122:ILE:HD12	1:A:140:TRP:CH2	2.43	0.52
1:A:27:PHE:HE1	1:A:378:MSE:HE3	1.75	0.52
1:A:203:ASN:OD1	1:A:205:GLU:HG3	2.10	0.51
1:B:284:GLU:HB2	1:B:289:LEU:HD12	1.92	0.51
1:A:342:ILE:HD13	1:A:413:GLU:HA	1.91	0.51
1:B:250:HIS:HD2	1:B:252:GLU:OE1	1.94	0.51
1:B:289:LEU:HA	1:B:304:ILE:HD13	1.93	0.51
1:B:343:TYR:HB2	1:B:415:PRO:HG3	1.93	0.51
1:A:390:LEU:HD12	1:A:390:LEU:N	2.27	0.50
1:B:238:PRO:O	1:B:239:GLN:CB	2.56	0.50
1:A:161:PHE:CE1	1:A:327:ILE:HB	2.47	0.50
1:A:319:PRO:HG3	1:A:354:TYR:CE1	2.47	0.50
1:A:292:ASP:O	1:A:294:ILE:HG12	2.12	0.50
1:B:379:ASN:C	1:B:379:ASN:OD1	2.50	0.50
1:A:245:MSE:HE2	1:A:269:PHE:HB2	1.94	0.50
1:A:62:ALA:HB3	1:A:88:GLN:HG2	1.94	0.50
1:B:246:TYR:HD1	1:B:272:PHE:HD2	1.59	0.49
1:B:343:TYR:HB3	1:B:412:VAL:HB	1.94	0.49
1:B:149:LYS:HA	1:B:385:ALA:HB1	1.95	0.49
1:A:161:PHE:HB2	1:A:365:THR:O	2.13	0.49
1:B:161:PHE:CE1	1:B:327:ILE:HB	2.48	0.49
1:B:238:PRO:O	1:B:239:GLN:HB2	2.12	0.49
1:B:61:ASP:OD1	1:B:63:ASP:HB2	2.13	0.49
1:A:183:TYR:HB2	1:A:332:THR:HB	1.94	0.48
1:B:350:HIS:O	1:B:353:CYS:SG	2.65	0.48
1:A:251:GLU:HG3	3:A:632:HOH:O	2.13	0.48
1:B:120:ARG:HH12	1:B:124:GLU:CD	2.17	0.48
1:A:2:SER:HB2	1:A:28:THR:OG1	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:MSE:HE1	1:B:272:PHE:CE2	2.48	0.48
1:A:245:MSE:HE2	1:A:269:PHE:CB	2.44	0.48
1:A:172:TYR:CD1	1:A:399:MSE:HG3	2.49	0.48
1:B:322:VAL:HG22	1:B:351:GLN:HE22	1.78	0.47
1:A:202:PHE:CE1	1:A:362:ILE:HG21	2.48	0.47
1:A:107:ALA:CB	2:A:501:NDP:O2D	2.63	0.47
1:B:182:HIS:CG	1:B:264:LYS:HE2	2.50	0.46
1:B:31:MSE:HE3	1:B:71:LEU:HD11	1.96	0.46
1:B:203:ASN:O	1:B:207:ASN:OD1	2.32	0.46
1:A:180:GLU:HG2	1:A:182:HIS:NE2	2.30	0.46
1:B:108:ASN:HB3	1:B:138:TYR:CE1	2.51	0.46
1:A:288:LEU:CD2	1:A:307:LEU:HD13	2.45	0.46
1:B:302:VAL:HG13	1:B:305:GLN:CG	2.45	0.46
1:B:342:ILE:HD13	1:B:413:GLU:HA	1.98	0.46
1:B:368:VAL:HB	1:B:369:PRO:HD3	1.97	0.45
1:A:44:LYS:O	1:A:48:GLU:HB2	2.17	0.45
1:B:27:PHE:CD1	1:B:378:MSE:HE3	2.52	0.45
1:B:246:TYR:HE1	1:B:272:PHE:HB2	1.82	0.45
1:A:19:LYS:NZ	1:A:356:GLU:OE2	2.41	0.45
1:A:319:PRO:HG3	1:A:354:TYR:CZ	2.52	0.45
1:A:185:ASP:OD1	1:A:267:ARG:HD3	2.16	0.45
1:B:209:ARG:CD	1:B:213:ALA:HB2	2.46	0.44
1:A:302:VAL:CG2	1:A:303:PRO:CD	2.95	0.44
1:B:23:ASP:OD2	1:B:375:LYS:HE3	2.18	0.44
1:A:90:LEU:HD23	1:A:93:MSE:CE	2.48	0.44
1:A:15:VAL:HG11	1:A:364:TYR:HA	1.99	0.44
1:B:186:ILE:O	1:B:187:LEU:HD23	2.17	0.44
1:A:291:THR:O	1:A:292:ASP:C	2.55	0.44
1:B:44:LYS:NZ	1:B:48:GLU:OE1	2.45	0.44
1:B:209:ARG:HD2	1:B:213:ALA:HB2	2.00	0.44
1:B:120:ARG:NH1	1:B:124:GLU:OE2	2.42	0.43
1:B:247:LEU:HD23	1:B:247:LEU:C	2.39	0.43
1:B:208:LEU:HD13	1:B:289:LEU:HD13	1.99	0.43
1:B:123:TYR:CZ	1:B:127:CYS:SG	3.10	0.43
1:B:390:LEU:HD12	1:B:390:LEU:N	2.34	0.43
1:A:187:LEU:HB3	1:A:245:MSE:HE1	2.00	0.43
1:A:19:LYS:HG3	1:A:368:VAL:HG22	1.99	0.43
1:A:342:ILE:HA	1:A:342:ILE:HD13	1.87	0.43
1:B:246:TYR:CE1	1:B:272:PHE:HB2	2.52	0.43
1:B:417:MSE:HA	1:B:417:MSE:HE2	2.00	0.42
1:B:371:MSE:HG2	1:B:371:MSE:O	2.08	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:418:VAL:O	1:B:419:ASP:HB2	2.19	0.42
1:A:288:LEU:HD23	1:A:307:LEU:HD13	2.00	0.42
1:B:182:HIS:CD2	1:B:264:LYS:HE2	2.54	0.42
1:B:302:VAL:HG13	1:B:305:GLN:CD	2.40	0.42
1:A:31:MSE:HE2	1:A:71:LEU:HD11	2.00	0.42
1:A:180:GLU:HG2	1:A:182:HIS:CD2	2.55	0.42
1:B:19:LYS:HG3	1:B:368:VAL:HG22	2.02	0.42
1:B:211:VAL:HA	1:B:229:MSE:CE	2.40	0.42
1:A:110:GLU:HG3	1:A:135:TYR:HB3	2.02	0.42
1:B:132:PHE:HA	1:B:225:GLU:OE1	2.19	0.42
1:B:15:VAL:HG11	1:B:364:TYR:HA	2.02	0.42
1:B:252:GLU:OE1	1:B:252:GLU:N	2.51	0.41
1:B:62:ALA:O	1:B:91:THR:HG21	2.20	0.41
1:B:72:ILE:HG21	1:B:99:THR:OG1	2.19	0.41
1:B:4:LEU:HD12	1:B:79:ALA:O	2.20	0.41
1:A:34:SER:OG	1:A:35:ARG:N	2.54	0.41
1:A:4:LEU:HD13	1:A:378:MSE:CE	2.49	0.41
1:A:155:ALA:HB3	1:A:387:VAL:HA	2.02	0.41
1:A:280:MSE:HB3	1:A:280:MSE:HE3	1.92	0.41
1:A:90:LEU:HD23	1:A:93:MSE:HE1	2.03	0.41
1:A:329:CYS:HB2	1:A:331:PHE:CZ	2.56	0.41
1:A:3:ARG:NH1	1:A:29:GLU:OE1	2.54	0.41
1:A:66:GLU:HG2	1:A:67:GLU:N	2.36	0.41
1:B:239:GLN:NE2	3:B:613:HOH:O	2.54	0.41
1:B:259:ASN:O	1:B:261:PRO:HD3	2.20	0.41
1:A:200:THR:HG23	1:A:207:ASN:HD21	1.85	0.41
1:A:4:LEU:HD12	1:A:79:ALA:O	2.21	0.40
1:A:64:LYS:HD2	1:A:67:GLU:OE2	2.21	0.40
1:B:311:LEU:N	1:B:311:LEU:HD12	2.32	0.40
1:A:211:VAL:HG21	1:A:280:MSE:CE	2.52	0.40
1:B:244:ASP:O	1:B:271:THR:HA	2.21	0.40
1:B:245:MSE:HE1	1:B:418:VAL:HG11	2.03	0.40
1:A:343:TYR:HB2	1:A:415:PRO:HG3	2.04	0.40
1:A:65:VAL:O	1:A:69:ILE:HG13	2.21	0.40
1:B:400:GLU:HA	1:B:400:GLU:OE1	2.21	0.40
1:A:160:GLY:O	1:A:164:GLY:HA3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	410/427 (96%)	391 (95%)	19 (5%)	0	100	100
1	B	388/427 (91%)	372 (96%)	16 (4%)	0	100	100
All	All	798/854 (93%)	763 (96%)	35 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	349/352 (99%)	340 (97%)	9 (3%)	54	86
1	B	334/352 (95%)	325 (97%)	9 (3%)	52	85
All	All	683/704 (97%)	665 (97%)	18 (3%)	54	86

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	MSE
1	A	202	PHE
1	A	250	HIS
1	A	279	HIS
1	A	291	THR
1	A	293	THR
1	A	302	VAL
1	A	303	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	346	ASN
1	B	74	SER
1	B	203	ASN
1	B	204	PRO
1	B	205	GLU
1	B	239	GLN
1	B	302	VAL
1	B	311	LEU
1	B	371	MSE
1	B	418	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	250	HIS
1	B	239	GLN
1	B	250	HIS
1	B	360	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NDP	A	501	-	42,52,52	1.98	10 (23%)	55,80,80	3.19	20 (36%)
2	NDP	B	501	-	42,52,52	1.83	10 (23%)	55,80,80	3.28	21 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	A	501	-	-	0/30/77/77	0/5/5/5
2	NDP	B	501	-	-	0/30/77/77	0/5/5/5

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	NDP	O5B-C5B	-4.00	1.28	1.44
2	A	501	NDP	C3B-C4B	-3.91	1.42	1.53
2	B	501	NDP	O5B-C5B	-3.86	1.29	1.44
2	B	501	NDP	O5D-C5D	-3.54	1.30	1.44
2	A	501	NDP	O5D-C5D	-3.40	1.30	1.44
2	B	501	NDP	C3B-C4B	-3.35	1.44	1.53
2	B	501	NDP	C2D-C3D	-3.03	1.45	1.53
2	A	501	NDP	C2D-C3D	-2.99	1.45	1.53
2	B	501	NDP	C8A-N7A	-2.55	1.29	1.34
2	B	501	NDP	C2D-C1D	-2.41	1.45	1.53
2	A	501	NDP	C8A-N7A	-2.34	1.30	1.34
2	B	501	NDP	C5D-C4D	-2.12	1.44	1.51
2	B	501	NDP	C3B-C2B	-2.09	1.48	1.53
2	A	501	NDP	C3B-C2B	-2.09	1.48	1.53
2	A	501	NDP	O4D-C4D	2.00	1.49	1.45
2	A	501	NDP	C6N-N1N	2.41	1.44	1.37
2	B	501	NDP	O4D-C1D	2.48	1.48	1.42
2	A	501	NDP	O4D-C1D	3.86	1.51	1.42
2	B	501	NDP	O4B-C1B	5.54	1.48	1.41
2	A	501	NDP	O4B-C1B	6.50	1.49	1.41

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	NDP	N3A-C2A-N1A	-9.71	121.46	128.89
2	A	501	NDP	O3-PA-O5B	-9.46	77.83	102.94
2	A	501	NDP	N3A-C2A-N1A	-9.46	121.65	128.89
2	B	501	NDP	O3-PA-O5B	-9.08	78.86	102.94
2	A	501	NDP	C4B-O4B-C1B	-8.14	100.77	109.72
2	B	501	NDP	O3-PN-O5D	-7.85	82.10	102.94
2	A	501	NDP	O3-PN-O5D	-7.36	83.40	102.94
2	B	501	NDP	C4B-O4B-C1B	-7.20	101.80	109.72
2	B	501	NDP	P2B-O2B-C2B	-5.94	107.33	121.56
2	B	501	NDP	O4D-C4D-C5D	-5.73	88.82	109.32
2	A	501	NDP	O4B-C1B-C2B	-5.58	96.52	106.60
2	A	501	NDP	P2B-O2B-C2B	-5.10	109.34	121.56
2	A	501	NDP	C5B-C4B-C3B	-4.59	96.97	115.21
2	B	501	NDP	O4B-C1B-C2B	-4.53	98.41	106.60
2	B	501	NDP	C1D-N1N-C2N	-4.38	113.27	120.91
2	A	501	NDP	C5D-C4D-C3D	-3.85	99.92	115.21
2	B	501	NDP	C5B-C4B-C3B	-3.73	100.41	115.21
2	A	501	NDP	C1D-N1N-C2N	-2.79	116.05	120.91
2	B	501	NDP	C3N-C2N-N1N	-2.59	119.43	123.14
2	B	501	NDP	PN-O3-PA	-2.57	125.51	132.73
2	A	501	NDP	C2D-C1D-N1N	-2.48	106.65	113.34
2	B	501	NDP	C2D-C1D-N1N	-2.39	106.89	113.34
2	A	501	NDP	O4D-C4D-C5D	-2.26	101.23	109.32
2	B	501	NDP	O3B-C3B-C4B	-2.18	104.51	111.05
2	B	501	NDP	C5D-C4D-C3D	-2.14	106.71	115.21
2	A	501	NDP	C4A-C5A-N7A	-2.14	107.51	109.48
2	B	501	NDP	C4A-C5A-N7A	-2.09	107.55	109.48
2	A	501	NDP	O2B-C2B-C3B	2.05	119.50	111.51
2	B	501	NDP	O2B-C2B-C1B	2.13	118.31	110.02
2	A	501	NDP	O2B-C2B-C1B	2.14	118.35	110.02
2	B	501	NDP	O2N-PN-O5D	2.59	121.52	108.46
2	A	501	NDP	O2N-PN-O5D	2.70	122.09	108.46
2	A	501	NDP	O2N-PN-O3	2.97	118.57	105.09
2	B	501	NDP	O2N-PN-O3	3.01	118.75	105.09
2	A	501	NDP	O4B-C1B-N9A	3.69	115.83	108.10
2	A	501	NDP	O4D-C1D-N1N	4.41	117.37	108.07
2	A	501	NDP	O2A-PA-O3	4.41	125.11	105.09
2	B	501	NDP	O2A-PA-O3	4.54	125.69	105.09
2	B	501	NDP	O4D-C1D-N1N	5.29	119.25	108.07
2	B	501	NDP	C2D-C3D-C4D	5.80	114.53	102.61
2	A	501	NDP	C2D-C3D-C4D	5.83	114.60	102.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	NDP	4	0
2	B	501	NDP	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	404/427 (94%)	0.08	21 (5%) 31 20	35, 57, 104, 132	0
1	B	386/427 (90%)	0.05	18 (4%) 35 24	34, 64, 112, 142	0
All	All	790/854 (92%)	0.06	39 (4%) 33 22	34, 60, 108, 142	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	294	ILE	4.7
1	A	317	LEU	4.7
1	B	321	THR	4.6
1	B	357	VAL	4.6
1	A	201	ASN	4.5
1	A	314	PRO	4.4
1	A	202	PHE	4.1
1	A	311	LEU	4.0
1	B	47	LEU	3.9
1	A	315	ALA	3.8
1	A	292	ASP	3.8
1	A	313	ASP	3.5
1	B	322	VAL	3.5
1	B	354	TYR	3.3
1	A	293	THR	3.1
1	B	298	GLY	3.0
1	B	8	GLY	2.9
1	A	289	LEU	2.9
1	A	194	HIS	2.8
1	B	359	SER	2.8
1	B	204	PRO	2.7
1	B	209	ARG	2.7
1	A	312	PRO	2.7
1	A	306	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	306	PHE	2.6
1	A	290	ARG	2.6
1	A	318	GLY	2.5
1	B	211	VAL	2.5
1	A	316	SER	2.4
1	A	195	GLY	2.4
1	B	210	GLU	2.3
1	B	118	GLU	2.3
1	A	198	PHE	2.2
1	A	200	THR	2.2
1	B	115	GLU	2.1
1	A	307	LEU	2.1
1	B	308	LYS	2.1
1	B	135	TYR	2.0
1	B	43	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NDP	A	501	48/48	0.94	0.19	1.10	52,67,113,124	0
2	NDP	B	501	48/48	0.92	0.16	-0.12	61,90,101,114	0

6.5 Other polymers [i](#)

There are no such residues in this entry.