



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:02 PM GMT

PDB ID : 1RSG  
Title : Crystal structure of the polyamine oxidase Fms1 from yeast  
Authors : Huang, Q.; Liu, Q.; Hao, Q.  
Deposited on : 2003-12-09  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	516	<div> <div>6%</div> <div>72%</div> <div>19%</div> <div>• 7%</div> </div>
1	B	516	<div> <div>9%</div> <div>71%</div> <div>22%</div> <div>• 5%</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8861 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FMS1 protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	481	Total	C	N	O	S	Se	0	0	0
			3855	2443	670	720	11	11			
1	B	491	Total	C	N	O	S	Se	0	0	0
			3931	2486	683	740	11	11			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	122	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	146	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	339	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	373	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	374	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	376	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	406	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	418	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	462	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	466	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	483	MSE	MET	MODIFIED RESIDUE	UNP P50264
A	509	LEU	-	CLONING ARTIFACT	UNP P50264
A	510	GLU	-	CLONING ARTIFACT	UNP P50264
A	511	HIS	-	CLONING ARTIFACT	UNP P50264
A	512	HIS	-	CLONING ARTIFACT	UNP P50264
A	513	HIS	-	CLONING ARTIFACT	UNP P50264
A	514	HIS	-	CLONING ARTIFACT	UNP P50264
A	515	HIS	-	CLONING ARTIFACT	UNP P50264
A	516	HIS	-	CLONING ARTIFACT	UNP P50264
B	1	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	122	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	146	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	339	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	373	MSE	MET	MODIFIED RESIDUE	UNP P50264

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	374	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	376	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	406	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	418	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	462	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	466	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	483	MSE	MET	MODIFIED RESIDUE	UNP P50264
B	509	LEU	-	CLONING ARTIFACT	UNP P50264
B	510	GLU	-	CLONING ARTIFACT	UNP P50264
B	511	HIS	-	CLONING ARTIFACT	UNP P50264
B	512	HIS	-	CLONING ARTIFACT	UNP P50264
B	513	HIS	-	CLONING ARTIFACT	UNP P50264
B	514	HIS	-	CLONING ARTIFACT	UNP P50264
B	515	HIS	-	CLONING ARTIFACT	UNP P50264
B	516	HIS	-	CLONING ARTIFACT	UNP P50264

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	528	Total 528	O 528	0	0
3	B	441	Total 441	O 441	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: FMS1 protein



#### • Molecule 1: FMS1 protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	162.38 Å   103.13 Å   77.59 Å 90.00°   94.98°   90.00°	Depositor
Resolution (Å)	35.95 – 1.90 35.95 – 1.90	Depositor EDS
% Data completeness (in resolution range)	93.4 (35.95-1.90) 93.6 (35.95-1.90)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.08 (at 1.89 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.206 ,      0.245 0.217 ,      (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	28.0	Xtriage
Anisotropy	0.106	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 60.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 96845 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8861	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.33	0/3922	0.57	0/5278
1	B	0.31	0/3998	0.55	0/5385
All	All	0.32	0/7920	0.56	0/10663

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3855	0	3778	92	0
1	B	3931	0	3841	107	0
2	A	53	0	31	1	0
2	B	53	0	31	2	0
3	A	528	0	0	18	0
3	B	441	0	0	10	0
All	All	8861	0	7681	198	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash



magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:278:LEU:HA	1:B:470:GLN:HE22	1.15	1.05
1:A:353:CYS:SG	1:A:400:PRO:HG2	2.05	0.96
1:B:353:CYS:SG	1:B:400:PRO:HG2	2.13	0.88
1:B:470:GLN:HB3	1:B:474:ILE:HB	1.55	0.86
1:A:269:ARG:HA	1:A:269:ARG:CZ	2.05	0.85
1:B:290:HIS:HA	1:B:449:ALA:HB3	1.57	0.84
1:A:377:GLN:NE2	1:A:377:GLN:H	1.78	0.81
1:B:282:ILE:HD13	1:B:465:ALA:HB1	1.63	0.81
1:B:278:LEU:HA	1:B:470:GLN:NE2	1.96	0.81
1:B:150:LEU:HD12	1:B:333:LEU:HD23	1.62	0.80
1:A:406:MSE:HE2	1:A:430:PRO:HB3	1.65	0.79
1:B:192:GLN:HE21	1:B:455:PRO:HB2	1.47	0.78
1:B:14:ILE:HD12	1:B:226:ILE:HD11	1.70	0.74
1:B:8:LYS:HG3	1:B:9:LYS:HG2	1.67	0.73
1:A:289:ILE:HD11	1:A:462:MSE:HE2	1.74	0.70
1:B:289:ILE:HG22	1:B:290:HIS:N	2.06	0.70
1:B:289:ILE:HG23	3:B:2165:HOH:O	1.90	0.70
1:B:377:GLN:NE2	1:B:377:GLN:H	1.90	0.69
1:A:237:ASN:OD1	1:A:243:VAL:HG22	1.92	0.68
1:A:406:MSE:HE3	1:A:411:SER:OG	1.95	0.67
1:A:138:ASP:OD1	1:A:185:LYS:HD2	1.93	0.67
1:A:332:ASN:HD21	1:A:334:ASP:HB2	1.60	0.67
1:A:448:GLY:HA2	3:A:1861:HOH:O	1.94	0.67
1:B:289:ILE:HG22	1:B:290:HIS:H	1.60	0.67
1:A:150:LEU:HD12	1:A:333:LEU:HD23	1.77	0.67
1:A:252:THR:HG22	1:A:477:ALA:HB3	1.76	0.66
1:B:72:ASN:HD22	1:B:72:ASN:C	1.99	0.66
1:A:406:MSE:HE2	1:A:430:PRO:CB	2.25	0.66
1:B:256:SER:CB	1:B:448:GLY:HA3	2.25	0.66
1:B:14:ILE:CD1	1:B:226:ILE:HD11	2.26	0.65
1:B:48:LEU:CD2	1:B:63:ALA:HB3	2.26	0.65
1:B:261:SER:HA	1:B:271:ARG:NH1	2.12	0.65
1:B:380:LEU:HD22	1:B:384:ILE:HG12	1.78	0.65
1:B:122:MSE:HE2	1:B:145:VAL:HG22	1.78	0.65
1:A:306:TRP:HE3	1:A:406:MSE:HE1	1.62	0.65
1:B:143:GLN:O	1:B:147:LYS:HG3	1.96	0.64
1:B:260:LEU:HD22	1:B:268:LEU:HD13	1.79	0.64
1:B:8:LYS:HE2	1:B:245:ASN:H	1.63	0.64
1:A:265:GLU:CG	1:A:268:LEU:HG	2.29	0.63
1:A:291:PHE:HA	3:A:2117:HOH:O	1.99	0.63
1:A:268:LEU:HD12	3:A:2161:HOH:O	1.99	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:259:ASN:O	1:B:262:VAL:HG22	1.98	0.63
1:B:122:MSE:CE	1:B:145:VAL:HG22	2.29	0.62
1:A:58:LYS:HE2	3:A:2013:HOH:O	1.99	0.62
1:A:289:ILE:HD13	1:A:462:MSE:HB2	1.81	0.62
1:A:259:ASN:O	1:A:262:VAL:HG22	2.01	0.61
1:B:256:SER:HB2	1:B:448:GLY:HA3	1.82	0.61
1:A:288:LYS:O	1:A:289:ILE:HG23	2.01	0.60
1:B:302:GLU:HG3	1:B:431:VAL:HB	1.83	0.60
1:A:264:PRO:O	1:A:265:GLU:CB	2.50	0.59
1:B:122:MSE:HE3	1:B:188:TYR:OH	2.02	0.58
1:B:63:ALA:HA	2:B:1802:FAD:N5	2.19	0.58
1:B:171:LEU:HD13	1:B:187:THR:HG22	1.86	0.57
1:B:289:ILE:O	1:B:290:HIS:HB2	2.04	0.57
1:B:439:ASN:HD21	1:B:442:ARG:HD3	1.69	0.57
1:A:202:ASP:O	1:A:206:GLN:HG2	2.05	0.57
1:A:36:LEU:HD12	1:A:216:TRP:O	2.03	0.57
1:B:311:SER:HA	1:B:362:ASN:HB3	1.87	0.57
1:A:412:GLU:OE1	1:A:429:LYS:HG2	2.05	0.57
1:A:63:ALA:HA	2:A:1801:FAD:N5	2.20	0.57
1:B:228:ARG:HD3	1:B:471:ASP:OD2	2.05	0.57
1:B:290:HIS:HA	1:B:449:ALA:CB	2.33	0.57
1:A:265:GLU:HG3	1:A:268:LEU:HG	1.87	0.56
1:A:48:LEU:CD2	1:A:63:ALA:HB3	2.35	0.56
1:A:311:SER:HA	1:A:362:ASN:HB3	1.87	0.56
1:A:206:GLN:O	1:A:210:GLN:HG3	2.05	0.56
1:A:247:ASP:O	1:A:473:ARG:HD2	2.05	0.56
1:B:392:GLU:HG3	3:B:2083:HOH:O	2.06	0.56
1:A:122:MSE:HE2	1:A:188:TYR:OH	2.05	0.56
1:B:279:LYS:HG3	1:B:281:VAL:HG12	1.87	0.56
1:A:460:VAL:N	3:A:1955:HOH:O	2.39	0.55
1:B:237:ASN:OD1	1:B:243:VAL:HG13	2.06	0.55
1:A:232:LYS:HG2	3:A:2155:HOH:O	2.07	0.55
1:B:349:THR:HB	3:B:2186:HOH:O	2.07	0.55
1:A:377:GLN:HE21	1:A:377:GLN:H	1.52	0.54
1:B:439:ASN:ND2	1:B:442:ARG:HD3	2.22	0.54
1:A:306:TRP:CE3	1:A:406:MSE:HE1	2.41	0.53
1:A:231:SER:O	1:A:232:LYS:HB2	2.07	0.53
1:B:447:ARG:HG3	1:B:448:GLY:H	1.73	0.53
1:B:332:ASN:HD21	1:B:334:ASP:HB2	1.73	0.53
1:A:290:HIS:O	1:A:291:PHE:HB2	2.09	0.53
1:B:110:ASP:HB3	1:B:113:LEU:HB2	1.92	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:PRO:HG2	1:B:257:VAL:HG23	1.91	0.52
1:B:282:ILE:HG22	1:B:286:PHE:HE1	1.74	0.52
1:B:289:ILE:CG2	1:B:290:HIS:H	2.21	0.52
1:B:447:ARG:HG3	1:B:448:GLY:N	2.24	0.52
1:A:36:LEU:HD21	1:A:38:LEU:HD21	1.91	0.52
1:B:212:PHE:HB2	1:B:213:PRO:HD2	1.92	0.52
1:B:256:SER:HB3	1:B:448:GLY:HA3	1.92	0.51
1:A:177:LEU:HD11	1:A:181:LEU:HB2	1.93	0.51
1:A:150:LEU:O	1:A:153:ARG:HD2	2.11	0.51
1:B:460:VAL:HG22	3:B:2101:HOH:O	2.09	0.51
1:A:14:ILE:N	1:A:14:ILE:HD12	2.25	0.51
1:A:54:TYR:O	1:A:57:ARG:HG3	2.10	0.51
1:B:423:ASN:HB3	1:B:426:ASN:ND2	2.26	0.51
1:A:452:ALA:HB3	1:A:454:PHE:CZ	2.46	0.51
1:B:289:ILE:CG2	1:B:290:HIS:N	2.73	0.51
1:B:266:LYS:HA	1:B:271:ARG:HE	1.76	0.50
1:A:414:VAL:HA	1:A:430:PRO:HG2	1.93	0.50
1:A:323:PHE:O	1:A:327:VAL:HG23	2.10	0.50
1:A:406:MSE:HE3	1:A:411:SER:CB	2.42	0.50
1:A:265:GLU:HG2	1:A:268:LEU:HG	1.93	0.50
1:B:278:LEU:CA	1:B:470:GLN:HE22	2.05	0.50
1:B:264:PRO:O	1:B:265:GLU:HB2	2.12	0.50
1:A:289:ILE:CD1	1:A:462:MSE:HB2	2.42	0.49
1:B:157:THR:OG1	1:B:160:GLN:HG3	2.13	0.49
1:B:8:LYS:HG2	1:B:245:ASN:OD1	2.13	0.49
1:B:415:ILE:HD11	1:B:429:LYS:HD2	1.93	0.49
1:B:63:ALA:HA	2:B:1802:FAD:C4X	2.43	0.49
1:A:157:THR:OG1	1:A:160:GLN:HG3	2.13	0.49
1:A:406:MSE:HE2	1:A:430:PRO:CG	2.43	0.48
1:B:447:ARG:CG	1:B:448:GLY:H	2.24	0.48
1:B:8:LYS:NZ	1:B:244:TYR:HA	2.28	0.48
1:B:335:GLU:O	1:B:339:MSE:HG3	2.14	0.48
1:A:359:PHE:HD2	1:A:375:LEU:HD22	1.78	0.48
1:A:329:ASN:HB2	1:A:339:MSE:HE1	1.94	0.48
1:B:252:THR:HG22	1:B:477:ALA:HB3	1.95	0.48
1:A:165:PRO:O	1:A:169:ARG:HG3	2.13	0.48
1:B:342:ARG:HB3	3:B:2184:HOH:O	2.14	0.48
1:A:280:PRO:HG2	3:A:1916:HOH:O	2.12	0.47
1:B:118:VAL:HG23	1:B:164:LEU:HD13	1.95	0.47
1:B:332:ASN:ND2	1:B:334:ASP:HB2	2.28	0.47
1:B:414:VAL:HA	1:B:430:PRO:HG2	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:LEU:HD23	1:A:199:LEU:HA	1.75	0.47
1:B:72:ASN:ND2	1:B:72:ASN:C	2.67	0.47
1:A:255:GLN:NE2	1:A:289:ILE:HD12	2.30	0.47
1:B:377:GLN:HE21	1:B:377:GLN:H	1.60	0.47
1:A:58:LYS:HD3	3:A:2282:HOH:O	2.13	0.47
1:B:415:ILE:HD13	1:B:426:ASN:OD1	2.15	0.47
1:B:134:LEU:HA	3:B:2019:HOH:O	2.15	0.47
1:B:338:SER:HA	1:B:341:GLU:OE2	2.14	0.47
1:A:164:LEU:N	1:A:165:PRO:HD2	2.30	0.47
1:A:281:VAL:HG13	3:A:1916:HOH:O	2.15	0.47
1:A:264:PRO:O	1:A:265:GLU:HB3	2.15	0.47
1:B:286:PHE:C	1:B:288:LYS:H	2.19	0.46
1:B:289:ILE:HD12	3:B:2167:HOH:O	2.14	0.46
1:A:28:HIS:HD2	3:A:1835:HOH:O	1.98	0.46
1:A:122:MSE:O	1:A:125:PHE:HB3	2.15	0.46
1:A:406:MSE:HE2	1:A:430:PRO:HG3	1.97	0.46
1:A:269:ARG:HA	1:A:269:ARG:NH1	2.31	0.46
1:A:138:ASP:HB3	3:A:1993:HOH:O	2.15	0.46
1:B:50:THR:OG1	1:B:202:ASP:HB3	2.14	0.45
1:B:464:VAL:O	1:B:468:ASN:HB2	2.16	0.45
1:A:230:PRO:C	1:A:232:LYS:H	2.20	0.45
1:A:263:GLN:HB2	3:A:2161:HOH:O	2.15	0.45
1:B:229:GLU:OE1	1:B:233:ASN:HB2	2.16	0.45
1:B:224:LYS:HD3	1:B:239:GLU:OE1	2.16	0.45
1:A:306:TRP:HE1	1:A:362:ASN:HD21	1.65	0.45
1:B:316:LEU:N	1:B:316:LEU:HD12	2.31	0.45
1:A:288:LYS:C	1:A:289:ILE:HG12	2.37	0.45
1:B:213:PRO:HG2	1:B:216:TRP:CE2	2.52	0.45
1:B:202:ASP:O	1:B:206:GLN:HG3	2.17	0.45
1:A:399:GLN:N	1:A:400:PRO:HD2	2.32	0.44
1:A:293:ALA:HA	1:A:450:TYR:HB3	1.99	0.44
1:B:60:ASP:HB3	1:B:63:ALA:O	2.17	0.44
1:B:306:TRP:HE1	1:B:362:ASN:HD21	1.65	0.44
1:A:8:LYS:HD2	1:A:245:ASN:HD22	1.81	0.44
1:A:269:ARG:HA	1:A:269:ARG:NE	2.32	0.44
1:B:494:GLU:OE1	1:B:497:ARG:NH2	2.51	0.43
1:B:281:VAL:HG13	1:B:282:ILE:N	2.33	0.43
1:A:167:LEU:HD23	1:A:167:LEU:C	2.38	0.43
1:A:336:LEU:O	1:A:340:LEU:HG	2.18	0.43
1:A:173:LEU:N	1:A:173:LEU:HD22	2.34	0.43
1:A:279:LYS:HG3	1:A:470:GLN:OE1	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:483:MSE:HE2	3:A:2195:HOH:O	2.19	0.43
1:A:124:LYS:HG2	1:B:192:GLN:HA	2.01	0.42
1:A:335:GLU:O	1:A:339:MSE:HG3	2.19	0.42
1:A:483:MSE:HG3	3:A:2063:HOH:O	2.17	0.42
1:B:412:GLU:HB2	3:B:1919:HOH:O	2.18	0.42
1:B:72:ASN:HD21	1:B:74:LEU:HB3	1.85	0.42
1:B:213:PRO:HG2	1:B:216:TRP:CD1	2.54	0.42
1:B:254:PRO:HG2	1:B:257:VAL:CG2	2.49	0.42
1:B:382:ASN:HB3	3:B:2080:HOH:O	2.18	0.42
1:B:260:LEU:O	1:B:271:ARG:NH1	2.52	0.42
1:B:199:LEU:HD23	1:B:199:LEU:HA	1.72	0.42
1:B:288:LYS:O	1:B:289:ILE:HB	2.19	0.42
1:B:192:GLN:NE2	1:B:455:PRO:HB2	2.24	0.42
1:B:447:ARG:CG	1:B:448:GLY:N	2.83	0.42
1:B:279:LYS:HB2	1:B:280:PRO:HD2	2.02	0.41
1:A:194:ARG:NH1	3:A:1821:HOH:O	2.50	0.41
1:B:443:ASP:HB3	1:B:446:SER:OG	2.20	0.41
1:A:66:HIS:HB2	1:A:196:ALA:HB3	2.02	0.41
1:A:153:ARG:NH2	1:A:328:ARG:O	2.52	0.41
1:A:99:TYR:O	1:A:106:ARG:HA	2.20	0.41
1:B:336:LEU:O	1:B:340:LEU:HG	2.20	0.41
1:B:362:ASN:HD21	1:B:364:SER:HB3	1.86	0.41
1:B:8:LYS:HB2	3:B:2030:HOH:O	2.20	0.41
1:A:103:GLU:HG3	3:A:2227:HOH:O	2.19	0.41
1:B:72:ASN:ND2	1:B:75:PHE:H	2.18	0.41
1:A:110:ASP:HB3	1:A:113:LEU:HB2	2.03	0.41
1:A:167:LEU:O	1:A:170:TYR:CD2	2.74	0.41
1:B:278:LEU:HD23	1:B:470:GLN:NE2	2.36	0.40
1:A:28:HIS:CD2	1:A:213:PRO:HD3	2.55	0.40
1:B:247:ASP:O	1:B:473:ARG:HD2	2.21	0.40
1:A:392:GLU:HG3	3:A:1999:HOH:O	2.21	0.40
1:B:14:ILE:HD13	1:B:223:VAL:HG11	2.03	0.40
1:A:138:ASP:N	3:A:2140:HOH:O	2.54	0.40
1:B:99:TYR:HB3	1:B:316:LEU:HD11	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	471/516 (91%)	446 (95%)	20 (4%)	5 (1%)	17	6
1	B	483/516 (94%)	456 (94%)	20 (4%)	7 (1%)	14	4
All	All	954/1032 (92%)	902 (94%)	40 (4%)	12 (1%)	15	4

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	200	ASN
1	A	265	GLU
1	A	291	PHE
1	A	448	GLY
1	A	450	TYR
1	B	200	ASN
1	B	289	ILE
1	B	290	HIS
1	B	350	SER
1	B	447	ARG
1	B	448	GLY
1	B	421	ILE

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	422/445 (95%)	414 (98%)	8 (2%)	65	59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	431/445 (97%)	423 (98%)	8 (2%)	65	59
All	All	853/890 (96%)	837 (98%)	16 (2%)	65	59

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	MSE
1	A	179	TRP
1	A	201	TYR
1	A	221	CYS
1	A	269	ARG
1	A	289	ILE
1	A	377	GLN
1	A	389	GLU
1	B	72	ASN
1	B	179	TRP
1	B	201	TYR
1	B	362	ASN
1	B	377	GLN
1	B	380	LEU
1	B	453	CYS
1	B	468	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	HIS
1	A	29	GLN
1	A	80	GLN
1	A	84	ASN
1	A	214	GLN
1	A	245	ASN
1	A	255	GLN
1	A	267	ASN
1	A	332	ASN
1	A	362	ASN
1	A	377	GLN
1	A	434	ASN
1	B	72	ASN
1	B	192	GLN
1	B	233	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	259	ASN
1	B	329	ASN
1	B	332	ASN
1	B	362	ASN
1	B	377	GLN
1	B	382	ASN
1	B	434	ASN
1	B	439	ASN
1	B	470	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	FAD	A	1801	-	48,58,58	1.29	5 (10%)	54,89,89	2.08	8 (14%)
2	FAD	B	1802	-	48,58,58	1.36	6 (12%)	54,89,89	2.12	10 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral



centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	1801	-	-	0/30/50/50	0/6/6/6
2	FAD	B	1802	-	-	0/30/50/50	0/6/6/6

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1801	FAD	C5X-N5	2.15	1.38	1.35
2	B	1802	FAD	C2A-N3A	2.26	1.36	1.32
2	B	1802	FAD	C2A-N1A	2.35	1.38	1.33
2	A	1801	FAD	C2A-N3A	2.40	1.36	1.32
2	B	1802	FAD	C5X-N5	2.60	1.39	1.35
2	A	1801	FAD	C9A-N10	2.92	1.42	1.38
2	B	1802	FAD	C9A-N10	2.95	1.42	1.38
2	A	1801	FAD	C4-N3	3.43	1.39	1.33
2	B	1802	FAD	C4-N3	3.45	1.39	1.33
2	A	1801	FAD	C4X-N5	4.15	1.39	1.33
2	B	1802	FAD	C4X-N5	4.55	1.40	1.33

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1801	FAD	N3A-C2A-N1A	-5.06	125.02	128.89
2	B	1802	FAD	N3A-C2A-N1A	-4.82	125.20	128.89
2	A	1801	FAD	C4X-C4-N3	-4.75	117.09	123.59
2	B	1802	FAD	C4X-C4-N3	-4.72	117.13	123.59
2	B	1802	FAD	C4-C4X-C10	-2.90	118.09	119.94
2	A	1801	FAD	C4X-C10-N10	-2.86	118.83	120.52
2	B	1802	FAD	C4B-O4B-C1B	-2.85	106.58	109.72
2	A	1801	FAD	C4B-O4B-C1B	-2.65	106.81	109.72
2	B	1802	FAD	C4X-C10-N10	-2.52	119.04	120.52
2	A	1801	FAD	C4-C4X-C10	-2.42	118.39	119.94
2	B	1802	FAD	O3'-C3'-C4'	-2.32	102.89	108.75
2	A	1801	FAD	O3'-C3'-C4'	-2.22	103.16	108.75
2	B	1802	FAD	C4-C4X-N5	2.06	121.22	118.72
2	B	1802	FAD	C1'-N10-C9A	2.08	121.20	118.86
2	A	1801	FAD	C4X-N5-C5X	3.48	120.77	116.76
2	B	1802	FAD	C4X-N5-C5X	3.60	120.91	116.76
2	A	1801	FAD	C4-N3-C2	10.46	124.29	115.25
2	B	1802	FAD	C4-N3-C2	10.58	124.40	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1801	FAD	1	0
2	B	1802	FAD	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	470/516 (91%)	0.34	31 (6%)	22 24	16, 30, 54, 71	0
1	B	480/516 (93%)	0.55	46 (9%)	10 11	20, 33, 59, 73	0
All	All	950/1032 (92%)	0.45	77 (8%)	15 16	16, 32, 57, 73	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	291	PHE	10.8
1	B	291	PHE	8.0
1	B	449	ALA	7.1
1	B	289	ILE	6.6
1	A	449	ALA	6.6
1	B	290	HIS	6.6
1	B	460	VAL	6.3
1	B	266	LYS	6.3
1	B	343	GLU	6.2
1	B	342	ARG	6.0
1	B	132	GLN	5.9
1	A	428	ASN	5.8
1	B	288	LYS	5.6
1	B	448	GLY	5.6
1	A	288	LYS	5.4
1	A	290	HIS	5.4
1	A	289	ILE	5.2
1	B	349	THR	5.2
1	B	232	LYS	5.1
1	A	230	PRO	5.1
1	B	230	PRO	5.0
1	B	228	ARG	4.7
1	A	333	LEU	4.7
1	A	454	PHE	4.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	427	ALA	4.3
1	B	229	GLU	4.3
1	B	265	GLU	4.3
1	B	281	VAL	4.2
1	B	341	GLU	4.2
1	A	232	LYS	4.1
1	B	454	PHE	4.1
1	B	428	ASN	4.1
1	B	264	PRO	4.1
1	B	233	ASN	4.0
1	A	150	LEU	4.0
1	B	263	GLN	3.9
1	B	133	HIS	3.6
1	A	448	GLY	3.6
1	B	333	LEU	3.5
1	B	134	LEU	3.5
1	A	138	ASP	3.4
1	A	264	PRO	3.3
1	B	87	ARG	3.2
1	A	429	LYS	3.1
1	A	231	SER	2.8
1	A	450	TYR	2.8
1	B	468	ASN	2.8
1	B	267	ASN	2.8
1	A	350	SER	2.7
1	B	286	PHE	2.6
1	B	375	LEU	2.6
1	A	337	ASP	2.6
1	A	511	HIS	2.6
1	A	412	GLU	2.5
1	B	461	ASP	2.5
1	A	331	GLU	2.4
1	A	168	CYS	2.4
1	A	340	LEU	2.4
1	A	287	ASP	2.4
1	B	282	ILE	2.3
1	B	214	GLN	2.3
1	B	83	LEU	2.3
1	A	314	VAL	2.3
1	B	455	PRO	2.3
1	B	14	ILE	2.3
1	A	510	GLU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	334	ASP	2.3
1	B	231	SER	2.2
1	B	8	LYS	2.2
1	B	464	VAL	2.2
1	A	167	LEU	2.1
1	B	84	ASN	2.1
1	B	287	ASP	2.1
1	A	336	LEU	2.1
1	B	86	GLY	2.1
1	B	427	ALA	2.1
1	B	331	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	FAD	B	1802	53/53	0.96	0.17	0.76	23,27,30,33	0
2	FAD	A	1801	53/53	0.98	0.13	-0.06	13,17,21,23	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.