



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:28 PM GMT

PDB ID : 4RXD
Title : T. Brucei Farnesyl Diphosphate Synthase Complexed with Risedronate
Authors : Cao, R.; Liu, Y.-L.; Oldfield, E.
Deposited on : 2014-12-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	<div> <div>3%</div> <div> <div></div> <div>76%</div> <div>13%</div> <div>•</div> <div>9%</div> </div> </div>
1	B	390	<div> <div>3%</div> <div> <div></div> <div>81%</div> <div>10%</div> <div>•</div> <div>8%</div> </div> </div>
1	C	390	<div> <div>3%</div> <div> <div></div> <div>81%</div> <div>10%</div> <div>•</div> <div>8%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9091 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Farnesyl pyrophosphate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	355	Total	C	N	O	S	0	0	0
			2839	1809	467	536	27			
1	B	357	Total	C	N	O	S	0	0	0
			2854	1819	469	538	28			
1	C	357	Total	C	N	O	S	0	0	0
			2854	1819	469	538	28			

There are 69 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	EXPRESSION TAG	UNP Q86C09
A	-21	GLY	-	EXPRESSION TAG	UNP Q86C09
A	-20	SER	-	EXPRESSION TAG	UNP Q86C09
A	-19	SER	-	EXPRESSION TAG	UNP Q86C09
A	-18	HIS	-	EXPRESSION TAG	UNP Q86C09
A	-17	HIS	-	EXPRESSION TAG	UNP Q86C09
A	-16	HIS	-	EXPRESSION TAG	UNP Q86C09
A	-15	HIS	-	EXPRESSION TAG	UNP Q86C09
A	-14	HIS	-	EXPRESSION TAG	UNP Q86C09
A	-13	HIS	-	EXPRESSION TAG	UNP Q86C09
A	-12	SER	-	EXPRESSION TAG	UNP Q86C09
A	-11	SER	-	EXPRESSION TAG	UNP Q86C09
A	-10	GLY	-	EXPRESSION TAG	UNP Q86C09
A	-9	LEU	-	EXPRESSION TAG	UNP Q86C09
A	-8	VAL	-	EXPRESSION TAG	UNP Q86C09
A	-7	PRO	-	EXPRESSION TAG	UNP Q86C09
A	-6	ARG	-	EXPRESSION TAG	UNP Q86C09
A	-5	GLY	-	EXPRESSION TAG	UNP Q86C09
A	-4	SER	-	EXPRESSION TAG	UNP Q86C09
A	-3	HIS	-	EXPRESSION TAG	UNP Q86C09
A	-2	MET	-	EXPRESSION TAG	UNP Q86C09
A	-1	ALA	-	EXPRESSION TAG	UNP Q86C09
A	0	SER	-	EXPRESSION TAG	UNP Q86C09

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-22	MET	-	EXPRESSION TAG	UNP Q86C09
B	-21	GLY	-	EXPRESSION TAG	UNP Q86C09
B	-20	SER	-	EXPRESSION TAG	UNP Q86C09
B	-19	SER	-	EXPRESSION TAG	UNP Q86C09
B	-18	HIS	-	EXPRESSION TAG	UNP Q86C09
B	-17	HIS	-	EXPRESSION TAG	UNP Q86C09
B	-16	HIS	-	EXPRESSION TAG	UNP Q86C09
B	-15	HIS	-	EXPRESSION TAG	UNP Q86C09
B	-14	HIS	-	EXPRESSION TAG	UNP Q86C09
B	-13	HIS	-	EXPRESSION TAG	UNP Q86C09
B	-12	SER	-	EXPRESSION TAG	UNP Q86C09
B	-11	SER	-	EXPRESSION TAG	UNP Q86C09
B	-10	GLY	-	EXPRESSION TAG	UNP Q86C09
B	-9	LEU	-	EXPRESSION TAG	UNP Q86C09
B	-8	VAL	-	EXPRESSION TAG	UNP Q86C09
B	-7	PRO	-	EXPRESSION TAG	UNP Q86C09
B	-6	ARG	-	EXPRESSION TAG	UNP Q86C09
B	-5	GLY	-	EXPRESSION TAG	UNP Q86C09
B	-4	SER	-	EXPRESSION TAG	UNP Q86C09
B	-3	HIS	-	EXPRESSION TAG	UNP Q86C09
B	-2	MET	-	EXPRESSION TAG	UNP Q86C09
B	-1	ALA	-	EXPRESSION TAG	UNP Q86C09
B	0	SER	-	EXPRESSION TAG	UNP Q86C09
C	-22	MET	-	EXPRESSION TAG	UNP Q86C09
C	-21	GLY	-	EXPRESSION TAG	UNP Q86C09
C	-20	SER	-	EXPRESSION TAG	UNP Q86C09
C	-19	SER	-	EXPRESSION TAG	UNP Q86C09
C	-18	HIS	-	EXPRESSION TAG	UNP Q86C09
C	-17	HIS	-	EXPRESSION TAG	UNP Q86C09
C	-16	HIS	-	EXPRESSION TAG	UNP Q86C09
C	-15	HIS	-	EXPRESSION TAG	UNP Q86C09
C	-14	HIS	-	EXPRESSION TAG	UNP Q86C09
C	-13	HIS	-	EXPRESSION TAG	UNP Q86C09
C	-12	SER	-	EXPRESSION TAG	UNP Q86C09
C	-11	SER	-	EXPRESSION TAG	UNP Q86C09
C	-10	GLY	-	EXPRESSION TAG	UNP Q86C09
C	-9	LEU	-	EXPRESSION TAG	UNP Q86C09
C	-8	VAL	-	EXPRESSION TAG	UNP Q86C09
C	-7	PRO	-	EXPRESSION TAG	UNP Q86C09
C	-6	ARG	-	EXPRESSION TAG	UNP Q86C09
C	-5	GLY	-	EXPRESSION TAG	UNP Q86C09
C	-4	SER	-	EXPRESSION TAG	UNP Q86C09

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	HIS	-	EXPRESSION TAG	UNP Q86C09
C	-2	MET	-	EXPRESSION TAG	UNP Q86C09
C	-1	ALA	-	EXPRESSION TAG	UNP Q86C09
C	0	SER	-	EXPRESSION TAG	UNP Q86C09

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	3	Total Mg 3 3	0	0
2	A	3	Total Mg 3 3	0	0
2	C	3	Total Mg 3 3	0	0

- Molecule 3 is 1-HYDROXY-2-(3-PYRIDINYL)ETHYLIDENE BIS-PHOSPHONIC ACID (three-letter code: RIS) (formula: C₇H₁₁NO₇P₂).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O P 17 7 1 7 2	0	0
3	B	1	Total C N O P 17 7 1 7 2	0	0
3	C	1	Total C N O P 17 7 1 7 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	166	Total 166	O 166	0	0
4	B	159	Total 159	O 159	0	0
4	C	159	Total 159	O 159	0	0

- Molecule 1: Farnesyl pyrophosphate synthase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	156.34Å 90.31Å 88.71Å 90.00° 89.91° 90.00°	Depositor
Resolution (Å)	29.55 – 2.00 29.55 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.7 (29.55-2.00) 99.5 (29.55-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.71 (at 2.00Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.211 , 0.251 0.209 , 0.244	Depositor DCC
R_{free} test set	4142 reflections (5.25%)	DCC
Wilson B-factor (Å ²)	27.1	Xtriage
Anisotropy	0.137	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 24.3	EDS
Estimated twinning fraction	0.016 for -1/2*h+3/2*k,1/2*h+1/2*k,-l 0.017 for -1/2*h-3/2*k,-1/2*h+1/2*k,-l 0.486 for 1/2*h+3/2*k,1/2*h-1/2*k,-l 0.486 for 1/2*h-3/2*k,-1/2*h-1/2*k,-l 0.015 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	1 of 82966 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9091	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, RIS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/2897	0.58	0/3917
1	B	0.49	0/2913	0.57	0/3939
1	C	0.48	0/2913	0.57	0/3939
All	All	0.49	0/8723	0.58	0/11795

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2839	0	2789	50	0
1	B	2854	0	2808	26	1
1	C	2854	0	2808	29	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
3	A	17	0	7	0	0
3	B	17	0	7	0	0
3	C	17	0	7	0	0
4	A	166	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	159	0	0	2	0
4	C	159	0	0	1	0
All	All	9091	0	8426	99	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:365:ARG:HH11	1:C:367:LYS:HG3	1.04	1.14
1:B:365:ARG:HH11	1:B:367:LYS:HG3	1.13	1.06
1:A:365:ARG:HH11	1:A:367:LYS:HG3	1.13	1.05
1:C:365:ARG:NH1	1:C:367:LYS:HG3	1.79	0.96
1:B:365:ARG:NH1	1:B:367:LYS:HG3	1.87	0.90
1:A:365:ARG:NH1	1:A:367:LYS:HG3	1.86	0.90
1:A:186:ASP:O	1:C:123:ASP:CB	2.22	0.87
1:B:209:VAL:HG22	1:B:252:GLN:HG2	1.61	0.83
1:C:209:VAL:HG22	1:C:252:GLN:HG2	1.62	0.80
1:A:123:ASP:CB	1:C:186:ASP:O	2.31	0.78
1:A:50:ARG:HG2	4:A:1527:HOH:O	1.83	0.77
1:B:365:ARG:HH11	1:B:367:LYS:CG	1.98	0.75
1:A:61:LEU:CD1	1:A:226:LEU:HD23	2.16	0.74
1:B:163:ARG:O	1:B:167:THR:HG23	1.90	0.72
1:A:237:MET:HE3	1:A:240:THR:HB	1.72	0.71
1:A:167:THR:HG22	1:C:25:PHE:HE1	1.55	0.70
1:B:232:LEU:HD11	1:B:237:MET:CE	2.23	0.69
1:A:38:MET:HE3	1:A:136:LEU:HD11	1.75	0.69
1:B:232:LEU:HD11	1:B:237:MET:HE1	1.76	0.68
1:A:209:VAL:HG22	1:A:252:GLN:HG2	1.76	0.68
1:A:163:ARG:O	1:A:167:THR:HG23	1.94	0.67
1:A:167:THR:HG22	1:C:25:PHE:CE1	2.31	0.65
1:A:25:PHE:HE1	1:C:167:THR:HG22	1.61	0.65
1:A:151:ARG:HG2	1:A:153:PHE:CZ	2.31	0.65
1:C:209:VAL:HG22	1:C:252:GLN:CG	2.26	0.64
1:C:163:ARG:O	1:C:167:THR:HG23	1.98	0.63
1:C:232:LEU:HD11	1:C:237:MET:CE	2.29	0.62
1:A:25:PHE:CE1	1:C:167:THR:HG22	2.35	0.61
1:A:61:LEU:HD13	1:A:226:LEU:HD23	1.83	0.61
1:A:237:MET:HE2	1:A:241:GLU:HG3	1.82	0.60
1:C:160:ARG:HD2	1:C:227:ILE:HD11	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:LEU:C	1:B:157:LEU:HD23	2.23	0.59
1:A:47:LYS:HD3	1:A:367:LYS:HE2	1.84	0.58
1:C:47:LYS:HG2	1:C:367:LYS:HE2	1.85	0.58
1:A:237:MET:CE	1:A:240:THR:HB	2.33	0.58
1:A:190:SER:HB3	4:A:1541:HOH:O	2.06	0.55
1:B:157:LEU:O	1:B:157:LEU:HD23	2.06	0.55
1:B:160:ARG:HD2	1:B:227:ILE:HD11	1.88	0.55
1:A:237:MET:O	1:A:237:MET:HE3	2.07	0.55
1:A:237:MET:HE2	1:A:241:GLU:CG	2.39	0.53
1:A:260:CYS:O	1:A:314:ARG:NH1	2.42	0.53
1:A:160:ARG:HD2	1:A:227:ILE:HD11	1.91	0.52
1:B:209:VAL:HG22	1:B:252:GLN:CG	2.37	0.52
1:A:30:ASN:H	1:A:30:ASN:HD22	1.57	0.52
1:C:47:LYS:HE3	1:C:47:LYS:HA	1.91	0.52
1:C:61:LEU:CD1	1:C:226:LEU:HD23	2.41	0.51
1:A:364:LYS:HA	4:A:1552:HOH:O	2.09	0.51
1:C:205:TYR:CZ	1:C:209:VAL:HG21	2.46	0.50
1:A:306:ASP:OD1	1:A:308:GLU:HG2	2.11	0.50
1:A:209:VAL:CG1	1:A:252:GLN:HB3	2.42	0.50
1:C:146:HIS:HE1	4:C:1794:HOH:O	1.95	0.49
1:C:98:HIS:CD2	1:C:137:LYS:HE3	2.48	0.49
1:A:50:ARG:NH1	1:A:216:TYR:CE1	2.81	0.48
1:C:286:PHE:HB2	1:C:322:LEU:HD11	1.94	0.48
1:B:205:TYR:CZ	1:B:209:VAL:HG21	2.48	0.48
1:A:30:ASN:ND2	1:A:30:ASN:H	2.12	0.47
1:C:232:LEU:HD11	1:C:237:MET:HE1	1.95	0.47
1:A:47:LYS:CD	1:A:367:LYS:HE2	2.45	0.47
1:B:209:VAL:CG1	1:B:249:GLU:HA	2.44	0.47
1:C:232:LEU:HD11	1:C:237:MET:HE3	1.96	0.47
1:B:157:LEU:C	1:B:157:LEU:CD2	2.83	0.47
1:B:62:LEU:HD21	1:B:78:ARG:HA	1.96	0.47
1:A:15:MET:O	1:A:19:GLU:HB3	2.15	0.47
1:B:189:VAL:O	1:B:190:SER:CB	2.64	0.46
1:A:209:VAL:HG13	1:A:252:GLN:CB	2.46	0.46
1:A:61:LEU:HD11	1:A:226:LEU:HD23	1.93	0.45
1:C:59:GLU:HG3	1:C:82:LEU:HD21	1.98	0.45
1:B:364:LYS:HA	4:B:1676:HOH:O	2.16	0.45
1:B:111:THR:HG22	1:B:268:GLY:O	2.16	0.45
1:A:38:MET:HE2	1:A:38:MET:O	2.17	0.45
1:B:255:ASP:HA	1:B:258:MET:HE2	1.97	0.45
1:A:151:ARG:HG2	1:A:153:PHE:CE2	2.50	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:78:ARG:O	1:C:82:LEU:HD23	2.17	0.45
1:A:255:ASP:HA	1:A:258:MET:HE2	1.99	0.45
1:A:61:LEU:HD21	1:A:351:PHE:HB2	2.00	0.44
1:B:157:LEU:HD21	1:B:224:MET:CE	2.48	0.44
1:C:277:ALA:HA	1:C:302:TYR:CE2	2.53	0.44
1:C:241:GLU:O	1:C:245:MET:HG2	2.18	0.43
1:A:50:ARG:H	1:A:50:ARG:HG2	1.67	0.43
1:B:286:PHE:HB2	1:B:322:LEU:HD11	2.00	0.43
1:A:209:VAL:HG11	1:A:252:GLN:HB3	1.99	0.43
1:B:241:GLU:O	1:B:245:MET:HG2	2.18	0.43
1:A:277:ALA:HA	1:A:302:TYR:CE2	2.54	0.43
1:B:189:VAL:O	4:B:1743:HOH:O	2.21	0.42
1:A:267:LEU:HG	1:A:269:LYS:HG2	2.01	0.42
1:A:189:VAL:O	1:A:190:SER:CB	2.68	0.42
1:B:98:HIS:CD2	1:B:137:LYS:HE3	2.55	0.42
1:A:237:MET:CE	1:A:241:GLU:HG3	2.49	0.41
1:B:58:ALA:O	1:B:229:SER:OG	2.38	0.41
1:A:269:LYS:HE3	4:A:1647:HOH:O	2.20	0.41
1:A:286:PHE:HB2	1:A:322:LEU:HD11	2.03	0.41
1:C:151:ARG:HA	1:C:152:PRO:HD3	1.98	0.41
1:A:365:ARG:HH11	1:A:367:LYS:CG	2.05	0.40
1:A:5:MET:HG3	1:A:86:CYS:SG	2.62	0.40
1:A:241:GLU:O	1:A:245:MET:HG2	2.22	0.40
1:C:179:MET:SD	1:C:179:MET:N	2.91	0.40
1:C:339:GLU:O	1:C:343:LYS:HG3	2.21	0.40
1:B:277:ALA:HA	1:B:302:TYR:CE2	2.57	0.40
1:A:263:PRO:HA	1:A:264:PRO:HD3	1.94	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:ASP:CB	1:B:186:ASP:O[2_657]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	351/390 (90%)	345 (98%)	5 (1%)	1 (0%)	46	41
1	B	353/390 (90%)	346 (98%)	6 (2%)	1 (0%)	46	41
1	C	353/390 (90%)	347 (98%)	5 (1%)	1 (0%)	46	41
All	All	1057/1170 (90%)	1038 (98%)	16 (2%)	3 (0%)	46	41

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	190	SER
1	B	190	SER
1	C	190	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/340 (91%)	293 (95%)	15 (5%)	31	25
1	B	310/340 (91%)	302 (97%)	8 (3%)	54	54
1	C	310/340 (91%)	301 (97%)	9 (3%)	50	49
All	All	928/1020 (91%)	896 (97%)	32 (3%)	44	41

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	GLU
1	A	37	LYS
1	A	38	MET
1	A	50	ARG
1	A	138	SER
1	A	151	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	157	LEU
1	A	176	VAL
1	A	179	MET
1	A	183	ASN
1	A	203	SER
1	A	219	LEU
1	A	323	GLN
1	A	346	LEU
1	A	367	LYS
1	B	62	LEU
1	B	138	SER
1	B	153	PHE
1	B	176	VAL
1	B	188	ASP
1	B	219	LEU
1	B	229	SER
1	B	346	LEU
1	C	8	GLN
1	C	47	LYS
1	C	62	LEU
1	C	157	LEU
1	C	179	MET
1	C	229	SER
1	C	323	GLN
1	C	346	LEU
1	C	367	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	ASN
1	A	49	ASN
1	A	121	HIS
1	A	146	HIS
1	A	162	ASN
1	A	183	ASN
1	A	191	GLN
1	A	336	GLN
1	B	121	HIS
1	B	162	ASN
1	B	336	GLN
1	C	121	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	162	ASN
1	C	323	GLN
1	C	336	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 9 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	RIS	A	1404	2	17,17,17	1.49	4 (23%)	24,27,27	1.31	4 (16%)
3	RIS	B	1504	2	17,17,17	1.53	4 (23%)	24,27,27	1.47	5 (20%)
3	RIS	C	1600	2	17,17,17	1.44	4 (23%)	24,27,27	1.27	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	RIS	A	1404	2	-	0/23/23/23	0/1/1/1
3	RIS	B	1504	2	-	0/23/23/23	0/1/1/1
3	RIS	C	1600	2	-	0/23/23/23	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1504	RIS	P9-C8	-2.95	1.83	1.85
3	A	1404	RIS	P9-C8	-2.90	1.83	1.85
3	B	1504	RIS	C7-C8	-2.66	1.53	1.55
3	C	1600	RIS	C7-C8	-2.60	1.53	1.55
3	C	1600	RIS	P9-C8	-2.48	1.83	1.85
3	C	1600	RIS	P9-O12	-2.38	1.50	1.54
3	A	1404	RIS	C7-C8	-2.26	1.53	1.55
3	A	1404	RIS	P9-O12	-2.26	1.50	1.54
3	B	1504	RIS	P9-O12	-2.21	1.50	1.54
3	B	1504	RIS	P14-O15	-2.16	1.50	1.54
3	A	1404	RIS	P14-O15	-2.14	1.50	1.54
3	C	1600	RIS	P14-O16	-2.09	1.50	1.54

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1504	RIS	C7-C2-C1	-2.54	117.45	121.08
3	A	1404	RIS	C7-C2-C1	-2.37	117.70	121.08
3	C	1600	RIS	C7-C2-C1	-2.25	117.87	121.08
3	A	1404	RIS	C8-C7-C2	2.12	120.03	116.32
3	A	1404	RIS	O15-P14-O16	2.19	114.43	108.24
3	B	1504	RIS	C8-C7-C2	2.34	120.41	116.32
3	B	1504	RIS	O15-P14-O16	2.41	115.05	108.24
3	B	1504	RIS	O10-P9-O12	2.51	115.31	108.24
3	C	1600	RIS	C5-N4-C3	2.57	121.58	116.84
3	C	1600	RIS	O15-P14-O16	2.87	116.34	108.24
3	B	1504	RIS	C5-N4-C3	2.97	122.30	116.84
3	A	1404	RIS	C5-N4-C3	3.01	122.38	116.84

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	355/390 (91%)	0.28	11 (3%) 52 53	15, 27, 44, 52	0
1	B	357/390 (91%)	0.24	11 (3%) 52 53	15, 27, 44, 51	0
1	C	357/390 (91%)	0.25	13 (3%) 46 48	15, 27, 44, 55	0
All	All	1069/1170 (91%)	0.25	35 (3%) 50 51	15, 27, 44, 55	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	193	THR	5.0
1	C	193	THR	4.5
1	B	367	LYS	3.3
1	A	367	LYS	3.2
1	A	243	LEU	3.1
1	A	193	THR	3.0
1	B	82	LEU	3.0
1	C	366	GLN	3.0
1	A	78	ARG	3.0
1	B	180	PHE	2.9
1	C	367	LYS	2.9
1	A	82	LEU	2.9
1	A	191	GLN	2.8
1	A	366	GLN	2.8
1	C	195	THR	2.7
1	B	196	ASP	2.7
1	B	195	THR	2.6
1	C	189	VAL	2.6
1	C	74	ASP	2.5
1	C	265	GLU	2.4
1	A	265	GLU	2.3
1	A	23	LEU	2.3
1	B	261	PHE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	180	PHE	2.2
1	B	62	LEU	2.2
1	C	358	LEU	2.2
1	C	264	PRO	2.2
1	C	176	VAL	2.2
1	B	61	LEU	2.1
1	A	63	SER	2.1
1	B	189	VAL	2.1
1	A	35	LEU	2.0
1	B	123	ASP	2.0
1	C	197	PHE	2.0
1	C	75	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	RIS	B	1504	17/17	0.97	0.12	0.09	15,17,18,19	0
3	RIS	A	1404	17/17	0.97	0.11	-0.38	16,18,19,19	0
3	RIS	C	1600	17/17	0.98	0.10	-0.64	17,18,20,20	0
2	MG	B	1502	1/1	0.98	0.10	-1.02	22,22,22,22	0
2	MG	A	1403	1/1	0.95	0.08	-1.30	16,16,16,16	0
2	MG	A	1402	1/1	0.93	0.07	-1.77	22,22,22,22	0
2	MG	B	1503	1/1	0.99	0.05	-2.45	17,17,17,17	0
2	MG	C	1603	1/1	0.95	0.06	-2.70	16,16,16,16	0
2	MG	C	1602	1/1	0.99	0.06	-2.83	21,21,21,21	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	MG	A	1401	1/1	0.98	0.07	-	17,17,17,17	0
2	MG	C	1601	1/1	0.97	0.09	-	18,18,18,18	0
2	MG	B	1501	1/1	0.97	0.08	-	17,17,17,17	0

6.5 Other polymers [i](#)

There are no such residues in this entry.