



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:26 PM GMT

PDB ID : 4RXR  
Title : The structure of GTP-dCTP-bound SAMHD1  
Authors : Zhu, C.F.; Wei, W.; Peng, X.; Dong, Y.H.; Gong, Y.; Yu, X.F.  
Deposited on : 2014-12-11  
Resolution : 2.12 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4587 (2.14-2.10)
Clashscore	102246	5132 (2.14-2.10)
Ramachandran outliers	100387	5080 (2.14-2.10)
Sidechain outliers	100360	5081 (2.14-2.10)
RSRZ outliers	91569	4597 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	539	<div> <div>5%</div> <div>83%</div> <div>6%</div> <div>11%</div> </div>
1	B	539	<div> <div>2%</div> <div>85%</div> <div>6%</div> <div>9%</div> </div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxynucleoside triphosphate triphosphohydrolase SAMHD1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	481	Total	C	N	O	S	0	0	0
			3936	2522	683	712	19			
1	B	493	Total	C	N	O	S	0	0	0
			4036	2586	700	731	19			

There are 44 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	88	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
A	89	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	90	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	91	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	92	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	93	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	94	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	95	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	96	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	97	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
A	98	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	99	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	100	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	101	GLU	-	EXPRESSION TAG	UNP Q9Y3Z3
A	102	ASN	-	EXPRESSION TAG	UNP Q9Y3Z3
A	103	LEU	-	EXPRESSION TAG	UNP Q9Y3Z3
A	104	TYR	-	EXPRESSION TAG	UNP Q9Y3Z3
A	105	PHE	-	EXPRESSION TAG	UNP Q9Y3Z3
A	106	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
A	107	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
A	108	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
A	266	TYR	CYS	CONFLICT	UNP Q9Y3Z3
B	88	MET	-	EXPRESSION TAG	UNP Q9Y3Z3
B	89	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
B	90	SER	-	EXPRESSION TAG	UNP Q9Y3Z3

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	91	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	92	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	93	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	94	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	95	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	96	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	97	HIS	-	EXPRESSION TAG	UNP Q9Y3Z3
B	98	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	99	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	100	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
B	101	GLU	-	EXPRESSION TAG	UNP Q9Y3Z3
B	102	ASN	-	EXPRESSION TAG	UNP Q9Y3Z3
B	103	LEU	-	EXPRESSION TAG	UNP Q9Y3Z3
B	104	TYR	-	EXPRESSION TAG	UNP Q9Y3Z3
B	105	PHE	-	EXPRESSION TAG	UNP Q9Y3Z3
B	106	GLN	-	EXPRESSION TAG	UNP Q9Y3Z3
B	107	GLY	-	EXPRESSION TAG	UNP Q9Y3Z3
B	108	SER	-	EXPRESSION TAG	UNP Q9Y3Z3
B	266	TYR	CYS	CONFLICT	UNP Q9Y3Z3

- Molecule 2 is 2'-DEOXYCYTIDINE-5'-TRIPHOSPHATE (three-letter code: DCP) (formula: C<sub>9</sub>H<sub>16</sub>N<sub>3</sub>O<sub>13</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			28	9	3	13		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			28	9	3	13	3		
2	B	1	Total	C	N	O	P	0	0
			28	9	3	13	3		
2	B	1	Total	C	N	O	P	0	0
			28	9	3	13	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>14</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
4	B	1	Total	C	N	O	P	0	0
			32	10	5	14	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	198	Total 198	O 198	0	0
5	B	228	Total 228	O 228	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	150.89 Å   108.26 Å   92.66 Å 90.00°   122.92°   90.00°	Depositor
Resolution (Å)	50.00 – 2.12 41.23 – 2.12	Depositor EDS
% Data completeness (in resolution range)	98.6 (50.00-2.12) 98.7 (41.23-2.12)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.89 (at 2.12 Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, $R_{free}$	0.179   ,   0.213 0.183   ,   0.216	Depositor DCC
$R_{free}$ test set	3505 reflections (5.25%)	DCC
Wilson B-factor (Å <sup>2</sup> )	43.0	Xtriage
Anisotropy	0.064	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 41.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 70206 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	8576	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTP, MG, DCP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/4030	0.63	0/5441
1	B	0.44	0/4133	0.63	0/5581
All	All	0.44	0/8163	0.63	0/11022

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3936	0	3918	21	0
1	B	4036	0	4008	20	0
2	A	56	0	24	2	0
2	B	56	0	24	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	B	64	0	24	0	0
5	A	198	0	0	1	0
5	B	228	0	0	3	0
All	All	8576	0	7998	43	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 3.

All (43) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:591:ILE:O	1:B:594:GLN:HG2	1.95	0.67
1:A:175:ALA:HB1	1:A:199:VAL:HG12	1.77	0.65
1:B:179:VAL:HG22	1:B:300:ILE:HD13	1.79	0.64
1:B:175:ALA:HB1	1:B:199:VAL:HG12	1.78	0.64
1:A:591:ILE:O	1:A:594:GLN:HG2	1.98	0.64
1:A:179:VAL:HG22	1:A:300:ILE:HD13	1.80	0.62
1:B:459:GLU:OE2	1:B:549:LEU:HD13	1.99	0.62
1:B:179:VAL:CG2	1:B:300:ILE:HD13	2.33	0.59
1:B:408:ARG:NH2	5:B:1033:HOH:O	2.35	0.59
1:B:425:ASN:ND2	5:B:1017:HOH:O	2.25	0.58
1:A:179:VAL:CG2	1:A:300:ILE:HD13	2.34	0.58
1:B:370:HIS:CE1	2:B:804:DCP:O1A	2.57	0.56
1:B:390:PHE:CZ	1:B:426:ILE:CG2	2.91	0.54
1:A:390:PHE:CZ	1:A:426:ILE:CG2	2.91	0.54
1:A:392:LYS:NZ	5:A:976:HOH:O	2.40	0.54
1:A:179:VAL:HG22	1:A:300:ILE:CD1	2.42	0.50
1:A:114:THR:HG22	1:A:115:MET:O	2.12	0.49
1:B:397:ILE:HG21	1:B:426:ILE:HD11	1.95	0.49
1:A:397:ILE:HG21	1:A:426:ILE:HD11	1.94	0.49
1:A:229:VAL:HG12	1:A:230:LYS:N	2.27	0.49
1:B:179:VAL:HG22	1:B:300:ILE:CD1	2.41	0.48
1:A:394:ASP:O	1:A:408:ARG:HD2	2.13	0.48
1:B:390:PHE:CZ	1:B:426:ILE:HG23	2.48	0.48
1:B:439:LYS:NZ	1:B:443:GLU:OE1	2.46	0.48
1:A:390:PHE:CZ	1:A:426:ILE:HG23	2.49	0.47
1:B:394:ASP:O	1:B:408:ARG:HD2	2.14	0.47
1:B:392:LYS:HD3	1:B:440:ASP:HB3	1.98	0.46
1:B:322:HIS:CE1	5:B:1128:HOH:O	2.69	0.45
1:A:574:ALA:O	1:A:595:LYS:HE3	2.17	0.45
1:A:351:ALA:O	1:A:520:PHE:HA	2.17	0.44
1:B:351:ALA:O	1:B:520:PHE:HA	2.18	0.44
2:B:804:DCP:O2A	2:B:804:DCP:PG	2.76	0.44
1:A:229:VAL:CG1	1:A:230:LYS:N	2.81	0.44
1:A:251:LYS:HB2	1:A:252:PRO:HD3	2.00	0.43
1:A:370:HIS:CE1	2:A:701:DCP:O1A	2.72	0.43
1:A:509:MET:HE1	1:A:514:PRO:HA	2.00	0.43
2:A:701:DCP:PG	2:A:701:DCP:O2A	2.77	0.42
1:B:251:LYS:HB2	1:B:252:PRO:HD3	2.01	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:392:LYS:HA	1:A:392:LYS:HD3	1.80	0.41
1:B:143:ARG:HD2	1:B:420:THR:HA	2.02	0.41
1:A:486:LYS:HA	1:A:486:LYS:HD2	1.91	0.41
1:B:509:MET:HE1	1:B:514:PRO:HA	2.02	0.41
1:A:173:TYR:CZ	1:A:177:CYS:SG	3.15	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	477/539 (88%)	472 (99%)	5 (1%)	0	100	100
1	B	489/539 (91%)	483 (99%)	6 (1%)	0	100	100
All	All	966/1078 (90%)	955 (99%)	11 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	427/481 (89%)	424 (99%)	3 (1%)	88	92
1	B	438/481 (91%)	433 (99%)	5 (1%)	80	85
All	All	865/962 (90%)	857 (99%)	8 (1%)	84	88

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	315	TYR
1	A	501	ASP
1	A	543	GLU
1	B	277	GLU
1	B	278	SER
1	B	315	TYR
1	B	467	LYS
1	B	501	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	235	GLN
1	A	517	HIS
1	B	517	HIS
1	B	571	GLN
1	B	594	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	DCP	A	701	-	21,29,29	0.67	0	33,45,45	1.34	3 (9%)
2	DCP	A	703	3	21,29,29	0.70	0	33,45,45	1.17	2 (6%)
4	GTP	B	801	3	25,34,34	1.23	3 (12%)	34,54,54	1.90	7 (20%)
2	DCP	B	802	3	21,29,29	0.73	0	33,45,45	1.23	4 (12%)
4	GTP	B	803	3	25,34,34	1.15	2 (8%)	34,54,54	1.82	6 (17%)
2	DCP	B	804	-	21,29,29	0.69	0	33,45,45	1.39	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DCP	A	701	-	-	0/18/34/34	0/2/2/2
2	DCP	A	703	3	-	0/18/34/34	0/2/2/2
4	GTP	B	801	3	-	0/18/38/38	0/3/3/3
2	DCP	B	802	3	-	0/18/34/34	0/2/2/2
4	GTP	B	803	3	-	0/18/38/38	0/3/3/3
2	DCP	B	804	-	-	0/18/34/34	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	801	GTP	O4'-C1'	2.04	1.43	1.41
4	B	801	GTP	C6-C5	2.62	1.46	1.41
4	B	803	GTP	C6-C5	2.88	1.47	1.41
4	B	803	GTP	C5-C4	2.96	1.47	1.40
4	B	801	GTP	C5-C4	3.68	1.48	1.40

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	801	GTP	C5-C6-N1	-5.23	116.44	123.59
4	B	803	GTP	C5-C6-N1	-4.90	116.89	123.59
2	B	804	DCP	PB-O3A-PA	-4.68	119.60	132.73
2	A	701	DCP	PB-O3A-PA	-3.97	121.58	132.73
4	B	803	GTP	PA-O3A-PB	-3.75	122.19	132.73
4	B	801	GTP	C6-C5-C4	-2.99	117.33	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	801	GTP	N3-C2-N1	-2.98	122.90	127.44
4	B	803	GTP	C6-C5-C4	-2.87	117.47	120.90
4	B	803	GTP	N3-C2-N1	-2.47	123.68	127.44
4	B	801	GTP	PA-O3A-PB	-2.36	126.11	132.73
2	B	802	DCP	O4'-C1'-N1	-2.18	103.94	107.72
4	B	801	GTP	O2G-PG-O3B	-2.01	95.99	105.09
2	B	802	DCP	O3G-PG-O2G	2.03	115.09	107.38
2	B	804	DCP	O2A-PA-O3A	2.20	115.09	105.09
2	A	701	DCP	O4'-C1'-N1	2.36	111.81	107.72
2	A	703	DCP	C2-N3-C4	2.62	119.30	115.61
4	B	801	GTP	O3G-PG-O2G	2.74	117.81	107.38
2	A	703	DCP	C2'-C1'-N1	2.74	120.82	114.16
2	B	802	DCP	C2-N3-C4	2.83	119.60	115.61
4	B	803	GTP	O3G-PG-O2G	3.02	118.87	107.38
2	B	802	DCP	C2'-C1'-N1	3.22	122.00	114.16
2	B	804	DCP	C2-N3-C4	3.48	120.52	115.61
2	A	701	DCP	C2-N3-C4	3.59	120.68	115.61
4	B	803	GTP	C6-N1-C2	4.93	122.79	115.94
4	B	801	GTP	C6-N1-C2	5.96	124.22	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	DCP	2	0
2	B	804	DCP	2	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	481/539 (89%)	0.06	25 (5%)	31 39	33, 47, 74, 118	0
1	B	493/539 (91%)	-0.07	13 (2%)	59 66	30, 46, 71, 107	0
All	All	974/1078 (90%)	-0.00	38 (3%)	43 52	30, 46, 73, 118	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	488	LEU	8.5
1	A	487	VAL	7.1
1	A	490	ASP	6.7
1	A	465	GLN	6.2
1	A	278	SER	5.8
1	B	278	SER	5.5
1	A	466	ILE	4.9
1	B	465	GLN	4.0
1	A	590	LEU	3.8
1	A	596	LYS	3.8
1	A	489	LEU	3.6
1	A	599	ASN	3.5
1	B	277	GLU	3.5
1	B	596	LYS	3.2
1	A	560	LYS	3.2
1	A	591	ILE	3.1
1	A	491	VAL	3.0
1	B	284	LEU	2.9
1	A	463	THR	2.8
1	A	486	LYS	2.8
1	A	325	ILE	2.7
1	A	597	GLU	2.7
1	B	402	ALA	2.6
1	B	111	HIS	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	405	LYS	2.5
1	A	403	GLY	2.5
1	B	285	TRP	2.5
1	A	594	GLN	2.4
1	B	276	LEU	2.4
1	A	230	LYS	2.3
1	A	284	LEU	2.3
1	B	113	ASP	2.3
1	B	466	ILE	2.3
1	B	597	GLU	2.3
1	A	398	GLU	2.2
1	A	328	ASN	2.2
1	A	559	ARG	2.1
1	B	463	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	DCP	B	804	28/28	0.90	0.12	0.35	33,39,98,105	0
2	DCP	B	802	28/28	0.99	0.11	-0.38	32,36,40,41	0
4	GTP	B	801	32/32	0.98	0.10	-0.59	32,36,39,40	0
2	DCP	A	703	28/28	0.99	0.12	-0.63	34,38,41,43	0
4	GTP	B	803	32/32	0.99	0.09	-1.16	34,37,41,44	0
2	DCP	A	701	28/28	0.94	0.10	-1.43	36,45,99,102	0
3	MG	B	805	1/1	0.99	0.07	-	37,37,37,37	0
3	MG	A	702	1/1	0.96	0.10	-	38,38,38,38	0



## 6.5 Other polymers [i](#)

There are no such residues in this entry.