



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 12:46 PM GMT

PDB ID : 3RYO  
Title : Crystal Structure of Enhanced Intracellular Survival (Eis) Protein from Mycobacterium tuberculosis with Acetyl CoA  
Authors : Kim, K.H.; An, D.R.; Yoon, J.Y.; Kim, H.S.; Yoon, H.J.; Song, J.; Im, H.N.; Kim, J.; Kim, D.J.; Lee, S.J.; Kim, H.J.; Lee, J.Y.; Suh, S.W.  
Deposited on : 2011-05-11  
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	428	<div> <div>3%</div> <div>60% 32% 7%</div> </div>
1	B	428	<div> <div>3%</div> <div>61% 32% 7%</div> </div>
1	C	428	<div> <div>5%</div> <div>60% 32% 7%</div> </div>
1	D	428	<div> <div>3%</div> <div>57% 35% 7%</div> </div>
1	E	428	<div> <div>4%</div> <div>57% 34% 7%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	428	
1	G	428	
1	H	428	
1	I	428	
1	J	428	
1	K	428	
1	L	428	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 37731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enhanced intracellular survival protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	B	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	C	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	D	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	E	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	F	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	G	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	H	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	I	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	J	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	K	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			
1	L	396	Total	C	N	O	S	Se	0	0	0
			3053	1921	560	560	5	7			

There are 240 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MSE	-	EXPRESSION TAG	UNP P71727
A	-18	GLY	-	EXPRESSION TAG	UNP P71727
A	-17	SER	-	EXPRESSION TAG	UNP P71727
A	-16	SER	-	EXPRESSION TAG	UNP P71727
A	-15	HIS	-	EXPRESSION TAG	UNP P71727

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-14	HIS	-	EXPRESSION TAG	UNP P71727
A	-13	HIS	-	EXPRESSION TAG	UNP P71727
A	-12	HIS	-	EXPRESSION TAG	UNP P71727
A	-11	HIS	-	EXPRESSION TAG	UNP P71727
A	-10	HIS	-	EXPRESSION TAG	UNP P71727
A	-9	SER	-	EXPRESSION TAG	UNP P71727
A	-8	SER	-	EXPRESSION TAG	UNP P71727
A	-7	GLY	-	EXPRESSION TAG	UNP P71727
A	-6	LEU	-	EXPRESSION TAG	UNP P71727
A	-5	VAL	-	EXPRESSION TAG	UNP P71727
A	-4	PRO	-	EXPRESSION TAG	UNP P71727
A	-3	ARG	-	EXPRESSION TAG	UNP P71727
A	-2	GLY	-	EXPRESSION TAG	UNP P71727
A	-1	SER	-	EXPRESSION TAG	UNP P71727
A	0	HIS	-	EXPRESSION TAG	UNP P71727
B	-19	MSE	-	EXPRESSION TAG	UNP P71727
B	-18	GLY	-	EXPRESSION TAG	UNP P71727
B	-17	SER	-	EXPRESSION TAG	UNP P71727
B	-16	SER	-	EXPRESSION TAG	UNP P71727
B	-15	HIS	-	EXPRESSION TAG	UNP P71727
B	-14	HIS	-	EXPRESSION TAG	UNP P71727
B	-13	HIS	-	EXPRESSION TAG	UNP P71727
B	-12	HIS	-	EXPRESSION TAG	UNP P71727
B	-11	HIS	-	EXPRESSION TAG	UNP P71727
B	-10	HIS	-	EXPRESSION TAG	UNP P71727
B	-9	SER	-	EXPRESSION TAG	UNP P71727
B	-8	SER	-	EXPRESSION TAG	UNP P71727
B	-7	GLY	-	EXPRESSION TAG	UNP P71727
B	-6	LEU	-	EXPRESSION TAG	UNP P71727
B	-5	VAL	-	EXPRESSION TAG	UNP P71727
B	-4	PRO	-	EXPRESSION TAG	UNP P71727
B	-3	ARG	-	EXPRESSION TAG	UNP P71727
B	-2	GLY	-	EXPRESSION TAG	UNP P71727
B	-1	SER	-	EXPRESSION TAG	UNP P71727
B	0	HIS	-	EXPRESSION TAG	UNP P71727
C	-19	MSE	-	EXPRESSION TAG	UNP P71727
C	-18	GLY	-	EXPRESSION TAG	UNP P71727
C	-17	SER	-	EXPRESSION TAG	UNP P71727
C	-16	SER	-	EXPRESSION TAG	UNP P71727
C	-15	HIS	-	EXPRESSION TAG	UNP P71727
C	-14	HIS	-	EXPRESSION TAG	UNP P71727
C	-13	HIS	-	EXPRESSION TAG	UNP P71727

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-12	HIS	-	EXPRESSION TAG	UNP P71727
C	-11	HIS	-	EXPRESSION TAG	UNP P71727
C	-10	HIS	-	EXPRESSION TAG	UNP P71727
C	-9	SER	-	EXPRESSION TAG	UNP P71727
C	-8	SER	-	EXPRESSION TAG	UNP P71727
C	-7	GLY	-	EXPRESSION TAG	UNP P71727
C	-6	LEU	-	EXPRESSION TAG	UNP P71727
C	-5	VAL	-	EXPRESSION TAG	UNP P71727
C	-4	PRO	-	EXPRESSION TAG	UNP P71727
C	-3	ARG	-	EXPRESSION TAG	UNP P71727
C	-2	GLY	-	EXPRESSION TAG	UNP P71727
C	-1	SER	-	EXPRESSION TAG	UNP P71727
C	0	HIS	-	EXPRESSION TAG	UNP P71727
D	-19	MSE	-	EXPRESSION TAG	UNP P71727
D	-18	GLY	-	EXPRESSION TAG	UNP P71727
D	-17	SER	-	EXPRESSION TAG	UNP P71727
D	-16	SER	-	EXPRESSION TAG	UNP P71727
D	-15	HIS	-	EXPRESSION TAG	UNP P71727
D	-14	HIS	-	EXPRESSION TAG	UNP P71727
D	-13	HIS	-	EXPRESSION TAG	UNP P71727
D	-12	HIS	-	EXPRESSION TAG	UNP P71727
D	-11	HIS	-	EXPRESSION TAG	UNP P71727
D	-10	HIS	-	EXPRESSION TAG	UNP P71727
D	-9	SER	-	EXPRESSION TAG	UNP P71727
D	-8	SER	-	EXPRESSION TAG	UNP P71727
D	-7	GLY	-	EXPRESSION TAG	UNP P71727
D	-6	LEU	-	EXPRESSION TAG	UNP P71727
D	-5	VAL	-	EXPRESSION TAG	UNP P71727
D	-4	PRO	-	EXPRESSION TAG	UNP P71727
D	-3	ARG	-	EXPRESSION TAG	UNP P71727
D	-2	GLY	-	EXPRESSION TAG	UNP P71727
D	-1	SER	-	EXPRESSION TAG	UNP P71727
D	0	HIS	-	EXPRESSION TAG	UNP P71727
E	-19	MSE	-	EXPRESSION TAG	UNP P71727
E	-18	GLY	-	EXPRESSION TAG	UNP P71727
E	-17	SER	-	EXPRESSION TAG	UNP P71727
E	-16	SER	-	EXPRESSION TAG	UNP P71727
E	-15	HIS	-	EXPRESSION TAG	UNP P71727
E	-14	HIS	-	EXPRESSION TAG	UNP P71727
E	-13	HIS	-	EXPRESSION TAG	UNP P71727
E	-12	HIS	-	EXPRESSION TAG	UNP P71727
E	-11	HIS	-	EXPRESSION TAG	UNP P71727

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-10	HIS	-	EXPRESSION TAG	UNP P71727
E	-9	SER	-	EXPRESSION TAG	UNP P71727
E	-8	SER	-	EXPRESSION TAG	UNP P71727
E	-7	GLY	-	EXPRESSION TAG	UNP P71727
E	-6	LEU	-	EXPRESSION TAG	UNP P71727
E	-5	VAL	-	EXPRESSION TAG	UNP P71727
E	-4	PRO	-	EXPRESSION TAG	UNP P71727
E	-3	ARG	-	EXPRESSION TAG	UNP P71727
E	-2	GLY	-	EXPRESSION TAG	UNP P71727
E	-1	SER	-	EXPRESSION TAG	UNP P71727
E	0	HIS	-	EXPRESSION TAG	UNP P71727
F	-19	MSE	-	EXPRESSION TAG	UNP P71727
F	-18	GLY	-	EXPRESSION TAG	UNP P71727
F	-17	SER	-	EXPRESSION TAG	UNP P71727
F	-16	SER	-	EXPRESSION TAG	UNP P71727
F	-15	HIS	-	EXPRESSION TAG	UNP P71727
F	-14	HIS	-	EXPRESSION TAG	UNP P71727
F	-13	HIS	-	EXPRESSION TAG	UNP P71727
F	-12	HIS	-	EXPRESSION TAG	UNP P71727
F	-11	HIS	-	EXPRESSION TAG	UNP P71727
F	-10	HIS	-	EXPRESSION TAG	UNP P71727
F	-9	SER	-	EXPRESSION TAG	UNP P71727
F	-8	SER	-	EXPRESSION TAG	UNP P71727
F	-7	GLY	-	EXPRESSION TAG	UNP P71727
F	-6	LEU	-	EXPRESSION TAG	UNP P71727
F	-5	VAL	-	EXPRESSION TAG	UNP P71727
F	-4	PRO	-	EXPRESSION TAG	UNP P71727
F	-3	ARG	-	EXPRESSION TAG	UNP P71727
F	-2	GLY	-	EXPRESSION TAG	UNP P71727
F	-1	SER	-	EXPRESSION TAG	UNP P71727
F	0	HIS	-	EXPRESSION TAG	UNP P71727
G	-19	MSE	-	EXPRESSION TAG	UNP P71727
G	-18	GLY	-	EXPRESSION TAG	UNP P71727
G	-17	SER	-	EXPRESSION TAG	UNP P71727
G	-16	SER	-	EXPRESSION TAG	UNP P71727
G	-15	HIS	-	EXPRESSION TAG	UNP P71727
G	-14	HIS	-	EXPRESSION TAG	UNP P71727
G	-13	HIS	-	EXPRESSION TAG	UNP P71727
G	-12	HIS	-	EXPRESSION TAG	UNP P71727
G	-11	HIS	-	EXPRESSION TAG	UNP P71727
G	-10	HIS	-	EXPRESSION TAG	UNP P71727
G	-9	SER	-	EXPRESSION TAG	UNP P71727

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	-8	SER	-	EXPRESSION TAG	UNP P71727
G	-7	GLY	-	EXPRESSION TAG	UNP P71727
G	-6	LEU	-	EXPRESSION TAG	UNP P71727
G	-5	VAL	-	EXPRESSION TAG	UNP P71727
G	-4	PRO	-	EXPRESSION TAG	UNP P71727
G	-3	ARG	-	EXPRESSION TAG	UNP P71727
G	-2	GLY	-	EXPRESSION TAG	UNP P71727
G	-1	SER	-	EXPRESSION TAG	UNP P71727
G	0	HIS	-	EXPRESSION TAG	UNP P71727
H	-19	MSE	-	EXPRESSION TAG	UNP P71727
H	-18	GLY	-	EXPRESSION TAG	UNP P71727
H	-17	SER	-	EXPRESSION TAG	UNP P71727
H	-16	SER	-	EXPRESSION TAG	UNP P71727
H	-15	HIS	-	EXPRESSION TAG	UNP P71727
H	-14	HIS	-	EXPRESSION TAG	UNP P71727
H	-13	HIS	-	EXPRESSION TAG	UNP P71727
H	-12	HIS	-	EXPRESSION TAG	UNP P71727
H	-11	HIS	-	EXPRESSION TAG	UNP P71727
H	-10	HIS	-	EXPRESSION TAG	UNP P71727
H	-9	SER	-	EXPRESSION TAG	UNP P71727
H	-8	SER	-	EXPRESSION TAG	UNP P71727
H	-7	GLY	-	EXPRESSION TAG	UNP P71727
H	-6	LEU	-	EXPRESSION TAG	UNP P71727
H	-5	VAL	-	EXPRESSION TAG	UNP P71727
H	-4	PRO	-	EXPRESSION TAG	UNP P71727
H	-3	ARG	-	EXPRESSION TAG	UNP P71727
H	-2	GLY	-	EXPRESSION TAG	UNP P71727
H	-1	SER	-	EXPRESSION TAG	UNP P71727
H	0	HIS	-	EXPRESSION TAG	UNP P71727
I	-19	MSE	-	EXPRESSION TAG	UNP P71727
I	-18	GLY	-	EXPRESSION TAG	UNP P71727
I	-17	SER	-	EXPRESSION TAG	UNP P71727
I	-16	SER	-	EXPRESSION TAG	UNP P71727
I	-15	HIS	-	EXPRESSION TAG	UNP P71727
I	-14	HIS	-	EXPRESSION TAG	UNP P71727
I	-13	HIS	-	EXPRESSION TAG	UNP P71727
I	-12	HIS	-	EXPRESSION TAG	UNP P71727
I	-11	HIS	-	EXPRESSION TAG	UNP P71727
I	-10	HIS	-	EXPRESSION TAG	UNP P71727
I	-9	SER	-	EXPRESSION TAG	UNP P71727
I	-8	SER	-	EXPRESSION TAG	UNP P71727
I	-7	GLY	-	EXPRESSION TAG	UNP P71727

*Continued on next page...*



*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
I	-6	LEU	-	EXPRESSION TAG	UNP P71727
I	-5	VAL	-	EXPRESSION TAG	UNP P71727
I	-4	PRO	-	EXPRESSION TAG	UNP P71727
I	-3	ARG	-	EXPRESSION TAG	UNP P71727
I	-2	GLY	-	EXPRESSION TAG	UNP P71727
I	-1	SER	-	EXPRESSION TAG	UNP P71727
I	0	HIS	-	EXPRESSION TAG	UNP P71727
J	-19	MSE	-	EXPRESSION TAG	UNP P71727
J	-18	GLY	-	EXPRESSION TAG	UNP P71727
J	-17	SER	-	EXPRESSION TAG	UNP P71727
J	-16	SER	-	EXPRESSION TAG	UNP P71727
J	-15	HIS	-	EXPRESSION TAG	UNP P71727
J	-14	HIS	-	EXPRESSION TAG	UNP P71727
J	-13	HIS	-	EXPRESSION TAG	UNP P71727
J	-12	HIS	-	EXPRESSION TAG	UNP P71727
J	-11	HIS	-	EXPRESSION TAG	UNP P71727
J	-10	HIS	-	EXPRESSION TAG	UNP P71727
J	-9	SER	-	EXPRESSION TAG	UNP P71727
J	-8	SER	-	EXPRESSION TAG	UNP P71727
J	-7	GLY	-	EXPRESSION TAG	UNP P71727
J	-6	LEU	-	EXPRESSION TAG	UNP P71727
J	-5	VAL	-	EXPRESSION TAG	UNP P71727
J	-4	PRO	-	EXPRESSION TAG	UNP P71727
J	-3	ARG	-	EXPRESSION TAG	UNP P71727
J	-2	GLY	-	EXPRESSION TAG	UNP P71727
J	-1	SER	-	EXPRESSION TAG	UNP P71727
J	0	HIS	-	EXPRESSION TAG	UNP P71727
K	-19	MSE	-	EXPRESSION TAG	UNP P71727
K	-18	GLY	-	EXPRESSION TAG	UNP P71727
K	-17	SER	-	EXPRESSION TAG	UNP P71727
K	-16	SER	-	EXPRESSION TAG	UNP P71727
K	-15	HIS	-	EXPRESSION TAG	UNP P71727
K	-14	HIS	-	EXPRESSION TAG	UNP P71727
K	-13	HIS	-	EXPRESSION TAG	UNP P71727
K	-12	HIS	-	EXPRESSION TAG	UNP P71727
K	-11	HIS	-	EXPRESSION TAG	UNP P71727
K	-10	HIS	-	EXPRESSION TAG	UNP P71727
K	-9	SER	-	EXPRESSION TAG	UNP P71727
K	-8	SER	-	EXPRESSION TAG	UNP P71727
K	-7	GLY	-	EXPRESSION TAG	UNP P71727
K	-6	LEU	-	EXPRESSION TAG	UNP P71727
K	-5	VAL	-	EXPRESSION TAG	UNP P71727

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	-4	PRO	-	EXPRESSION TAG	UNP P71727
K	-3	ARG	-	EXPRESSION TAG	UNP P71727
K	-2	GLY	-	EXPRESSION TAG	UNP P71727
K	-1	SER	-	EXPRESSION TAG	UNP P71727
K	0	HIS	-	EXPRESSION TAG	UNP P71727
L	-19	MSE	-	EXPRESSION TAG	UNP P71727
L	-18	GLY	-	EXPRESSION TAG	UNP P71727
L	-17	SER	-	EXPRESSION TAG	UNP P71727
L	-16	SER	-	EXPRESSION TAG	UNP P71727
L	-15	HIS	-	EXPRESSION TAG	UNP P71727
L	-14	HIS	-	EXPRESSION TAG	UNP P71727
L	-13	HIS	-	EXPRESSION TAG	UNP P71727
L	-12	HIS	-	EXPRESSION TAG	UNP P71727
L	-11	HIS	-	EXPRESSION TAG	UNP P71727
L	-10	HIS	-	EXPRESSION TAG	UNP P71727
L	-9	SER	-	EXPRESSION TAG	UNP P71727
L	-8	SER	-	EXPRESSION TAG	UNP P71727
L	-7	GLY	-	EXPRESSION TAG	UNP P71727
L	-6	LEU	-	EXPRESSION TAG	UNP P71727
L	-5	VAL	-	EXPRESSION TAG	UNP P71727
L	-4	PRO	-	EXPRESSION TAG	UNP P71727
L	-3	ARG	-	EXPRESSION TAG	UNP P71727
L	-2	GLY	-	EXPRESSION TAG	UNP P71727
L	-1	SER	-	EXPRESSION TAG	UNP P71727
L	0	HIS	-	EXPRESSION TAG	UNP P71727

- Molecule 2 is ACETYL COENZYME \*A (three-letter code: ACO) (formula:  $C_{23}H_{38}N_7O_{17}P_3S$ ).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	B	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	C	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	D	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	E	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	F	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	G	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	H	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	I	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	J	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	K	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0
2	L	1	Total 51	C 23	N 7	O 17	P 3	S 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	46	Total 46	O 46	0	0
3	B	74	Total 74	O 74	0	0
3	C	54	Total 54	O 54	0	0
3	D	51	Total 51	O 51	0	0
3	E	47	Total 47	O 47	0	0
3	F	48	Total 48	O 48	0	0
3	G	31	Total 31	O 31	0	0
3	H	39	Total 39	O 39	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	I	17	Total 17	O 17	0	0
3	J	9	Total 9	O 9	0	0
3	K	29	Total 29	O 29	0	0
3	L	38	Total 38	O 38	0	0


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Enhanced intracellular survival protein




#### • Molecule 1: Enhanced intracellular survival protein








• Molecule 1: Enhanced intracellular survival protein




• Molecule 1: Enhanced intracellular survival protein






• Molecule 1: Enhanced intracellular survival protein




• Molecule 1: Enhanced intracellular survival protein




• Molecule 1: Enhanced intracellular survival protein








- Molecule 1: Enhanced intracellular survival protein



- Molecule 1: Enhanced intracellular survival protein





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	108.13Å 150.19Å 184.38Å 90.00° 103.05° 90.00°	Depositor
Resolution (Å)	29.94 – 2.80 29.94 – 2.80	Depositor EDS
% Data completeness (in resolution range)	93.4 (29.94-2.80) 95.2 (29.94-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.87 (at 2.80Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, $R_{free}$	0.192 , 0.248 0.223 , 0.220	Depositor DCC
$R_{free}$ test set	13782 reflections (11.38%)	DCC
Wilson B-factor (Å <sup>2</sup> )	40.1	Xtriage
Anisotropy	0.343	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 46.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 138028 reflections	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	37731	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.23% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/3115	0.63	0/4226
1	B	0.41	0/3115	0.62	0/4226
1	C	0.41	0/3115	0.61	0/4226
1	D	0.41	0/3115	0.63	1/4226 (0.0%)
1	E	0.41	0/3115	0.62	0/4226
1	F	0.43	0/3115	0.62	1/4226 (0.0%)
1	G	0.39	0/3115	0.59	0/4226
1	H	0.39	0/3115	0.57	0/4226
1	I	0.35	0/3115	0.58	0/4226
1	J	0.37	0/3115	0.59	0/4226
1	K	0.37	0/3115	0.57	0/4226
1	L	0.41	0/3115	0.62	1/4226 (0.0%)
All	All	0.40	0/37380	0.60	3/50712 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	F	0	1
1	J	0	2
All	All	0	5

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	88	LEU	CA-CB-CG	5.76	128.56	115.30
1	L	35	GLY	N-CA-C	5.63	127.18	113.10
1	D	337	LEU	CA-CB-CG	5.35	127.61	115.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	296	ARG	Sidechain
1	C	150	ARG	Sidechain
1	F	380	ARG	Sidechain
1	J	233	ARG	Sidechain
1	J	314	ARG	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3053	0	3020	157	0
1	B	3053	0	3020	173	0
1	C	3053	0	3020	199	0
1	D	3053	0	3020	214	0
1	E	3053	0	3020	204	2
1	F	3053	0	3020	235	0
1	G	3053	0	3020	182	0
1	H	3053	0	3020	239	0
1	I	3053	0	3020	250	0
1	J	3053	0	3020	219	1
1	K	3053	0	3020	164	1
1	L	3053	0	3018	84	2
2	A	51	0	34	6	0
2	B	51	0	33	4	0
2	C	51	0	34	12	0
2	D	51	0	33	2	0
2	E	51	0	34	8	0
2	F	51	0	33	5	0
2	G	51	0	33	6	0
2	H	51	0	33	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	I	51	0	34	7	0
2	J	51	0	34	3	0
2	K	51	0	34	10	0
2	L	51	0	33	5	0
3	A	46	0	0	2	0
3	B	74	0	0	6	0
3	C	54	0	0	6	0
3	D	51	0	0	5	0
3	E	47	0	0	2	0
3	F	48	0	0	2	0
3	G	31	0	0	3	0
3	H	39	0	0	4	0
3	I	17	0	0	1	0
3	J	9	0	0	6	0
3	K	29	0	0	4	0
3	L	38	0	0	3	0
All	All	37731	0	36640	2186	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

The worst 5 of 2186 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:22:MSE:HE2	1:F:42:TRP:CH2	1.32	1.64
1:F:357:MSE:HE2	1:F:381:LEU:CD1	1.27	1.57
1:C:357:MSE:HE2	1:C:381:LEU:CD1	1.21	1.57
1:D:148:VAL:CG2	1:D:291:ALA:HA	1.31	1.55
1:H:354:GLU:HA	1:H:384:LYS:NZ	1.18	1.51

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:9:VAL:CG1	1:L:8:THR:OG1[2_545]	1.66	0.54
1:J:49:ASP:OD1	1:K:345:ARG:NH1[2_645]	1.83	0.37
1:E:9:VAL:O	1:L:8:THR:OG1[2_545]	2.14	0.06

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/428 (92%)	375 (96%)	15 (4%)	2 (0%)	34	69
1	B	392/428 (92%)	373 (95%)	18 (5%)	1 (0%)	46	79
1	C	392/428 (92%)	374 (95%)	18 (5%)	0	100	100
1	D	392/428 (92%)	376 (96%)	15 (4%)	1 (0%)	46	79
1	E	392/428 (92%)	376 (96%)	16 (4%)	0	100	100
1	F	392/428 (92%)	369 (94%)	22 (6%)	1 (0%)	46	79
1	G	392/428 (92%)	379 (97%)	12 (3%)	1 (0%)	46	79
1	H	392/428 (92%)	377 (96%)	15 (4%)	0	100	100
1	I	392/428 (92%)	365 (93%)	23 (6%)	4 (1%)	19	52
1	J	392/428 (92%)	357 (91%)	31 (8%)	4 (1%)	19	52
1	K	392/428 (92%)	367 (94%)	23 (6%)	2 (0%)	34	69
1	L	392/428 (92%)	370 (94%)	21 (5%)	1 (0%)	46	79
All	All	4704/5136 (92%)	4458 (95%)	229 (5%)	17 (0%)	39	74

5 of 17 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	VAL
1	I	319	GLU
1	I	357	MSE
1	I	397	ALA
1	J	175	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	311/327 (95%)	309 (99%)	2 (1%)	90	98
1	B	311/327 (95%)	310 (100%)	1 (0%)	94	99
1	C	311/327 (95%)	309 (99%)	2 (1%)	90	98
1	D	311/327 (95%)	309 (99%)	2 (1%)	90	98
1	E	311/327 (95%)	306 (98%)	5 (2%)	70	93
1	F	311/327 (95%)	308 (99%)	3 (1%)	82	96
1	G	311/327 (95%)	309 (99%)	2 (1%)	90	98
1	H	311/327 (95%)	310 (100%)	1 (0%)	94	99
1	I	311/327 (95%)	308 (99%)	3 (1%)	82	96
1	J	311/327 (95%)	304 (98%)	7 (2%)	58	88
1	K	311/327 (95%)	307 (99%)	4 (1%)	76	94
1	L	311/327 (95%)	285 (92%)	26 (8%)	14	37
All	All	3732/3924 (95%)	3674 (98%)	58 (2%)	70	93

5 of 58 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	J	357	MSE
1	L	9	VAL
1	L	381	LEU
1	J	358	ASP
1	K	207	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 34 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	200	GLN
1	H	177	HIS
1	L	200	GLN
1	G	387	GLN
1	C	255	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	ACO	A	501	-	43,53,53	1.76	6 (13%)	55,79,79	2.46	16 (29%)
2	ACO	B	501	-	43,53,53	1.77	6 (13%)	55,79,79	2.46	17 (30%)
2	ACO	C	501	-	43,53,53	1.68	7 (16%)	55,79,79	2.12	16 (29%)
2	ACO	D	501	-	43,53,53	1.68	7 (16%)	55,79,79	2.62	19 (34%)
2	ACO	E	501	-	43,53,53	1.74	7 (16%)	55,79,79	2.35	16 (29%)
2	ACO	F	501	-	43,53,53	1.79	8 (18%)	55,79,79	2.31	14 (25%)
2	ACO	G	501	-	43,53,53	1.77	7 (16%)	55,79,79	2.20	15 (27%)
2	ACO	H	501	-	43,53,53	1.73	7 (16%)	55,79,79	2.33	18 (32%)
2	ACO	I	501	-	43,53,53	1.74	7 (16%)	55,79,79	2.25	12 (21%)
2	ACO	J	501	-	43,53,53	1.66	6 (13%)	55,79,79	2.38	17 (30%)
2	ACO	K	501	-	43,53,53	1.71	7 (16%)	55,79,79	2.59	20 (36%)
2	ACO	L	501	-	43,53,53	1.78	6 (13%)	55,79,79	2.35	13 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACO	A	501	-	-	0/47/67/67	0/3/3/3
2	ACO	B	501	-	-	1/47/67/67	0/3/3/3
2	ACO	C	501	-	-	1/47/67/67	0/3/3/3
2	ACO	D	501	-	-	0/47/67/67	0/3/3/3
2	ACO	E	501	-	-	1/47/67/67	0/3/3/3
2	ACO	F	501	-	-	0/47/67/67	0/3/3/3
2	ACO	G	501	-	-	2/47/67/67	0/3/3/3
2	ACO	H	501	-	-	2/47/67/67	0/3/3/3
2	ACO	I	501	-	-	1/47/67/67	0/3/3/3
2	ACO	J	501	-	-	0/47/67/67	0/3/3/3
2	ACO	K	501	-	-	0/47/67/67	0/3/3/3
2	ACO	L	501	-	-	2/47/67/67	0/3/3/3

The worst 5 of 81 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	ACO	C2B-C3B	-4.32	1.43	1.53
2	G	501	ACO	C2B-C3B	-4.18	1.43	1.53
2	F	501	ACO	C2B-C3B	-4.03	1.43	1.53
2	A	501	ACO	C2B-C3B	-4.01	1.43	1.53
2	L	501	ACO	C2B-C3B	-4.01	1.44	1.53

The worst 5 of 193 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	501	ACO	N3A-C2A-N1A	-10.49	120.86	128.89
2	A	501	ACO	N3A-C2A-N1A	-9.98	121.25	128.89
2	B	501	ACO	N3A-C2A-N1A	-9.90	121.31	128.89
2	H	501	ACO	N3A-C2A-N1A	-9.84	121.36	128.89
2	K	501	ACO	N3A-C2A-N1A	-9.68	121.48	128.89

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	H	501	ACO	CH3-C-S1P-C2P
2	I	501	ACO	O-C-S1P-C2P
2	H	501	ACO	O-C-S1P-C2P
2	G	501	ACO	O-C-S1P-C2P
2	L	501	ACO	CH3-C-S1P-C2P

There are no ring outliers.

12 monomers are involved in 70 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	ACO	6	0
2	B	501	ACO	4	0
2	C	501	ACO	12	0
2	D	501	ACO	2	0
2	E	501	ACO	8	0
2	F	501	ACO	5	0
2	G	501	ACO	6	0
2	H	501	ACO	2	0
2	I	501	ACO	7	0
2	J	501	ACO	3	0
2	K	501	ACO	10	0
2	L	501	ACO	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	389/428 (90%)	-0.27	14 (3%)	46	34	16, 28, 63, 139	0
1	B	389/428 (90%)	-0.21	14 (3%)	46	34	18, 27, 65, 161	0
1	C	389/428 (90%)	-0.11	21 (5%)	29	19	21, 31, 66, 152	0
1	D	389/428 (90%)	-0.18	12 (3%)	52	40	18, 29, 65, 144	0
1	E	389/428 (90%)	-0.18	16 (4%)	41	29	17, 30, 66, 158	0
1	F	389/428 (90%)	-0.14	15 (3%)	43	31	20, 30, 72, 125	0
1	G	389/428 (90%)	-0.06	17 (4%)	38	26	22, 35, 67, 163	0
1	H	389/428 (90%)	-0.05	20 (5%)	32	21	23, 36, 72, 165	0
1	I	389/428 (90%)	0.21	26 (6%)	21	12	24, 47, 78, 163	0
1	J	389/428 (90%)	0.35	40 (10%)	9	4	24, 51, 81, 166	0
1	K	389/428 (90%)	-0.00	15 (3%)	43	31	24, 43, 78, 157	0
1	L	389/428 (90%)	-0.24	11 (2%)	56	44	23, 35, 69, 160	0
All	All	4668/5136 (90%)	-0.07	221 (4%)	35	24	16, 35, 74, 166	0

The worst 5 of 221 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	60	PRO	12.1
1	J	60	PRO	11.1
1	F	42	TRP	10.9
1	K	61	GLY	10.7
1	E	60	PRO	10.6

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ACO	E	501	51/51	0.85	0.25	1.74	38,57,82,89	0
2	ACO	H	501	51/51	0.82	0.28	1.65	41,57,73,81	0
2	ACO	J	501	51/51	0.82	0.28	1.40	54,68,82,89	0
2	ACO	C	501	51/51	0.88	0.23	1.38	33,50,71,83	0
2	ACO	I	501	51/51	0.84	0.26	1.34	44,63,78,97	0
2	ACO	F	501	51/51	0.89	0.21	0.95	34,48,66,73	0
2	ACO	K	501	51/51	0.89	0.22	0.94	45,56,70,77	0
2	ACO	A	501	51/51	0.90	0.20	0.65	30,46,67,81	0
2	ACO	L	501	51/51	0.90	0.18	0.57	26,38,61,72	0
2	ACO	D	501	51/51	0.86	0.23	0.54	34,51,70,81	0
2	ACO	G	501	51/51	0.92	0.17	0.09	28,40,60,73	0
2	ACO	B	501	51/51	0.91	0.17	0.02	29,42,54,61	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.