



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:44 PM GMT

PDB ID : 3RYW  
Title : Crystal structure of P. vivax geranylgeranyl diphosphate synthase complexed with BPH-811  
Authors : No, J.H.; Liu, Y.-L.; Zhang, Y.; Oldfield, E.  
Deposited on : 2011-05-11  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1451 (2.90-2.90)
Clashscore	102246	1668 (2.90-2.90)
Ramachandran outliers	100387	1630 (2.90-2.90)
Sidechain outliers	100360	1632 (2.90-2.90)
RSRZ outliers	91569	1456 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, green 75%, yellow 15%, orange 5%, grey 10%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>75%</span> <span>15%</span> <span>• 10%</span> </div> </div>
1	B	396	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, green 72%, yellow 16%, orange 5%, grey 10%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>2%</span> <span>72%</span> <span>16%</span> <span>• 10%</span> </div> </div>
1	C	396	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, green 70%, yellow 18%, orange 5%, grey 10%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>2%</span> <span>70%</span> <span>18%</span> <span>• 10%</span> </div> </div>
1	D	396	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 3%, green 73%, yellow 15%, orange 5%, grey 10%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>3%</span> <span>73%</span> <span>15%</span> <span>• 10%</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	K9H	A	2001	-	-	X	-
2	K9H	B	2001	-	-	X	-
2	K9H	C	2001	-	-	X	-
2	K9H	D	2001	-	-	X	-
3	MG	A	2002	-	-	-	X
3	MG	B	2004	-	-	-	X
3	MG	D	2002	-	-	-	X
3	MG	D	2004	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11774 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Farnesyl pyrophosphate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	358	Total	C	N	O	S	0	0	0
			2889	1882	458	534	15			
1	B	356	Total	C	N	O	S	3	0	0
			2883	1878	458	532	15			
1	C	355	Total	C	N	O	S	0	0	0
			2893	1882	464	532	15			
1	D	358	Total	C	N	O	S	3	0	0
			2898	1886	460	537	15			

There are 92 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	EXPRESSION TAG	UNP A5K4U6
A	2	GLY	-	EXPRESSION TAG	UNP A5K4U6
A	3	SER	-	EXPRESSION TAG	UNP A5K4U6
A	4	SER	-	EXPRESSION TAG	UNP A5K4U6
A	5	HIS	-	EXPRESSION TAG	UNP A5K4U6
A	6	HIS	-	EXPRESSION TAG	UNP A5K4U6
A	7	HIS	-	EXPRESSION TAG	UNP A5K4U6
A	8	HIS	-	EXPRESSION TAG	UNP A5K4U6
A	9	HIS	-	EXPRESSION TAG	UNP A5K4U6
A	10	HIS	-	EXPRESSION TAG	UNP A5K4U6
A	11	SER	-	EXPRESSION TAG	UNP A5K4U6
A	12	SER	-	EXPRESSION TAG	UNP A5K4U6
A	13	GLY	-	EXPRESSION TAG	UNP A5K4U6
A	14	ARG	-	EXPRESSION TAG	UNP A5K4U6
A	15	GLU	-	EXPRESSION TAG	UNP A5K4U6
A	16	ASN	-	EXPRESSION TAG	UNP A5K4U6
A	17	LEU	-	EXPRESSION TAG	UNP A5K4U6
A	18	TYR	-	EXPRESSION TAG	UNP A5K4U6
A	19	PHE	-	EXPRESSION TAG	UNP A5K4U6
A	20	GLN	-	EXPRESSION TAG	UNP A5K4U6
A	21	GLY	-	EXPRESSION TAG	UNP A5K4U6

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
A	134	MET	THR	SEE REMARK 999	UNP A5K4U6
A	227	ASP	ASN	SEE REMARK 999	UNP A5K4U6
B	1	MET	-	EXPRESSION TAG	UNP A5K4U6
B	2	GLY	-	EXPRESSION TAG	UNP A5K4U6
B	3	SER	-	EXPRESSION TAG	UNP A5K4U6
B	4	SER	-	EXPRESSION TAG	UNP A5K4U6
B	5	HIS	-	EXPRESSION TAG	UNP A5K4U6
B	6	HIS	-	EXPRESSION TAG	UNP A5K4U6
B	7	HIS	-	EXPRESSION TAG	UNP A5K4U6
B	8	HIS	-	EXPRESSION TAG	UNP A5K4U6
B	9	HIS	-	EXPRESSION TAG	UNP A5K4U6
B	10	HIS	-	EXPRESSION TAG	UNP A5K4U6
B	11	SER	-	EXPRESSION TAG	UNP A5K4U6
B	12	SER	-	EXPRESSION TAG	UNP A5K4U6
B	13	GLY	-	EXPRESSION TAG	UNP A5K4U6
B	14	ARG	-	EXPRESSION TAG	UNP A5K4U6
B	15	GLU	-	EXPRESSION TAG	UNP A5K4U6
B	16	ASN	-	EXPRESSION TAG	UNP A5K4U6
B	17	LEU	-	EXPRESSION TAG	UNP A5K4U6
B	18	TYR	-	EXPRESSION TAG	UNP A5K4U6
B	19	PHE	-	EXPRESSION TAG	UNP A5K4U6
B	20	GLN	-	EXPRESSION TAG	UNP A5K4U6
B	21	GLY	-	EXPRESSION TAG	UNP A5K4U6
B	134	MET	THR	SEE REMARK 999	UNP A5K4U6
B	227	ASP	ASN	SEE REMARK 999	UNP A5K4U6
C	1	MET	-	EXPRESSION TAG	UNP A5K4U6
C	2	GLY	-	EXPRESSION TAG	UNP A5K4U6
C	3	SER	-	EXPRESSION TAG	UNP A5K4U6
C	4	SER	-	EXPRESSION TAG	UNP A5K4U6
C	5	HIS	-	EXPRESSION TAG	UNP A5K4U6
C	6	HIS	-	EXPRESSION TAG	UNP A5K4U6
C	7	HIS	-	EXPRESSION TAG	UNP A5K4U6
C	8	HIS	-	EXPRESSION TAG	UNP A5K4U6
C	9	HIS	-	EXPRESSION TAG	UNP A5K4U6
C	10	HIS	-	EXPRESSION TAG	UNP A5K4U6
C	11	SER	-	EXPRESSION TAG	UNP A5K4U6
C	12	SER	-	EXPRESSION TAG	UNP A5K4U6
C	13	GLY	-	EXPRESSION TAG	UNP A5K4U6
C	14	ARG	-	EXPRESSION TAG	UNP A5K4U6
C	15	GLU	-	EXPRESSION TAG	UNP A5K4U6
C	16	ASN	-	EXPRESSION TAG	UNP A5K4U6
C	17	LEU	-	EXPRESSION TAG	UNP A5K4U6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	18	TYR	-	EXPRESSION TAG	UNP A5K4U6
C	19	PHE	-	EXPRESSION TAG	UNP A5K4U6
C	20	GLN	-	EXPRESSION TAG	UNP A5K4U6
C	21	GLY	-	EXPRESSION TAG	UNP A5K4U6
C	134	MET	THR	SEE REMARK 999	UNP A5K4U6
C	227	ASP	ASN	SEE REMARK 999	UNP A5K4U6
D	1	MET	-	EXPRESSION TAG	UNP A5K4U6
D	2	GLY	-	EXPRESSION TAG	UNP A5K4U6
D	3	SER	-	EXPRESSION TAG	UNP A5K4U6
D	4	SER	-	EXPRESSION TAG	UNP A5K4U6
D	5	HIS	-	EXPRESSION TAG	UNP A5K4U6
D	6	HIS	-	EXPRESSION TAG	UNP A5K4U6
D	7	HIS	-	EXPRESSION TAG	UNP A5K4U6
D	8	HIS	-	EXPRESSION TAG	UNP A5K4U6
D	9	HIS	-	EXPRESSION TAG	UNP A5K4U6
D	10	HIS	-	EXPRESSION TAG	UNP A5K4U6
D	11	SER	-	EXPRESSION TAG	UNP A5K4U6
D	12	SER	-	EXPRESSION TAG	UNP A5K4U6
D	13	GLY	-	EXPRESSION TAG	UNP A5K4U6
D	14	ARG	-	EXPRESSION TAG	UNP A5K4U6
D	15	GLU	-	EXPRESSION TAG	UNP A5K4U6
D	16	ASN	-	EXPRESSION TAG	UNP A5K4U6
D	17	LEU	-	EXPRESSION TAG	UNP A5K4U6
D	18	TYR	-	EXPRESSION TAG	UNP A5K4U6
D	19	PHE	-	EXPRESSION TAG	UNP A5K4U6
D	20	GLN	-	EXPRESSION TAG	UNP A5K4U6
D	21	GLY	-	EXPRESSION TAG	UNP A5K4U6
D	134	MET	THR	SEE REMARK 999	UNP A5K4U6
D	227	ASP	ASN	SEE REMARK 999	UNP A5K4U6

- Molecule 2 is {2-[5-(DECYLOXY)PYRIDIN-3-YL]ETHANE-1,1-DIYL}BIS(PHOSPHONIC ACID) (three-letter code: K9H) (formula: C<sub>17</sub>H<sub>31</sub>NO<sub>7</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	17	1	7	2		
2	B	1	Total	C	N	O	P	0	0
			27	17	1	7	2		
2	C	1	Total	C	N	O	P	0	0
			27	17	1	7	2		
2	D	1	Total	C	N	O	P	0	0
			27	17	1	7	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Mg	0	0
			3	3		
3	A	3	Total	Mg	0	0
			3	3		
3	D	3	Total	Mg	0	0
			3	3		
3	C	3	Total	Mg	0	0
			3	3		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	18	Total	O	0	0
			18	18		
5	B	17	Total	O	0	0
			17	17		
5	C	13	Total	O	0	0
			13	13		
5	D	23	Total	O	0	0
			23	23		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Farnesyl pyrophosphate synthase



#### • Molecule 1: Farnesyl pyrophosphate synthase





#### • Molecule 1: Farnesyl pyrophosphate synthase





• Molecule 1: Farnesyl pyrophosphate synthase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	99.74Å 106.58Å 139.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.22 – 2.90 35.23 – 2.79	Depositor EDS
% Data completeness (in resolution range)	98.2 (35.22-2.90) 97.4 (35.23-2.79)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.62 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.208 , 0.260 0.209 , 0.259	Depositor DCC
$R_{free}$ test set	1649 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	46.0	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 33.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	2 of 36398 reflections (0.005%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	11774	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.76 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.6838e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, K9H, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.57	1/2949 (0.0%)	0.67	0/3989
1	B	0.59	2/2943 (0.1%)	0.66	0/3979
1	C	0.59	1/2952 (0.0%)	0.67	1/3987 (0.0%)
1	D	0.59	2/2958 (0.1%)	0.67	1/4001 (0.0%)
All	All	0.58	6/11802 (0.1%)	0.67	2/15956 (0.0%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	141	TRP	CD2-CE2	5.54	1.48	1.41
1	A	113	TRP	CD2-CE2	5.53	1.48	1.41
1	D	313	TRP	CD2-CE2	5.31	1.47	1.41
1	B	105	TRP	CD2-CE2	5.29	1.47	1.41
1	B	368	LYS	CG-CD	-5.19	1.34	1.52
1	D	105	TRP	CD2-CE2	5.05	1.47	1.41

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	336	LYS	CD-CE-NZ	5.22	123.70	111.70
1	C	135	ARG	NE-CZ-NH1	5.20	122.90	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2889	0	2826	54	0
1	B	2883	0	2830	50	0
1	C	2893	0	2859	67	0
1	D	2898	0	2846	51	0
2	A	27	0	27	20	0
2	B	27	0	27	14	0
2	C	27	0	27	13	0
2	D	27	0	27	19	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
3	C	3	0	0	0	0
3	D	3	0	0	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
5	A	18	0	0	1	0
5	B	17	0	0	4	0
5	C	13	0	0	0	0
5	D	23	0	0	0	0
All	All	11774	0	11469	217	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (217) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:LYS:HB3	5:B:2112:HOH:O	1.49	1.12
1:A:157:LEU:HD23	2:D:2001:K9H:HAAB	1.12	1.11
2:B:2001:K9H:HAL	1:C:157:LEU:HB2	1.14	1.09
1:A:157:LEU:HD23	2:D:2001:K9H:CAA	1.83	1.09
2:A:2001:K9H:HAA	2:D:2001:K9H:HAA	1.38	1.06
1:C:156:VAL:CG1	2:C:2001:K9H:HAAB	1.87	1.04
1:C:156:VAL:HG11	2:C:2001:K9H:HAAB	1.39	1.01
2:B:2001:K9H:HAL	1:C:157:LEU:CB	1.91	0.99
2:A:2001:K9H:HAMA	1:D:157:LEU:HD12	0.99	0.98
1:A:157:LEU:CD2	2:D:2001:K9H:HAAB	1.93	0.98
1:C:156:VAL:CG1	2:C:2001:K9H:CAA	2.45	0.95

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2001:K9H:CAL	1:C:157:LEU:HB2	1.99	0.93
2:A:2001:K9H:HAMA	1:D:157:LEU:CD1	1.96	0.91
1:C:156:VAL:HG11	2:C:2001:K9H:CAA	2.00	0.91
2:A:2001:K9H:CAM	1:D:157:LEU:HD12	1.96	0.91
1:A:164:TYR:HB2	1:D:185:ARG:HD3	1.53	0.89
1:B:201:ILE:HD12	1:B:239:ILE:HD11	1.54	0.89
1:D:257:MET:HE2	1:D:269:TYR:CE1	2.10	0.85
1:A:153:VAL:O	2:D:2001:K9H:HAAA	1.74	0.85
1:A:195:GLN:CG	2:A:2001:K9H:HAS	2.08	0.84
1:A:153:VAL:HG13	2:D:2001:K9H:HAK	1.61	0.81
1:B:157:LEU:HB2	2:C:2001:K9H:HAL	1.63	0.81
1:B:201:ILE:HD11	1:B:235:VAL:CG1	2.12	0.80
1:A:156:VAL:HG11	2:A:2001:K9H:HAKA	1.65	0.79
1:B:157:LEU:HD13	1:C:192:ILE:HD11	1.65	0.79
1:C:156:VAL:HG12	2:C:2001:K9H:CAA	2.13	0.77
1:B:201:ILE:HD11	1:B:235:VAL:HG11	1.67	0.77
1:C:156:VAL:HG12	2:C:2001:K9H:HAAB	1.70	0.74
1:A:153:VAL:CG1	2:D:2001:K9H:HAK	2.17	0.74
2:A:2001:K9H:HAAB	1:D:157:LEU:HG	1.70	0.74
1:C:40:MET:SD	1:C:43:LYS:HD2	2.27	0.74
1:A:157:LEU:HB2	2:D:2001:K9H:HAAB	1.71	0.73
2:A:2001:K9H:HAA	2:D:2001:K9H:CAA	2.16	0.73
1:B:266:ASN:ND2	1:B:268:ILE:HG22	2.02	0.73
1:C:40:MET:HE1	1:C:43:LYS:HZ3	1.56	0.71
1:B:266:ASN:HD21	1:B:268:ILE:HG22	1.53	0.70
1:A:185:ARG:NH1	1:A:186:ASP:OD1	2.25	0.69
1:B:106:GLU:OE2	1:B:106:GLU:HA	1.93	0.69
1:D:223:GLN:HE21	1:D:224:PRO:HD2	1.56	0.68
1:C:40:MET:HE1	1:C:43:LYS:NZ	2.09	0.68
2:B:2001:K9H:HAL	1:C:157:LEU:CG	2.25	0.67
1:C:156:VAL:CG1	2:C:2001:K9H:HAA	2.25	0.67
1:C:36:PHE:CE1	1:C:40:MET:HE3	2.30	0.67
1:C:290:LEU:HD13	1:C:299:THR:HG22	1.77	0.66
1:D:370:LEU:HD13	1:D:389:LEU:CD2	2.26	0.66
2:A:2001:K9H:CAA	2:D:2001:K9H:HAA	2.23	0.65
1:A:170:TYR:C	1:A:171:LEU:HD12	2.17	0.65
1:D:257:MET:CE	1:D:269:TYR:CE1	2.79	0.64
1:D:383:TYR:HD1	1:D:383:TYR:C	2.01	0.64
1:C:170:TYR:C	1:C:171:LEU:HD12	2.19	0.64
1:A:55:TYR:CE1	1:D:190:LYS:HE3	2.34	0.63
1:C:195:GLN:HG3	2:C:2001:K9H:HAR	1.80	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:315:LEU:HD13	1:A:334:TYR:CE1	2.33	0.63
1:A:196:HIS:HE2	1:A:206:TYR:HH	1.47	0.62
1:D:315:LEU:HD13	1:D:334:TYR:CE1	2.35	0.61
1:D:383:TYR:C	1:D:383:TYR:CD1	2.74	0.61
1:A:195:GLN:CD	2:A:2001:K9H:HAS	2.21	0.61
1:B:157:LEU:HD22	1:B:161:ASN:ND2	2.16	0.61
1:C:315:LEU:HD13	1:C:334:TYR:CE1	2.36	0.61
1:B:212:GLU:N	5:B:2106:HOH:O	2.34	0.60
1:B:145:LYS:HD3	1:B:145:LYS:C	2.22	0.60
1:A:164:TYR:CB	1:D:185:ARG:HD3	2.29	0.59
1:B:226:ILE:HD11	1:B:331:VAL:HG22	1.84	0.59
1:D:125:ALA:HB1	2:D:2001:K9H:HALA	1.83	0.59
1:B:69:TYR:CE1	1:B:158:LEU:HD22	2.38	0.59
1:B:315:LEU:HD13	1:B:334:TYR:CE1	2.37	0.59
1:C:292:ILE:HD12	1:C:293:PHE:CE1	2.38	0.59
1:D:370:LEU:CD1	1:D:389:LEU:CD2	2.82	0.58
1:C:340:ALA:O	1:C:344:VAL:HG23	2.04	0.58
1:A:195:GLN:HG3	2:A:2001:K9H:HAS	1.87	0.57
1:B:183:THR:HG22	1:B:251:LEU:CD1	2.35	0.57
1:C:156:VAL:HG12	2:C:2001:K9H:HAA	1.85	0.57
1:A:324:GLU:HB2	1:A:325:PRO:HD3	1.87	0.56
1:A:253:ILE:HG21	1:A:272:ILE:HD12	1.88	0.56
2:B:2001:K9H:CAN	1:C:157:LEU:HD12	2.35	0.56
1:C:370:LEU:CD1	1:C:389:LEU:HD23	2.35	0.56
1:A:98:ARG:O	1:A:100:ILE:N	2.39	0.56
1:A:122:PHE:CD1	2:A:2001:K9H:HAQ	2.41	0.56
2:B:2001:K9H:CAA	1:C:157:LEU:HG	2.36	0.55
1:C:40:MET:CE	1:C:43:LYS:NZ	2.70	0.55
1:B:279:MET:CE	1:B:388:LEU:HD23	2.38	0.54
1:C:292:ILE:HD13	1:C:349:TYR:CD1	2.42	0.54
1:D:98:ARG:O	1:D:100:ILE:N	2.41	0.54
1:B:340:ALA:O	1:B:344:VAL:HG23	2.08	0.54
1:B:350:GLU:HA	5:B:2117:HOH:O	2.06	0.54
1:A:127:ASP:OD2	1:A:135:ARG:HD2	2.08	0.54
1:D:223:GLN:NE2	1:D:224:PRO:HD2	2.24	0.54
1:A:156:VAL:CG1	2:A:2001:K9H:HAKA	2.37	0.53
1:A:157:LEU:HG	2:D:2001:K9H:HAMA	1.90	0.53
2:B:2001:K9H:HAAA	1:C:157:LEU:HG	1.90	0.53
1:C:87:LEU:HD13	1:C:388:LEU:HD22	1.89	0.53
1:C:98:ARG:O	1:C:100:ILE:N	2.41	0.53
2:A:2001:K9H:HAL	1:D:157:LEU:HB2	1.91	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:152:ALA:O	1:D:156:VAL:HG23	2.09	0.53
1:D:279:MET:CE	1:D:388:LEU:HD23	2.39	0.53
1:D:196:HIS:HE2	1:D:206:TYR:HH	1.56	0.53
1:D:127:ASP:OD2	1:D:135:ARG:HD2	2.09	0.53
1:C:40:MET:CE	1:C:43:LYS:HZ2	2.22	0.53
1:A:157:LEU:CD2	2:A:2001:K9H:HAA	2.39	0.53
1:D:257:MET:HE2	1:D:269:TYR:CZ	2.43	0.52
1:C:127:ASP:OD2	1:C:135:ARG:HD2	2.09	0.52
1:A:157:LEU:CB	2:D:2001:K9H:HAAB	2.38	0.52
1:C:226:ILE:HD11	1:C:331:VAL:HG22	1.91	0.52
1:B:127:ASP:OD2	1:B:135:ARG:HD2	2.08	0.52
1:B:201:ILE:CD1	1:B:235:VAL:CG1	2.86	0.52
1:B:157:LEU:HD22	1:B:161:ASN:HD22	1.75	0.52
1:C:292:ILE:HD11	1:C:314:PRO:HG2	1.92	0.52
1:A:370:LEU:CD1	1:A:389:LEU:HD23	2.40	0.52
1:C:157:LEU:HD22	1:C:161:ASN:ND2	2.24	0.51
1:D:339:LEU:H	1:D:339:LEU:HD13	1.75	0.51
1:A:126:ASP:OD2	2:A:2001:K9H:HAY	2.10	0.51
1:A:370:LEU:HD13	1:A:389:LEU:CD2	2.40	0.51
1:D:125:ALA:CB	2:D:2001:K9H:HALA	2.41	0.51
1:D:236:TYR:CZ	1:D:240:VAL:HG11	2.45	0.51
1:C:253:ILE:HG21	1:C:272:ILE:HD12	1.93	0.51
1:D:321:LEU:HD11	1:D:357:HIS:CE1	2.46	0.50
1:D:156:VAL:HG11	2:D:2001:K9H:HAKA	1.94	0.50
1:C:195:GLN:CG	2:C:2001:K9H:HAR	2.40	0.50
1:D:279:MET:HE2	1:D:388:LEU:HD23	1.93	0.50
1:B:111:LEU:HD22	1:B:259:LEU:HD22	1.93	0.49
2:B:2001:K9H:CAM	1:C:157:LEU:HD12	2.42	0.49
1:A:157:LEU:CG	2:D:2001:K9H:HAMA	2.42	0.49
2:B:2001:K9H:CAA	2:C:2001:K9H:HAAA	2.43	0.49
1:A:305:ASP:HB3	1:A:312:THR:HG21	1.93	0.49
1:D:370:LEU:HD11	1:D:389:LEU:HD23	1.94	0.49
1:A:89:ILE:HG23	1:A:105:TRP:HZ3	1.77	0.49
1:B:257:MET:HE2	1:B:269:TYR:CE1	2.48	0.49
1:B:305:ASP:HB3	1:B:312:THR:HG21	1.95	0.48
1:A:157:LEU:HD23	2:A:2001:K9H:HAA	1.95	0.48
1:C:370:LEU:HD11	1:C:389:LEU:HD23	1.93	0.48
1:B:279:MET:HE2	1:B:388:LEU:HD23	1.95	0.48
1:A:340:ALA:O	1:A:344:VAL:HG23	2.13	0.48
1:B:150:LYS:HD2	1:C:199:THR:CG2	2.44	0.47
1:D:157:LEU:HD22	1:D:161:ASN:ND2	2.29	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:370:LEU:CD1	1:D:389:LEU:HD23	2.44	0.47
1:C:72:LEU:HD12	1:C:76:ASN:ND2	2.29	0.47
1:B:257:MET:CE	1:B:269:TYR:CE1	2.97	0.47
1:A:157:LEU:HB2	2:D:2001:K9H:CAA	2.44	0.47
1:A:89:ILE:HG23	1:A:105:TRP:CZ3	2.49	0.47
1:B:98:ARG:O	1:B:100:ILE:N	2.47	0.47
1:B:35:ALA:HA	5:B:2116:HOH:O	2.15	0.47
1:B:199:THR:CG2	1:C:150:LYS:HD2	2.45	0.46
1:B:201:ILE:CD1	1:B:235:VAL:HG11	2.42	0.46
1:B:236:TYR:CZ	1:B:240:VAL:HG11	2.51	0.46
1:D:253:ILE:HG21	1:D:272:ILE:HD12	1.98	0.46
1:C:219:ASN:N	1:C:219:ASN:HD22	2.14	0.46
1:B:115:ILE:HD11	1:B:251:LEU:HG	1.98	0.46
1:A:100:ILE:HG22	1:A:105:TRP:CD1	2.50	0.46
1:D:305:ASP:HB3	1:D:312:THR:HG21	1.97	0.46
1:D:241:ILE:HD13	1:D:277:MET:CE	2.46	0.46
1:A:236:TYR:CZ	1:A:240:VAL:HG11	2.51	0.46
1:B:213:ILE:H	1:B:213:ILE:HD12	1.80	0.46
1:B:157:LEU:HG	2:C:2001:K9H:HAAA	1.98	0.45
1:B:266:ASN:C	1:B:266:ASN:HD22	2.18	0.45
1:A:241:ILE:HG23	1:A:277:MET:SD	2.56	0.45
1:A:370:LEU:HD11	1:A:389:LEU:HD23	1.97	0.45
1:D:183:THR:HG22	1:D:251:LEU:CD1	2.46	0.45
1:D:383:TYR:HD1	1:D:383:TYR:O	1.99	0.45
1:B:107:LYS:HE3	1:D:216:ASN:ND2	2.30	0.45
1:C:115:ILE:HD11	1:C:251:LEU:HG	1.98	0.45
1:C:236:TYR:CZ	1:C:240:VAL:HG11	2.51	0.45
1:B:192:ILE:HD11	1:C:157:LEU:HD13	1.99	0.45
1:A:195:GLN:HG2	2:A:2001:K9H:HAS	1.97	0.44
1:B:150:LYS:HD2	1:C:199:THR:HG23	1.99	0.44
1:B:147:VAL:O	1:B:151:ASN:HB2	2.17	0.44
1:C:196:HIS:HE2	1:C:206:TYR:HH	1.59	0.44
1:D:89:ILE:HG23	1:D:105:TRP:CZ3	2.53	0.44
1:B:157:LEU:HA	1:B:157:LEU:HD23	1.85	0.44
1:C:148:GLU:OE1	1:C:150:LYS:NZ	2.42	0.44
1:C:147:VAL:O	1:C:151:ASN:HB2	2.18	0.44
1:A:147:VAL:O	1:A:151:ASN:HB2	2.18	0.44
1:C:157:LEU:HD22	1:C:161:ASN:HD22	1.83	0.44
1:D:147:VAL:O	1:D:151:ASN:HB2	2.18	0.43
1:D:82:ASN:HD22	1:D:116:GLU:CD	2.21	0.43
1:B:196:HIS:HE2	1:B:206:TYR:HH	1.66	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:36:PHE:CE1	1:C:40:MET:CE	3.00	0.43
1:A:295:ASP:OD1	1:A:297:THR:HG23	2.19	0.43
1:D:69:TYR:CE1	1:D:158:LEU:HD13	2.53	0.43
1:B:183:THR:HG22	1:B:251:LEU:HD13	2.01	0.43
1:A:115:ILE:HD11	1:A:251:LEU:HG	1.99	0.43
1:A:243:LYS:O	2:A:2001:K9H:HAI	2.19	0.43
2:B:2001:K9H:HAL	1:C:157:LEU:HG	2.00	0.43
1:C:257:MET:HE3	1:C:268:ILE:HD13	2.01	0.43
1:B:135:ARG:NH2	2:B:2001:K9H:OAG	2.51	0.43
1:C:327:LYS:O	1:C:331:VAL:HG23	2.19	0.43
1:D:115:ILE:HD11	1:D:251:LEU:HG	2.00	0.43
1:A:65:ILE:HA	1:A:65:ILE:HD13	1.91	0.43
1:C:292:ILE:HD11	1:C:314:PRO:CG	2.49	0.42
2:A:2001:K9H:OAB	2:A:2001:K9H:OAF	2.38	0.42
1:C:305:ASP:HB3	1:C:312:THR:HG21	2.01	0.42
1:A:153:VAL:CG1	2:D:2001:K9H:CAK	2.93	0.42
1:D:157:LEU:CD2	1:D:161:ASN:ND2	2.82	0.42
1:D:310:LYS:O	1:D:312:THR:HG23	2.20	0.42
1:C:100:ILE:HG22	1:C:105:TRP:CD1	2.55	0.42
1:B:156:VAL:HG12	2:B:2001:K9H:HAAB	2.01	0.41
1:B:388:LEU:HG	1:B:392:LEU:HD13	2.02	0.41
1:A:273:GLU:O	1:A:277:MET:HG2	2.20	0.41
2:B:2001:K9H:HAN	1:C:157:LEU:HD12	2.01	0.41
1:C:72:LEU:HD12	1:C:76:ASN:HD22	1.86	0.41
1:C:241:ILE:O	1:C:245:ALA:HB3	2.20	0.41
1:A:370:LEU:CD1	1:A:389:LEU:CD2	2.98	0.41
1:A:336:LYS:HE2	5:A:2117:HOH:O	2.21	0.41
1:B:266:ASN:ND2	1:B:266:ASN:C	2.74	0.41
1:C:377:HIS:HD2	1:D:324:GLU:HG2	1.86	0.41
1:D:236:TYR:CE2	1:D:240:VAL:HG11	2.56	0.41
1:D:241:ILE:HD13	1:D:277:MET:HE2	2.03	0.41
1:B:95:VAL:CG2	1:B:262:ILE:HD11	2.51	0.41
1:C:292:ILE:H	1:C:292:ILE:HG13	1.75	0.41
1:C:213:ILE:HD12	1:C:213:ILE:H	1.86	0.40
1:B:195:GLN:HG3	2:B:2001:K9H:HAQA	2.03	0.40
1:A:324:GLU:CB	1:A:325:PRO:HD3	2.50	0.40
1:D:313:TRP:N	1:D:314:PRO:CD	2.84	0.40
1:A:157:LEU:CG	2:D:2001:K9H:HAAB	2.50	0.40
1:C:273:GLU:O	1:C:277:MET:HG2	2.22	0.40
1:A:327:LYS:O	1:A:331:VAL:HG23	2.21	0.40
1:D:100:ILE:HG22	1:D:105:TRP:CD1	2.57	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:168:GLU:O	1:C:172:ARG:HB2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	352/396 (89%)	341 (97%)	11 (3%)	0	100	100
1	B	350/396 (88%)	338 (97%)	11 (3%)	1 (0%)	46	79
1	C	347/396 (88%)	338 (97%)	9 (3%)	0	100	100
1	D	352/396 (89%)	340 (97%)	11 (3%)	1 (0%)	46	79
All	All	1401/1584 (88%)	1357 (97%)	42 (3%)	2 (0%)	56	87

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	35	ALA
1	D	35	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/357 (86%)	291 (95%)	15 (5%)	31	67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	307/357 (86%)	285 (93%)	22 (7%)	18	46
1	C	311/357 (87%)	290 (93%)	21 (7%)	20	49
1	D	310/357 (87%)	286 (92%)	24 (8%)	16	42
All	All	1234/1428 (86%)	1152 (93%)	82 (7%)	21	51

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	LEU
1	A	103	SER
1	A	111	LEU
1	A	123	LEU
1	A	138	LYS
1	A	144	LEU
1	A	157	LEU
1	A	158	LEU
1	A	319	PHE
1	A	324	GLU
1	A	337	ASN
1	A	339	LEU
1	A	343	LYS
1	A	370	LEU
1	A	371	SER
1	B	42	ASP
1	B	52	LEU
1	B	103	SER
1	B	111	LEU
1	B	123	LEU
1	B	138	LYS
1	B	144	LEU
1	B	145	LYS
1	B	157	LEU
1	B	158	LEU
1	B	181	ILE
1	B	233	PHE
1	B	247	TYR
1	B	266	ASN
1	B	279	MET
1	B	319	PHE
1	B	324	GLU
1	B	337	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	343	LYS
1	B	360	SER
1	B	370	LEU
1	B	371	SER
1	C	52	LEU
1	C	98	ARG
1	C	103	SER
1	C	111	LEU
1	C	123	LEU
1	C	138	LYS
1	C	144	LEU
1	C	150	LYS
1	C	157	LEU
1	C	158	LEU
1	C	181	ILE
1	C	270	LYS
1	C	292	ILE
1	C	307	GLN
1	C	319	PHE
1	C	324	GLU
1	C	337	ASN
1	C	339	LEU
1	C	343	LYS
1	C	370	LEU
1	C	371	SER
1	D	43	LYS
1	D	52	LEU
1	D	54	GLU
1	D	103	SER
1	D	111	LEU
1	D	123	LEU
1	D	138	LYS
1	D	144	LEU
1	D	157	LEU
1	D	172	ARG
1	D	223	GLN
1	D	270	LYS
1	D	279	MET
1	D	307	GLN
1	D	319	PHE
1	D	324	GLU
1	D	337	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	339	LEU
1	D	343	LYS
1	D	356	LYS
1	D	359	GLU
1	D	370	LEU
1	D	371	SER
1	D	383	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	ASN
1	A	195	GLN
1	A	337	ASN
1	B	161	ASN
1	B	195	GLN
1	B	266	ASN
1	B	337	ASN
1	C	76	ASN
1	C	82	ASN
1	C	161	ASN
1	C	219	ASN
1	C	266	ASN
1	C	337	ASN
1	C	377	HIS
1	D	82	ASN
1	D	161	ASN
1	D	223	GLN
1	D	337	ASN
1	D	351	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 12 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	K9H	A	2001	3	27,27,27	2.83	7 (25%)	31,36,36	1.64	4 (12%)
4	SO4	A	2005	-	4,4,4	1.96	2 (50%)	6,6,6	0.36	0
2	K9H	B	2001	3	27,27,27	2.39	6 (22%)	31,36,36	1.38	5 (16%)
4	SO4	B	2005	-	4,4,4	1.88	1 (25%)	6,6,6	0.66	0
2	K9H	C	2001	3	27,27,27	2.61	5 (18%)	31,36,36	1.82	9 (29%)
4	SO4	C	2005	-	4,4,4	2.06	2 (50%)	6,6,6	0.42	0
2	K9H	D	2001	3	27,27,27	2.77	5 (18%)	31,36,36	1.56	4 (12%)
4	SO4	D	2005	-	4,4,4	1.81	0	6,6,6	0.20	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	K9H	A	2001	3	-	0/27/27/27	0/1/1/1
4	SO4	A	2005	-	-	0/0/0/0	0/0/0/0
2	K9H	B	2001	3	-	0/27/27/27	0/1/1/1
4	SO4	B	2005	-	-	0/0/0/0	0/0/0/0
2	K9H	C	2001	3	-	0/27/27/27	0/1/1/1
4	SO4	C	2005	-	-	0/0/0/0	0/0/0/0
2	K9H	D	2001	3	-	0/27/27/27	0/1/1/1
4	SO4	D	2005	-	-	0/0/0/0	0/0/0/0

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	K9H	PBA-OAG	-5.26	1.46	1.54
2	D	2001	K9H	PBA-OAG	-4.82	1.46	1.54
2	B	2001	K9H	PBA-OAG	-4.48	1.47	1.54
2	C	2001	K9H	PBA-OAG	-4.17	1.47	1.54
4	B	2005	SO4	O2-S	2.12	1.54	1.47
4	A	2005	SO4	O1-S	2.19	1.54	1.47
4	C	2005	SO4	O1-S	2.22	1.54	1.47
4	A	2005	SO4	O2-S	2.27	1.54	1.47
2	B	2001	K9H	PBA-CAY	2.55	1.85	1.81
4	C	2005	SO4	O4-S	2.58	1.56	1.47
2	A	2001	K9H	PBA-CAY	2.92	1.86	1.81
2	D	2001	K9H	PBA-OAC	3.50	1.60	1.54
2	B	2001	K9H	PBA-OAC	3.61	1.60	1.54
2	D	2001	K9H	PAZ-OAB	3.97	1.61	1.54
2	C	2001	K9H	PAZ-OAD	4.11	1.61	1.54
2	A	2001	K9H	PAZ-CAY	4.13	1.87	1.81
2	A	2001	K9H	PAZ-OAB	4.27	1.61	1.54
2	B	2001	K9H	PAZ-CAY	4.67	1.88	1.81
2	C	2001	K9H	PBA-OAC	4.68	1.62	1.54
2	C	2001	K9H	PAZ-OAB	4.70	1.62	1.54
2	B	2001	K9H	PAZ-OAD	4.97	1.63	1.54
2	A	2001	K9H	PBA-OAC	5.05	1.63	1.54
2	A	2001	K9H	PAZ-OAD	6.67	1.65	1.54
2	D	2001	K9H	PAZ-OAD	6.85	1.66	1.54
2	B	2001	K9H	PBA-OAF	7.75	1.63	1.49
2	A	2001	K9H	PBA-OAF	8.14	1.64	1.49
2	C	2001	K9H	PBA-OAF	9.72	1.67	1.49
2	D	2001	K9H	PBA-OAF	9.74	1.67	1.49

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2001	K9H	CAX-CAI-NAU	-4.19	119.22	122.78
2	D	2001	K9H	CAX-CAJ-CAW	-3.70	115.79	119.69
2	D	2001	K9H	OAV-CAS-CAR	-3.57	94.58	108.39
2	B	2001	K9H	CAX-CAI-NAU	-3.44	119.85	122.78
2	C	2001	K9H	CAX-CAJ-CAW	-3.29	116.23	119.69
2	C	2001	K9H	OAD-PAZ-CAY	-3.03	95.82	106.44
2	C	2001	K9H	OAC-PBA-OAF	-3.01	105.48	113.49
2	A	2001	K9H	OAC-PBA-OAF	-2.86	105.88	113.49
2	C	2001	K9H	OAV-CAS-CAR	-2.61	98.28	108.39
2	B	2001	K9H	OAV-CAS-CAR	-2.46	98.86	108.39
2	B	2001	K9H	OAC-PBA-OAF	-2.41	107.08	113.49

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	2001	K9H	OAD-PAZ-CAY	-2.38	98.11	106.44
2	B	2001	K9H	OAD-PAZ-CAY	-2.31	98.36	106.44
2	C	2001	K9H	CAI-NAU-CAH	2.30	120.96	117.50
2	C	2001	K9H	CAJ-CAW-CAH	2.41	119.20	116.57
2	A	2001	K9H	CAT-CAW-CAJ	2.43	125.04	120.36
2	C	2001	K9H	CAW-CAT-CAY	2.55	117.25	113.35
2	A	2001	K9H	CAJ-CAW-CAH	2.64	119.45	116.57
2	B	2001	K9H	CAI-NAU-CAH	2.82	121.75	117.50
2	C	2001	K9H	CAJ-CAX-CAI	3.21	122.42	119.10
2	D	2001	K9H	CAJ-CAW-CAH	4.13	121.08	116.57
2	A	2001	K9H	CAW-CAT-CAY	4.95	120.94	113.35

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 62 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2001	K9H	20	0
2	B	2001	K9H	14	0
2	C	2001	K9H	13	0
2	D	2001	K9H	19	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	358/396 (90%)	-0.17	5 (1%) 78 76	16, 39, 68, 86	12 (3%)
1	B	356/396 (89%)	-0.13	6 (1%) 73 70	20, 39, 74, 102	12 (3%)
1	C	355/396 (89%)	-0.17	6 (1%) 73 70	18, 39, 74, 110	12 (3%)
1	D	358/396 (90%)	-0.04	10 (2%) 56 50	20, 42, 81, 105	13 (3%)
All	All	1427/1584 (90%)	-0.13	27 (1%) 70 66	16, 40, 74, 110	49 (3%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	97	ASN	5.2
1	C	265	ASP	5.2
1	B	35	ALA	4.6
1	B	222	GLU	4.0
1	D	222	GLU	3.9
1	B	223	GLN	3.6
1	D	220	VAL	3.6
1	D	396	VAL	3.6
1	A	100	ILE	3.5
1	D	36	PHE	3.5
1	C	98	ARG	3.4
1	A	105	TRP	3.4
1	D	219	ASN	3.3
1	D	274	ASP	3.3
1	B	34	LEU	3.2
1	A	396	VAL	3.0
1	B	36	PHE	2.7
1	A	97	ASN	2.6
1	D	35	ALA	2.6
1	A	318	THR	2.4
1	D	265	ASP	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	395	GLY	2.1
1	D	34	LEU	2.1
1	C	54	GLU	2.0
1	C	101	ASN	2.0
1	C	322	CYS	2.0
1	B	206	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	D	2004	1/1	0.87	0.28	6.65	15,15,15,15	0
3	MG	A	2002	1/1	0.98	0.27	5.65	23,23,23,23	0
3	MG	B	2004	1/1	0.95	0.32	5.22	13,13,13,13	0
3	MG	D	2002	1/1	0.96	0.23	2.71	29,29,29,29	0
3	MG	A	2004	1/1	0.98	0.20	1.66	16,16,16,16	0
3	MG	C	2004	1/1	0.96	0.21	1.61	22,22,22,22	0
2	K9H	D	2001	27/27	0.97	0.21	0.85	23,31,52,59	0
2	K9H	B	2001	27/27	0.96	0.23	0.64	29,32,46,51	0
3	MG	C	2002	1/1	0.96	0.17	0.43	29,29,29,29	0
2	K9H	C	2001	27/27	0.97	0.19	0.19	27,35,46,52	0
2	K9H	A	2001	27/27	0.97	0.19	0.10	29,36,49,56	0
3	MG	B	2002	1/1	0.97	0.14	-0.52	21,21,21,21	0
4	SO4	B	2005	5/5	0.97	0.13	-1.27	42,42,44,45	0
4	SO4	D	2005	5/5	0.97	0.11	-1.63	43,44,48,49	0
4	SO4	C	2005	5/5	0.97	0.11	-1.91	36,37,39,39	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	SO4	A	2005	5/5	0.97	0.11	-3.65	39,43,44,45	0
3	MG	B	2003	1/1	0.86	0.19	-	19,19,19,19	0
3	MG	C	2003	1/1	0.97	0.14	-	15,15,15,15	0
3	MG	A	2003	1/1	0.98	0.15	-	11,11,11,11	0
3	MG	D	2003	1/1	0.96	0.19	-	13,13,13,13	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.