



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:59 PM GMT

PDB ID : 3SE9
Title : Crystal structure of broadly and potently neutralizing antibody VRC-PG04 in complex with HIV-1 gp120
Authors : Kwong, P.D.; Zhou, T.
Deposited on : 2011-06-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	353	<div> <div>5%</div> <div>85%</div> <div>12%</div> <div>•</div> </div>
2	H	228	<div> <div>4%</div> <div>80%</div> <div>19%</div> <div>•</div> </div>
3	L	208	<div> <div>4%</div> <div>87%</div> <div>13%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	G	741	-	-	-	X
4	NAG	G	776	-	-	-	X
4	NAG	G	948	-	-	-	X
6	GOL	G	1005	-	-	-	X
7	CL	G	1013	-	-	-	X
7	CL	G	1015	-	-	X	-
7	CL	G	1028	-	-	-	X
7	CL	H	1021	-	-	-	X
7	CL	H	1023	-	-	-	X
7	CL	L	1018	-	-	-	X
7	CL	L	1024	-	-	-	X
8	BU3	G	1030	-	-	X	X
9	TRS	H	1040	-	-	-	X

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 12712 atoms, of which 5909 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 Clade AE strain 93TH057 gp120.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	G	344	5321	1687	2632	468	511	23	0	0	0

- Molecule 2 is a protein called Heavy chain of antibody VRC-PG04.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	H	225	3402	1090	1685	298	324	5	0	0	0

- Molecule 3 is a protein called Light chain of antibody VRC-PG04.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
3	L	208	3205	1019	1584	275	320	7	0	0	0

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	1	Total	O S	0	0
			5	4 1		
5	G	1	Total	O S	0	0
			5	4 1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	G	1	Total	O	S	0	0
			5	4	1		
5	L	1	Total	O	S	0	0
			5	4	1		
5	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	G	1	Total	C	H	O	0	0
			14	3	8	3		
6	G	1	Total	C	O		0	0
			6	3	3			
6	G	1	Total	C	O		0	0
			6	3	3			
6	G	1	Total	C	O		0	0
			6	3	3			

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	H	4	Total	Cl	0	0
			4	4		
7	G	9	Total	Cl	0	0
			9	9		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	L	5	Total	Cl	0	0
			5	5		

- Molecule 8 is (R,R)-2,3-BUTANEDIOL (three-letter code: BU3) (formula: C₄H₁₀O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	G	1	Total	C	O	0	0
			6	4	2		

- Molecule 9 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	H	1	Total	C	N	O	0	0
			8	4	1	3		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	G	273	Total	O	0	0
			273	273		
10	H	143	Total	O	0	0
			143	143		
10	L	139	Total	O	0	0
			139	139		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HIV-1 Clade AE strain 93TH057 gp120



- Molecule 2: Heavy chain of antibody VRC-PG04



- Molecule 3: Light chain of antibody VRC-PG04



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	61.80Å 66.48Å 237.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	23.73 – 2.00 23.73 – 2.00	Depositor EDS
% Data completeness (in resolution range)	88.3 (23.73-2.00) 88.3 (23.73-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.44 (at 1.99Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_755)	Depositor
R, R_{free}	0.190 , 0.233 0.190 , 0.230	Depositor DCC
R_{free} test set	3002 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	30.9	Xtriage
Anisotropy	0.563	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 38.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 59272 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12712	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAG, CL, BU3, SO4, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	G	0.29	0/2745	0.48	0/3724
2	H	0.31	0/1761	0.49	0/2396
3	L	0.30	0/1658	0.47	0/2246
All	All	0.30	0/6164	0.48	0/8366

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	2689	2632	2623	48	0
2	H	1717	1685	1690	30	0
3	L	1621	1584	1583	24	0
4	G	140	0	130	7	0
5	G	15	0	0	0	1
5	L	10	0	0	1	0
6	G	24	8	32	7	1
7	G	9	0	0	6	0
7	H	4	0	0	1	0
7	L	5	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	G	6	0	10	4	0
9	H	8	0	12	2	0
10	G	273	0	0	12	0
10	H	143	0	0	4	0
10	L	139	0	0	6	0
All	All	6803	5909	6080	106	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:276:ASN:HD22	6:G:1007:GOL:H12	1.15	1.07
1:G:348:LYS:NZ	10:G:540:HOH:O	2.05	0.89
1:G:276:ASN:ND2	6:G:1007:GOL:H12	1.88	0.87
6:G:1007:GOL:H32	7:G:1015:CL:CL	2.13	0.85
1:G:273:ARG:CZ	10:G:600:HOH:O	2.24	0.84
3:L:189:HIS:O	3:L:211:ARG:NH1	2.14	0.80
2:H:127:SER:O	10:H:462:HOH:O	2.03	0.77
1:G:273:ARG:NE	10:G:600:HOH:O	2.17	0.76
9:H:1040:TRS:H12	3:L:162:SER:CB	2.15	0.76
4:G:734:NAG:H83	7:G:1015:CL:CL	2.23	0.74
9:H:1040:TRS:H12	3:L:162:SER:HB2	1.69	0.73
3:L:18:THR:HG22	3:L:76:THR:HA	1.72	0.72
3:L:85:ARG:NH1	5:L:1004:SO4:O3	2.24	0.69
3:L:183:LYS:O	3:L:187:GLU:HG2	1.93	0.68
1:G:392:ASN:HD22	4:G:892:NAG:H83	1.58	0.68
8:G:1030:BU3:H3	2:H:53:THR:HG22	1.76	0.67
1:G:124:GLY:O	10:G:571:HOH:O	2.14	0.66
2:H:30:GLU:OE1	10:H:235:HOH:O	2.14	0.65
2:H:99:THR:O	2:H:100(B):GLN:HG2	1.98	0.64
1:G:123:THR:HG22	1:G:430:THR:O	1.98	0.63
1:G:460:ALA:O	1:G:463:THR:HG22	2.00	0.61
2:H:183:THR:HG21	10:L:555:HOH:O	2.01	0.61
1:G:273:ARG:NH2	10:G:600:HOH:O	2.31	0.61
1:G:273:ARG:NH1	1:G:287:HIS:HB2	2.15	0.61
1:G:389:GLN:HG2	4:G:892:NAG:H81	1.83	0.60
3:L:16:GLY:O	10:L:470:HOH:O	2.16	0.59
3:L:108:ARG:HD2	3:L:171:SER:HB2	1.84	0.59
4:G:948:NAG:N2	10:G:543:HOH:O	2.30	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:G:1005:GOL:O1	10:G:623:HOH:O	1.93	0.59
1:G:355:ASN:ND2	10:G:684:HOH:O	2.36	0.58
1:G:107:ASP:OD1	6:G:1005:GOL:H2	2.04	0.58
1:G:113:ASP:O	1:G:117:GLN:NE2	2.35	0.58
2:H:145:TYR:CE2	2:H:150:VAL:HG13	2.41	0.55
3:L:54:ARG:NH2	10:L:243:HOH:O	2.39	0.55
7:G:1014:CL:CL	10:G:605:HOH:O	2.55	0.55
1:G:118:PRO:HB3	1:G:433:ALA:HB1	1.88	0.55
2:H:66:ARG:NH2	2:H:86:ASP:OD2	2.37	0.55
1:G:388:THR:OG1	7:G:1013:CL:CL	2.59	0.54
2:H:18:VAL:HG11	2:H:109:ILE:HD13	1.90	0.53
1:G:288:LEU:HD13	1:G:451:GLY:HA2	1.90	0.53
1:G:358:THR:HB	1:G:465:ASN:HB3	1.91	0.53
1:G:44:VAL:HG13	1:G:492:GLU:HB3	1.92	0.52
2:H:128:SER:O	2:H:129:LYS:C	2.48	0.51
2:H:133:GLY:O	2:H:135:THR:N	2.44	0.51
1:G:271:ILE:CD1	6:G:1006:GOL:H11	2.40	0.51
1:G:273:ARG:NH1	1:G:287:HIS:CB	2.74	0.50
1:G:370:GLU:HB2	8:G:1030:BU3:H42	1.94	0.50
1:G:391:PHE:CE1	1:G:470:PRO:HG3	2.48	0.49
1:G:368:ASP:HB2	8:G:1030:BU3:H41	1.93	0.49
2:H:133:GLY:C	2:H:135:THR:H	2.16	0.49
2:H:167:PRO:HD2	3:L:162:SER:OG	2.13	0.49
2:H:95:GLN:OE1	2:H:99:THR:HG21	2.13	0.48
1:G:463:THR:HG23	1:G:465:ASN:H	1.77	0.48
2:H:129:LYS:HG3	2:H:129:LYS:O	2.13	0.48
3:L:108:ARG:NH1	3:L:109:THR:O	2.47	0.48
1:G:469:ARG:NH2	10:G:693:HOH:O	2.39	0.48
3:L:187:GLU:O	3:L:211:ARG:NH1	2.46	0.47
3:L:185:ASP:HA	3:L:188:LYS:HD3	1.95	0.47
3:L:21:LEU:HD12	3:L:21:LEU:N	2.29	0.47
2:H:50:TRP:CZ2	2:H:57:ASN:HB2	2.50	0.47
2:H:62:ASP:OD1	2:H:66:ARG:HD3	2.15	0.46
1:G:271:ILE:HD11	6:G:1006:GOL:H11	1.98	0.46
2:H:143:LYS:NZ	2:H:171:GLN:OE1	2.48	0.46
1:G:428:GLN:HG2	7:G:1016:CL:CL	2.53	0.46
1:G:343:LYS:HD3	1:G:396:ILE:HG23	1.98	0.46
3:L:103:ARG:NH2	3:L:173:TYR:OH	2.48	0.45
1:G:101:VAL:HG21	1:G:480:ARG:HG2	1.97	0.45
1:G:271:ILE:HB	1:G:273:ARG:HH12	1.80	0.45
2:H:95:GLN:HG2	10:H:373:HOH:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:288:LEU:N	1:G:288:LEU:HD12	2.31	0.45
1:G:343:LYS:HD3	1:G:396:ILE:CG2	2.47	0.45
2:H:38:ARG:HB3	2:H:48:ILE:HD11	1.99	0.45
1:G:394:THR:HG22	1:G:407:MET:SD	2.57	0.44
3:L:106:ILE:HD12	10:L:443:HOH:O	2.17	0.43
2:H:95:GLN:HE22	2:H:100(D):TRP:HA	1.81	0.43
1:G:117:GLN:HG3	1:G:203:GLN:NE2	2.33	0.43
3:L:201:LEU:HD13	3:L:205:VAL:HG23	2.00	0.43
3:L:108:ARG:HD2	3:L:171:SER:CB	2.47	0.43
1:G:288:LEU:HD13	1:G:451:GLY:CA	2.48	0.43
3:L:21:LEU:O	3:L:72:THR:HG23	2.19	0.43
2:H:123:PRO:HD3	2:H:209:LYS:HE2	2.01	0.42
2:H:126:PRO:HD3	2:H:138:LEU:HB3	2.01	0.42
3:L:197:THR:OG1	7:L:1012:CL:CL	2.71	0.42
1:G:460:ALA:HB1	1:G:463:THR:CG2	2.50	0.42
3:L:18:THR:HG23	10:L:470:HOH:O	2.19	0.42
1:G:121:LYS:HG2	1:G:123:THR:HG23	2.00	0.42
4:G:948:NAG:H82	10:G:543:HOH:O	2.20	0.42
1:G:389:GLN:HA	4:G:892:NAG:H81	2.01	0.42
2:H:201:LYS:N	2:H:202:PRO:CD	2.82	0.42
2:H:183:THR:CG2	3:L:137:ASN:ND2	2.83	0.42
2:H:178:LEU:HD23	2:H:178:LEU:C	2.40	0.41
1:G:83:GLU:CB	1:G:245:VAL:HG12	2.50	0.41
2:H:212:GLU:HB2	2:H:213:PRO:HD2	2.02	0.41
1:G:368:ASP:HB2	8:G:1030:BU3:C4	2.51	0.41
1:G:288:LEU:HB3	10:G:586:HOH:O	2.21	0.41
1:G:241:ASN:ND2	4:G:741:NAG:C7	2.83	0.41
2:H:127:SER:N	10:H:558:HOH:O	2.53	0.41
1:G:83:GLU:HB3	1:G:245:VAL:HG12	2.02	0.41
2:H:61:PRO:HD2	7:H:1010:CL:CL	2.58	0.41
1:G:390:LEU:HD12	1:G:390:LEU:HA	1.93	0.40
3:L:140:TYR:CG	3:L:141:PRO:HA	2.56	0.40
3:L:107:ARG:HD3	10:L:269:HOH:O	2.20	0.40
2:H:159:LEU:HD23	2:H:159:LEU:C	2.41	0.40
1:G:118:PRO:CB	1:G:433:ALA:HB1	2.51	0.40
2:H:39:GLN:HB2	2:H:45:LEU:HD23	2.03	0.40
1:G:352:HIS:NE2	7:G:1027:CL:CL	2.81	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:G:1001:SO4:O4	6:G:1005:GOL:O3[3_554]	2.09	0.11

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	338/353 (96%)	325 (96%)	13 (4%)	0	100	100
2	H	221/228 (97%)	217 (98%)	3 (1%)	1 (0%)	34	26
3	L	206/208 (99%)	202 (98%)	4 (2%)	0	100	100
All	All	765/789 (97%)	744 (97%)	20 (3%)	1 (0%)	56	53

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	134	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	306/311 (98%)	306 (100%)	0	100	100
2	H	190/193 (98%)	187 (98%)	3 (2%)	70	73
3	L	182/182 (100%)	181 (100%)	1 (0%)	92	94
All	All	678/686 (99%)	674 (99%)	4 (1%)	90	93

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	H	7	SER
2	H	71	ARG
2	H	94	ARG
3	L	105	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	95	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 18 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	G	1000	-	4,4,4	0.27	0	6,6,6	0.12	0
5	SO4	G	1001	-	4,4,4	0.24	0	6,6,6	0.15	0
5	SO4	G	1002	-	4,4,4	0.21	0	6,6,6	0.07	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	G	1005	-	5,5,5	0.40	0	5,5,5	0.37	0
6	GOL	G	1006	-	5,5,5	0.33	0	5,5,5	0.33	0
6	GOL	G	1007	-	5,5,5	0.34	0	5,5,5	0.23	0
6	GOL	G	1008	-	5,5,5	0.30	0	5,5,5	0.36	0
8	BU3	G	1030	-	4,5,5	1.72	2 (50%)	6,6,6	0.39	0
4	NAG	G	734	1	14,14,15	0.49	0	15,19,21	0.74	0
4	NAG	G	741	1	14,14,15	0.56	0	15,19,21	0.59	0
4	NAG	G	762	1	14,14,15	0.38	0	15,19,21	1.46	3 (20%)
4	NAG	G	776	1	14,14,15	0.57	0	15,19,21	1.05	1 (6%)
4	NAG	G	789	1	14,14,15	0.54	0	15,19,21	0.99	1 (6%)
4	NAG	G	795	1	14,14,15	0.55	0	15,19,21	0.77	1 (6%)
4	NAG	G	834	1	14,14,15	0.46	0	15,19,21	0.85	0
4	NAG	G	886	1	14,14,15	0.56	0	15,19,21	0.95	1 (6%)
4	NAG	G	892	1	14,14,15	0.49	0	15,19,21	0.65	0
4	NAG	G	948	1	14,14,15	0.52	0	15,19,21	0.57	0
9	TRS	H	1040	-	7,7,7	1.03	1 (14%)	9,9,9	0.95	0
5	SO4	L	1003	-	4,4,4	0.17	0	6,6,6	0.06	0
5	SO4	L	1004	-	4,4,4	0.15	0	6,6,6	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SO4	G	1000	-	-	0/0/0/0	0/0/0/0
5	SO4	G	1001	-	-	0/0/0/0	0/0/0/0
5	SO4	G	1002	-	-	0/0/0/0	0/0/0/0
6	GOL	G	1005	-	-	0/4/4/4	0/0/0/0
6	GOL	G	1006	-	-	0/4/4/4	0/0/0/0
6	GOL	G	1007	-	-	0/4/4/4	0/0/0/0
6	GOL	G	1008	-	-	0/4/4/4	0/0/0/0
8	BU3	G	1030	-	-	0/4/4/4	0/0/0/0
4	NAG	G	734	1	-	0/6/23/26	0/1/1/1
4	NAG	G	741	1	-	0/6/23/26	0/1/1/1
4	NAG	G	762	1	-	0/6/23/26	0/1/1/1
4	NAG	G	776	1	-	0/6/23/26	0/1/1/1
4	NAG	G	789	1	-	0/6/23/26	0/1/1/1
4	NAG	G	795	1	-	0/6/23/26	0/1/1/1
4	NAG	G	834	1	-	0/6/23/26	0/1/1/1
4	NAG	G	886	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	892	1	-	0/6/23/26	0/1/1/1
4	NAG	G	948	1	-	0/6/23/26	0/1/1/1
9	TRS	H	1040	-	-	0/9/9/9	0/0/0/0
5	SO4	L	1003	-	-	0/0/0/0	0/0/0/0
5	SO4	L	1004	-	-	0/0/0/0	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	H	1040	TRS	C-N	-2.65	1.46	1.50
8	G	1030	BU3	O6-C3	-2.25	1.38	1.43
8	G	1030	BU3	O5-C2	-2.08	1.38	1.43

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	886	NAG	C2-N2-C7	-2.78	119.46	123.04
4	G	762	NAG	C6-C5-C4	-2.33	107.26	113.02
4	G	762	NAG	C4-C3-C2	-2.26	107.71	111.23
4	G	795	NAG	C2-N2-C7	-2.09	120.35	123.04
4	G	789	NAG	C1-O5-C5	2.85	115.87	112.25
4	G	776	NAG	C1-O5-C5	3.06	116.13	112.25
4	G	762	NAG	C1-O5-C5	3.99	117.31	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	1001	SO4	0	1
6	G	1005	GOL	2	1
6	G	1006	GOL	2	0
6	G	1007	GOL	3	0
8	G	1030	BU3	4	0
4	G	734	NAG	1	0
4	G	741	NAG	1	0
4	G	892	NAG	3	0
4	G	948	NAG	2	0
9	H	1040	TRS	2	0
5	L	1004	SO4	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	G	344/353 (97%)	0.13	16 (4%) 35 37	26, 40, 76, 150	0
2	H	225/228 (98%)	0.11	10 (4%) 38 39	26, 40, 76, 128	0
3	L	208/208 (100%)	0.21	9 (4%) 39 40	31, 44, 65, 137	0
All	All	777/789 (98%)	0.14	35 (4%) 37 38	26, 41, 73, 150	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	132	SER	6.2
1	G	407	MET	4.8
2	H	215	SER	4.6
3	L	1	GLU	4.6
1	G	397	GLY	4.3
3	L	2	ILE	4.2
1	G	408	LYS	4.0
1	G	324	GLY	3.9
2	H	133	GLY	3.9
2	H	128	SER	3.7
1	G	492	GLU	3.7
2	H	191	THR	3.7
1	G	462	ASN	3.5
2	H	1	GLN	3.2
1	G	44	VAL	3.2
3	L	107	ARG	3.1
2	H	84	GLN	2.8
2	H	36	TRP	2.7
1	G	345	VAL	2.7
1	G	463	THR	2.7
3	L	132	VAL	2.6
2	H	214	LYS	2.6
3	L	212	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	2	VAL	2.6
3	L	133	VAL	2.4
3	L	126	LYS	2.4
1	G	410	CYS	2.4
1	G	301	ASN	2.4
1	G	394	THR	2.3
3	L	36	TYR	2.3
3	L	214	CYS	2.3
1	G	378	CYS	2.2
1	G	464	SER	2.2
1	G	240	LYS	2.1
1	G	259	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	NAG	G	948	14/15	0.78	0.45	15.29	86,102,108,110	0
7	CL	H	1023	1/1	0.16	0.85	11.28	111,111,111,111	0
7	CL	L	1024	1/1	0.78	0.28	10.20	94,94,94,94	0
7	CL	G	1028	1/1	0.93	0.29	9.55	59,59,59,59	0
7	CL	G	1013	1/1	0.97	0.20	7.64	65,65,65,65	0
8	BU3	G	1030	6/6	0.96	0.18	5.23	26,43,50,58	0
7	CL	L	1018	1/1	0.97	0.23	4.01	67,67,67,67	0
6	GOL	G	1005	6/6	0.96	0.19	3.40	20,32,40,46	0
4	NAG	G	776	14/15	0.82	0.22	3.25	44,61,66,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
7	CL	H	1021	1/1	0.45	0.40	2.68	89,89,89,89	0
9	TRS	H	1040	8/8	0.81	0.24	2.41	43,60,64,65	0
4	NAG	G	741	14/15	0.87	0.24	2.20	62,84,103,105	0
7	CL	L	1012	1/1	0.94	0.22	1.89	58,58,58,58	0
4	NAG	G	892	14/15	0.79	0.34	1.87	78,96,100,100	0
6	GOL	G	1008	6/6	0.77	0.20	1.76	64,65,67,67	0
7	CL	G	1027	1/1	0.89	0.15	1.70	70,70,70,70	0
4	NAG	G	734	14/15	0.92	0.15	1.52	37,45,57,59	0
4	NAG	G	834	14/15	0.90	0.17	0.79	61,73,86,91	0
5	SO4	L	1003	5/5	0.94	0.20	0.56	67,71,87,94	0
4	NAG	G	795	14/15	0.91	0.13	0.33	40,52,60,60	0
7	CL	G	1014	1/1	0.93	0.09	0.09	69,69,69,69	0
6	GOL	G	1006	6/6	0.95	0.14	0.04	50,57,59,61	0
4	NAG	G	762	14/15	0.93	0.13	-0.02	22,31,44,55	0
5	SO4	G	1001	5/5	0.98	0.11	-0.03	24,27,35,41	0
7	CL	L	1020	1/1	0.93	0.15	-0.35	76,76,76,76	0
4	NAG	G	789	14/15	0.96	0.11	-0.53	49,59,65,71	0
5	SO4	G	1000	5/5	0.99	0.09	-0.76	47,48,51,52	0
4	NAG	G	886	14/15	0.96	0.14	-	38,50,56,58	0
7	CL	G	1022	1/1	0.79	0.22	-	78,78,78,78	0
6	GOL	G	1007	6/6	0.83	0.17	-	55,70,77,90	0
5	SO4	G	1002	5/5	0.95	0.21	-	79,87,93,94	0
7	CL	G	1016	1/1	0.95	0.22	-	83,83,83,83	0
7	CL	H	1026	1/1	0.96	0.14	-	67,67,67,67	0
5	SO4	L	1004	5/5	0.92	0.19	-	67,81,94,96	0
7	CL	G	1015	1/1	0.90	0.18	-	76,76,76,76	0
7	CL	G	1017	1/1	0.95	0.05	-	68,68,68,68	0
7	CL	G	1019	1/1	0.87	0.27	-	77,77,77,77	0
7	CL	H	1010	1/1	0.99	0.22	-	65,65,65,65	0
7	CL	L	1011	1/1	0.95	0.08	-	61,61,61,61	0

6.5 Other polymers

There are no such residues in this entry.