



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 04:49 PM BST

PDB ID : 1SM7  
Title : Solution structure of the recombinant pronapin precursor, BnIb.  
Authors : Pantoja-Uceda, D.; Palomares, O.; Bruix, M.; Villalba, M.; Rodriguez, R.; Rico, M.; Santoro, J.  
Deposited on : 2004-03-08

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 46%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	109	

## 2 Ensemble composition and analysis

This entry contains 19 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:4-A:24, A:43-A:71, A:81-A:109 (79)	0.50	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 4 single-model clusters were found.

Cluster number	Models
1	1, 3, 4, 6, 7, 10
2	2, 11, 12, 15, 17, 18
3	8, 14, 19
Single-model clusters	5; 9; 13; 16

### 3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 1725 atoms, of which 849 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called recombinant Ib pronapin.


Mol	Chain	Residues	Atoms						Trace
1	A	109	Total	C	H	N	O	S	0
			1725	541	849	165	161	9	

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: recombinant Ib pronapin




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1 (medoid)


- Molecule 1: recombinant Ib pronapin



#### 4.2.2 Score per residue for model 2


- Molecule 1: recombinant Ib pronapin






#### 4.2.3 Score per residue for model 3

- Molecule 1: recombinant Ib pronapin




#### 4.2.4 Score per residue for model 4

- Molecule 1: recombinant Ib pronapin




#### 4.2.5 Score per residue for model 5

- Molecule 1: recombinant Ib pronapin




#### 4.2.6 Score per residue for model 6

- Molecule 1: recombinant Ib pronapin




#### 4.2.7 Score per residue for model 7

- Molecule 1: recombinant Ib pronapin




#### 4.2.8 Score per residue for model 8

- Molecule 1: recombinant Ib pronapin




#### 4.2.9 Score per residue for model 9

- Molecule 1: recombinant Ib pronapin




### 4.2.10 Score per residue for model 10

- Molecule 1: recombinant Ib pronapin




### 4.2.11 Score per residue for model 11

- Molecule 1: recombinant Ib pronapin




### 4.2.12 Score per residue for model 12

- Molecule 1: recombinant Ib pronapin



### 4.2.13 Score per residue for model 13


- Molecule 1: recombinant Ib pronapin






### 4.2.14 Score per residue for model 14

- Molecule 1: recombinant Ib pronapin




### 4.2.15 Score per residue for model 15

- Molecule 1: recombinant Ib pronapin




### 4.2.16 Score per residue for model 16

- Molecule 1: recombinant Ib pronapin




### 4.2.17 Score per residue for model 17

- Molecule 1: recombinant Ib pronapin




### 4.2.18 Score per residue for model 18

- Molecule 1: recombinant Ib pronapin



### 4.2.19 Score per residue for model 19

- Molecule 1: recombinant Ib pronapin



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing, torsion angle dynamics*.

Of the 50 calculated structures, 19 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DIANA	structure solution	1.5
DIANA	refinement	1.5

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6137
Number of chemical shift lists	1
Total number of shifts	674
Number of shifts mapped to atoms	674
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	46%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality [i](#)

### 6.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.69±0.04	0±0/652 (0.0±0.0%)	0.99±0.14	0±1/876 (0.0±0.1%)
All	All	0.69	0/12388 (0.0%)	1.00	4/16644 (0.0%)

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	23	ARG	NE-CZ-NH1	7.00	123.80	120.30	8	1
1	A	23	ARG	NE-CZ-NH2	-6.15	117.22	120.30	8	1
1	A	48	CYS	CA-CB-SG	5.63	124.13	114.00	10	1
1	A	61	CYS	CA-CB-SG	5.03	123.06	114.00	15	1

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	643	637	636	36±9
All	All	12217	12103	12084	676

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:52:LEU:HD23	1:A:64:LEU:HD12	0.96	1.35	4	5
1:A:22:ILE:HG21	1:A:85:ILE:HG23	0.87	1.46	3	1
1:A:52:LEU:HD23	1:A:64:LEU:CD1	0.85	2.01	1	15
1:A:52:LEU:HD13	1:A:53:TYR:N	0.83	1.87	1	18
1:A:17:ALA:HA	1:A:44:LEU:HD23	0.82	1.52	17	5
1:A:15:LEU:HD12	1:A:18:CYS:SG	0.81	2.15	18	4
1:A:17:ALA:HB1	1:A:44:LEU:CD2	0.80	2.06	9	3
1:A:71:VAL:HG11	1:A:85:ILE:HD12	0.80	1.54	13	7
1:A:23:ARG:HD3	1:A:71:VAL:HG22	0.80	1.53	2	2
1:A:17:ALA:HB1	1:A:44:LEU:HD23	0.77	1.55	14	11
1:A:52:LEU:HD23	1:A:64:LEU:HD11	0.76	1.57	14	9
1:A:17:ALA:HB3	1:A:51:GLU:OE1	0.75	1.80	5	5
1:A:19:GLN:HB2	1:A:71:VAL:HG23	0.75	1.57	19	11
1:A:9:PHE:CG	1:A:63:THR:HG22	0.75	2.16	14	5
1:A:19:GLN:NE2	1:A:71:VAL:HG23	0.74	1.98	17	3
1:A:71:VAL:CG1	1:A:85:ILE:HD12	0.74	2.13	5	12
1:A:22:ILE:HD12	1:A:71:VAL:HG21	0.73	1.60	14	3
1:A:14:HIS:C	1:A:15:LEU:HD23	0.73	2.04	9	14
1:A:90:LYS:HD3	1:A:107:ILE:HG22	0.72	1.61	17	2
1:A:17:ALA:HB3	1:A:51:GLU:OE2	0.72	1.85	1	3
1:A:21:TRP:HB3	1:A:44:LEU:HD22	0.71	1.62	19	7
1:A:52:LEU:HD21	1:A:98:MET:CG	0.71	2.16	19	12
1:A:89:ALA:HA	1:A:92:LEU:HD12	0.71	1.62	14	9
1:A:90:LYS:HB2	1:A:107:ILE:HG22	0.70	1.63	3	1
1:A:90:LYS:HE3	1:A:109:ILE:OXT	0.70	1.87	14	1
1:A:84:ARG:NE	1:A:88:ILE:HD11	0.69	2.01	1	1
1:A:6:GLN:HG2	1:A:63:THR:HG23	0.69	1.64	1	2
1:A:52:LEU:HD21	1:A:98:MET:HG3	0.69	1.65	19	12
1:A:52:LEU:HD22	1:A:60:VAL:HG22	0.69	1.63	3	11
1:A:21:TRP:CH2	1:A:88:ILE:HG22	0.69	2.23	13	5
1:A:52:LEU:CD2	1:A:60:VAL:HG22	0.67	2.20	3	17
1:A:19:GLN:HB3	1:A:67:ALA:HB1	0.67	1.65	13	1
1:A:19:GLN:HG3	1:A:67:ALA:HB1	0.67	1.65	11	1
1:A:23:ARG:CD	1:A:71:VAL:HG22	0.66	2.20	2	2
1:A:21:TRP:HB3	1:A:44:LEU:HD13	0.66	1.67	9	1
1:A:106:PHE:O	1:A:107:ILE:HG23	0.66	1.89	7	12
1:A:52:LEU:HD13	1:A:52:LEU:C	0.66	2.09	19	7
1:A:19:GLN:CB	1:A:71:VAL:HG23	0.66	2.20	7	10
1:A:21:TRP:HE1	1:A:92:LEU:HD11	0.66	1.51	11	7
1:A:9:PHE:CD2	1:A:63:THR:HG22	0.65	2.25	15	3
1:A:52:LEU:C	1:A:52:LEU:HD13	0.65	2.12	1	8
1:A:90:LYS:HG2	1:A:107:ILE:HG22	0.65	1.67	4	1

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:6:GLN:HA	1:A:63:THR:HG23	0.63	1.70	2	5
1:A:15:LEU:HD13	1:A:51:GLU:OE2	0.63	1.93	18	1
1:A:9:PHE:CE2	1:A:15:LEU:HD23	0.63	2.29	15	5
1:A:14:HIS:O	1:A:15:LEU:HD23	0.62	1.94	19	7
1:A:90:LYS:CD	1:A:107:ILE:HG22	0.62	2.25	12	2
1:A:22:ILE:HG22	1:A:23:ARG:NH1	0.61	2.10	12	1
1:A:17:ALA:HB1	1:A:44:LEU:HD21	0.61	1.73	6	3
1:A:19:GLN:O	1:A:71:VAL:HG23	0.61	1.95	16	2
1:A:19:GLN:CG	1:A:67:ALA:HB1	0.61	2.25	11	2
1:A:48:CYS:O	1:A:52:LEU:HD12	0.61	1.94	8	7
1:A:21:TRP:HH2	1:A:88:ILE:HG22	0.60	1.56	18	3
1:A:90:LYS:CB	1:A:106:PHE:CZ	0.60	2.85	1	1
1:A:52:LEU:HD21	1:A:60:VAL:HG22	0.59	1.74	10	4
1:A:20:GLN:NE2	1:A:44:LEU:HD21	0.59	2.11	13	1
1:A:107:ILE:HG23	1:A:109:ILE:H	0.59	1.57	16	1
1:A:87:GLN:HG3	1:A:109:ILE:HG22	0.59	1.75	18	2
1:A:84:ARG:O	1:A:88:ILE:HD12	0.58	1.98	16	1
1:A:19:GLN:HG2	1:A:67:ALA:HB1	0.58	1.73	18	2
1:A:106:PHE:CD1	1:A:109:ILE:HD11	0.58	2.34	15	1
1:A:90:LYS:CG	1:A:107:ILE:HG22	0.58	2.28	1	2
1:A:17:ALA:HB3	1:A:51:GLU:CD	0.58	2.19	13	2
1:A:83:THR:HG22	1:A:84:ARG:N	0.57	2.14	18	6
1:A:60:VAL:HG21	1:A:98:MET:O	0.57	2.00	12	6
1:A:49:CYS:HA	1:A:52:LEU:HD12	0.57	1.77	13	4
1:A:87:GLN:HG2	1:A:109:ILE:HD11	0.56	1.77	12	1
1:A:106:PHE:CE2	1:A:109:ILE:HD11	0.56	2.34	18	1
1:A:21:TRP:NE1	1:A:92:LEU:HD11	0.56	2.15	11	1
1:A:109:ILE:HD12	1:A:109:ILE:OXT	0.56	2.01	1	1
1:A:19:GLN:CA	1:A:71:VAL:HG23	0.56	2.31	9	5
1:A:14:HIS:CD2	1:A:14:HIS:N	0.55	2.75	19	7
1:A:53:TYR:CE1	1:A:57:GLN:NE2	0.55	2.74	19	3
1:A:52:LEU:HD22	1:A:52:LEU:O	0.55	2.01	19	8
1:A:21:TRP:NE1	1:A:92:LEU:HD21	0.55	2.16	17	1
1:A:9:PHE:CD2	1:A:15:LEU:HD23	0.55	2.37	18	4
1:A:17:ALA:CB	1:A:44:LEU:HD23	0.55	2.31	5	9
1:A:87:GLN:HG2	1:A:109:ILE:OXT	0.55	2.02	6	1
1:A:21:TRP:CZ3	1:A:45:ARG:NH2	0.54	2.75	1	2
1:A:71:VAL:HG11	1:A:85:ILE:HG23	0.54	1.78	14	4
1:A:101:ILE:HD12	1:A:101:ILE:C	0.54	2.23	1	1
1:A:71:VAL:HG11	1:A:85:ILE:HG21	0.54	1.79	3	1
1:A:53:TYR:CE2	1:A:98:MET:HA	0.54	2.37	18	9

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:19:GLN:HE21	1:A:71:VAL:HG23	0.54	1.60	17	2
1:A:93:PRO:HG2	1:A:107:ILE:HG21	0.54	1.80	13	1
1:A:14:HIS:N	1:A:14:HIS:CD2	0.53	2.76	1	12
1:A:61:CYS:SG	1:A:104:CYS:N	0.53	2.81	6	2
1:A:22:ILE:HD11	1:A:92:LEU:HD11	0.53	1.80	16	1
1:A:90:LYS:HG3	1:A:107:ILE:HG22	0.53	1.80	1	1
1:A:60:VAL:HG11	1:A:99:LYS:CB	0.53	2.34	9	1
1:A:53:TYR:CE2	1:A:98:MET:CB	0.52	2.92	7	6
1:A:19:GLN:HA	1:A:71:VAL:HG23	0.52	1.82	9	3
1:A:52:LEU:HD22	1:A:52:LEU:C	0.52	2.24	12	2
1:A:21:TRP:CB	1:A:44:LEU:HD13	0.52	2.34	9	2
1:A:99:LYS:CG	1:A:101:ILE:HG23	0.52	2.35	9	1
1:A:10:GLN:HA	1:A:14:HIS:CD2	0.52	2.40	1	17
1:A:21:TRP:CZ3	1:A:45:ARG:CZ	0.52	2.93	11	2
1:A:52:LEU:O	1:A:52:LEU:HD22	0.51	2.05	7	6
1:A:108:ALA:C	1:A:109:ILE:HD12	0.51	2.25	16	1
1:A:52:LEU:HD21	1:A:98:MET:SD	0.51	2.45	19	7
1:A:22:ILE:HG23	1:A:88:ILE:CG2	0.51	2.35	9	1
1:A:19:GLN:OE1	1:A:64:LEU:HD23	0.51	2.05	10	1
1:A:60:VAL:HG13	1:A:98:MET:HG3	0.51	1.83	18	5
1:A:52:LEU:HD11	1:A:98:MET:SD	0.51	2.46	6	3
1:A:9:PHE:CZ	1:A:63:THR:O	0.51	2.64	19	2
1:A:61:CYS:SG	1:A:62:PRO:HA	0.51	2.47	19	5
1:A:99:LYS:HG3	1:A:103:THR:HG22	0.50	1.83	10	1
1:A:9:PHE:C	1:A:9:PHE:CD1	0.50	2.84	1	4
1:A:9:PHE:CD1	1:A:66:GLN:NE2	0.50	2.80	18	1
1:A:53:TYR:CE1	1:A:57:GLN:OE1	0.50	2.65	7	3
1:A:22:ILE:HG23	1:A:88:ILE:HG21	0.50	1.84	9	1
1:A:22:ILE:HB	1:A:71:VAL:HG21	0.50	1.82	18	1
1:A:107:ILE:O	1:A:108:ALA:HB2	0.50	2.07	18	3
1:A:90:LYS:HD2	1:A:107:ILE:HG22	0.50	1.82	12	1
1:A:9:PHE:CD2	1:A:55:GLU:OE1	0.49	2.65	9	1
1:A:104:CYS:O	1:A:104:CYS:SG	0.49	2.70	2	4
1:A:82:SER:O	1:A:86:TYR:CD1	0.49	2.65	19	1
1:A:17:ALA:O	1:A:44:LEU:HD22	0.49	2.08	13	2
1:A:93:PRO:HA	1:A:98:MET:SD	0.49	2.46	4	1
1:A:59:CYS:HA	1:A:63:THR:HG21	0.49	1.84	14	4
1:A:21:TRP:CE2	1:A:22:ILE:CG1	0.48	2.96	18	3
1:A:21:TRP:CH2	1:A:88:ILE:CG2	0.48	2.97	9	3
1:A:51:GLU:HG3	1:A:51:GLU:O	0.48	2.08	16	1
1:A:106:PHE:O	1:A:106:PHE:CG	0.48	2.67	7	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:68:ALA:O	1:A:71:VAL:HG12	0.48	2.08	16	2
1:A:9:PHE:CD1	1:A:9:PHE:C	0.48	2.86	19	3
1:A:89:ALA:CA	1:A:92:LEU:HD12	0.48	2.39	16	3
1:A:15:LEU:HD22	1:A:51:GLU:O	0.48	2.09	16	2
1:A:101:ILE:HG23	1:A:102:GLY:H	0.48	1.69	1	3
1:A:96:CYS:O	1:A:97:ASN:C	0.47	2.52	4	5
1:A:98:MET:N	1:A:98:MET:SD	0.47	2.87	4	1
1:A:52:LEU:C	1:A:52:LEU:HD22	0.47	2.29	7	1
1:A:18:CYS:HA	1:A:21:TRP:CD1	0.47	2.44	19	2
1:A:44:LEU:HD12	1:A:44:LEU:H	0.47	1.70	11	1
1:A:61:CYS:O	1:A:103:THR:HG21	0.46	2.09	1	5
1:A:21:TRP:CZ3	1:A:88:ILE:CG2	0.46	2.98	9	1
1:A:60:VAL:CG1	1:A:99:LYS:HB2	0.46	2.41	9	1
1:A:5:CYS:SG	1:A:63:THR:HG21	0.46	2.51	6	1
1:A:71:VAL:HG13	1:A:85:ILE:HD12	0.46	1.88	2	1
1:A:92:LEU:N	1:A:93:PRO:CD	0.45	2.80	1	1
1:A:106:PHE:CD1	1:A:106:PHE:C	0.45	2.89	19	2
1:A:101:ILE:HG23	1:A:102:GLY:N	0.45	2.27	18	1
1:A:103:THR:HG23	1:A:104:CYS:N	0.45	2.26	19	2
1:A:21:TRP:CD1	1:A:44:LEU:HD22	0.45	2.46	10	1
1:A:60:VAL:CG1	1:A:98:MET:HG3	0.45	2.41	19	5
1:A:55:GLU:O	1:A:56:ASP:CB	0.45	2.64	19	4
1:A:99:LYS:HG2	1:A:101:ILE:HG23	0.45	1.89	9	1
1:A:90:LYS:HB3	1:A:106:PHE:CZ	0.45	2.46	1	1
1:A:90:LYS:HA	1:A:106:PHE:CZ	0.45	2.46	17	1
1:A:106:PHE:CD1	1:A:107:ILE:N	0.45	2.85	19	2
1:A:17:ALA:CA	1:A:44:LEU:HD23	0.44	2.42	1	2
1:A:44:LEU:H	1:A:44:LEU:HD12	0.44	1.72	12	1
1:A:61:CYS:CB	1:A:62:PRO:HA	0.44	2.41	17	2
1:A:94:ASN:OD1	1:A:107:ILE:HD13	0.44	2.13	18	1
1:A:14:HIS:CD2	1:A:14:HIS:H	0.44	2.29	5	2
1:A:17:ALA:CB	1:A:44:LEU:HD21	0.44	2.41	9	2
1:A:57:GLN:N	1:A:57:GLN:NE2	0.44	2.65	19	1
1:A:5:CYS:HB2	1:A:58:VAL:HG12	0.44	1.89	15	1
1:A:14:HIS:H	1:A:14:HIS:CD2	0.44	2.29	4	3
1:A:19:GLN:NE2	1:A:71:VAL:CG2	0.44	2.80	18	2
1:A:57:GLN:HE21	1:A:57:GLN:N	0.44	2.10	6	1
1:A:104:CYS:SG	1:A:104:CYS:O	0.44	2.76	19	1
1:A:53:TYR:CE2	1:A:98:MET:HB3	0.44	2.47	7	2
1:A:21:TRP:CE2	1:A:22:ILE:HG13	0.44	2.47	1	1
1:A:83:THR:CG2	1:A:84:ARG:N	0.43	2.81	1	6

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:19:GLN:CB	1:A:67:ALA:HB1	0.43	2.41	13	1
1:A:53:TYR:CE1	1:A:57:GLN:CD	0.43	2.91	19	1
1:A:61:CYS:HB3	1:A:103:THR:HG22	0.43	1.90	18	1
1:A:98:MET:O	1:A:99:LYS:C	0.43	2.56	9	1
1:A:52:LEU:CD2	1:A:64:LEU:HD12	0.43	2.26	4	1
1:A:9:PHE:CD2	1:A:63:THR:HB	0.43	2.48	11	1
1:A:21:TRP:CZ2	1:A:22:ILE:HG12	0.43	2.49	18	1
1:A:22:ILE:HG21	1:A:71:VAL:HG11	0.43	1.90	18	1
1:A:106:PHE:C	1:A:107:ILE:CG1	0.43	2.87	19	2
1:A:90:LYS:HB3	1:A:106:PHE:CE1	0.43	2.48	14	1
1:A:9:PHE:CD1	1:A:10:GLN:N	0.43	2.87	18	1
1:A:15:LEU:HD13	1:A:52:LEU:HB2	0.43	1.91	10	2
1:A:21:TRP:HA	1:A:44:LEU:HD13	0.43	1.91	13	2
1:A:93:PRO:CB	1:A:98:MET:CE	0.43	2.96	4	1
1:A:9:PHE:CG	1:A:63:THR:HB	0.42	2.49	12	1
1:A:23:ARG:NH1	1:A:85:ILE:CD1	0.42	2.82	12	1
1:A:9:PHE:CE2	1:A:15:LEU:CD2	0.42	3.01	11	1
1:A:60:VAL:CG1	1:A:99:LYS:CB	0.42	2.97	9	1
1:A:9:PHE:HZ	1:A:67:ALA:HB2	0.42	1.74	11	2
1:A:71:VAL:HG11	1:A:85:ILE:CG2	0.42	2.45	19	2
1:A:56:ASP:O	1:A:60:VAL:HG23	0.42	2.14	17	3
1:A:106:PHE:O	1:A:109:ILE:HG23	0.42	2.15	3	2
1:A:62:PRO:O	1:A:65:LYS:CB	0.42	2.68	13	1
1:A:106:PHE:CG	1:A:106:PHE:O	0.42	2.72	4	1
1:A:57:GLN:OE1	1:A:101:ILE:CG2	0.42	2.68	1	1
1:A:53:TYR:CZ	1:A:98:MET:HA	0.42	2.49	18	4
1:A:92:LEU:CB	1:A:93:PRO:HD3	0.42	2.44	17	2
1:A:90:LYS:NZ	1:A:91:ASN:ND2	0.42	2.68	7	1
1:A:17:ALA:HA	1:A:44:LEU:CD2	0.42	2.45	1	2
1:A:90:LYS:HB3	1:A:106:PHE:CE2	0.42	2.49	1	1
1:A:45:ARG:O	1:A:49:CYS:SG	0.42	2.77	1	1
1:A:17:ALA:CA	1:A:44:LEU:HD21	0.41	2.45	6	1
1:A:21:TRP:N	1:A:44:LEU:HD22	0.41	2.29	18	1
1:A:106:PHE:CD2	1:A:109:ILE:HD11	0.41	2.50	18	1
1:A:106:PHE:O	1:A:106:PHE:CD2	0.41	2.73	18	1
1:A:62:PRO:HA	1:A:104:CYS:SG	0.41	2.55	19	1
1:A:96:CYS:O	1:A:98:MET:SD	0.41	2.78	17	2
1:A:18:CYS:N	1:A:48:CYS:HB2	0.41	2.31	4	1
1:A:84:ARG:NE	1:A:88:ILE:CD1	0.41	2.80	1	1
1:A:87:GLN:CG	1:A:109:ILE:HG22	0.41	2.43	18	1
1:A:60:VAL:HA	1:A:64:LEU:HD12	0.41	1.92	3	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:55:GLU:HB3	1:A:59:CYS:CB	0.41	2.46	8	1
1:A:19:GLN:HA	1:A:71:VAL:CG2	0.41	2.46	14	3
1:A:15:LEU:HD21	1:A:55:GLU:OE2	0.41	2.15	5	1
1:A:61:CYS:O	1:A:103:THR:CG2	0.41	2.69	1	1
1:A:21:TRP:CE2	1:A:22:ILE:HG12	0.41	2.51	18	1
1:A:16:ARG:O	1:A:20:GLN:CG	0.41	2.69	18	1
1:A:93:PRO:CA	1:A:98:MET:SD	0.41	3.09	4	1
1:A:60:VAL:CG1	1:A:60:VAL:O	0.41	2.69	19	1
1:A:21:TRP:CH2	1:A:45:ARG:NH2	0.41	2.88	13	1
1:A:55:GLU:O	1:A:59:CYS:SG	0.41	2.79	8	1
1:A:106:PHE:HD1	1:A:109:ILE:HD11	0.41	1.73	15	1
1:A:86:TYR:O	1:A:109:ILE:HD11	0.40	2.16	3	1
1:A:89:ALA:CB	1:A:92:LEU:HD12	0.40	2.45	7	1
1:A:99:LYS:O	1:A:99:LYS:HG2	0.40	2.16	18	1
1:A:90:LYS:O	1:A:107:ILE:CG2	0.40	2.70	19	1
1:A:15:LEU:HD23	1:A:15:LEU:N	0.40	2.31	7	1
1:A:15:LEU:HD13	1:A:51:GLU:HG3	0.40	1.91	13	1
1:A:21:TRP:CE3	1:A:45:ARG:NH2	0.40	2.89	5	1
1:A:93:PRO:HG3	1:A:104:CYS:SG	0.40	2.57	5	1

## 6.3 Torsion angles ⓘ

### 6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	78/109 (72%)	55±2 (70±3%)	18±3 (22±4%)	6±1 (8±2%)	2	16
All	All	1482/2071 (72%)	1036 (70%)	333 (22%)	113 (8%)	2	16

All 17 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	97	ASN	18
1	A	14	HIS	16
1	A	12	GLU	15

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	107	ILE	12
1	A	56	ASP	9
1	A	101	ILE	8
1	A	102	GLY	6
1	A	81	GLN	5
1	A	108	ALA	5
1	A	17	ALA	4
1	A	83	THR	3
1	A	44	LEU	3
1	A	13	GLN	2
1	A	82	SER	2
1	A	104	CYS	2
1	A	99	LYS	2
1	A	61	CYS	1

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	73/97 (75%)	38±4 (53±6%)	35±4 (47±6%)	<b>0</b> <b>1</b>
All	All	1387/1843 (75%)	730 (53%)	657 (47%)	<b>0</b> <b>1</b>

All 62 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	52	LEU	19
1	A	8	GLU	19
1	A	5	CYS	19
1	A	64	LEU	18
1	A	61	CYS	18
1	A	53	TYR	17
1	A	19	GLN	17
1	A	50	ASN	17
1	A	9	PHE	17
1	A	99	LYS	16
1	A	11	GLN	16

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	71	VAL	16
1	A	58	VAL	16
1	A	98	MET	16
1	A	51	GLU	16
1	A	101	ILE	15
1	A	23	ARG	15
1	A	48	CYS	14
1	A	14	HIS	14
1	A	47	GLN	14
1	A	18	CYS	14
1	A	84	ARG	14
1	A	63	THR	14
1	A	44	LEU	13
1	A	107	ILE	13
1	A	12	GLU	13
1	A	10	GLN	13
1	A	4	LYS	13
1	A	43	SER	13
1	A	83	THR	12
1	A	16	ARG	11
1	A	66	GLN	11
1	A	103	THR	11
1	A	6	GLN	11
1	A	45	ARG	11
1	A	100	GLN	10
1	A	49	CYS	10
1	A	90	LYS	10
1	A	69	LYS	8
1	A	65	LYS	8
1	A	87	GLN	8
1	A	82	SER	8
1	A	7	ARG	8
1	A	96	CYS	8
1	A	91	ASN	6
1	A	106	PHE	6
1	A	70	SER	6
1	A	57	GLN	5
1	A	104	CYS	5
1	A	15	LEU	5
1	A	24	GLN	5
1	A	13	GLN	4
1	A	109	ILE	4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	46	GLU	3
1	A	81	GLN	3
1	A	22	ILE	3
1	A	55	GLU	2
1	A	92	LEU	2
1	A	20	GLN	1
1	A	54	GLN	1
1	A	85	ILE	1
1	A	60	VAL	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 46% for the well-defined parts and 45% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 6137

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	674
Number of shifts mapped to atoms	674
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

#### 7.1.2 Chemical shift referencing

No chemical shift referencing corrections were calculated (not enough data).

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 46%, i.e. 479 atoms were assigned a chemical shift out of a possible 1036. 0 out of 9 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	155/389 (40%)	155/155 (100%)	0/158 (0%)	0/76 (0%)
Sidechain	304/593 (51%)	304/352 (86%)	0/203 (0%)	0/38 (0%)
Aromatic	20/54 (37%)	20/28 (71%)	0/23 (0%)	0/3 (0%)
Overall	479/1036 (46%)	479/535 (90%)	0/384 (0%)	0/117 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 45%, i.e. 634 atoms were assigned a chemical shift out of a possible 1406. 0 out of 11 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	207/529 (39%)	207/210 (99%)	0/218 (0%)	0/101 (0%)
Sidechain	391/785 (50%)	391/470 (83%)	0/265 (0%)	0/50 (0%)
Aromatic	36/92 (39%)	36/48 (75%)	0/38 (0%)	0/6 (0%)
Overall	634/1406 (45%)	634/728 (87%)	0/521 (0%)	0/157 (0%)

### 7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

