



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:13 PM GMT

PDB ID : 1SMV
Title : PRIMARY STRUCTURE OF SESBANIA MOSAIC VIRUS COAT PROTEIN: ITS IMPLICATIONS TO THE ASSEMBLY AND ARCHITECTURE OF THE VIRUS
Authors : Bhuvaneshwari, M.; Murthy, M.R.N.
Deposited on : 1995-06-16
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	266	
1	B	266	
1	C	266	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SESBANIA MOSAIC VIRUS COAT PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	196	Total	C	N	O	S	0	0	0
			1437	911	234	284	8			
1	B	196	Total	C	N	O	S	0	0	0
			1452	924	234	287	7			
1	C	222	Total	C	N	O	S	0	0	0
			1623	1028	269	316	10			

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ILE	LYS	CONFLICT	UNP Q9EB06
A	36	PRO	GLN	CONFLICT	UNP Q9EB06
A	38	ILE	THR	CONFLICT	UNP Q9EB06
A	66	ALA	GLY	CONFLICT	UNP Q9EB06
A	?	-	THR	DELETION	UNP Q9EB06
A	72	CYS	SER	CONFLICT	UNP Q9EB06
A	75	THR	SER	CONFLICT	UNP Q9EB06
A	105	ASP	ALA	CONFLICT	UNP Q9EB06
A	149	LYS	GLN	CONFLICT	UNP Q9EB06
A	173	ASN	GLY	CONFLICT	UNP Q9EB06
A	174	SER	THR	CONFLICT	UNP Q9EB06
A	191	GLU	LYS	CONFLICT	UNP Q9EB06
A	218	ASP	PRO	CONFLICT	UNP Q9EB06
A	244	ASP	CYS	CONFLICT	UNP Q9EB06
B	0	ILE	LYS	CONFLICT	UNP Q9EB06
B	36	PRO	GLN	CONFLICT	UNP Q9EB06
B	38	ILE	THR	CONFLICT	UNP Q9EB06
B	66	ALA	GLY	CONFLICT	UNP Q9EB06
B	?	-	THR	DELETION	UNP Q9EB06
B	72	CYS	SER	CONFLICT	UNP Q9EB06
B	75	THR	SER	CONFLICT	UNP Q9EB06
B	105	ASP	ALA	CONFLICT	UNP Q9EB06
B	149	LYS	GLN	CONFLICT	UNP Q9EB06

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	173	ASN	GLY	CONFLICT	UNP Q9EB06
B	174	SER	THR	CONFLICT	UNP Q9EB06
B	191	GLU	LYS	CONFLICT	UNP Q9EB06
B	218	ASP	PRO	CONFLICT	UNP Q9EB06
B	244	ASP	CYS	CONFLICT	UNP Q9EB06
C	0	ILE	LYS	CONFLICT	UNP Q9EB06
C	36	PRO	GLN	CONFLICT	UNP Q9EB06
C	38	ILE	THR	CONFLICT	UNP Q9EB06
C	66	ALA	GLY	CONFLICT	UNP Q9EB06
C	?	-	THR	DELETION	UNP Q9EB06
C	72	CYS	SER	CONFLICT	UNP Q9EB06
C	75	THR	SER	CONFLICT	UNP Q9EB06
C	105	ASP	ALA	CONFLICT	UNP Q9EB06
C	149	LYS	GLN	CONFLICT	UNP Q9EB06
C	173	ASN	GLY	CONFLICT	UNP Q9EB06
C	174	SER	THR	CONFLICT	UNP Q9EB06
C	191	GLU	LYS	CONFLICT	UNP Q9EB06
C	218	ASP	PRO	CONFLICT	UNP Q9EB06
C	244	ASP	CYS	CONFLICT	UNP Q9EB06


- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total Ca 3 3	0	0
2	C	1	Total Ca 1 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SESBANIA MOSAIC VIRUS COAT PROTEIN




• Molecule 1: SESBANIA MOSAIC VIRUS COAT PROTEIN



• Molecule 1: SESBANIA MOSAIC VIRUS COAT PROTEIN





4 Data and refinement statistics

Property	Value	Source
Space group	R 3	Depositor
Cell constants a, b, c, α , β , γ	291.46 Å 291.46 Å 291.46 Å 61.95° 61.95° 61.95°	Depositor
Resolution (Å)	10.00 – 3.00 51.40 – 2.90	Depositor EDS
% Data completeness (in resolution range)	70.0 (10.00-3.00) 61.1 (51.40-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.227 , (Not available) 0.703 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	(Not available)	Xtriage
Anisotropy	(Not available)	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 70.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ¹	$\langle L \rangle =$ (Not available), $\langle L^2 \rangle =$ (Not available)	Xtriage
Outliers	(Not available)	Xtriage
F_o, F_c correlation	0.15	EDS
Total number of atoms	4516	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *(Not available)*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/1468	0.84	2/2012 (0.1%)
1	B	0.59	0/1483	0.83	1/2033 (0.0%)
1	C	0.60	0/1656	0.81	2/2268 (0.1%)
All	All	0.60	0/4607	0.82	5/6313 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	70	LEU	CA-CB-CG	-7.71	97.56	115.30
1	C	70	LEU	CA-CB-CG	-7.02	99.15	115.30
1	A	154	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	C	70	LEU	CB-CG-CD2	-5.58	101.52	111.00
1	A	219	LEU	CA-CB-CG	5.07	126.96	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1437	0	1369	24	0
1	B	1452	0	1416	26	0
1	C	1623	0	1586	26	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	3	0	0	0	0
2	C	1	0	0	0	0
All	All	4516	0	4371	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:VAL:HG23	1:A:149:LYS:HE3	1.42	1.00
1:A:72:CYS:SG	1:A:245:THR:HG23	2.08	0.93
1:A:149:LYS:HD3	1:B:258:LEU:HD21	1.47	0.92
1:B:116:ARG:HB2	1:B:186:THR:HG22	1.52	0.91
1:C:72:CYS:SG	1:C:245:THR:HG23	2.16	0.85
1:C:145:VAL:H	1:C:149:LYS:HE2	1.44	0.83
1:C:145:VAL:HG22	1:C:149:LYS:HE2	1.64	0.78
1:A:104:ALA:HA	1:A:250:MET:CE	2.21	0.71
1:A:145:VAL:H	1:A:149:LYS:HD2	1.56	0.70
1:A:75:THR:HG22	1:A:242:ILE:O	1.92	0.70
1:C:67:ILE:HD13	1:C:107:TRP:HE1	1.57	0.70
1:A:104:ALA:HA	1:A:250:MET:HE2	1.76	0.66
1:B:172:ASN:HD22	1:B:172:ASN:H	1.44	0.66
1:C:62:SER:HB3	1:C:67:ILE:HG13	1.80	0.64
1:B:189:VAL:HA	1:B:192:LEU:HD22	1.80	0.62
1:C:161:VAL:HG22	1:C:239:ALA:HB1	1.81	0.62
1:B:75:THR:HG22	1:B:242:ILE:O	1.99	0.62
1:C:133:MET:O	1:C:156:TYR:HA	2.00	0.60
1:A:161:VAL:HG22	1:A:239:ALA:HB1	1.85	0.58
1:C:116:ARG:HB2	1:C:186:THR:HG22	1.86	0.57
1:A:260:LEU:HD23	1:C:140:ALA:O	2.05	0.57
1:A:77:GLU:HG2	1:A:241:ARG:HG2	1.87	0.57
1:C:251:ILE:HG13	1:C:252:GLU:HG2	1.87	0.56
1:A:72:CYS:SG	1:A:245:THR:CG2	2.90	0.55
1:A:151:SER:HA	1:A:156:TYR:CD1	2.41	0.54
1:C:139:MET:HE1	1:C:223:ARG:HG2	1.90	0.54
1:C:67:ILE:HD13	1:C:107:TRP:NE1	2.21	0.53
1:A:244:ASP:OD1	1:A:246:TYR:HD2	1.90	0.53
1:B:251:ILE:HG13	1:B:252:GLU:HG2	1.90	0.53
1:A:258:LEU:HD21	1:C:149:LYS:NZ	2.23	0.53
1:B:229:LEU:N	1:B:229:LEU:HD23	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:154:ARG:HH11	1:C:154:ARG:HG2	1.74	0.51
1:C:145:VAL:H	1:C:149:LYS:CE	2.20	0.51
1:B:109:LYS:HE2	1:B:252:GLU:OE2	2.11	0.51
1:B:172:ASN:HD22	1:B:172:ASN:N	2.06	0.50
1:A:144:PRO:HA	1:A:149:LYS:HD2	1.93	0.50
1:C:189:VAL:HA	1:C:192:LEU:HD22	1.93	0.50
1:C:139:MET:HA	1:C:139:MET:CE	2.42	0.50
1:A:133:MET:O	1:A:156:TYR:HA	2.13	0.48
1:B:145:VAL:HG12	1:B:149:LYS:CE	2.44	0.48
1:C:113:LEU:HA	1:C:113:LEU:HD23	1.67	0.47
1:B:133:MET:O	1:B:156:TYR:HA	2.14	0.47
1:A:140:ALA:O	1:B:260:LEU:HD12	2.16	0.46
1:C:125:SER:HA	1:C:162:TRP:CG	2.50	0.45
1:A:104:ALA:HA	1:A:250:MET:HE1	1.98	0.45
1:B:138:ASP:OD2	1:C:200:LYS:HE3	2.17	0.45
1:A:154:ARG:CZ	1:A:188:ASP:HB3	2.47	0.45
1:C:145:VAL:HG22	1:C:149:LYS:CE	2.42	0.44
1:B:67:ILE:HG12	1:B:107:TRP:CZ2	2.52	0.44
1:A:166:ALA:HB1	1:A:178:ASP:O	2.16	0.44
1:C:146:SER:OG	1:C:149:LYS:HD3	2.17	0.44
1:B:116:ARG:HB2	1:B:186:THR:CG2	2.37	0.44
1:B:195:LYS:HD2	1:B:196:TRP:CE2	2.53	0.44
1:B:169:CYS:HA	1:B:172:ASN:HD21	1.82	0.43
1:A:258:LEU:HD21	1:C:149:LYS:HZ1	1.83	0.43
1:B:81:THR:HG22	1:B:236:ALA:HA	2.01	0.43
1:B:145:VAL:H	1:B:149:LYS:HD2	1.84	0.42
1:B:84:ILE:HA	1:B:229:LEU:HB3	2.01	0.42
1:B:172:ASN:ND2	1:B:172:ASN:H	2.13	0.42
1:A:77:GLU:OE2	1:A:241:ARG:NH1	2.53	0.42
1:B:244:ASP:OD2	1:B:246:TYR:HD2	2.03	0.42
1:B:161:VAL:HB	1:B:239:ALA:HB1	2.01	0.42
1:A:172:ASN:O	1:A:172:ASN:CG	2.58	0.42
1:C:192:LEU:HG	1:C:221:PRO:HB2	2.03	0.41
1:B:151:SER:HA	1:B:156:TYR:CD1	2.55	0.41
1:B:146:SER:H	1:B:149:LYS:HD2	1.86	0.40
1:C:139:MET:HA	1:C:139:MET:HE3	2.02	0.40
1:B:251:ILE:C	1:B:252:GLU:HG2	2.40	0.40
1:A:253:PRO:HB2	1:C:152:ASN:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	194/266 (73%)	180 (93%)	12 (6%)	2 (1%)	19	61
1	B	194/266 (73%)	184 (95%)	9 (5%)	1 (0%)	34	76
1	C	220/266 (83%)	211 (96%)	9 (4%)	0	100	100
All	All	608/798 (76%)	575 (95%)	30 (5%)	3 (0%)	34	76

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	173	ASN
1	B	161	VAL
1	A	189	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/220 (68%)	131 (87%)	19 (13%)	5	23
1	B	157/220 (71%)	140 (89%)	17 (11%)	8	30
1	C	172/220 (78%)	150 (87%)	22 (13%)	5	23
All	All	479/660 (73%)	421 (88%)	58 (12%)	6	25

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	CYS
1	A	113	LEU
1	A	116	ARG
1	A	143	VAL
1	A	145	VAL
1	A	154	ARG
1	A	157	VAL
1	A	161	VAL
1	A	165	SER
1	A	168	LEU
1	A	178	ASP
1	A	186	THR
1	A	189	VAL
1	A	217	THR
1	A	219	LEU
1	A	228	LEU
1	A	229	LEU
1	A	232	SER
1	A	260	LEU
1	B	67	ILE
1	B	69	VAL
1	B	70	LEU
1	B	103	VAL
1	B	145	VAL
1	B	150	LEU
1	B	154	ARG
1	B	165	SER
1	B	172	ASN
1	B	192	LEU
1	B	195	LYS
1	B	213	VAL
1	B	219	LEU
1	B	224	LEU
1	B	228	LEU
1	B	235	THR
1	B	252	GLU
1	C	43	SER
1	C	52	MET
1	C	54	ARG
1	C	64	ARG
1	C	70	LEU
1	C	75	THR
1	C	80	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	89	GLU
1	C	91	VAL
1	C	139	MET
1	C	147	VAL
1	C	150	LEU
1	C	154	ARG
1	C	161	VAL
1	C	187	LEU
1	C	190	SER
1	C	191	GLU
1	C	192	LEU
1	C	200	LYS
1	C	228	LEU
1	C	252	GLU
1	C	258	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	172	ASN
1	C	49	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.









5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	196/266 (73%)	1.33	46 (23%)  	2, 9, 32, 74	0
1	B	196/266 (73%)	1.52	56 (28%)  	3, 10, 33, 58	0
1	C	222/266 (83%)	1.65	78 (35%)  	3, 10, 34, 75	0
All	All	614/798 (76%)	1.51	180 (29%)  	2, 9, 34, 75	0

All (180) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	39	GLN	12.1
1	B	82	ASP	10.4
1	B	145	VAL	9.7
1	A	88	SER	8.7
1	A	176	CYS	8.1
1	B	127	THR	7.0
1	B	235	THR	7.0
1	C	62	SER	6.9
1	C	177	SER	6.5
1	C	123	CYS	5.9
1	A	118	THR	5.7
1	A	148	ASN	5.3
1	A	193	GLY	5.2
1	B	253	PRO	5.2
1	A	245	THR	5.1
1	C	167	GLY	5.1
1	A	155	GLY	5.1
1	C	183	ILE	5.0
1	C	163	SER	4.9
1	B	98	THR	4.8
1	B	128	ALA	4.8
1	B	144	PRO	4.8
1	B	83	SER	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	124	PRO	4.7
1	C	175	ARG	4.6
1	C	181	THR	4.6
1	A	154	ARG	4.5
1	B	234	SER	4.5
1	B	177	SER	4.4
1	A	210	GLY	4.4
1	A	144	PRO	4.3
1	C	48	ALA	4.3
1	C	65	GLY	4.2
1	C	161	VAL	4.2
1	C	195	LYS	4.2
1	A	138	ASP	4.2
1	C	186	THR	4.1
1	B	138	ASP	4.1
1	C	122	SER	4.1
1	C	230	ASP	4.0
1	B	181	THR	4.0
1	A	217	THR	3.9
1	C	237	VAL	3.9
1	C	257	ALA	3.8
1	C	140	ALA	3.8
1	C	56	ARG	3.7
1	B	229	LEU	3.7
1	C	182	ALA	3.7
1	C	63	SER	3.6
1	C	232	SER	3.6
1	B	77	GLU	3.6
1	A	178	ASP	3.6
1	C	254	THR	3.5
1	C	151	SER	3.5
1	B	81	THR	3.5
1	B	220	VAL	3.5
1	B	179	THR	3.4
1	B	158	SER	3.4
1	B	143	VAL	3.4
1	B	146	SER	3.3
1	C	132	HIS	3.3
1	B	87	SER	3.3
1	A	257	ALA	3.3
1	C	118	THR	3.3
1	C	245	THR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	225	VAL	3.2
1	A	163	SER	3.2
1	A	166	ALA	3.2
1	B	189	VAL	3.2
1	B	75	THR	3.1
1	A	141	ASP	3.1
1	A	69	VAL	3.1
1	A	124	PRO	3.1
1	C	55	ILE	3.1
1	B	120	ILE	3.1
1	A	174	SER	3.1
1	C	53	VAL	3.1
1	C	178	ASP	3.1
1	C	43	SER	3.0
1	C	44	MET	3.0
1	A	189	VAL	3.0
1	C	191	GLU	3.0
1	B	187	LEU	3.0
1	C	228	LEU	3.0
1	C	149	LYS	3.0
1	A	256	SER	3.0
1	C	213	VAL	2.9
1	C	166	ALA	2.9
1	C	98	THR	2.9
1	A	186	THR	2.9
1	C	67	ILE	2.9
1	C	162	TRP	2.9
1	C	47	SER	2.9
1	B	191	GLU	2.8
1	C	81	THR	2.8
1	A	175	ARG	2.8
1	C	236	ALA	2.8
1	B	212	ASP	2.8
1	A	85	VAL	2.7
1	A	182	ALA	2.7
1	A	142	THR	2.7
1	A	146	SER	2.7
1	B	126	SER	2.7
1	C	185	THR	2.7
1	C	193	GLY	2.7
1	C	170	PHE	2.7
1	C	217	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	42	ILE	2.6
1	C	184	SER	2.6
1	B	89	GLU	2.6
1	C	41	GLY	2.6
1	A	125	SER	2.6
1	B	230	ASP	2.6
1	C	119	TYR	2.6
1	C	157	VAL	2.5
1	C	165	SER	2.5
1	A	147	VAL	2.5
1	B	112	TRP	2.5
1	C	243	TYR	2.5
1	B	200	LYS	2.5
1	B	183	ILE	2.5
1	C	80	VAL	2.5
1	A	255	ALA	2.4
1	B	88	SER	2.4
1	B	122	SER	2.4
1	C	180	SER	2.4
1	A	87	SER	2.4
1	C	84	ILE	2.4
1	C	253	PRO	2.4
1	B	118	THR	2.4
1	B	222	ALA	2.4
1	B	86	VAL	2.4
1	A	129	GLY	2.4
1	A	260	LEU	2.3
1	B	125	SER	2.3
1	C	138	ASP	2.3
1	C	220	VAL	2.3
1	A	157	VAL	2.3
1	B	238	ALA	2.3
1	A	232	SER	2.3
1	B	152	ASN	2.3
1	B	85	VAL	2.3
1	A	68	THR	2.3
1	A	83	SER	2.3
1	B	232	SER	2.3
1	B	102	GLY	2.3
1	C	129	GLY	2.3
1	B	190	SER	2.3
1	A	97	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	70	LEU	2.2
1	B	100	LEU	2.2
1	C	137	TYR	2.2
1	A	137	TYR	2.2
1	C	156	TYR	2.2
1	C	241	ARG	2.2
1	B	258	LEU	2.2
1	A	233	SER	2.2
1	C	176	CYS	2.2
1	A	191	GLU	2.1
1	C	78	ILE	2.2
1	B	119	TYR	2.1
1	B	170	PHE	2.1
1	A	130	SER	2.1
1	C	88	SER	2.1
1	B	206	ALA	2.1
1	B	95	THR	2.1
1	B	166	ALA	2.1
1	C	190	SER	2.1
1	C	64	ARG	2.1
1	C	225	VAL	2.1
1	C	235	THR	2.1
1	B	76	ALA	2.1
1	A	214	ASN	2.1
1	A	108	SER	2.0
1	C	49	GLN	2.0
1	C	83	SER	2.0
1	C	52	MET	2.0
1	B	241	ARG	2.0
1	C	136	GLN	2.0
1	C	117	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	CA	A	300	1/1	0.89	0.20	-1.47	10,10,10,10	0
2	CA	C	302	1/1	0.72	0.17	-1.63	11,11,11,11	0
2	CA	A	304	1/1	0.88	0.20	-1.71	2,2,2,2	0
2	CA	A	303	1/1	0.94	0.19	-2.03	10,10,10,10	0

6.5 Other polymers [i](#)

There are no such residues in this entry.