



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:16 PM GMT

PDB ID : 1SQ3  
Title : Crystal structures of a novel open pore ferritin from the hyperthermophilic Archaeon *Archaeoglobus fulgidus*.  
Authors : Johnson, E.; Cascio, D.; Michael, S.; Schroder, I.  
Deposited on : 2004-03-17  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	173	<div><div></div><div><div>75%</div><div>17%</div><div>• 6%</div></div></div>
1	B	173	<div><div></div><div><div>75%</div><div>17%</div><div>• 6%</div></div></div>
1	C	173	<div><div></div><div><div>73%</div><div>16%</div><div>• 6%</div></div></div>
1	D	173	<div><div></div><div><div>75%</div><div>17%</div><div>• 6%</div></div></div>
1	E	173	<div><div></div><div><div>77%</div><div>16%</div><div>• 6%</div></div></div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	173	
1	G	173	
1	H	173	
1	I	173	
1	J	173	
1	K	173	
1	L	173	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FE	I	925	-	-	-	X
2	FE	J	928	-	-	-	X

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 16665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ferritin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			
1	B	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			
1	C	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			
1	D	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			
1	E	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			
1	F	162	Total	C	N	O	Se	0	0	0
			1342	862	218	254	8			
1	G	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			
1	H	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			
1	I	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			
1	J	162	Total	C	N	O	Se	0	0	0
			1342	862	218	254	8			
1	K	162	Total	C	N	O	Se	0	0	0
			1342	862	218	254	8			
1	L	162	Total	C	N	O	Se	0	0	0
			1343	862	219	254	8			

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	3	Total	Fe	0	0
			3	3		
2	J	3	Total	Fe	0	0
			3	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	3	Total 3	Fe 3	0	0
2	K	3	Total 3	Fe 3	0	0
2	E	3	Total 3	Fe 3	0	0
2	H	3	Total 3	Fe 3	0	0
2	B	3	Total 3	Fe 3	0	0
2	I	3	Total 3	Fe 3	0	0
2	C	3	Total 3	Fe 3	0	0
2	A	3	Total 3	Fe 3	0	0
2	L	3	Total 3	Fe 3	0	0
2	F	3	Total 3	Fe 3	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	43	Total 44	O 44	0	1
3	B	18	Total 18	O 18	0	0
3	C	16	Total 16	O 16	0	0
3	D	44	Total 44	O 44	0	0
3	E	69	Total 69	O 69	0	0
3	F	54	Total 54	O 54	0	0
3	G	42	Total 42	O 42	0	0
3	H	19	Total 19	O 19	0	0
3	I	29	Total 29	O 29	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	J	45	Total 45	O 45	0	0
3	K	69	Total 69	O 69	0	0
3	L	67	Total 67	O 67	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ferritin




- Molecule 1: ferritin




- Molecule 1: ferritin




- Molecule 1: ferritin




- Molecule 1: ferritin

Chain E:  77% 16% • 6%




- Molecule 1: ferritin

Chain F:  75% 14% • • 6%



- Molecule 1: ferritin

Chain G:  68% 21% • 6%




- Molecule 1: ferritin

Chain H:  74% 17% • • 6%



- Molecule 1: ferritin


Chain I:  76% 16% • 6%




- Molecule 1: ferritin

Chain J:  77% 15% • 6%






● Molecule 1: ferritin



● Molecule 1: ferritin



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	184.50Å 190.24Å 179.41Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.70 74.27 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (30.00-2.70) 99.8 (74.27-2.70)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.33 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.177 , 0.218 0.184 , 0.221	Depositor DCC
$R_{free}$ test set	4330 reflections (5.30%)	DCC
Wilson B-factor (Å <sup>2</sup> )	34.0	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 39.4	EDS
Estimated twinning fraction	0.022 for -k,-h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 86133 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	16665	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.56	0/1365	0.76	3/1827 (0.2%)
1	B	0.80	3/1365 (0.2%)	0.82	6/1827 (0.3%)
1	C	0.60	0/1365	0.76	3/1827 (0.2%)
1	D	0.60	1/1365 (0.1%)	0.79	2/1827 (0.1%)
1	E	0.66	0/1365	0.79	4/1827 (0.2%)
1	F	0.66	0/1363	0.83	6/1822 (0.3%)
1	G	0.59	0/1365	0.83	4/1827 (0.2%)
1	H	0.60	0/1365	0.79	2/1827 (0.1%)
1	I	0.60	0/1365	0.74	2/1827 (0.1%)
1	J	0.61	0/1363	0.78	2/1822 (0.1%)
1	K	0.64	0/1363	0.85	6/1822 (0.3%)
1	L	0.65	0/1365	0.82	5/1827 (0.3%)
All	All	0.63	4/16374 (0.0%)	0.80	45/21909 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	4	ILE	N-CA	-16.07	1.14	1.46
1	B	3	SER	N-CA	8.38	1.63	1.46
1	B	3	SER	C-N	6.89	1.49	1.34
1	D	19	GLU	CD-OE1	5.25	1.31	1.25

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	34	ASP	CB-CG-OD2	8.35	125.82	118.30
1	G	61	ASP	CB-CG-OD2	7.85	125.37	118.30
1	J	61	ASP	CB-CG-OD2	7.77	125.30	118.30
1	L	157	ASP	CB-CG-OD2	7.53	125.07	118.30
1	D	61	ASP	CB-CG-OD2	7.39	124.95	118.30
1	H	138	ASP	CB-CG-OD2	7.24	124.81	118.30
1	L	34	ASP	CB-CG-OD2	6.98	124.59	118.30
1	C	138	ASP	CB-CG-OD2	6.87	124.48	118.30
1	E	34	ASP	CB-CG-OD2	6.85	124.46	118.30
1	K	83	ASP	CB-CG-OD2	6.80	124.42	118.30
1	K	149	ASP	CB-CG-OD2	6.76	124.39	118.30
1	F	83	ASP	CB-CG-OD2	6.64	124.28	118.30
1	B	46	ARG	NE-CZ-NH1	-6.59	117.01	120.30
1	K	46	ARG	NE-CZ-NH1	-6.54	117.03	120.30
1	E	138	ASP	CB-CG-OD2	6.47	124.12	118.30
1	A	149	ASP	CB-CG-OD2	6.30	123.97	118.30
1	B	83	ASP	CB-CG-OD2	6.27	123.95	118.30
1	K	34	ASP	CB-CG-OD2	6.24	123.91	118.30
1	G	149	ASP	CB-CG-OD2	6.23	123.91	118.30
1	L	138	ASP	CB-CG-OD2	5.96	123.67	118.30
1	G	115	ASP	CB-CG-OD2	5.95	123.66	118.30
1	C	157	ASP	CB-CG-OD2	5.95	123.65	118.30
1	L	61	ASP	CB-CG-OD2	5.94	123.65	118.30
1	D	138	ASP	CB-CG-OD2	5.85	123.57	118.30
1	F	149	ASP	CB-CG-OD2	5.84	123.56	118.30
1	B	149	ASP	CB-CG-OD2	5.80	123.52	118.30
1	A	34	ASP	CB-CG-OD2	5.71	123.44	118.30
1	K	61	ASP	CB-CG-OD2	5.67	123.41	118.30
1	B	61	ASP	CB-CG-OD2	5.66	123.39	118.30
1	H	149	ASP	CB-CG-OD2	5.63	123.37	118.30
1	F	115	ASP	CB-CG-OD2	5.49	123.24	118.30
1	K	157	ASP	CB-CG-OD2	5.48	123.23	118.30
1	F	102	ARG	NE-CZ-NH1	5.47	123.04	120.30
1	I	138	ASP	CB-CG-OD2	5.42	123.18	118.30
1	E	157	ASP	CB-CG-OD2	5.41	123.17	118.30
1	C	83	ASP	CB-CG-OD2	5.29	123.06	118.30
1	F	66	ARG	NE-CZ-NH2	-5.29	117.66	120.30
1	B	115	ASP	CB-CG-OD2	5.29	123.06	118.30
1	J	83	ASP	CB-CG-OD2	5.24	123.02	118.30
1	B	34	ASP	CB-CG-OD2	5.24	123.01	118.30
1	L	83	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	83	ASP	CB-CG-OD2	5.20	122.97	118.30
1	E	115	ASP	CB-CG-OD2	5.13	122.92	118.30

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	83	ASP	CB-CG-OD2	5.04	122.84	118.30
1	I	149	ASP	CB-CG-OD2	5.04	122.83	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	3	SER	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1343	0	1302	16	0
1	B	1343	0	1302	10	0
1	C	1343	0	1302	22	0
1	D	1343	0	1302	16	0
1	E	1343	0	1302	15	0
1	F	1342	0	1300	19	0
1	G	1343	0	1302	33	0
1	H	1343	0	1302	17	0
1	I	1343	0	1302	18	0
1	J	1342	0	1300	12	0
1	K	1342	0	1300	33	0
1	L	1343	0	1302	22	1
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
2	D	3	0	0	0	0
2	E	3	0	0	0	0
2	F	3	0	0	0	0
2	G	3	0	0	0	0
2	H	3	0	0	0	0
2	I	3	0	0	0	0
2	J	3	0	0	0	0
2	K	3	0	0	0	0
2	L	3	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	44	0	0	2	0
3	B	18	0	0	0	0
3	C	16	0	0	1	0
3	D	44	0	0	1	0
3	E	69	0	0	3	0
3	F	54	0	0	5	0
3	G	42	0	0	4	0
3	H	19	0	0	1	0
3	I	29	0	0	1	1
3	J	45	0	0	0	0
3	K	69	0	0	7	1
3	L	67	0	0	7	0
All	All	16665	0	15618	215	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (215) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:158:LYS:NZ	1:K:159:GLU:HG3	1.27	1.39
1:F:98:ASN:HB2	3:F:957:HOH:O	1.23	1.33
1:K:130:VAL:C	1:K:131:GLU:CA	2.06	1.24
1:F:130:VAL:C	1:F:131:GLU:CA	2.12	1.18
1:J:130:VAL:C	1:J:131:GLU:CA	2.20	1.08
1:C:102:ARG:HG3	1:C:102:ARG:HH11	1.22	1.05
1:I:158:LYS:NZ	1:K:159:GLU:CG	2.24	1.00
1:H:164:GLN:O	3:H:941:HOH:O	1.81	0.97
1:L:102:ARG:CB	3:L:992:HOH:O	2.17	0.93
1:C:39:LYS:HD2	3:E:973:HOH:O	1.71	0.90
1:L:3:SER:HB2	3:L:965:HOH:O	1.71	0.88
1:I:158:LYS:HZ2	1:K:159:GLU:CG	1.87	0.86
1:I:158:LYS:HZ2	1:K:159:GLU:HG3	1.07	0.85
1:G:151:ARG:NH2	3:G:942:HOH:O	1.99	0.85
1:G:104:HIS:HD1	1:K:116:PHE:HD2	1.15	0.85
1:G:114:LYS:HE2	1:J:108:GLU:OE2	1.76	0.85
1:I:158:LYS:HZ1	1:K:159:GLU:HG3	1.04	0.84
1:L:102:ARG:HH11	1:L:102:ARG:HG3	1.39	0.84
1:L:82:TRP:HE1	1:L:91:HIS:HD2	1.22	0.83
1:I:158:LYS:HZ1	1:K:159:GLU:CG	1.87	0.83
1:L:82:TRP:HE1	1:L:91:HIS:CD2	1.97	0.83

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:102:ARG:HD2	1:L:102:ARG:O	1.78	0.83
1:F:102:ARG:HG3	1:F:102:ARG:HH11	1.44	0.81
1:E:151:ARG:HD2	3:E:971:HOH:O	1.82	0.79
1:L:3:SER:CB	3:L:965:HOH:O	2.26	0.79
1:F:130:VAL:O	1:F:131:GLU:CA	2.32	0.77
1:F:66:ARG:NH2	1:F:115:ASP:OD1	2.17	0.77
1:F:158:LYS:O	1:F:161:SER:HB2	1.84	0.76
1:F:164:GLN:O	3:F:942:HOH:O	2.04	0.75
1:K:164:GLN:O	3:K:973:HOH:O	2.04	0.75
1:C:164:GLN:O	3:C:923:HOH:O	2.05	0.74
1:A:4:ILE:HG12	1:A:66:ARG:HB3	1.69	0.73
1:J:130:VAL:O	1:J:131:GLU:CA	2.36	0.73
1:L:102:ARG:CG	3:L:992:HOH:O	2.36	0.73
1:E:90:GLU:O	1:E:94:GLU:HG2	1.89	0.73
1:L:102:ARG:HB2	3:L:992:HOH:O	1.81	0.70
1:K:130:VAL:O	1:K:131:GLU:CA	2.42	0.68
1:F:98:ASN:CB	3:F:957:HOH:O	2.05	0.66
1:K:22:SER:OG	1:K:95:HIS:HE1	1.78	0.66
1:B:82:TRP:HE1	1:B:91:HIS:HD2	1.43	0.66
1:G:102:ARG:HG3	1:G:102:ARG:HH11	1.62	0.65
1:D:145:LEU:HD23	1:D:145:LEU:O	1.97	0.64
1:G:104:HIS:CE1	1:K:116:PHE:HB2	2.31	0.64
1:D:39:LYS:HD3	3:D:955:HOH:O	1.97	0.64
1:G:100:THR:HG22	1:G:104:HIS:CD2	2.33	0.64
1:J:82:TRP:HE1	1:J:91:HIS:HD2	1.46	0.64
1:G:104:HIS:ND1	1:K:116:PHE:HD2	1.92	0.63
1:G:102:ARG:HH11	1:G:102:ARG:CG	2.12	0.63
1:A:82:TRP:HE1	1:A:91:HIS:HD2	1.47	0.63
1:A:3:SER:HB3	3:A:943:HOH:O	1.97	0.63
1:C:77:GLU:OE2	1:D:71:LYS:NZ	2.24	0.61
1:B:86:LEU:O	1:B:90:GLU:HG3	2.01	0.60
1:G:164:GLN:O	3:G:959:HOH:O	2.16	0.60
1:C:146:ILE:HG12	1:C:152:ALA:HB1	1.82	0.60
1:F:102:ARG:NH1	1:F:102:ARG:HG3	2.17	0.60
1:D:82:TRP:HE1	1:D:91:HIS:HD2	1.49	0.60
1:K:112:GLN:NE2	3:K:986:HOH:O	2.31	0.59
1:K:91:HIS:HE1	3:K:976:HOH:O	1.85	0.59
1:L:86:LEU:O	1:L:86:LEU:HD12	2.03	0.59
1:L:102:ARG:HG3	3:L:992:HOH:O	2.00	0.58
1:G:137:LEU:O	1:G:141:GLU:HG3	2.04	0.58
1:D:88:ALA:O	1:D:92:VAL:HG23	2.04	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:GLU:OE1	1:F:158:LYS:HE3	2.04	0.57
1:E:100:THR:O	1:E:104:HIS:HD2	1.87	0.57
1:D:82:TRP:HE1	1:D:91:HIS:CD2	2.22	0.57
1:L:102:ARG:NH1	1:L:102:ARG:HG3	2.16	0.57
1:K:82:TRP:HE1	1:K:91:HIS:HD2	1.53	0.57
1:A:55:HIS:CE1	1:A:128:GLU:HG2	2.39	0.57
1:G:100:THR:HG22	1:G:104:HIS:HD2	1.70	0.56
1:B:102:ARG:HH11	1:B:102:ARG:HG3	1.69	0.56
1:E:82:TRP:HE1	1:E:91:HIS:CD2	2.24	0.56
1:J:66:ARG:NH2	1:J:115:ASP:OD1	2.38	0.56
1:H:27:LEU:O	1:H:30:ALA:HB3	2.06	0.56
1:I:6:GLU:OE1	1:I:6:GLU:HA	2.05	0.56
1:H:151:ARG:HB3	1:H:151:ARG:HH11	1.69	0.55
1:H:4:ILE:HG13	1:H:66:ARG:HB3	1.89	0.55
1:G:82:TRP:HE1	1:G:91:HIS:HD2	1.53	0.55
1:A:58:LYS:NZ	3:A:936:HOH:O	2.35	0.55
1:A:82:TRP:HE1	1:A:91:HIS:CD2	2.23	0.55
1:K:4:ILE:HG23	1:K:66:ARG:NH1	2.22	0.54
1:H:4:ILE:HD12	1:H:4:ILE:N	2.23	0.54
1:L:102:ARG:C	1:L:102:ARG:HD2	2.26	0.54
1:C:102:ARG:HG3	1:C:102:ARG:NH1	2.02	0.54
1:G:104:HIS:HE1	1:K:116:PHE:HB2	1.73	0.54
1:B:82:TRP:HE1	1:B:91:HIS:CD2	2.24	0.54
1:K:82:TRP:HE1	1:K:91:HIS:CD2	2.25	0.54
1:A:22:SER:OG	1:A:95:HIS:HE1	1.90	0.54
1:G:102:ARG:NH1	1:G:102:ARG:HG3	2.23	0.53
1:C:4:ILE:O	1:C:4:ILE:HG23	2.09	0.52
1:G:109:MSE:O	1:G:113:GLU:HG3	2.09	0.52
1:K:66:ARG:HH11	1:K:66:ARG:HG3	1.74	0.52
1:J:57:MSE:HA	1:J:57:MSE:HE2	1.92	0.52
1:K:11:ALA:O	1:K:102:ARG:NH2	2.43	0.51
1:I:82:TRP:HE1	1:I:91:HIS:HD2	1.59	0.51
1:F:82:TRP:HE1	1:F:91:HIS:HD2	1.58	0.51
1:E:82:TRP:HE1	1:E:91:HIS:HD2	1.59	0.50
1:J:12:LEU:O	1:J:16:ILE:HG13	2.10	0.50
1:J:39:LYS:HA	1:J:39:LYS:HE3	1.92	0.50
1:A:57:MSE:HA	1:A:57:MSE:HE2	1.93	0.50
1:F:104:HIS:HB3	3:F:954:HOH:O	2.10	0.50
1:G:103:ILE:HG12	1:G:125:TYR:HB3	1.93	0.50
1:D:159:GLU:O	1:D:162:LEU:HB2	2.12	0.50
1:A:4:ILE:HD11	1:A:68:GLY:N	2.28	0.49

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:82:TRP:HE1	1:J:91:HIS:CD2	2.27	0.49
1:J:39:LYS:CE	1:J:39:LYS:HA	2.42	0.49
1:C:23:ALA:CB	1:C:53:LEU:HD13	2.43	0.49
1:H:86:LEU:O	1:H:90:GLU:HG3	2.13	0.49
1:E:100:THR:HG22	1:E:104:HIS:CD2	2.48	0.49
1:D:100:THR:OG1	1:D:129:GLN:HB3	2.13	0.49
1:K:150:LYS:HB2	3:K:1002:HOH:O	2.12	0.49
1:C:82:TRP:HE1	1:C:91:HIS:CD2	2.31	0.48
1:D:116:PHE:CD2	1:E:104:HIS:ND1	2.82	0.48
1:A:4:ILE:HG13	1:A:4:ILE:H	1.47	0.48
1:L:4:ILE:O	1:L:4:ILE:HG23	2.13	0.48
1:F:44:TRP:CE3	1:F:45:MSE:HE2	2.49	0.47
1:E:4:ILE:O	1:E:4:ILE:HG23	2.13	0.47
1:F:23:ALA:HB2	1:F:52:GLU:HB2	1.96	0.47
1:K:8:MSE:HE2	1:K:12:LEU:HG	1.96	0.47
1:H:102:ARG:HD2	1:H:102:ARG:HA	1.67	0.47
1:C:11:ALA:O	1:C:14:ARG:HB2	2.15	0.47
1:I:15:GLN:HA	1:I:15:GLN:OE1	2.13	0.47
1:G:14:ARG:HB2	1:G:102:ARG:HH22	1.79	0.47
1:I:82:TRP:HE1	1:I:91:HIS:CD2	2.32	0.47
1:G:146:ILE:HG12	1:G:152:ALA:HB1	1.96	0.47
1:I:158:LYS:O	1:I:161:SER:HB2	2.15	0.47
1:D:116:PHE:HB2	1:E:104:HIS:CE1	2.49	0.47
1:A:35:SER:HB3	1:B:69:ARG:HD3	1.96	0.47
1:G:82:TRP:HE1	1:G:91:HIS:CD2	2.32	0.47
1:K:150:LYS:HD2	3:K:1002:HOH:O	2.15	0.46
1:B:94:GLU:HA	1:B:94:GLU:OE1	2.14	0.46
1:H:90:GLU:OE1	1:H:144:ARG:NH1	2.49	0.46
1:C:66:ARG:HB3	1:C:66:ARG:NH1	2.30	0.46
1:L:136:ALA:O	1:L:140:VAL:HG23	2.15	0.46
1:D:145:LEU:C	1:D:145:LEU:HD23	2.36	0.46
1:D:116:PHE:HD2	1:E:104:HIS:ND1	2.14	0.45
1:H:102:ARG:HH11	1:H:102:ARG:HG3	1.81	0.45
1:C:102:ARG:HH11	1:C:102:ARG:CG	2.10	0.45
1:B:4:ILE:O	1:B:4:ILE:HG23	2.16	0.45
1:G:40:GLY:HA3	1:G:157:ASP:O	2.16	0.45
1:F:82:TRP:HE1	1:F:91:HIS:CD2	2.35	0.45
1:L:50:GLN:NE2	3:L:1000:HOH:O	2.43	0.45
1:F:66:ARG:HH22	1:F:115:ASP:CG	2.21	0.44
1:E:66:ARG:NH2	1:E:115:ASP:OD1	2.49	0.44
1:G:15:GLN:OE1	1:G:102:ARG:HG3	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:102:ARG:HG3	1:H:102:ARG:NH1	2.33	0.44
1:G:16:ILE:HG12	1:G:59:MSE:HB3	1.99	0.44
1:E:86:LEU:HA	1:E:143:LEU:HD13	1.98	0.44
1:H:115:ASP:C	1:H:115:ASP:OD1	2.55	0.44
1:K:154:LEU:HA	1:K:154:LEU:HD12	1.80	0.44
1:G:150:LYS:NZ	3:G:946:HOH:O	2.48	0.44
1:L:23:ALA:CB	1:L:53:LEU:HD13	2.48	0.44
1:E:81:GLU:OE1	3:E:979:HOH:O	2.21	0.44
1:L:146:ILE:HG22	1:L:147:GLY:O	2.18	0.43
1:G:149:ASP:OD1	1:G:149:ASP:C	2.56	0.43
1:H:151:ARG:HB3	1:H:151:ARG:NH1	2.34	0.43
1:A:45:MSE:HE1	1:A:92:VAL:HG21	2.00	0.43
1:D:40:GLY:HA3	1:D:157:ASP:O	2.18	0.43
1:B:88:ALA:O	1:B:92:VAL:HG23	2.18	0.43
1:C:102:ARG:HD2	1:C:102:ARG:HA	1.77	0.43
1:G:59:MSE:O	1:G:63:VAL:HG23	2.17	0.43
1:D:60:PHE:CD2	1:D:70:VAL:HG11	2.53	0.43
1:I:151:ARG:C	1:I:151:ARG:HD3	2.39	0.43
1:A:65:GLU:HG3	1:A:65:GLU:O	2.19	0.43
1:G:128:GLU:OE1	3:G:948:HOH:O	2.21	0.42
1:D:102:ARG:HB3	1:D:102:ARG:HE	1.55	0.42
1:H:44:TRP:CD1	1:H:163:ARG:HD2	2.54	0.42
1:K:4:ILE:CD1	1:K:9:VAL:CG2	2.98	0.42
1:G:23:ALA:CB	1:G:53:LEU:HD13	2.50	0.42
1:C:39:LYS:HE2	1:C:39:LYS:HA	2.02	0.42
1:G:158:LYS:HB2	1:G:158:LYS:HE3	1.61	0.42
1:J:13:ASN:ND2	1:J:71:LYS:H	2.18	0.42
1:G:84:SER:HB2	1:G:85:PRO:HD2	2.00	0.42
1:F:98:ASN:CG	3:F:957:HOH:O	2.44	0.42
1:G:100:THR:CG2	1:G:104:HIS:CD2	3.01	0.42
1:G:66:ARG:HG3	1:G:66:ARG:HH11	1.85	0.42
1:D:14:ARG:HA	1:D:14:ARG:HD3	1.91	0.42
1:C:10:GLU:HG3	1:C:11:ALA:N	2.34	0.42
1:G:164:GLN:HB3	1:G:164:GLN:HE21	1.48	0.41
1:J:149:ASP:OD1	1:J:149:ASP:C	2.56	0.41
1:B:102:ARG:HG3	1:B:102:ARG:NH1	2.35	0.41
1:L:4:ILE:O	1:L:4:ILE:CG2	2.68	0.41
1:L:102:ARG:CD	1:L:102:ARG:O	2.59	0.41
1:C:91:HIS:C	1:C:91:HIS:HD1	2.24	0.41
1:K:64:SER:HB3	3:K:966:HOH:O	2.20	0.41
1:A:23:ALA:HB2	1:A:52:GLU:HB2	2.02	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:20:ILE:O	1:I:23:ALA:HB3	2.20	0.41
1:K:4:ILE:HD12	1:K:9:VAL:CG2	2.51	0.41
1:E:143:LEU:HD23	1:E:143:LEU:HA	1.94	0.41
1:C:115:ASP:OD1	1:C:115:ASP:C	2.59	0.41
1:F:23:ALA:CB	1:F:53:LEU:HD13	2.50	0.41
1:H:23:ALA:CB	1:H:53:LEU:HD13	2.50	0.41
1:H:14:ARG:HB2	1:H:102:ARG:HH22	1.86	0.41
1:I:44:TRP:CE3	1:I:45:MSE:HE2	2.55	0.41
1:I:91:HIS:HE1	3:I:945:HOH:O	2.03	0.41
1:H:102:ARG:HH11	1:H:102:ARG:CG	2.34	0.41
1:H:46:ARG:HD2	1:H:46:ARG:HA	1.94	0.41
1:I:119:TYR:O	1:I:123:GLN:HG2	2.20	0.41
1:K:23:ALA:HB1	1:K:49:TRP:CE3	2.56	0.41
1:L:160:LEU:HD12	1:L:160:LEU:HA	1.94	0.41
1:G:138:ASP:OD2	1:L:39:LYS:HE2	2.20	0.41
1:I:137:LEU:O	1:I:140:VAL:HB	2.21	0.41
1:F:100:THR:HA	1:F:129:GLN:HG3	2.03	0.41
1:K:15:GLN:OE1	1:K:102:ARG:HG3	2.20	0.41
1:A:32:TYR:O	1:A:35:SER:OG	2.32	0.41
1:C:120:ASN:HA	1:C:120:ASN:HD22	1.62	0.40
1:K:150:LYS:CB	3:K:1002:HOH:O	2.67	0.40
1:B:69:ARG:NH1	1:B:69:ARG:HG2	2.37	0.40
1:C:146:ILE:HG12	1:C:152:ALA:CB	2.51	0.40
1:K:102:ARG:HH11	1:K:102:ARG:HG2	1.86	0.40
1:E:4:ILE:O	1:E:4:ILE:CG2	2.69	0.40
1:C:4:ILE:O	1:C:4:ILE:CG2	2.70	0.40
1:K:15:GLN:OE1	1:K:102:ARG:CG	2.69	0.40
1:C:9:VAL:O	1:C:10:GLU:C	2.60	0.40
1:C:71:LYS:HE3	1:C:72:LEU:O	2.22	0.40
1:I:15:GLN:HB2	1:I:106:LEU:HD11	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:I:952:HOH:O	3:I:952:HOH:O[3_557]	1.85	0.35
1:L:111:MSE:SE	3:K:1002:HOH:O[4_567]	1.91	0.29

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	160/173 (92%)	157 (98%)	3 (2%)	0	100	100
1	B	160/173 (92%)	158 (99%)	2 (1%)	0	100	100
1	C	160/173 (92%)	159 (99%)	1 (1%)	0	100	100
1	D	160/173 (92%)	159 (99%)	1 (1%)	0	100	100
1	E	160/173 (92%)	158 (99%)	2 (1%)	0	100	100
1	F	158/173 (91%)	156 (99%)	2 (1%)	0	100	100
1	G	160/173 (92%)	158 (99%)	2 (1%)	0	100	100
1	H	160/173 (92%)	157 (98%)	2 (1%)	1 (1%)	30	59
1	I	160/173 (92%)	157 (98%)	3 (2%)	0	100	100
1	J	158/173 (91%)	154 (98%)	2 (1%)	2 (1%)	15	37
1	K	158/173 (91%)	155 (98%)	3 (2%)	0	100	100
1	L	160/173 (92%)	160 (100%)	0	0	100	100
All	All	1914/2076 (92%)	1888 (99%)	23 (1%)	3 (0%)	52	80

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	4	ILE
1	J	145	LEU
1	J	147	GLY

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	143/143 (100%)	130 (91%)	13 (9%)	12	26
1	B	143/143 (100%)	125 (87%)	18 (13%)	5	13
1	C	143/143 (100%)	124 (87%)	19 (13%)	5	11
1	D	143/143 (100%)	129 (90%)	14 (10%)	10	23
1	E	143/143 (100%)	130 (91%)	13 (9%)	12	26
1	F	142/143 (99%)	127 (89%)	15 (11%)	8	19
1	G	143/143 (100%)	129 (90%)	14 (10%)	10	23
1	H	143/143 (100%)	123 (86%)	20 (14%)	4	10
1	I	143/143 (100%)	129 (90%)	14 (10%)	10	23
1	J	142/143 (99%)	128 (90%)	14 (10%)	10	22
1	K	142/143 (99%)	122 (86%)	20 (14%)	4	10
1	L	143/143 (100%)	128 (90%)	15 (10%)	8	19
All	All	1713/1716 (100%)	1524 (89%)	189 (11%)	8	18

All (189) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	39	LYS
1	A	49	TRP
1	A	53	LEU
1	A	64	SER
1	A	65	GLU
1	A	89	PHE
1	A	94	GLU
1	A	146	ILE
1	A	148	GLU
1	A	158	LYS
1	A	159	GLU
1	A	160	LEU
1	B	10	GLU
1	B	22	SER
1	B	42	SER
1	B	49	TRP
1	B	53	LEU
1	B	64	SER
1	B	76	GLU
1	B	91	HIS
1	B	102	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	103	ILE
1	B	108	GLU
1	B	111	MSE
1	B	112	GLN
1	B	145	LEU
1	B	150	LYS
1	B	157	ASP
1	B	160	LEU
1	B	162	LEU
1	C	3	SER
1	C	10	GLU
1	C	14	ARG
1	C	34	ASP
1	C	42	SER
1	C	49	TRP
1	C	53	LEU
1	C	71	LYS
1	C	91	HIS
1	C	94	GLU
1	C	98	ASN
1	C	102	ARG
1	C	108	GLU
1	C	112	GLN
1	C	120	ASN
1	C	148	GLU
1	C	158	LYS
1	C	160	LEU
1	C	162	LEU
1	D	3	SER
1	D	49	TRP
1	D	53	LEU
1	D	64	SER
1	D	65	GLU
1	D	71	LYS
1	D	94	GLU
1	D	98	ASN
1	D	102	ARG
1	D	103	ILE
1	D	146	ILE
1	D	151	ARG
1	D	158	LYS
1	D	162	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	3	SER
1	E	10	GLU
1	E	49	TRP
1	E	53	LEU
1	E	58	LYS
1	E	98	ASN
1	E	105	GLU
1	E	145	LEU
1	E	158	LYS
1	E	159	GLU
1	E	160	LEU
1	E	162	LEU
1	E	164	GLN
1	F	10	GLU
1	F	42	SER
1	F	49	TRP
1	F	53	LEU
1	F	65	GLU
1	F	91	HIS
1	F	102	ARG
1	F	108	GLU
1	F	111	MSE
1	F	112	GLN
1	F	151	ARG
1	F	160	LEU
1	F	161	SER
1	F	162	LEU
1	F	164	GLN
1	G	3	SER
1	G	10	GLU
1	G	49	TRP
1	G	53	LEU
1	G	65	GLU
1	G	80	SER
1	G	98	ASN
1	G	102	ARG
1	G	145	LEU
1	G	146	ILE
1	G	151	ARG
1	G	158	LYS
1	G	162	LEU
1	G	164	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	H	4	ILE
1	H	24	TYR
1	H	49	TRP
1	H	53	LEU
1	H	64	SER
1	H	65	GLU
1	H	76	GLU
1	H	77	GLU
1	H	94	GLU
1	H	102	ARG
1	H	103	ILE
1	H	111	MSE
1	H	142	LYS
1	H	144	ARG
1	H	145	LEU
1	H	148	GLU
1	H	150	LYS
1	H	151	ARG
1	H	158	LYS
1	H	162	LEU
1	I	3	SER
1	I	6	GLU
1	I	10	GLU
1	I	42	SER
1	I	49	TRP
1	I	53	LEU
1	I	94	GLU
1	I	101	LYS
1	I	108	GLU
1	I	111	MSE
1	I	144	ARG
1	I	150	LYS
1	I	151	ARG
1	I	162	LEU
1	J	10	GLU
1	J	39	LYS
1	J	49	TRP
1	J	50	GLN
1	J	53	LEU
1	J	64	SER
1	J	66	ARG
1	J	91	HIS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	J	94	GLU
1	J	141	GLU
1	J	151	ARG
1	J	158	LYS
1	J	159	GLU
1	J	160	LEU
1	K	3	SER
1	K	4	ILE
1	K	6	GLU
1	K	7	LYS
1	K	10	GLU
1	K	49	TRP
1	K	53	LEU
1	K	64	SER
1	K	80	SER
1	K	89	PHE
1	K	94	GLU
1	K	98	ASN
1	K	101	LYS
1	K	111	MSE
1	K	142	LYS
1	K	154	LEU
1	K	158	LYS
1	K	160	LEU
1	K	162	LEU
1	K	164	GLN
1	L	6	GLU
1	L	42	SER
1	L	49	TRP
1	L	53	LEU
1	L	65	GLU
1	L	76	GLU
1	L	91	HIS
1	L	94	GLU
1	L	102	ARG
1	L	104	HIS
1	L	108	GLU
1	L	146	ILE
1	L	151	ARG
1	L	160	LEU
1	L	164	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	ASN
1	A	50	GLN
1	A	55	HIS
1	A	91	HIS
1	A	95	HIS
1	B	91	HIS
1	B	95	HIS
1	B	120	ASN
1	B	164	GLN
1	C	17	ASN
1	C	120	ASN
1	C	123	GLN
1	D	17	ASN
1	D	112	GLN
1	E	17	ASN
1	E	91	HIS
1	F	17	ASN
1	F	120	ASN
1	G	91	HIS
1	G	164	GLN
1	H	120	ASN
1	H	123	GLN
1	I	17	ASN
1	I	91	HIS
1	I	120	ASN
1	J	43	ASN
1	J	91	HIS
1	K	17	ASN
1	K	91	HIS
1	K	95	HIS
1	K	98	ASN
1	L	43	ASN
1	L	91	HIS
1	L	120	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 36 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	154/173 (89%)	-0.04	0 100 100	10, 18, 30, 35	0
1	B	154/173 (89%)	0.02	0 100 100	14, 20, 33, 40	0
1	C	154/173 (89%)	-0.05	0 100 100	13, 20, 34, 39	0
1	D	154/173 (89%)	0.01	0 100 100	12, 18, 32, 37	0
1	E	154/173 (89%)	-0.12	0 100 100	10, 17, 31, 37	0
1	F	154/173 (89%)	-0.05	0 100 100	11, 19, 33, 38	0
1	G	154/173 (89%)	-0.04	0 100 100	12, 18, 31, 37	0
1	H	154/173 (89%)	0.25	1 (0%) 90 91	14, 21, 34, 45	0
1	I	154/173 (89%)	-0.12	0 100 100	13, 21, 32, 37	0
1	J	154/173 (89%)	0.03	0 100 100	11, 19, 31, 36	0
1	K	154/173 (89%)	-0.03	0 100 100	8, 16, 30, 37	0
1	L	154/173 (89%)	-0.13	0 100 100	11, 18, 32, 38	0
All	All	1848/2076 (89%)	-0.02	1 (0%) 95 97	8, 19, 32, 45	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	85	PRO	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	FE	I	925	1/1	0.95	0.17	3.16	50,50,50,50	0
2	FE	J	928	1/1	0.95	0.18	2.03	51,51,51,51	0
2	FE	E	913	1/1	0.96	0.19	1.92	42,42,42,42	0
2	FE	L	935	1/1	0.98	0.18	0.95	44,44,44,44	0
2	FE	G	919	1/1	0.97	0.19	0.82	49,49,49,49	0
2	FE	F	917	1/1	0.98	0.18	0.64	46,46,46,46	0
2	FE	C	907	1/1	0.99	0.17	0.63	52,52,52,52	0
2	FE	C	908	1/1	0.98	0.17	0.46	58,58,58,58	0
2	FE	D	910	1/1	0.97	0.17	0.44	50,50,50,50	0
2	FE	F	916	1/1	0.98	0.17	0.34	44,44,44,44	0
2	FE	E	915	1/1	0.98	0.16	0.24	49,49,49,49	0
2	FE	K	932	1/1	0.99	0.16	0.13	42,42,42,42	0
2	FE	A	901	1/1	0.98	0.17	-0.02	50,50,50,50	0
2	FE	H	922	1/1	0.96	0.17	-0.29	51,51,51,51	0
2	FE	B	904	1/1	0.91	0.16	-0.43	55,55,55,55	0
2	FE	D	911	1/1	0.97	0.15	-0.49	51,51,51,51	0
2	FE	A	903	1/1	0.98	0.16	-0.49	55,55,55,55	0
2	FE	A	902	1/1	0.99	0.15	-0.59	47,47,47,47	0
2	FE	K	931	1/1	0.99	0.14	-0.65	43,43,43,43	0
2	FE	L	934	1/1	0.97	0.15	-0.85	43,43,43,43	0
2	FE	H	923	1/1	0.98	0.14	-0.87	58,58,58,58	0
2	FE	B	906	1/1	0.92	0.15	-0.95	68,68,68,68	0
2	FE	B	905	1/1	0.95	0.15	-1.11	57,57,57,57	0
2	FE	L	936	1/1	0.99	0.13	-1.12	52,52,52,52	0
2	FE	I	926	1/1	0.96	0.13	-1.19	56,56,56,56	0
2	FE	E	914	1/1	0.99	0.15	-1.26	42,42,42,42	0
2	FE	J	930	1/1	0.98	0.15	-1.31	56,56,56,56	0
2	FE	J	929	1/1	0.97	0.14	-1.31	50,50,50,50	0
2	FE	G	921	1/1	0.98	0.14	-1.55	50,50,50,50	0
2	FE	K	933	1/1	0.99	0.13	-1.84	47,47,47,47	0
2	FE	G	920	1/1	0.97	0.14	-2.24	49,49,49,49	0
2	FE	H	924	1/1	0.96	0.13	-2.24	60,60,60,60	0
2	FE	C	909	1/1	0.97	0.14	-2.41	55,55,55,55	0
2	FE	D	912	1/1	0.99	0.12	-2.45	54,54,54,54	0
2	FE	I	927	1/1	0.96	0.10	-3.51	67,67,67,67	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	FE	F	918	1/1	0.98	0.10	-3.74	57,57,57,57	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.