



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:46 AM GMT

PDB ID : 2SQC  
Title : SQUALENE-HOPENE CYCLASE FROM ALICYCLOBACILLUS ACIDOCALDARIUS  
Authors : Wendt, K.U.; Schulz, G.E.  
Deposited on : 1998-08-02  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	631	<div> <div></div> <div>86%</div> <div>11%</div> <div>..</div> </div>
1	B	631	<div> <div></div> <div>88%</div> <div>9%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	C8E	A	632	-	-	-	X
2	C8E	A	633	-	-	-	X
2	C8E	B	632	-	-	-	X
2	C8E	B	633	-	-	-	X
2	C8E	B	634	-	-	-	X
2	C8E	B	635	-	-	-	X

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 11627 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called SQUALENE-HOPENE CYCLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	623	Total	C	N	O	S	0	0	0
			4993	3206	865	902	20			
1	B	623	Total	C	N	O	S	0	0	0
			4993	3206	865	902	20			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	376	CYS	ASP	ENGINEERED	UNP P33247
A	435	SER	CYS	ENGINEERED	UNP P33247
B	376	CYS	ASP	ENGINEERED	UNP P33247
B	435	SER	CYS	ENGINEERED	UNP P33247

- Molecule 2 is (HYDROXYETHYLOXY)TRI(ETHYLOXY)OCTANE (three-letter code: C8E) (formula:  $C_{16}H_{34}O_5$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			21	16	5		
2	B	1	Total	C	O	0	0
			21	16	5		
2	A	1	Total	C	O	0	0
			21	16	5		
2	B	1	Total	C	O	0	0
			21	16	5		
2	B	1	Total	C	O	0	0
			21	16	5		
2	B	1	Total	C	O	0	0
			21	16	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	730	Total	O	0	0
			730	730		
3	B	785	Total	O	0	0
			785	785		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: SQUALENE-HOPENE CYCLASE



#### • Molecule 1: SQUALENE-HOPENE CYCLASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	118.82Å 118.82Å 276.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 46.16 – 2.00	Depositor EDS
% Data completeness (in resolution range)	90.0 (20.00-2.00) 90.0 (46.16-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.29 (at 2.00Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.153 , 0.187 0.156 , 0.188	Depositor DCC
$R_{free}$ test set	6059 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	13.4	Xtriage
Anisotropy	0.389	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 58.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 120386 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	11627	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.53 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 3.7662e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: C8E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.56	0/5147	1.21	42/7007 (0.6%)
1	B	0.56	0/5147	1.20	32/7007 (0.5%)
All	All	0.56	0/10294	1.21	74/14014 (0.5%)

There are no bond length outliers.

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	470	ARG	NE-CZ-NH1	20.95	130.78	120.30
1	B	470	ARG	NE-CZ-NH1	14.32	127.46	120.30
1	A	470	ARG	NE-CZ-NH2	-11.51	114.55	120.30
1	B	575	ARG	NE-CZ-NH1	11.46	126.03	120.30
1	A	389	ARG	CD-NE-CZ	11.13	139.18	123.60
1	B	389	ARG	CD-NE-CZ	11.09	139.12	123.60
1	A	131	ARG	NE-CZ-NH2	-10.53	115.04	120.30
1	A	491	VAL	O-C-N	-10.17	106.43	122.70
1	A	238	ARG	NE-CZ-NH1	9.81	125.20	120.30
1	B	491	VAL	O-C-N	-9.73	107.12	122.70
1	B	131	ARG	NE-CZ-NH1	9.69	125.14	120.30
1	B	131	ARG	NE-CZ-NH2	-9.44	115.58	120.30
1	A	238	ARG	CD-NE-CZ	9.07	136.29	123.60
1	B	238	ARG	CD-NE-CZ	9.01	136.21	123.60
1	B	207	ARG	NE-CZ-NH2	-8.38	116.11	120.30
1	B	447	ASP	CB-CG-OD1	7.89	125.40	118.30
1	B	60	ARG	NE-CZ-NH1	7.71	124.16	120.30
1	B	238	ARG	NE-CZ-NH1	7.69	124.15	120.30
1	A	60	ARG	CD-NE-CZ	7.58	134.22	123.60
1	B	470	ARG	NE-CZ-NH2	-7.43	116.58	120.30
1	A	131	ARG	NE-CZ-NH1	7.25	123.92	120.30
1	A	576	ARG	NE-CZ-NH1	7.16	123.88	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	115	ARG	NE-CZ-NH2	-7.13	116.73	120.30
1	B	440	VAL	CB-CA-C	7.12	124.92	111.40
1	A	322	ARG	NE-CZ-NH2	-7.10	116.75	120.30
1	A	440	VAL	CB-CA-C	7.07	124.83	111.40
1	A	447	ASP	CB-CG-OD1	7.02	124.62	118.30
1	A	394	ARG	CD-NE-CZ	6.92	133.29	123.60
1	B	576	ARG	NE-CZ-NH1	-6.62	116.99	120.30
1	A	194	ARG	NE-CZ-NH2	-6.57	117.02	120.30
1	B	462	ASP	CB-CG-OD1	6.57	124.21	118.30
1	B	595	TYR	CB-CG-CD1	-6.57	117.06	121.00
1	A	75	ASP	CB-CG-OD1	6.57	124.21	118.30
1	B	60	ARG	CD-NE-CZ	6.54	132.75	123.60
1	A	440	VAL	N-CA-CB	-6.35	97.54	111.50
1	A	389	ARG	NE-CZ-NH1	6.33	123.47	120.30
1	B	440	VAL	N-CA-CB	-6.28	97.69	111.50
1	A	207	ARG	NE-CZ-NH1	6.26	123.43	120.30
1	B	491	VAL	CA-C-N	6.24	130.92	117.20
1	A	463	ASP	CB-CG-OD2	-6.10	112.81	118.30
1	A	60	ARG	NE-CZ-NH1	6.09	123.35	120.30
1	A	491	VAL	CA-C-N	6.03	130.47	117.20
1	A	57	ASP	CB-CG-OD1	6.00	123.70	118.30
1	A	595	TYR	CB-CG-CD1	-5.98	117.41	121.00
1	B	103	MET	CG-SD-CE	5.97	109.75	100.20
1	B	427	ASP	CB-CG-OD1	5.96	123.66	118.30
1	A	194	ARG	NE-CZ-NH1	5.92	123.26	120.30
1	A	488	ARG	NE-CZ-NH1	5.91	123.26	120.30
1	B	576	ARG	NE-CZ-NH2	5.86	123.23	120.30
1	B	540	TYR	CB-CG-CD2	-5.72	117.56	121.00
1	B	208	ARG	NE-CZ-NH2	-5.60	117.50	120.30
1	A	223	ARG	NE-CZ-NH2	-5.53	117.54	120.30
1	B	322	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	A	65	ARG	CD-NE-CZ	5.50	131.30	123.60
1	B	73	ARG	NE-CZ-NH1	5.49	123.05	120.30
1	A	488	ARG	NE-CZ-NH2	-5.43	117.58	120.30
1	B	394	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	B	207	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	B	389	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	A	65	ARG	NE-CZ-NH2	-5.39	117.61	120.30
1	A	62	GLU	CB-CG-CD	5.38	128.73	114.20
1	A	250	GLU	OE1-CD-OE2	-5.30	116.94	123.30
1	A	171	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	A	103	MET	CG-SD-CE	5.20	108.52	100.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	194	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	A	332	ARG	CD-NE-CZ	5.16	130.82	123.60
1	A	127	ARG	NE-CZ-NH1	5.13	122.87	120.30
1	B	561	MET	CA-CB-CG	-5.11	104.62	113.30
1	A	115	ARG	NE-CZ-NH1	5.08	122.84	120.30
1	A	298	ASP	CB-CG-OD1	5.06	122.86	118.30
1	A	223	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	A	463	ASP	CB-CG-OD1	5.06	122.85	118.30
1	A	208	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	B	469	ARG	NE-CZ-NH1	5.02	122.81	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4993	0	4819	46	0
1	B	4993	0	4819	44	0
2	A	42	0	68	6	0
2	B	84	0	136	9	0
3	A	730	0	0	22	1
3	B	785	0	0	19	1
All	All	11627	0	9842	91	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:LYS:HE2	1:B:285:LYS:HE2	1.57	0.84
1:A:435:SER:HB2	3:A:979:HOH:O	1.97	0.65
1:B:435:SER:HB2	3:B:889:HOH:O	1.96	0.64
1:A:131:ARG:NH2	3:A:738:HOH:O	2.33	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:29:GLU:HG3	3:B:1408:HOH:O	2.03	0.59
2:A:632:C8E:H161	3:A:822:HOH:O	2.04	0.57
1:A:437:PHE:HE1	2:A:632:C8E:H11	1.69	0.57
2:B:632:C8E:H172	3:B:1216:HOH:O	2.05	0.56
1:B:389:ARG:HG2	3:B:1229:HOH:O	2.05	0.56
1:A:154:PHE:HB3	2:A:633:C8E:H62	1.88	0.55
1:B:498:GLY:HA2	1:B:562:ALA:HB2	1.88	0.55
1:A:498:GLY:HA2	1:A:562:ALA:HB2	1.87	0.55
1:B:65:ARG:NH1	3:B:1419:HOH:O	2.23	0.55
1:B:157:LYS:HG2	3:B:786:HOH:O	2.07	0.55
1:B:103:MET:HE2	1:B:110:MET:HG2	1.89	0.55
1:A:156:GLY:H	1:A:159:MET:CE	2.21	0.54
1:B:263:PRO:CG	2:B:633:C8E:H31	2.37	0.54
2:B:633:C8E:H161	3:B:832:HOH:O	2.08	0.54
1:B:156:GLY:H	1:B:159:MET:CE	2.21	0.54
1:A:605:PHE:CE2	2:A:632:C8E:H41	2.44	0.53
1:B:144:LYS:HD3	3:B:1319:HOH:O	2.09	0.52
1:A:354:LYS:HD3	3:A:959:HOH:O	2.09	0.52
1:A:114:LEU:HD22	1:A:118:GLN:HG3	1.92	0.51
1:B:437:PHE:HE1	2:B:633:C8E:H11	1.76	0.51
1:A:123:ILE:HD13	1:A:134:LEU:CD1	2.39	0.51
1:B:605:PHE:CE2	2:B:633:C8E:H41	2.45	0.51
1:B:114:LEU:HD22	1:B:118:GLN:HG3	1.93	0.50
1:A:103:MET:HG2	3:A:1336:HOH:O	2.11	0.50
1:A:285:LYS:CE	1:B:285:LYS:HE2	2.37	0.50
1:A:65:ARG:NH1	3:A:1328:HOH:O	2.40	0.50
1:B:123:ILE:HD13	1:B:134:LEU:CD1	2.42	0.50
1:A:157:LYS:HG2	3:A:809:HOH:O	2.10	0.50
1:B:473:GLU:HG3	3:B:1412:HOH:O	2.10	0.50
1:A:191:GLU:HG3	1:A:194:ARG:NH1	2.27	0.50
1:B:548:LYS:NZ	3:B:1281:HOH:O	2.44	0.49
1:B:191:GLU:HG3	1:B:194:ARG:NH1	2.27	0.48
1:B:238:ARG:HG3	1:B:238:ARG:HH11	1.78	0.48
1:A:123:ILE:HD13	1:A:134:LEU:HD12	1.95	0.48
1:A:29:GLU:HG3	3:A:1344:HOH:O	2.13	0.47
1:B:335:LYS:HE2	3:B:1028:HOH:O	2.13	0.47
1:B:435:SER:HA	3:B:785:HOH:O	2.13	0.47
1:A:144:LYS:HD3	3:A:1356:HOH:O	2.15	0.47
1:A:263:PRO:CG	2:A:632:C8E:H31	2.44	0.47
1:B:238:ARG:HG3	2:B:632:C8E:H42	1.96	0.47
1:B:123:ILE:HD13	1:B:134:LEU:HD12	1.97	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:575:ARG:NH1	3:A:917:HOH:O	2.47	0.47
1:A:369:ASN:HB2	3:A:955:HOH:O	2.15	0.47
1:A:211:LYS:HD3	1:A:438:GLY:O	2.14	0.46
1:B:217:ILE:HG22	3:B:1355:HOH:O	2.15	0.46
1:B:221:LEU:HD23	3:B:1332:HOH:O	2.16	0.46
1:A:238:ARG:HG3	1:A:238:ARG:HH11	1.80	0.46
1:B:131:ARG:NH2	3:B:796:HOH:O	2.49	0.46
1:B:156:GLY:H	1:B:159:MET:HE3	1.82	0.45
1:A:76:GLY:HA3	1:A:112:LYS:HB3	1.98	0.45
1:A:123:ILE:CD1	1:A:134:LEU:HD12	2.47	0.45
1:A:103:MET:HE2	1:A:110:MET:HG2	1.99	0.45
1:B:63:LYS:NZ	3:B:761:HOH:O	2.49	0.45
1:B:211:LYS:HG3	3:B:927:HOH:O	2.18	0.44
1:B:263:PRO:HG2	2:B:633:C8E:H31	2.00	0.44
1:B:108:GLU:HB3	1:B:109:PRO:HD3	2.00	0.44
1:A:285:LYS:HE2	1:B:285:LYS:CE	2.38	0.43
1:B:238:ARG:CZ	2:B:632:C8E:H61	2.48	0.43
1:A:62:GLU:HB2	3:A:1350:HOH:O	2.18	0.43
1:A:534:GLY:HA3	1:A:550:ALA:O	2.19	0.43
1:A:376:CYS:HG	2:A:632:C8E:HO2	1.62	0.43
1:A:398:ASP:HB3	3:A:1243:HOH:O	2.18	0.42
1:A:359:LYS:HA	1:A:360:PRO:HD3	1.91	0.42
1:B:157:LYS:H	1:B:157:LYS:HG2	1.57	0.42
1:B:86:PRO:HB2	1:B:116:PHE:CZ	2.53	0.42
1:A:411:GLN:OE1	1:A:470:ARG:NH2	2.52	0.42
2:B:634:C8E:O21	2:B:634:C8E:H51	2.19	0.42
1:A:108:GLU:HB3	1:A:109:PRO:HD3	2.00	0.42
1:A:62:GLU:HG2	3:A:1192:HOH:O	2.20	0.42
1:A:434:PHE:HE2	3:A:1292:HOH:O	2.03	0.42
1:B:613:ARG:NH2	3:B:1400:HOH:O	2.45	0.42
1:B:103:MET:HB3	1:B:103:MET:HE2	1.85	0.42
1:B:123:ILE:CD1	1:B:134:LEU:HD12	2.50	0.42
1:A:214:GLY:HA3	3:A:1294:HOH:O	2.20	0.41
1:B:208:ARG:HE	1:B:208:ARG:HB2	1.72	0.41
1:B:465:TRP:CE2	1:B:467:VAL:HB	2.55	0.41
1:A:86:PRO:HB2	1:A:116:PHE:CZ	2.55	0.41
1:A:279:GLN:NE2	3:A:1035:HOH:O	2.53	0.41
1:B:210:ALA:HB1	3:B:889:HOH:O	2.20	0.41
1:A:172:ALA:HB3	3:A:796:HOH:O	2.21	0.41
1:B:285:LYS:HA	1:B:285:LYS:HD3	1.81	0.40
1:A:70:HIS:HE1	3:A:1311:HOH:O	2.03	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:143:GLU:CD	1:B:143:GLU:H	2.25	0.40
1:A:434:PHE:HB2	3:A:968:HOH:O	2.21	0.40
1:A:285:LYS:HG3	3:A:898:HOH:O	2.22	0.40
1:A:103:MET:HB3	1:A:103:MET:HE2	1.71	0.40
1:A:20:GLU:HG2	3:A:1361:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1311:HOH:O	3:B:1417:HOH:O[8_665]	2.15	0.05

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	621/631 (98%)	606 (98%)	14 (2%)	1 (0%)	52	48
1	B	621/631 (98%)	607 (98%)	13 (2%)	1 (0%)	52	48
All	All	1242/1262 (98%)	1213 (98%)	27 (2%)	2 (0%)	52	48

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	361	GLY
1	B	361	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	506/513 (99%)	493 (97%)	13 (3%)	54	54
1	B	506/513 (99%)	491 (97%)	15 (3%)	48	47
All	All	1012/1026 (99%)	984 (97%)	28 (3%)	51	50

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	LEU
1	A	27	LYS
1	A	58	ARG
1	A	69	LEU
1	A	103	MET
1	A	114	LEU
1	A	157	LYS
1	A	211	LYS
1	A	216	TRP
1	A	238	ARG
1	A	440	VAL
1	A	453	LEU
1	A	560	LEU
1	B	15	LEU
1	B	58	ARG
1	B	69	LEU
1	B	103	MET
1	B	114	LEU
1	B	157	LYS
1	B	208	ARG
1	B	211	LYS
1	B	216	TRP
1	B	219	ASP
1	B	238	ARG
1	B	440	VAL
1	B	453	LEU
1	B	541	GLU
1	B	560	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	226	HIS
1	A	279	GLN
1	A	451	HIS
1	B	226	HIS
1	B	451	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	C8E	A	632	-	20,20,20	0.86	0	19,19,19	2.21	5 (26%)
2	C8E	A	633	-	20,20,20	0.82	0	19,19,19	2.41	8 (42%)
2	C8E	B	632	-	20,20,20	0.81	0	19,19,19	1.81	6 (31%)
2	C8E	B	633	-	20,20,20	0.88	0	19,19,19	2.29	5 (26%)
2	C8E	B	634	-	20,20,20	0.77	0	19,19,19	2.14	6 (31%)
2	C8E	B	635	-	20,20,20	0.78	0	19,19,19	2.18	7 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C8E	A	632	-	-	0/18/18/18	0/0/0/0
2	C8E	A	633	-	-	0/18/18/18	0/0/0/0
2	C8E	B	632	-	-	0/18/18/18	0/0/0/0
2	C8E	B	633	-	-	0/18/18/18	0/0/0/0
2	C8E	B	634	-	-	0/18/18/18	0/0/0/0
2	C8E	B	635	-	-	0/18/18/18	0/0/0/0

There are no bond length outliers.

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	634	C8E	C16-O15-C14	-3.08	100.07	113.31
2	A	633	C8E	C5-C4-C3	-3.00	99.03	114.53
2	B	634	C8E	C7-C6-C5	-2.96	99.25	114.53
2	A	633	C8E	C7-C6-C5	-2.86	99.75	114.53
2	B	635	C8E	C5-C4-C3	-2.79	100.12	114.53
2	B	632	C8E	C19-O18-C17	-2.71	101.67	113.31
2	A	632	C8E	C7-C6-C5	-2.68	100.67	114.53
2	B	633	C8E	C7-C6-C5	-2.47	101.78	114.53
2	B	635	C8E	C7-C6-C5	-2.31	102.59	114.53
2	B	632	C8E	C16-O15-C14	-2.15	104.07	113.31
2	B	632	C8E	C7-C6-C5	-2.13	103.53	114.53
2	B	634	C8E	O18-C17-C16	2.02	119.36	110.36
2	A	633	C8E	O18-C19-C20	2.20	120.54	110.43
2	A	633	C8E	C10-O9-C8	2.42	123.70	113.31
2	B	635	C8E	O12-C13-C14	2.46	121.29	110.36
2	B	632	C8E	O18-C19-C20	2.56	122.21	110.43
2	A	633	C8E	O15-C16-C17	2.60	121.93	110.36
2	A	632	C8E	O18-C17-C16	2.92	123.34	110.36
2	B	635	C8E	O9-C8-C7	2.96	121.72	109.87
2	B	632	C8E	O15-C16-C17	2.98	123.61	110.36
2	A	632	C8E	O18-C19-C20	3.18	125.06	110.43
2	B	633	C8E	O18-C19-C20	3.31	125.67	110.43
2	B	633	C8E	O18-C17-C16	3.32	125.12	110.36
2	A	633	C8E	O9-C8-C7	3.75	124.91	109.87
2	B	635	C8E	O18-C19-C20	3.79	127.89	110.43
2	B	634	C8E	O15-C16-C17	3.89	127.67	110.36
2	A	633	C8E	O15-C14-C13	3.94	127.87	110.36
2	B	635	C8E	O15-C14-C13	4.05	128.38	110.36

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	632	C8E	O15-C16-C17	4.06	128.41	110.36
2	B	634	C8E	O15-C14-C13	4.17	128.89	110.36
2	B	634	C8E	O18-C19-C20	4.53	131.30	110.43
2	B	635	C8E	O18-C17-C16	4.68	131.16	110.36
2	B	632	C8E	O15-C14-C13	4.69	131.22	110.36
2	B	633	C8E	O15-C16-C17	4.81	131.74	110.36
2	A	632	C8E	O15-C14-C13	5.87	136.46	110.36
2	B	633	C8E	O15-C14-C13	5.92	136.68	110.36
2	A	633	C8E	O18-C17-C16	6.25	138.13	110.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	632	C8E	5	0
2	A	633	C8E	1	0
2	B	632	C8E	3	0
2	B	633	C8E	5	0
2	B	634	C8E	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	623/631 (98%)	-0.59	4 (0%) 90 90	6, 13, 32, 60	0
1	B	623/631 (98%)	-0.57	6 (0%) 84 84	6, 13, 32, 59	0
All	All	1246/1262 (98%)	-0.58	10 (0%) 87 88	6, 13, 32, 60	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	216	TRP	6.2
1	A	216	TRP	5.5
1	A	630	ARG	3.9
1	B	630	ARG	3.6
1	B	217	ILE	3.6
1	A	8	ALA	3.0
1	B	233	VAL	2.5
1	B	158	ARG	2.5
1	A	233	VAL	2.1
1	B	8	ALA	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	C8E	B	633	21/21	0.84	0.31	13.50	29,34,44,44	0
2	C8E	A	632	21/21	0.84	0.30	10.63	24,34,43,44	0
2	C8E	B	634	21/21	0.87	0.19	9.12	24,33,40,41	0
2	C8E	A	633	21/21	0.73	0.25	6.87	50,54,64,64	0
2	C8E	B	632	21/21	0.86	0.19	6.42	20,33,41,41	0
2	C8E	B	635	21/21	0.76	0.22	5.63	46,50,56,57	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.