



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 01:04 PM GMT

PDB ID : 3SRF
Title : Human M1 pyruvate kinase
Authors : Morgan, H.P.; O'Reilly, F.; Palmer, R.; McNae, I.W.; Nowicki, M.W.; Wear, M.A.; Fothergill-Gilmore, L.A.; Walkinshaw, M.D.
Deposited on : 2011-07-07
Resolution : 2.85 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3170 (2.88-2.80)
Clashscore	102246	3658 (2.88-2.80)
Ramachandran outliers	100387	3591 (2.88-2.80)
Sidechain outliers	100360	3594 (2.88-2.80)
RSRZ outliers	91569	3184 (2.88-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	551	<div> <div>5%</div> <div>80% 12% • 6%</div> </div>
1	B	551	<div> <div>78% 15% • 6%</div> </div>
1	C	551	<div> <div>76% 16% • 6%</div> </div>
1	D	551	<div> <div>79% 13% • 7%</div> </div>
1	E	551	<div> <div>5%</div> <div>79% 13% • 7%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	551	
1	G	551	
1	H	551	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	K	B	532	-	-	-	X
5	PYR	B	534	-	-	-	X
5	PYR	H	534	-	-	-	X
6	GOL	A	535	-	-	-	X
6	GOL	F	535	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 32320 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase isozymes M1/M2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	517	Total	C	N	O	S	0	0	0
			3968	2493	704	743	28			
1	A	517	Total	C	N	O	S	0	0	0
			3968	2493	704	743	28			
1	B	517	Total	C	N	O	S	0	0	0
			3966	2490	704	744	28			
1	D	515	Total	C	N	O	S	0	0	0
			3957	2487	702	740	28			
1	E	514	Total	C	N	O	S	0	0	0
			3949	2481	701	739	28			
1	F	516	Total	C	N	O	S	0	0	0
			3960	2487	703	742	28			
1	G	513	Total	C	N	O	S	0	0	0
			3944	2478	700	738	28			
1	H	519	Total	C	N	O	S	0	0	0
			3978	2498	706	746	28			

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-20	MET	-	EXPRESSION TAG	UNP P14618
C	-19	GLY	-	EXPRESSION TAG	UNP P14618
C	-18	SER	-	EXPRESSION TAG	UNP P14618
C	-17	SER	-	EXPRESSION TAG	UNP P14618
C	-16	HIS	-	EXPRESSION TAG	UNP P14618
C	-15	HIS	-	EXPRESSION TAG	UNP P14618
C	-14	HIS	-	EXPRESSION TAG	UNP P14618
C	-13	HIS	-	EXPRESSION TAG	UNP P14618
C	-12	HIS	-	EXPRESSION TAG	UNP P14618
C	-11	HIS	-	EXPRESSION TAG	UNP P14618
C	-10	SER	-	EXPRESSION TAG	UNP P14618
C	-9	SER	-	EXPRESSION TAG	UNP P14618
C	-8	GLY	-	EXPRESSION TAG	UNP P14618

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-7	LEU	-	EXPRESSION TAG	UNP P14618
C	-6	VAL	-	EXPRESSION TAG	UNP P14618
C	-5	PRO	-	EXPRESSION TAG	UNP P14618
C	-4	ARG	-	EXPRESSION TAG	UNP P14618
C	-3	GLY	-	EXPRESSION TAG	UNP P14618
C	-2	SER	-	EXPRESSION TAG	UNP P14618
C	-1	HIS	-	EXPRESSION TAG	UNP P14618
A	-20	MET	-	EXPRESSION TAG	UNP P14618
A	-19	GLY	-	EXPRESSION TAG	UNP P14618
A	-18	SER	-	EXPRESSION TAG	UNP P14618
A	-17	SER	-	EXPRESSION TAG	UNP P14618
A	-16	HIS	-	EXPRESSION TAG	UNP P14618
A	-15	HIS	-	EXPRESSION TAG	UNP P14618
A	-14	HIS	-	EXPRESSION TAG	UNP P14618
A	-13	HIS	-	EXPRESSION TAG	UNP P14618
A	-12	HIS	-	EXPRESSION TAG	UNP P14618
A	-11	HIS	-	EXPRESSION TAG	UNP P14618
A	-10	SER	-	EXPRESSION TAG	UNP P14618
A	-9	SER	-	EXPRESSION TAG	UNP P14618
A	-8	GLY	-	EXPRESSION TAG	UNP P14618
A	-7	LEU	-	EXPRESSION TAG	UNP P14618
A	-6	VAL	-	EXPRESSION TAG	UNP P14618
A	-5	PRO	-	EXPRESSION TAG	UNP P14618
A	-4	ARG	-	EXPRESSION TAG	UNP P14618
A	-3	GLY	-	EXPRESSION TAG	UNP P14618
A	-2	SER	-	EXPRESSION TAG	UNP P14618
A	-1	HIS	-	EXPRESSION TAG	UNP P14618
B	-20	MET	-	EXPRESSION TAG	UNP P14618
B	-19	GLY	-	EXPRESSION TAG	UNP P14618
B	-18	SER	-	EXPRESSION TAG	UNP P14618
B	-17	SER	-	EXPRESSION TAG	UNP P14618
B	-16	HIS	-	EXPRESSION TAG	UNP P14618
B	-15	HIS	-	EXPRESSION TAG	UNP P14618
B	-14	HIS	-	EXPRESSION TAG	UNP P14618
B	-13	HIS	-	EXPRESSION TAG	UNP P14618
B	-12	HIS	-	EXPRESSION TAG	UNP P14618
B	-11	HIS	-	EXPRESSION TAG	UNP P14618
B	-10	SER	-	EXPRESSION TAG	UNP P14618
B	-9	SER	-	EXPRESSION TAG	UNP P14618
B	-8	GLY	-	EXPRESSION TAG	UNP P14618
B	-7	LEU	-	EXPRESSION TAG	UNP P14618
B	-6	VAL	-	EXPRESSION TAG	UNP P14618

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-5	PRO	-	EXPRESSION TAG	UNP P14618
B	-4	ARG	-	EXPRESSION TAG	UNP P14618
B	-3	GLY	-	EXPRESSION TAG	UNP P14618
B	-2	SER	-	EXPRESSION TAG	UNP P14618
B	-1	HIS	-	EXPRESSION TAG	UNP P14618
D	-20	MET	-	EXPRESSION TAG	UNP P14618
D	-19	GLY	-	EXPRESSION TAG	UNP P14618
D	-18	SER	-	EXPRESSION TAG	UNP P14618
D	-17	SER	-	EXPRESSION TAG	UNP P14618
D	-16	HIS	-	EXPRESSION TAG	UNP P14618
D	-15	HIS	-	EXPRESSION TAG	UNP P14618
D	-14	HIS	-	EXPRESSION TAG	UNP P14618
D	-13	HIS	-	EXPRESSION TAG	UNP P14618
D	-12	HIS	-	EXPRESSION TAG	UNP P14618
D	-11	HIS	-	EXPRESSION TAG	UNP P14618
D	-10	SER	-	EXPRESSION TAG	UNP P14618
D	-9	SER	-	EXPRESSION TAG	UNP P14618
D	-8	GLY	-	EXPRESSION TAG	UNP P14618
D	-7	LEU	-	EXPRESSION TAG	UNP P14618
D	-6	VAL	-	EXPRESSION TAG	UNP P14618
D	-5	PRO	-	EXPRESSION TAG	UNP P14618
D	-4	ARG	-	EXPRESSION TAG	UNP P14618
D	-3	GLY	-	EXPRESSION TAG	UNP P14618
D	-2	SER	-	EXPRESSION TAG	UNP P14618
D	-1	HIS	-	EXPRESSION TAG	UNP P14618
E	-20	MET	-	EXPRESSION TAG	UNP P14618
E	-19	GLY	-	EXPRESSION TAG	UNP P14618
E	-18	SER	-	EXPRESSION TAG	UNP P14618
E	-17	SER	-	EXPRESSION TAG	UNP P14618
E	-16	HIS	-	EXPRESSION TAG	UNP P14618
E	-15	HIS	-	EXPRESSION TAG	UNP P14618
E	-14	HIS	-	EXPRESSION TAG	UNP P14618
E	-13	HIS	-	EXPRESSION TAG	UNP P14618
E	-12	HIS	-	EXPRESSION TAG	UNP P14618
E	-11	HIS	-	EXPRESSION TAG	UNP P14618
E	-10	SER	-	EXPRESSION TAG	UNP P14618
E	-9	SER	-	EXPRESSION TAG	UNP P14618
E	-8	GLY	-	EXPRESSION TAG	UNP P14618
E	-7	LEU	-	EXPRESSION TAG	UNP P14618
E	-6	VAL	-	EXPRESSION TAG	UNP P14618
E	-5	PRO	-	EXPRESSION TAG	UNP P14618
E	-4	ARG	-	EXPRESSION TAG	UNP P14618

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-3	GLY	-	EXPRESSION TAG	UNP P14618
E	-2	SER	-	EXPRESSION TAG	UNP P14618
E	-1	HIS	-	EXPRESSION TAG	UNP P14618
F	-20	MET	-	EXPRESSION TAG	UNP P14618
F	-19	GLY	-	EXPRESSION TAG	UNP P14618
F	-18	SER	-	EXPRESSION TAG	UNP P14618
F	-17	SER	-	EXPRESSION TAG	UNP P14618
F	-16	HIS	-	EXPRESSION TAG	UNP P14618
F	-15	HIS	-	EXPRESSION TAG	UNP P14618
F	-14	HIS	-	EXPRESSION TAG	UNP P14618
F	-13	HIS	-	EXPRESSION TAG	UNP P14618
F	-12	HIS	-	EXPRESSION TAG	UNP P14618
F	-11	HIS	-	EXPRESSION TAG	UNP P14618
F	-10	SER	-	EXPRESSION TAG	UNP P14618
F	-9	SER	-	EXPRESSION TAG	UNP P14618
F	-8	GLY	-	EXPRESSION TAG	UNP P14618
F	-7	LEU	-	EXPRESSION TAG	UNP P14618
F	-6	VAL	-	EXPRESSION TAG	UNP P14618
F	-5	PRO	-	EXPRESSION TAG	UNP P14618
F	-4	ARG	-	EXPRESSION TAG	UNP P14618
F	-3	GLY	-	EXPRESSION TAG	UNP P14618
F	-2	SER	-	EXPRESSION TAG	UNP P14618
F	-1	HIS	-	EXPRESSION TAG	UNP P14618
G	-20	MET	-	EXPRESSION TAG	UNP P14618
G	-19	GLY	-	EXPRESSION TAG	UNP P14618
G	-18	SER	-	EXPRESSION TAG	UNP P14618
G	-17	SER	-	EXPRESSION TAG	UNP P14618
G	-16	HIS	-	EXPRESSION TAG	UNP P14618
G	-15	HIS	-	EXPRESSION TAG	UNP P14618
G	-14	HIS	-	EXPRESSION TAG	UNP P14618
G	-13	HIS	-	EXPRESSION TAG	UNP P14618
G	-12	HIS	-	EXPRESSION TAG	UNP P14618
G	-11	HIS	-	EXPRESSION TAG	UNP P14618
G	-10	SER	-	EXPRESSION TAG	UNP P14618
G	-9	SER	-	EXPRESSION TAG	UNP P14618
G	-8	GLY	-	EXPRESSION TAG	UNP P14618
G	-7	LEU	-	EXPRESSION TAG	UNP P14618
G	-6	VAL	-	EXPRESSION TAG	UNP P14618
G	-5	PRO	-	EXPRESSION TAG	UNP P14618
G	-4	ARG	-	EXPRESSION TAG	UNP P14618
G	-3	GLY	-	EXPRESSION TAG	UNP P14618
G	-2	SER	-	EXPRESSION TAG	UNP P14618

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-1	HIS	-	EXPRESSION TAG	UNP P14618
H	-20	MET	-	EXPRESSION TAG	UNP P14618
H	-19	GLY	-	EXPRESSION TAG	UNP P14618
H	-18	SER	-	EXPRESSION TAG	UNP P14618
H	-17	SER	-	EXPRESSION TAG	UNP P14618
H	-16	HIS	-	EXPRESSION TAG	UNP P14618
H	-15	HIS	-	EXPRESSION TAG	UNP P14618
H	-14	HIS	-	EXPRESSION TAG	UNP P14618
H	-13	HIS	-	EXPRESSION TAG	UNP P14618
H	-12	HIS	-	EXPRESSION TAG	UNP P14618
H	-11	HIS	-	EXPRESSION TAG	UNP P14618
H	-10	SER	-	EXPRESSION TAG	UNP P14618
H	-9	SER	-	EXPRESSION TAG	UNP P14618
H	-8	GLY	-	EXPRESSION TAG	UNP P14618
H	-7	LEU	-	EXPRESSION TAG	UNP P14618
H	-6	VAL	-	EXPRESSION TAG	UNP P14618
H	-5	PRO	-	EXPRESSION TAG	UNP P14618
H	-4	ARG	-	EXPRESSION TAG	UNP P14618
H	-3	GLY	-	EXPRESSION TAG	UNP P14618
H	-2	SER	-	EXPRESSION TAG	UNP P14618
H	-1	HIS	-	EXPRESSION TAG	UNP P14618

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		
2	G	1	Total	O	P	0	0
			5	4	1		
2	H	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	1	Total	K	0	0
			1	1		
3	D	1	Total	K	0	0
			1	1		
3	E	1	Total	K	0	0
			1	1		
3	H	1	Total	K	0	0
			1	1		
3	B	1	Total	K	0	0
			1	1		
3	C	1	Total	K	0	0
			1	1		
3	A	1	Total	K	0	0
			1	1		
3	F	1	Total	K	0	0
			1	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	1	Total	Mg	0	0
			1	1		
4	H	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		
4	F	1	Total	Mg	0	0
			1	1		

- Molecule 5 is PYRUVIC ACID (three-letter code: PYR) (formula: $C_3H_4O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	F	1	Total	C	O	0	0
			6	3	3		
5	G	1	Total	C	O	0	0
			6	3	3		
5	H	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	E	1	Total	C	O	0	0
			6	3	3		
6	F	1	Total	C	O	0	0
			6	3	3		
6	F	1	Total	C	O	0	0
			6	3	3		
6	G	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	59	Total	O	0	0
			59	59		
7	A	67	Total	O	0	0
			67	67		
7	B	71	Total	O	0	0
			71	71		
7	D	76	Total	O	0	0
			76	76		
7	E	42	Total	O	0	0
			42	42		
7	F	62	Total	O	0	0
			62	62		
7	G	50	Total	O	0	0
			50	50		
7	H	51	Total	O	0	0
			51	51		




- Molecule 1: Pyruvate kinase isozymes M1/M2

Chain D: 79% 13% 7%




- Molecule 1: Pyruvate kinase isozymes M1/M2


Chain E: 5% 79% 13% 7%





- Molecule 1: Pyruvate kinase isozymes M1/M2

Chain F: 79% 14% 6%







- Molecule 1: Pyruvate kinase isozymes M1/M2



- Molecule 1: Pyruvate kinase isozymes M1/M2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	238.00Å 192.22Å 109.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.85 38.21 – 2.85	Depositor EDS
% Data completeness (in resolution range)	100.0 (40.00-2.85) 93.5 (38.21-2.85)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 2.85Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.221 , 0.280 0.221 , 0.278	Depositor DCC
R_{free} test set	5346 reflections (5.25%)	DCC
Wilson B-factor (Å ²)	41.8	Xtriage
Anisotropy	0.153	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 5.7	EDS
Estimated twinning fraction	0.129 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.23$	Xtriage
Outliers	1 of 107209 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	32320	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.28 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 5.8839e-03.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, GOL, MG, PO4, PYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/4030	0.49	0/5435
1	B	0.33	0/4028	0.50	0/5432
1	C	0.33	0/4030	0.50	0/5435
1	D	0.33	0/4019	0.48	0/5420
1	E	0.32	0/4011	0.48	1/5409 (0.0%)
1	F	0.32	0/4022	0.49	0/5424
1	G	0.33	0/4006	0.48	0/5402
1	H	0.33	0/4041	0.49	0/5451
All	All	0.33	0/32187	0.49	1/43408 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	176	ASP	N-CA-C	5.32	125.37	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3968	0	4049	51	0
1	B	3966	0	4043	53	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3968	0	4048	66	0
1	D	3957	0	4038	46	0
1	E	3949	0	4028	47	0
1	F	3960	0	4037	53	0
1	G	3944	0	4023	47	0
1	H	3978	0	4057	63	0
2	A	5	0	0	1	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
2	G	5	0	0	0	0
2	H	5	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
5	A	6	0	3	0	0
5	B	6	0	3	0	0
5	C	6	0	3	0	0
5	D	6	0	3	0	0
5	E	6	0	3	0	0
5	F	6	0	3	0	0
5	G	6	0	3	0	0
5	H	6	0	3	0	0
6	A	6	0	8	0	0
6	B	6	0	8	0	0
6	C	6	0	8	1	0
6	D	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	E	6	0	8	0	0
6	F	12	0	16	1	0
6	G	6	0	8	1	0
7	A	67	0	0	1	0
7	B	71	0	0	0	0
7	C	59	0	0	3	0
7	D	76	0	0	1	0
7	E	42	0	0	1	0
7	F	62	0	0	1	0
7	G	50	0	0	2	0
7	H	51	0	0	0	0
All	All	32320	0	32411	406	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 406 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:23:ASP:HA	1:G:391:ARG:HH12	1.40	0.84
1:C:128:THR:N	1:C:129:ALA:HA	1.92	0.84
1:G:42:ARG:HE	1:G:378:HIS:HD2	1.29	0.80
1:F:49:THR:HG23	1:F:360:LEU:O	1.81	0.80
1:C:49:THR:HG21	1:C:72:ARG:HH11	1.45	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	513/551 (93%)	493 (96%)	19 (4%)	1 (0%)	52 83

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	513/551 (93%)	492 (96%)	20 (4%)	1 (0%)	52	83
1	C	513/551 (93%)	497 (97%)	15 (3%)	1 (0%)	52	83
1	D	511/551 (93%)	494 (97%)	16 (3%)	1 (0%)	52	83
1	E	510/551 (93%)	495 (97%)	14 (3%)	1 (0%)	52	83
1	F	512/551 (93%)	488 (95%)	23 (4%)	1 (0%)	52	83
1	G	509/551 (92%)	490 (96%)	18 (4%)	1 (0%)	52	83
1	H	517/551 (94%)	492 (95%)	24 (5%)	1 (0%)	52	83
All	All	4098/4408 (93%)	3941 (96%)	149 (4%)	8 (0%)	52	83

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	327	THR
1	G	327	THR
1	C	327	THR
1	B	327	THR
1	D	327	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/453 (94%)	415 (97%)	11 (3%)	54	84
1	B	426/453 (94%)	409 (96%)	17 (4%)	38	72
1	C	426/453 (94%)	403 (95%)	23 (5%)	27	59
1	D	425/453 (94%)	411 (97%)	14 (3%)	45	77
1	E	424/453 (94%)	406 (96%)	18 (4%)	36	69
1	F	425/453 (94%)	406 (96%)	19 (4%)	34	67
1	G	424/453 (94%)	408 (96%)	16 (4%)	40	73
1	H	427/453 (94%)	413 (97%)	14 (3%)	45	77
All	All	3403/3624 (94%)	3271 (96%)	132 (4%)	39	72

5 of 132 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	335	LYS
1	E	330	LEU
1	H	272	ASN
1	D	389	PHE
1	E	160	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 64 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	378	HIS
1	E	490	ASN
1	H	349	ASN
1	D	439	GLN
1	E	272	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 16 are monoatomic - leaving 24 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	A	531	-	4,4,4	0.53	0	6,6,6	0.27	0
5	PYR	A	534	4	2,5,5	1.02	0	2,6,6	0.64	0
6	GOL	A	535	-	5,5,5	0.32	0	5,5,5	0.41	0
2	PO4	B	531	-	4,4,4	0.45	0	6,6,6	0.28	0
5	PYR	B	534	4	2,5,5	0.96	0	2,6,6	0.19	0
6	GOL	B	535	-	5,5,5	0.32	0	5,5,5	0.33	0
2	PO4	C	531	-	4,4,4	0.49	0	6,6,6	0.27	0
5	PYR	C	534	4	2,5,5	1.04	0	2,6,6	0.15	0
6	GOL	C	535	-	5,5,5	0.40	0	5,5,5	0.25	0
2	PO4	D	531	-	4,4,4	0.52	0	6,6,6	0.27	0
5	PYR	D	534	4	2,5,5	1.02	0	2,6,6	0.21	0
6	GOL	D	535	-	5,5,5	0.34	0	5,5,5	0.34	0
2	PO4	E	531	-	4,4,4	0.50	0	6,6,6	0.28	0
5	PYR	E	534	4	2,5,5	1.05	0	2,6,6	0.22	0
6	GOL	E	535	-	5,5,5	0.36	0	5,5,5	0.30	0
2	PO4	F	531	-	4,4,4	0.53	0	6,6,6	0.28	0
5	PYR	F	534	4	2,5,5	1.04	0	2,6,6	0.37	0
6	GOL	F	535	-	5,5,5	0.31	0	5,5,5	0.40	0
6	GOL	F	536	-	5,5,5	0.39	0	5,5,5	0.21	0
2	PO4	G	531	-	4,4,4	0.53	0	6,6,6	0.27	0
5	PYR	G	534	4	2,5,5	0.99	0	2,6,6	0.17	0
6	GOL	G	535	-	5,5,5	0.31	0	5,5,5	0.24	0
2	PO4	H	531	-	4,4,4	0.54	0	6,6,6	0.27	0
5	PYR	H	534	4	2,5,5	1.03	0	2,6,6	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	A	531	-	-	0/0/0/0	0/0/0/0
5	PYR	A	534	4	-	0/0/4/4	0/0/0/0
6	GOL	A	535	-	-	0/4/4/4	0/0/0/0
2	PO4	B	531	-	-	0/0/0/0	0/0/0/0
5	PYR	B	534	4	-	0/0/4/4	0/0/0/0
6	GOL	B	535	-	-	0/4/4/4	0/0/0/0
2	PO4	C	531	-	-	0/0/0/0	0/0/0/0
5	PYR	C	534	4	-	0/0/4/4	0/0/0/0
6	GOL	C	535	-	-	0/4/4/4	0/0/0/0
2	PO4	D	531	-	-	0/0/0/0	0/0/0/0
5	PYR	D	534	4	-	0/0/4/4	0/0/0/0
6	GOL	D	535	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	E	531	-	-	0/0/0/0	0/0/0/0
5	PYR	E	534	4	-	0/0/4/4	0/0/0/0
6	GOL	E	535	-	-	0/4/4/4	0/0/0/0
2	PO4	F	531	-	-	0/0/0/0	0/0/0/0
5	PYR	F	534	4	-	0/0/4/4	0/0/0/0
6	GOL	F	535	-	-	0/4/4/4	0/0/0/0
6	GOL	F	536	-	-	0/4/4/4	0/0/0/0
2	PO4	G	531	-	-	0/0/0/0	0/0/0/0
5	PYR	G	534	4	-	0/0/4/4	0/0/0/0
6	GOL	G	535	-	-	0/4/4/4	0/0/0/0
2	PO4	H	531	-	-	0/0/0/0	0/0/0/0
5	PYR	H	534	4	-	0/0/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	531	PO4	1	0
6	C	535	GOL	1	0
6	F	536	GOL	1	0
6	G	535	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	517/551 (93%)	-0.01	4 (0%) 87 82	23, 33, 67, 78	0
1	B	517/551 (93%)	-0.05	1 (0%) 95 94	24, 33, 58, 70	0
1	C	517/551 (93%)	-0.07	1 (0%) 95 94	25, 35, 48, 59	0
1	D	515/551 (93%)	-0.05	1 (0%) 95 94	27, 36, 50, 55	0
1	E	514/551 (93%)	0.41	27 (5%) 30 21	34, 51, 95, 101	0
1	F	516/551 (93%)	-0.04	0 100 100	27, 40, 50, 59	0
1	G	513/551 (93%)	0.14	11 (2%) 67 57	26, 42, 81, 84	0
1	H	519/551 (94%)	0.03	4 (0%) 87 82	28, 38, 60, 66	0
All	All	4128/4408 (93%)	0.04	49 (1%) 81 74	23, 38, 67, 101	0

The worst 5 of 49 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	138	THR	5.2
1	H	128	THR	5.0
1	E	129	ALA	4.7
1	E	170	GLY	4.7
1	E	137	ALA	3.9

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	PYR	H	534	6/6	0.66	0.38	6.05	69,70,70,70	0
6	GOL	F	535	6/6	0.92	0.29	5.12	50,50,50,50	0
6	GOL	A	535	6/6	0.93	0.29	4.67	58,58,59,60	0
3	K	B	532	1/1	0.20	0.31	4.08	94,94,94,94	0
5	PYR	B	534	6/6	0.89	0.21	2.21	42,43,43,43	0
6	GOL	C	535	6/6	0.95	0.21	1.65	32,32,33,33	0
6	GOL	G	535	6/6	0.94	0.21	0.77	34,34,34,34	0
6	GOL	B	535	6/6	0.96	0.22	0.74	46,46,47,47	0
2	PO4	F	531	5/5	0.97	0.21	0.28	45,46,46,46	0
2	PO4	A	531	5/5	0.98	0.18	0.00	41,41,41,41	0
6	GOL	E	535	6/6	0.95	0.19	-0.06	41,42,42,43	0
5	PYR	C	534	6/6	0.94	0.16	-0.07	46,46,46,46	0
2	PO4	B	531	5/5	0.97	0.17	-0.38	37,38,38,38	0
5	PYR	E	534	6/6	0.86	0.17	-0.53	62,63,63,63	0
5	PYR	D	534	6/6	0.92	0.16	-0.55	51,51,52,52	0
2	PO4	D	531	5/5	0.97	0.17	-0.58	47,47,47,47	0
5	PYR	F	534	6/6	0.93	0.15	-0.62	38,38,38,39	0
3	K	E	532	1/1	0.63	0.17	-0.89	85,85,85,85	0
6	GOL	F	536	6/6	0.95	0.15	-0.93	43,44,44,44	0
3	K	F	532	1/1	0.90	0.15	-0.93	46,46,46,46	0
5	PYR	A	534	6/6	0.92	0.13	-1.02	38,38,39,39	0
2	PO4	G	531	5/5	0.98	0.14	-1.10	45,45,46,46	0
6	GOL	D	535	6/6	0.98	0.15	-1.11	31,31,31,31	0
5	PYR	G	534	6/6	0.89	0.12	-1.33	66,67,67,67	0
3	K	D	532	1/1	0.90	0.15	-1.42	48,48,48,48	0
3	K	G	532	1/1	0.76	0.15	-1.47	60,60,60,60	0
2	PO4	C	531	5/5	0.98	0.14	-1.56	40,40,40,41	0
2	PO4	E	531	5/5	0.98	0.12	-1.91	45,45,45,45	0
2	PO4	H	531	5/5	0.98	0.14	-2.39	36,36,36,36	0
3	K	A	532	1/1	0.94	0.09	-3.11	37,37,37,37	0
3	K	H	532	1/1	0.78	0.12	-3.67	48,48,48,48	0
3	K	C	532	1/1	0.94	0.11	-4.10	58,58,58,58	0
4	MG	H	533	1/1	0.94	0.18	-	14,14,14,14	0
4	MG	F	533	1/1	0.91	0.11	-	21,21,21,21	0
4	MG	G	533	1/1	0.96	0.15	-	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	MG	A	533	1/1	0.91	0.16	-	26,26,26,26	0
4	MG	E	533	1/1	0.96	0.10	-	58,58,58,58	0
4	MG	B	533	1/1	0.94	0.12	-	26,26,26,26	0
4	MG	D	533	1/1	0.92	0.17	-	51,51,51,51	0
4	MG	C	533	1/1	0.97	0.18	-	45,45,45,45	0

6.5 Other polymers [i](#)

There are no such residues in this entry.