



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:05 PM GMT

PDB ID : 3SUE  
Title : Crystal structure of NS3/4A protease variant R155K in complex with MK-5172  
Authors : Schiffer, C.A.; Romano, K.P.  
Deposited on : 2011-07-11  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	203	<div> <div>7%</div> <div>76% 16% • 6%</div> </div>
1	B	203	<div> <div>8%</div> <div>76% 17% • 6%</div> </div>
1	C	203	<div> <div>11%</div> <div>75% 16% • 6%</div> </div>
1	D	203	<div> <div>15%</div> <div>68% 24% • 6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SUE	A	1201	X	-	-	-
2	SUE	B	1201	X	-	-	-
2	SUE	C	1201	X	-	-	-
2	SUE	D	1201	X	-	-	-
3	ZN	C	1202	-	-	X	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5778 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NS3 protease, NS4A protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	190	Total	C	N	O	S	0	0	0
			1360	844	243	267	6			
1	B	190	Total	C	N	O	S	0	0	0
			1351	841	241	263	6			
1	C	190	Total	C	N	O	S	0	0	0
			1359	845	242	266	6			
1	D	190	Total	C	N	O	S	0	0	0
			1337	834	239	258	6			

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	980	GLY	-	EXPRESSION TAG	UNP A8DG50
A	981	SER	-	EXPRESSION TAG	UNP A8DG50
A	982	HIS	-	EXPRESSION TAG	UNP A8DG50
A	983	MET	-	EXPRESSION TAG	UNP A8DG50
A	984	ALA	-	EXPRESSION TAG	UNP A8DG50
A	985	SER	-	EXPRESSION TAG	UNP A8DG50
A	986	MET	CYS	ENGINEERED MUTATION	UNP A8DG50
A	987	LYS	LEU	ENGINEERED MUTATION	UNP A8DG50
A	988	LYS	SER	ENGINEERED MUTATION	UNP A8DG50
A	989	LYS	THR	ENGINEERED MUTATION	UNP A8DG50
A	991	SER	CYS	SEE REMARK 999	UNP A8DG50
A	998	ILE	VAL	SEE REMARK 999	UNP A8DG50
A	999	ASN	ILE	SEE REMARK 999	UNP A8DG50
A	1001	SER	ALA	ENGINEERED MUTATION	UNP A8DG50
A	1002	GLY	PRO	ENGINEERED MUTATION	UNP A8DG50
A	1003	ASP	ILE	ENGINEERED MUTATION	UNP A8DG50
A	1013	GLU	LEU	ENGINEERED MUTATION	UNP A8DG50
A	1014	GLU	LEU	ENGINEERED MUTATION	UNP A8DG50
A	1017	GLN	ILE	ENGINEERED MUTATION	UNP A8DG50
A	1018	GLU	ILE	ENGINEERED MUTATION	UNP A8DG50
A	1021	GLN	LEU	ENGINEERED MUTATION	UNP A8DG50

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1040	THR	ALA	ENGINEERED MUTATION	UNP A8DG50
A	1047	SER	CYS	ENGINEERED MUTATION	UNP A8DG50
A	1052	LEU	CYS	ENGINEERED MUTATION	UNP A8DG50
A	1072	THR	ILE	ENGINEERED MUTATION	UNP A8DG50
A	1086	GLN	PRO	ENGINEERED MUTATION	UNP A8DG50
A	1155	LYS	ARG	ENGINEERED MUTATION	UNP A8DG50
A	1159	SER	CYS	ENGINEERED MUTATION	UNP A8DG50
B	980	GLY	-	EXPRESSION TAG	UNP A8DG50
B	981	SER	-	EXPRESSION TAG	UNP A8DG50
B	982	HIS	-	EXPRESSION TAG	UNP A8DG50
B	983	MET	-	EXPRESSION TAG	UNP A8DG50
B	984	ALA	-	EXPRESSION TAG	UNP A8DG50
B	985	SER	-	EXPRESSION TAG	UNP A8DG50
B	986	MET	CYS	ENGINEERED MUTATION	UNP A8DG50
B	987	LYS	LEU	ENGINEERED MUTATION	UNP A8DG50
B	988	LYS	SER	ENGINEERED MUTATION	UNP A8DG50
B	989	LYS	THR	ENGINEERED MUTATION	UNP A8DG50
B	991	SER	CYS	SEE REMARK 999	UNP A8DG50
B	998	ILE	VAL	SEE REMARK 999	UNP A8DG50
B	999	ASN	ILE	SEE REMARK 999	UNP A8DG50
B	1001	SER	ALA	ENGINEERED MUTATION	UNP A8DG50
B	1002	GLY	PRO	ENGINEERED MUTATION	UNP A8DG50
B	1003	ASP	ILE	ENGINEERED MUTATION	UNP A8DG50
B	1013	GLU	LEU	ENGINEERED MUTATION	UNP A8DG50
B	1014	GLU	LEU	ENGINEERED MUTATION	UNP A8DG50
B	1017	GLN	ILE	ENGINEERED MUTATION	UNP A8DG50
B	1018	GLU	ILE	ENGINEERED MUTATION	UNP A8DG50
B	1021	GLN	LEU	ENGINEERED MUTATION	UNP A8DG50
B	1040	THR	ALA	ENGINEERED MUTATION	UNP A8DG50
B	1047	SER	CYS	ENGINEERED MUTATION	UNP A8DG50
B	1052	LEU	CYS	ENGINEERED MUTATION	UNP A8DG50
B	1072	THR	ILE	ENGINEERED MUTATION	UNP A8DG50
B	1086	GLN	PRO	ENGINEERED MUTATION	UNP A8DG50
B	1155	LYS	ARG	ENGINEERED MUTATION	UNP A8DG50
B	1159	SER	CYS	ENGINEERED MUTATION	UNP A8DG50
C	980	GLY	-	EXPRESSION TAG	UNP A8DG50
C	981	SER	-	EXPRESSION TAG	UNP A8DG50
C	982	HIS	-	EXPRESSION TAG	UNP A8DG50
C	983	MET	-	EXPRESSION TAG	UNP A8DG50
C	984	ALA	-	EXPRESSION TAG	UNP A8DG50
C	985	SER	-	EXPRESSION TAG	UNP A8DG50
C	986	MET	CYS	ENGINEERED MUTATION	UNP A8DG50

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
C	987	LYS	LEU	ENGINEERED MUTATION	UNP A8DG50
C	988	LYS	SER	ENGINEERED MUTATION	UNP A8DG50
C	989	LYS	THR	ENGINEERED MUTATION	UNP A8DG50
C	991	SER	CYS	SEE REMARK 999	UNP A8DG50
C	998	ILE	VAL	SEE REMARK 999	UNP A8DG50
C	999	ASN	ILE	SEE REMARK 999	UNP A8DG50
C	1001	SER	ALA	ENGINEERED MUTATION	UNP A8DG50
C	1002	GLY	PRO	ENGINEERED MUTATION	UNP A8DG50
C	1003	ASP	ILE	ENGINEERED MUTATION	UNP A8DG50
C	1013	GLU	LEU	ENGINEERED MUTATION	UNP A8DG50
C	1014	GLU	LEU	ENGINEERED MUTATION	UNP A8DG50
C	1017	GLN	ILE	ENGINEERED MUTATION	UNP A8DG50
C	1018	GLU	ILE	ENGINEERED MUTATION	UNP A8DG50
C	1021	GLN	LEU	ENGINEERED MUTATION	UNP A8DG50
C	1040	THR	ALA	ENGINEERED MUTATION	UNP A8DG50
C	1047	SER	CYS	ENGINEERED MUTATION	UNP A8DG50
C	1052	LEU	CYS	ENGINEERED MUTATION	UNP A8DG50
C	1072	THR	ILE	ENGINEERED MUTATION	UNP A8DG50
C	1086	GLN	PRO	ENGINEERED MUTATION	UNP A8DG50
C	1155	LYS	ARG	ENGINEERED MUTATION	UNP A8DG50
C	1159	SER	CYS	ENGINEERED MUTATION	UNP A8DG50
D	980	GLY	-	EXPRESSION TAG	UNP A8DG50
D	981	SER	-	EXPRESSION TAG	UNP A8DG50
D	982	HIS	-	EXPRESSION TAG	UNP A8DG50
D	983	MET	-	EXPRESSION TAG	UNP A8DG50
D	984	ALA	-	EXPRESSION TAG	UNP A8DG50
D	985	SER	-	EXPRESSION TAG	UNP A8DG50
D	986	MET	CYS	ENGINEERED MUTATION	UNP A8DG50
D	987	LYS	LEU	ENGINEERED MUTATION	UNP A8DG50
D	988	LYS	SER	ENGINEERED MUTATION	UNP A8DG50
D	989	LYS	THR	ENGINEERED MUTATION	UNP A8DG50
D	991	SER	CYS	SEE REMARK 999	UNP A8DG50
D	998	ILE	VAL	SEE REMARK 999	UNP A8DG50
D	999	ASN	ILE	SEE REMARK 999	UNP A8DG50
D	1001	SER	ALA	ENGINEERED MUTATION	UNP A8DG50
D	1002	GLY	PRO	ENGINEERED MUTATION	UNP A8DG50
D	1003	ASP	ILE	ENGINEERED MUTATION	UNP A8DG50
D	1013	GLU	LEU	ENGINEERED MUTATION	UNP A8DG50
D	1014	GLU	LEU	ENGINEERED MUTATION	UNP A8DG50
D	1017	GLN	ILE	ENGINEERED MUTATION	UNP A8DG50
D	1018	GLU	ILE	ENGINEERED MUTATION	UNP A8DG50
D	1021	GLN	LEU	ENGINEERED MUTATION	UNP A8DG50

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	1040	THR	ALA	ENGINEERED MUTATION	UNP A8DG50
D	1047	SER	CYS	ENGINEERED MUTATION	UNP A8DG50
D	1052	LEU	CYS	ENGINEERED MUTATION	UNP A8DG50
D	1072	THR	ILE	ENGINEERED MUTATION	UNP A8DG50
D	1086	GLN	PRO	ENGINEERED MUTATION	UNP A8DG50
D	1155	LYS	ARG	ENGINEERED MUTATION	UNP A8DG50
D	1159	SER	CYS	ENGINEERED MUTATION	UNP A8DG50

- Molecule 2 is (1AR,5S,8S,10R,22AR)-5-TERT-BUTYL-N-{(1R,2S)-1-[(CYCLOPROPYLS ULFONYL)CARBAMOYL]-2-ETHENYLCYCLOPROPYL}-14-METHOXY-3,6-DIOXO-1 ,1A,3,4,5,6,9,10,18,19,20,21,22,22A-TETRADECAHYDRO-8H-7,10-METHANOCYCLOP ROPA[18,19][1,10,3,6]DIOXADIAZACYCLONONADECINO[11,12-B]QUINOXALINE-8-C ARBOXAMIDE (three-letter code: SUE) (formula: C<sub>38</sub>H<sub>50</sub>N<sub>6</sub>O<sub>9</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			54	38	6	9	1		
2	B	1	Total	C	N	O	S	0	0
			54	38	6	9	1		
2	C	1	Total	C	N	O	S	0	0
			54	38	6	9	1		
2	D	1	Total	C	N	O	S	0	0
			54	38	6	9	1		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	Zn 1	0	0
3	A	1	Total 1	Zn 1	0	0
3	D	1	Total 1	Zn 1	0	0
3	C	1	Total 1	Zn 1	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	37	Total 37	O 37	0	0
4	B	46	Total 46	O 46	0	0
4	C	44	Total 44	O 44	0	2
4	D	24	Total 24	O 24	0	0




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NS3 protease, NS4A protein



- Molecule 1: NS3 protease, NS4A protein




- Molecule 1: NS3 protease, NS4A protein



- Molecule 1: NS3 protease, NS4A protein





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.34Å 103.32Å 73.50Å 90.00° 112.58° 90.00°	Depositor
Resolution (Å)	32.24 – 2.20 32.24 – 2.20	Depositor EDS
% Data completeness (in resolution range)	91.2 (32.24-2.20) 91.4 (32.24-2.20)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.50 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.186 , 0.229 0.189 , 0.220	Depositor DCC
$R_{free}$ test set	1808 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	31.1	Xtriage
Anisotropy	0.375	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 40.7	EDS
Estimated twinning fraction	0.542 for H, K, L 0.458 for -H, -K, H+L 0.447 for h,-k,-h-l	Xtriage
Reported twinning fraction	0.542 for H, K, L 0.458 for -H, -K, H+L	Depositor
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.39$ , $\langle L^2 \rangle = 0.22$	Xtriage
Outliers	0 of 36175 reflections	Xtriage
$F_o, F_c$ correlation	0.85	EDS
Total number of atoms	5778	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.40% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SUE, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.46	0/1384	0.62	0/1890
1	B	0.48	0/1375	0.64	0/1878
1	C	0.52	1/1383 (0.1%)	0.64	0/1888
1	D	0.47	0/1361	0.62	0/1860
All	All	0.48	1/5503 (0.0%)	0.63	0/7516

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	1085	TRP	CD2-CE2	5.10	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1360	0	1327	22	0
1	B	1351	0	1321	21	0
1	C	1359	0	1333	28	0
1	D	1337	0	1301	35	0
2	A	54	0	49	3	0
2	B	54	0	50	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	54	0	49	2	0
2	D	54	0	49	4	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	2	0
3	D	1	0	0	0	0
4	A	37	0	0	0	0
4	B	46	0	0	0	0
4	C	44	0	0	0	0
4	D	24	0	0	0	0
All	All	5778	0	5479	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1116:VAL:HG22	1:B:1126:LEU:HD23	1.63	0.81
1:C:1099:CYS:SG	3:C:1202:ZN:ZN	1.77	0.74
1:C:1099:CYS:HG	3:C:1202:ZN:ZN	1.01	0.72
1:D:1019:THR:HG23	1:D:1024:ARG:O	1.90	0.71
1:B:1112:ASP:HB3	1:B:1114:ILE:HD11	1.72	0.69
1:A:1106:LEU:HD13	1:A:1143:LEU:HD21	1.76	0.67
1:B:1104:LEU:HD22	1:B:1151:VAL:HG21	1.77	0.64
1:C:1110:HIS:O	1:C:1111:ALA:HB3	1.98	0.63
1:B:1096:PRO:HB3	1:B:1172:VAL:HG21	1.79	0.63
1:B:1123:ARG:NE	1:B:1168:ASP:OD1	2.29	0.62
1:A:1132:ILE:HD11	1:A:1162:GLY:HA2	1.82	0.61
1:D:1087:ALA:O	1:D:1089:GLN:N	2.34	0.60
1:D:1128:SER:OG	1:D:1130:ARG:NH1	2.31	0.60
1:A:1076:THR:HG23	1:A:1083:VAL:HG12	1.82	0.60
1:C:999:ASN:O	1:C:1005:ALA:HA	2.02	0.59
1:C:1082:LEU:HD13	1:C:1170:ILE:HD13	1.85	0.59
1:C:1005:ALA:O	1:C:1111:ALA:HB1	2.02	0.58
1:C:1011:ARG:HD3	1:C:1015:GLY:C	2.23	0.57
1:B:1122:SER:HB2	1:B:1169:PHE:O	2.05	0.57
1:D:1091:SER:O	1:D:1092:ARG:CB	2.53	0.56
1:D:1096:PRO:HB3	1:D:1172:VAL:HG21	1.88	0.56
1:B:1112:ASP:HB3	1:B:1114:ILE:CD1	2.35	0.56
1:C:1153:ILE:CD1	1:C:1175:LEU:HD21	2.35	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:998:ILE:HG21	1:C:1107:VAL:CG1	2.36	0.54
1:B:1042:THR:HG22	1:B:1109:ARG:HH12	1.73	0.53
1:D:1104:LEU:HD21	1:D:1151:VAL:HG21	1.90	0.53
1:D:1057:HIS:HB3	2:D:1201:SUE:CAE	2.40	0.52
1:C:1112:ASP:OD2	1:C:1134:TYR:OH	2.20	0.52
1:C:1006:TYR:HA	1:C:1111:ALA:CB	2.40	0.52
1:B:1175:LEU:O	1:B:1179:MET:HG3	2.10	0.52
1:B:1070:PRO:HG2	1:D:1074:MET:HE2	1.92	0.51
1:D:1063:THR:HG22	1:D:1072:THR:HA	1.93	0.51
1:C:1063:THR:HG22	1:C:1072:THR:HA	1.93	0.50
1:D:1044:LEU:O	1:D:1140:GLY:HA3	2.12	0.50
1:D:1096:PRO:HB3	1:D:1172:VAL:CG2	2.42	0.50
1:C:1104:LEU:HD22	1:C:1151:VAL:HG21	1.93	0.49
1:A:1054:THR:HG22	1:A:1083:VAL:HG23	1.95	0.49
1:C:1082:LEU:HD13	1:C:1170:ILE:CD1	2.42	0.49
2:C:1201:SUE:HG1A	2:C:1201:SUE:O	2.13	0.48
1:C:1006:TYR:HA	1:C:1111:ALA:HB1	1.94	0.48
1:D:1104:LEU:CD2	1:D:1151:VAL:HG21	2.43	0.48
1:B:1057:HIS:HA	2:B:1201:SUE:HBAA	1.96	0.48
1:D:1155:LYS:HD3	2:D:1201:SUE:HBI	1.96	0.48
1:C:1005:ALA:HB3	1:C:1111:ALA:O	2.13	0.48
1:B:1051:VAL:HG11	1:B:1053:TRP:CZ2	2.49	0.48
1:D:1165:LYS:HD3	1:D:1165:LYS:O	2.14	0.48
1:D:992:VAL:CG1	1:D:1036:VAL:HB	2.44	0.47
1:A:1136:LYS:HD2	2:A:1201:SUE:CBQ	2.45	0.47
1:A:1106:LEU:HD13	1:A:1143:LEU:CD2	2.43	0.47
1:D:1121:ASP:OD1	1:D:1121:ASP:N	2.47	0.47
1:C:1156:ALA:HB3	1:C:1168:ASP:OD1	2.15	0.46
1:A:1055:VAL:HG11	1:A:1139:SER:HB2	1.97	0.46
1:D:1042:THR:HG22	1:D:1109:ARG:HH12	1.81	0.46
1:D:1154:PHE:CE2	2:D:1201:SUE:HBN	2.51	0.46
1:A:1115:PRO:HB2	1:A:1127:LEU:HD13	1.97	0.46
1:C:1144:LEU:HD23	1:C:1150:ALA:HA	1.98	0.46
1:A:1160:THR:HG22	1:A:1161:ARG:HG2	1.97	0.46
1:B:998:ILE:HD13	1:B:1007:ALA:HB2	1.97	0.46
1:A:1110:HIS:O	1:A:1111:ALA:HB3	2.16	0.46
1:D:1139:SER:HB3	2:D:1201:SUE:CBO	2.47	0.45
1:B:1139:SER:HB3	2:B:1201:SUE:CBO	2.46	0.45
1:C:1005:ALA:C	1:C:1111:ALA:HB1	2.37	0.45
1:C:1153:ILE:HD11	1:C:1175:LEU:HD21	1.98	0.45
1:D:1074:MET:CE	1:D:1086:GLN:CB	2.94	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1115:PRO:HB2	1:D:1127:LEU:HD22	1.98	0.45
1:C:1082:LEU:HD21	1:C:1175:LEU:HD12	1.98	0.45
1:C:998:ILE:HG21	1:C:1107:VAL:HG11	1.98	0.45
1:A:1081:ASP:HB3	1:A:1155:LYS:HD3	1.97	0.45
1:B:1081:ASP:HB3	1:B:1155:LYS:HD2	1.98	0.44
1:A:1046:THR:HB	1:A:1153:ILE:CD1	2.47	0.44
1:D:998:ILE:HG21	1:D:1107:VAL:HG11	1.98	0.44
1:A:1132:ILE:CD1	1:A:1162:GLY:HA2	2.44	0.44
1:C:1104:LEU:CD2	1:C:1151:VAL:HG21	2.48	0.44
1:D:998:ILE:HG21	1:D:1107:VAL:CG1	2.47	0.44
1:C:1110:HIS:O	1:C:1111:ALA:CB	2.63	0.44
1:D:1078:VAL:HG13	1:D:1079:ASP:N	2.33	0.44
1:C:1044:LEU:HD12	1:C:1141:GLY:HA3	1.99	0.44
1:A:1019:THR:HG23	1:A:1024:ARG:O	2.17	0.44
1:D:994:ILE:HD12	1:D:1029:VAL:HG11	2.00	0.44
1:A:1143:LEU:HD12	1:A:1169:PHE:CB	2.48	0.43
1:B:1041:GLN:HB3	2:B:1201:SUE:HAK	1.99	0.43
1:D:1095:THR:HG23	1:D:1096:PRO:HD2	1.99	0.43
1:C:1143:LEU:HD13	1:C:1169:PHE:HB3	2.00	0.43
1:D:1110:HIS:O	1:D:1111:ALA:HB3	2.19	0.43
1:B:1104:LEU:HD11	1:B:1118:ARG:HD2	2.01	0.43
1:D:1043:PHE:O	1:D:1044:LEU:HD23	2.19	0.43
1:D:1042:THR:HG21	1:D:1109:ARG:HH22	1.84	0.42
1:B:1155:LYS:HE2	2:B:1201:SUE:HBI	2.00	0.42
1:D:1055:VAL:HA	1:D:1081:ASP:O	2.20	0.42
1:A:999:ASN:O	1:A:1005:ALA:HA	2.19	0.42
1:A:1104:LEU:HD22	1:A:1151:VAL:HG21	2.02	0.42
1:D:1072:THR:HG22	1:D:1073:GLN:N	2.35	0.42
1:C:1109:ARG:HD2	1:C:1137:GLY:HA3	2.02	0.42
2:B:1201:SUE:HCAA	2:B:1201:SUE:HA	1.84	0.42
2:A:1201:SUE:HCA	2:A:1201:SUE:HG1A	2.02	0.42
1:B:1008:GLN:HB3	1:C:1009:GLN:O	2.19	0.42
1:B:1131:PRO:O	1:B:1134:TYR:HB3	2.19	0.42
1:A:1144:LEU:HA	1:A:1149:HIS:O	2.20	0.42
2:C:1201:SUE:HAX	2:C:1201:SUE:HAG	1.93	0.41
1:A:1051:VAL:HG11	1:A:1053:TRP:CH2	2.55	0.41
1:B:1066:SER:C	1:B:1068:LYS:H	2.24	0.41
1:D:1075:TYR:CZ	1:D:1179:MET:HA	2.56	0.41
1:D:1074:MET:HE1	1:D:1086:GLN:CB	2.50	0.41
1:D:1126:LEU:HD12	1:D:1164:ALA:O	2.20	0.41
1:A:1046:THR:HG21	1:A:1142:PRO:HB3	2.03	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1155:LYS:HD2	2:A:1201:SUE:HBI	2.02	0.41
1:D:1078:VAL:HG13	1:D:1079:ASP:H	1.85	0.41
1:A:1123:ARG:NE	1:A:1168:ASP:OD2	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	188/203 (93%)	185 (98%)	3 (2%)	0	100	100
1	B	188/203 (93%)	178 (95%)	10 (5%)	0	100	100
1	C	188/203 (93%)	181 (96%)	5 (3%)	2 (1%)	17	14
1	D	188/203 (93%)	181 (96%)	5 (3%)	2 (1%)	17	14
All	All	752/812 (93%)	725 (96%)	23 (3%)	4 (0%)	34	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	1001	SER
1	C	1003	ASP
1	D	1092	ARG
1	D	1088	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	144/165 (87%)	140 (97%)	4 (3%)	51	63
1	B	142/165 (86%)	138 (97%)	4 (3%)	51	63
1	C	144/165 (87%)	137 (95%)	7 (5%)	31	36
1	D	138/165 (84%)	134 (97%)	4 (3%)	50	62
All	All	568/660 (86%)	549 (97%)	19 (3%)	45	56

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	999	ASN
1	A	1047	SER
1	A	1136	LYS
1	A	1168	ASP
1	B	1001	SER
1	B	1004	THR
1	B	1047	SER
1	B	1168	ASP
1	C	1000	LEU
1	C	1001	SER
1	C	1099	CYS
1	C	1130	ARG
1	C	1165	LYS
1	C	1168	ASP
1	C	1175	LEU
1	D	1037	SER
1	D	1064	ILE
1	D	1093	SER
1	D	1165	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1086	GLN
1	A	1149	HIS
1	C	999	ASN
1	C	1149	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SUE	A	1201	-	52,60,60	2.45	15 (28%)	64,92,92	2.05	14 (21%)
2	SUE	B	1201	-	52,60,60	2.65	16 (30%)	64,92,92	1.90	15 (23%)
2	SUE	C	1201	-	52,60,60	2.26	16 (30%)	64,92,92	2.31	18 (28%)
2	SUE	D	1201	-	52,60,60	2.65	18 (34%)	64,92,92	2.12	18 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SUE	A	1201	-	1/1/15/19	0/58/91/91	0/2/7/7
2	SUE	B	1201	-	1/1/15/19	0/58/91/91	0/2/7/7
2	SUE	C	1201	-	1/1/15/19	0/58/91/91	0/2/7/7
2	SUE	D	1201	-	1/1/15/19	0/58/91/91	0/2/7/7

All (65) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1201	SUE	SAN-NAV	-10.90	1.33	1.62
2	A	1201	SUE	CA-C	-8.51	1.37	1.53
2	B	1201	SUE	CBY-CAQ	-7.63	1.36	1.52
2	C	1201	SUE	CA-C	-7.16	1.39	1.53
2	B	1201	SUE	OBT-CAH	-7.10	1.33	1.46
2	B	1201	SUE	CA-C	-6.83	1.40	1.53
2	D	1201	SUE	CA-C	-6.74	1.40	1.53
2	B	1201	SUE	CBI-CBF	-5.50	1.35	1.51
2	D	1201	SUE	CBY-CAQ	-5.46	1.40	1.52
2	A	1201	SUE	CBY-CAQ	-5.37	1.41	1.52
2	C	1201	SUE	CBY-CAQ	-5.34	1.41	1.52
2	C	1201	SUE	CBI-CBF	-4.86	1.37	1.51
2	A	1201	SUE	CBG-NAC	-4.85	1.29	1.37
2	B	1201	SUE	CAT-NBH	-4.83	1.29	1.37
2	D	1201	SUE	CBI-CBF	-4.77	1.37	1.51
2	A	1201	SUE	CCA-CCB	-4.56	1.45	1.52
2	B	1201	SUE	CCA-CCB	-4.56	1.45	1.52
2	C	1201	SUE	OBT-CAH	-4.45	1.38	1.46
2	A	1201	SUE	CBI-CBF	-4.21	1.39	1.51
2	D	1201	SUE	OBT-CAH	-4.19	1.38	1.46
2	A	1201	SUE	CAT-NBH	-4.19	1.30	1.37
2	A	1201	SUE	CAE-CBG	-4.07	1.35	1.41
2	B	1201	SUE	CBG-NAC	-4.01	1.30	1.37
2	C	1201	SUE	CAT-NBH	-3.92	1.30	1.37
2	C	1201	SUE	CBG-NAC	-3.79	1.31	1.37
2	A	1201	SUE	OAM-SAN	-3.40	1.40	1.43
2	D	1201	SUE	CBG-NAC	-3.30	1.31	1.37
2	D	1201	SUE	CAR-CB	-3.29	1.46	1.53
2	C	1201	SUE	SAN-NAV	-3.28	1.53	1.62
2	D	1201	SUE	CBN-CAW	-3.23	1.45	1.51
2	A	1201	SUE	CAD-CAT	-3.11	1.36	1.41
2	A	1201	SUE	CBN-CAW	-3.06	1.45	1.51
2	C	1201	SUE	CAE-CBG	-3.06	1.37	1.41
2	B	1201	SUE	CAD-CAT	-2.98	1.36	1.41
2	B	1201	SUE	CAE-CBG	-2.94	1.37	1.41
2	C	1201	SUE	CBN-CAW	-2.94	1.45	1.51
2	D	1201	SUE	CAT-NBH	-2.91	1.32	1.37
2	D	1201	SUE	CBX-CCB	-2.80	1.46	1.52
2	B	1201	SUE	CBX-CBY	-2.65	1.48	1.53
2	A	1201	SUE	OBK-SAN	-2.60	1.41	1.43
2	C	1201	SUE	CAD-CAT	-2.58	1.37	1.41
2	B	1201	SUE	OBB-CBJ	-2.56	1.31	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1201	SUE	OBT-CAB	-2.47	1.31	1.35
2	B	1201	SUE	SAN-NAV	-2.40	1.56	1.62
2	D	1201	SUE	CCA-NBZ	-2.39	1.43	1.47
2	C	1201	SUE	CBN-CAO	-2.32	1.48	1.51
2	A	1201	SUE	CAQ-NBP	-2.31	1.29	1.34
2	C	1201	SUE	CBX-CCB	-2.22	1.47	1.52
2	D	1201	SUE	CAE-CBG	-2.19	1.38	1.41
2	D	1201	SUE	CAD-CAT	-2.18	1.37	1.41
2	D	1201	SUE	OBB-CBJ	-2.18	1.32	1.37
2	C	1201	SUE	CCA-NBZ	-2.16	1.43	1.47
2	A	1201	SUE	CBG-CAT	-2.13	1.37	1.42
2	D	1201	SUE	OAM-SAN	-2.09	1.41	1.43
2	B	1201	SUE	CBN-CAW	-2.08	1.47	1.51
2	C	1201	SUE	OBT-CAB	-2.07	1.31	1.35
2	D	1201	SUE	CG2-CB	-2.07	1.48	1.53
2	C	1201	SUE	CAO-CBO	2.83	1.58	1.53
2	D	1201	SUE	CAO-CBO	3.35	1.59	1.53
2	B	1201	SUE	CAO-CBO	3.36	1.59	1.53
2	B	1201	SUE	CBQ-CAS	3.39	1.48	1.29
2	C	1201	SUE	CBQ-CAS	3.40	1.48	1.29
2	D	1201	SUE	CBQ-CAS	3.45	1.49	1.29
2	A	1201	SUE	CAO-CBO	3.48	1.59	1.53
2	A	1201	SUE	CBQ-CAS	3.72	1.50	1.29

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	SUE	OBK-SAN-OAM	-8.65	105.14	119.34
2	D	1201	SUE	OBK-SAN-OAM	-7.00	107.84	119.34
2	C	1201	SUE	OBK-SAN-OAM	-6.45	108.74	119.34
2	B	1201	SUE	OBK-SAN-OAM	-6.20	109.16	119.34
2	B	1201	SUE	CAW-CAO-NBP	-5.06	107.46	117.66
2	C	1201	SUE	CBN-CAO-NBP	-4.88	111.05	117.84
2	C	1201	SUE	CCA-NBZ-CBY	-4.64	104.46	111.69
2	D	1201	SUE	OBM-CBO-CAO	-4.49	115.47	120.76
2	A	1201	SUE	OBR-CAB-N	-4.41	117.16	124.86
2	C	1201	SUE	OBM-CBO-CAO	-3.73	116.36	120.76
2	A	1201	SUE	CAW-CAO-NBP	-3.67	110.26	117.66
2	D	1201	SUE	OBR-CAB-N	-3.52	118.70	124.86
2	C	1201	SUE	CAW-CAS-CBQ	-3.12	114.16	125.79
2	C	1201	SUE	OBR-CAB-N	-3.12	119.42	124.86
2	D	1201	SUE	CBX-CCB-CCA	-3.03	100.91	103.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1201	SUE	CAW-CAO-NBP	-3.00	111.61	117.66
2	C	1201	SUE	CAW-CAO-NBP	-2.91	111.79	117.66
2	C	1201	SUE	CBX-CCB-CCA	-2.85	101.07	103.64
2	B	1201	SUE	CAW-CAS-CBQ	-2.71	115.68	125.79
2	D	1201	SUE	CAW-CAS-CBQ	-2.68	115.80	125.79
2	A	1201	SUE	CCA-NBZ-CBY	-2.65	107.57	111.69
2	D	1201	SUE	CCA-NBZ-CBY	-2.63	107.60	111.69
2	A	1201	SUE	CAW-CAS-CBQ	-2.54	116.31	125.79
2	B	1201	SUE	OBM-CBO-CAO	-2.46	117.85	120.76
2	B	1201	SUE	OBR-CAB-N	-2.39	120.68	124.86
2	D	1201	SUE	CG2-CB-CAR	-2.34	103.99	108.75
2	D	1201	SUE	O-C-NBZ	-2.21	117.60	121.41
2	D	1201	SUE	CBN-CAO-NBP	-2.19	114.80	117.84
2	B	1201	SUE	CAY-CAD-CAT	-2.13	118.57	120.88
2	B	1201	SUE	O-C-NBZ	-2.08	117.83	121.41
2	B	1201	SUE	CCB-CCA-NBZ	2.02	104.90	102.44
2	B	1201	SUE	OAZ-CCB-CBX	2.04	114.22	108.70
2	A	1201	SUE	OAZ-CCB-CBX	2.06	114.26	108.70
2	B	1201	SUE	CBF-NBH-CAT	2.25	120.11	117.64
2	B	1201	SUE	CAO-NBP-CAQ	2.30	126.49	121.51
2	C	1201	SUE	CBF-NBH-CAT	2.32	120.19	117.64
2	D	1201	SUE	CBA-OBB-CBJ	2.35	123.01	117.51
2	C	1201	SUE	CAO-NBP-CAQ	2.41	126.73	121.51
2	A	1201	SUE	CBF-NBH-CAT	2.45	120.32	117.64
2	A	1201	SUE	CBJ-CAE-CBG	2.53	120.64	119.14
2	C	1201	SUE	CBX-CBY-NBZ	2.56	106.93	103.19
2	A	1201	SUE	C-CA-N	2.58	110.18	107.45
2	B	1201	SUE	OBT-CAB-N	2.72	113.98	110.37
2	D	1201	SUE	OBT-CAB-N	2.89	114.20	110.37
2	C	1201	SUE	CBJ-CAE-CBG	2.94	120.89	119.14
2	D	1201	SUE	CBF-NBH-CAT	2.97	120.89	117.64
2	A	1201	SUE	CAW-CAO-CBO	2.99	122.73	117.09
2	B	1201	SUE	CAH-OBT-CAB	3.16	121.20	116.97
2	A	1201	SUE	CBX-CBY-CAQ	3.25	118.12	111.31
2	C	1201	SUE	CA-C-NBZ	3.29	124.20	118.50
2	A	1201	SUE	CCB-CCA-NBZ	3.30	106.47	102.44
2	D	1201	SUE	CBJ-CAE-CBG	3.38	121.15	119.14
2	C	1201	SUE	CAH-OBT-CAB	3.49	121.65	116.97
2	D	1201	SUE	CAO-NBP-CAQ	3.50	129.09	121.51
2	C	1201	SUE	C-CA-N	3.61	111.27	107.45
2	A	1201	SUE	CBO-CAO-NBP	3.61	120.39	116.09
2	D	1201	SUE	CCB-CCA-NBZ	4.57	108.03	102.44

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1201	SUE	C-CA-N	4.87	112.62	107.45
2	B	1201	SUE	CBO-CAO-NBP	5.19	122.27	116.09
2	D	1201	SUE	CBO-CAO-NBP	5.24	122.33	116.09
2	A	1201	SUE	OBT-CAB-N	5.42	117.54	110.37
2	C	1201	SUE	CCB-CCA-NBZ	5.52	109.18	102.44
2	B	1201	SUE	C-CA-N	5.56	113.35	107.45
2	C	1201	SUE	OBT-CAB-N	5.68	117.88	110.37
2	C	1201	SUE	CBO-CAO-NBP	5.71	122.89	116.09

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	D	1201	SUE	NBZ
2	A	1201	SUE	NBZ
2	B	1201	SUE	NBZ
2	C	1201	SUE	NBZ

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1201	SUE	3	0
2	B	1201	SUE	5	0
2	C	1201	SUE	2	0
2	D	1201	SUE	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	190/203 (93%)	0.76	15 (7%) 15 15	23, 38, 73, 130	0
1	B	190/203 (93%)	0.82	16 (8%) 14 13	21, 35, 77, 95	0
1	C	190/203 (93%)	0.93	22 (11%) 6 6	21, 34, 67, 115	0
1	D	190/203 (93%)	1.16	31 (16%) 2 2	21, 39, 85, 138	0
All	All	760/812 (93%)	0.91	84 (11%) 7 7	21, 37, 79, 138	0

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	1177	THR	11.2
1	D	1018	GLU	7.4
1	D	1002	GLY	7.3
1	D	1067	PRO	6.3
1	D	1069	GLY	6.2
1	C	1178	THR	6.1
1	B	1015	GLY	5.9
1	D	1022	THR	5.8
1	D	1015	GLY	5.5
1	C	1001	SER	5.4
1	B	1001	SER	4.8
1	D	1090	GLY	4.7
1	B	1178	THR	4.6
1	D	1068	LYS	4.3
1	B	1129	PRO	4.3
1	C	1022	THR	4.3
1	C	1179	MET	4.1
1	D	1000	LEU	4.0
1	D	1071	VAL	3.9
1	C	1109	ARG	3.8
1	B	1016	CYS	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	1020	SER	3.7
1	A	1109	ARG	3.6
1	A	1004	THR	3.5
1	A	1102	SER	3.5
1	D	1023	GLY	3.5
1	C	1019	THR	3.5
1	A	1121	ASP	3.4
1	B	1177	THR	3.4
1	D	1001	SER	3.4
1	B	1017	GLN	3.3
1	D	1088	PRO	3.2
1	C	1003	ASP	3.2
1	B	1004	THR	3.1
1	D	1019	THR	3.1
1	D	1014	GLU	3.0
1	C	1004	THR	2.9
1	C	990	GLY	2.9
1	A	1108	THR	2.9
1	A	1106	LEU	2.8
1	C	1016	CYS	2.8
1	C	1105	TYR	2.8
1	D	1006	TYR	2.7
1	A	1003	ASP	2.7
1	A	1099	CYS	2.7
1	A	1107	VAL	2.7
1	D	995	VAL	2.7
1	D	1005	ALA	2.7
1	C	1122	SER	2.6
1	B	1040	THR	2.6
1	B	1160	THR	2.6
1	B	1117	ARG	2.6
1	D	1017	GLN	2.5
1	A	1105	TYR	2.5
1	B	1003	ASP	2.5
1	D	1028	GLN	2.5
1	D	1003	ASP	2.5
1	B	1128	SER	2.4
1	D	1027	ASN	2.4
1	A	1104	LEU	2.4
1	C	1023	GLY	2.4
1	D	1158	VAL	2.4
1	D	1004	THR	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	1127	LEU	2.4
1	A	994	ILE	2.4
1	C	1070	PRO	2.4
1	C	1126	LEU	2.4
1	A	1128	SER	2.4
1	A	1160	THR	2.3
1	C	1137	GLY	2.3
1	B	1121	ASP	2.3
1	C	1061	THR	2.3
1	D	1087	ALA	2.2
1	B	1071	VAL	2.2
1	D	1016	CYS	2.2
1	C	1000	LEU	2.1
1	D	1007	ALA	2.1
1	D	1177	THR	2.1
1	D	1065	ALA	2.1
1	D	1070	PRO	2.1
1	D	1089	GLN	2.1
1	C	1128	SER	2.1
1	A	1050	GLY	2.1
1	C	1018	GLU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SUE	A	1201	54/54	0.92	0.15	-0.99	13,18,23,24	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SUE	D	1201	54/54	0.94	0.12	-1.19	10,15,18,19	0
2	SUE	C	1201	54/54	0.92	0.13	-1.22	12,17,21,21	0
2	SUE	B	1201	54/54	0.92	0.13	-1.28	15,18,24,26	0
3	ZN	C	1202	1/1	0.99	0.10	-2.27	25,25,25,25	0
3	ZN	A	1202	1/1	0.94	0.07	-2.62	33,33,33,33	0
3	ZN	D	1202	1/1	0.99	0.04	-3.66	24,24,24,24	0
3	ZN	B	1202	1/1	0.99	0.05	-3.93	20,20,20,20	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.