



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:29 PM GMT

PDB ID : 4TK5
Title : Crystal Structure of human Tankyrase 2 in complex with EB47.
Authors : Qiu, W.; Lam, R.; Romanov, V.; Gordon, R.; Gebremeskel, S.; Vodsedalek, J.; Thompson, C.; Beletskaya, I.; Battaile, K.P.; Pai, E.F.; Chirgadze, N.Y.
Deposited on : 2014-05-25
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	7858 (2.04-2.00)
Clashscore	102246	9060 (2.04-2.00)
Ramachandran outliers	100387	8952 (2.04-2.00)
Sidechain outliers	100360	8951 (2.04-2.00)
RSRZ outliers	91569	7873 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	227	<div> <div>7%</div> <div> <div></div> <div>81%</div> <div>7%</div> <div>11%</div> </div> </div>
1	B	227	<div> <div>4%</div> <div> <div></div> <div>82%</div> <div>7%</div> <div>11%</div> </div> </div>
1	C	227	<div> <div>4%</div> <div> <div></div> <div>83%</div> <div>7%</div> <div>8%</div> </div> </div>
1	D	227	<div> <div>13%</div> <div> <div></div> <div>78%</div> <div>8%</div> <div>12%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	UHB	A	1202	X	-	-	-
3	UHB	B	1202	X	-	-	-
3	UHB	D	1201	X	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7494 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tankyrase-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	201	Total	C	N	O	S	0	0	0
			1620	1020	299	290	11			
1	B	203	Total	C	N	O	S	0	0	0
			1641	1036	302	292	11			
1	C	208	Total	C	N	O	S	0	0	0
			1673	1055	308	299	11			
1	D	199	Total	C	N	O	S	0	0	0
			1598	1008	297	282	11			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	938	MET	-	initiating methionine	UNP Q9H2K2
A	939	GLY	-	expression tag	UNP Q9H2K2
A	940	SER	-	expression tag	UNP Q9H2K2
A	941	SER	-	expression tag	UNP Q9H2K2
A	942	HIS	-	expression tag	UNP Q9H2K2
A	943	HIS	-	expression tag	UNP Q9H2K2
A	944	HIS	-	expression tag	UNP Q9H2K2
A	945	HIS	-	expression tag	UNP Q9H2K2
A	946	HIS	-	expression tag	UNP Q9H2K2
A	947	HIS	-	expression tag	UNP Q9H2K2
A	948	SER	-	expression tag	UNP Q9H2K2
A	949	SER	-	expression tag	UNP Q9H2K2
A	950	GLY	-	expression tag	UNP Q9H2K2
A	951	ARG	-	expression tag	UNP Q9H2K2
A	952	GLU	-	expression tag	UNP Q9H2K2
A	953	ASN	-	expression tag	UNP Q9H2K2
A	954	LEU	-	expression tag	UNP Q9H2K2
A	955	TYR	-	expression tag	UNP Q9H2K2
A	956	PHE	-	expression tag	UNP Q9H2K2
A	957	GLN	-	expression tag	UNP Q9H2K2
A	958	GLY	-	expression tag	UNP Q9H2K2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	938	MET	-	initiating methionine	UNP Q9H2K2
B	939	GLY	-	expression tag	UNP Q9H2K2
B	940	SER	-	expression tag	UNP Q9H2K2
B	941	SER	-	expression tag	UNP Q9H2K2
B	942	HIS	-	expression tag	UNP Q9H2K2
B	943	HIS	-	expression tag	UNP Q9H2K2
B	944	HIS	-	expression tag	UNP Q9H2K2
B	945	HIS	-	expression tag	UNP Q9H2K2
B	946	HIS	-	expression tag	UNP Q9H2K2
B	947	HIS	-	expression tag	UNP Q9H2K2
B	948	SER	-	expression tag	UNP Q9H2K2
B	949	SER	-	expression tag	UNP Q9H2K2
B	950	GLY	-	expression tag	UNP Q9H2K2
B	951	ARG	-	expression tag	UNP Q9H2K2
B	952	GLU	-	expression tag	UNP Q9H2K2
B	953	ASN	-	expression tag	UNP Q9H2K2
B	954	LEU	-	expression tag	UNP Q9H2K2
B	955	TYR	-	expression tag	UNP Q9H2K2
B	956	PHE	-	expression tag	UNP Q9H2K2
B	957	GLN	-	expression tag	UNP Q9H2K2
B	958	GLY	-	expression tag	UNP Q9H2K2
C	938	MET	-	initiating methionine	UNP Q9H2K2
C	939	GLY	-	expression tag	UNP Q9H2K2
C	940	SER	-	expression tag	UNP Q9H2K2
C	941	SER	-	expression tag	UNP Q9H2K2
C	942	HIS	-	expression tag	UNP Q9H2K2
C	943	HIS	-	expression tag	UNP Q9H2K2
C	944	HIS	-	expression tag	UNP Q9H2K2
C	945	HIS	-	expression tag	UNP Q9H2K2
C	946	HIS	-	expression tag	UNP Q9H2K2
C	947	HIS	-	expression tag	UNP Q9H2K2
C	948	SER	-	expression tag	UNP Q9H2K2
C	949	SER	-	expression tag	UNP Q9H2K2
C	950	GLY	-	expression tag	UNP Q9H2K2
C	951	ARG	-	expression tag	UNP Q9H2K2
C	952	GLU	-	expression tag	UNP Q9H2K2
C	953	ASN	-	expression tag	UNP Q9H2K2
C	954	LEU	-	expression tag	UNP Q9H2K2
C	955	TYR	-	expression tag	UNP Q9H2K2
C	956	PHE	-	expression tag	UNP Q9H2K2
C	957	GLN	-	expression tag	UNP Q9H2K2
C	958	GLY	-	expression tag	UNP Q9H2K2

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	938	MET	-	initiating methionine	UNP Q9H2K2
D	939	GLY	-	expression tag	UNP Q9H2K2
D	940	SER	-	expression tag	UNP Q9H2K2
D	941	SER	-	expression tag	UNP Q9H2K2
D	942	HIS	-	expression tag	UNP Q9H2K2
D	943	HIS	-	expression tag	UNP Q9H2K2
D	944	HIS	-	expression tag	UNP Q9H2K2
D	945	HIS	-	expression tag	UNP Q9H2K2
D	946	HIS	-	expression tag	UNP Q9H2K2
D	947	HIS	-	expression tag	UNP Q9H2K2
D	948	SER	-	expression tag	UNP Q9H2K2
D	949	SER	-	expression tag	UNP Q9H2K2
D	950	GLY	-	expression tag	UNP Q9H2K2
D	951	ARG	-	expression tag	UNP Q9H2K2
D	952	GLU	-	expression tag	UNP Q9H2K2
D	953	ASN	-	expression tag	UNP Q9H2K2
D	954	LEU	-	expression tag	UNP Q9H2K2
D	955	TYR	-	expression tag	UNP Q9H2K2
D	956	PHE	-	expression tag	UNP Q9H2K2
D	957	GLN	-	expression tag	UNP Q9H2K2
D	958	GLY	-	expression tag	UNP Q9H2K2

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Zn 1 1	0	0
2	A	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0

- Molecule 3 is 2-[4-[(2S,3S,4R,5R)-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]carbon ylpiperazin-1-yl]-N-(1-oxidanylidene-2,3-dihydroisoindol-4-yl)ethanamide (three-letter code: UHB) (formula: C₂₄H₂₇N₉O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			39	24	9	6		
3	B	1	Total	C	N	O	0	0
			39	24	9	6		
3	C	1	Total	C	N	O	0	0
			39	24	9	6		
3	D	1	Total	C	N	O	0	0
			39	24	9	6		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	206	Total	O	0	0
			206	206		
4	B	221	Total	O	0	0
			221	221		
4	C	216	Total	O	0	0
			216	216		
4	D	160	Total	O	0	0
			160	160		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tankyrase-2




• Molecule 1: Tankyrase-2




• Molecule 1: Tankyrase-2



• Molecule 1: Tankyrase-2





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.02Å 79.62Å 153.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.57 – 2.02 28.92 – 2.02	Depositor EDS
% Data completeness (in resolution range)	99.6 (29.57-2.02) 99.6 (28.92-2.02)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.01 (at 2.03Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, R_{free}	0.177 , 0.212 0.177 , 0.207	Depositor DCC
R_{free} test set	980 reflections (1.66%)	DCC
Wilson B-factor (Å ²)	26.4	Xtriage
Anisotropy	0.426	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 65.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 60027 reflections (0.003%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7494	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, UHB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/1664	0.65	0/2237
1	B	0.48	0/1684	0.66	0/2260
1	C	0.45	0/1718	0.66	1/2310 (0.0%)
1	D	0.49	0/1641	0.65	0/2206
All	All	0.48	0/6707	0.65	1/9013 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	960	PRO	N-CA-CB	5.50	109.90	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1620	0	1553	11	0
1	B	1641	0	1568	11	0
1	C	1673	0	1595	13	0
1	D	1598	0	1538	17	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1	0	0	0	0
3	A	39	0	26	0	0
3	B	39	0	26	1	0
3	C	39	0	27	1	0
3	D	39	0	26	0	0
4	A	206	0	0	3	0
4	B	221	0	0	1	0
4	C	216	0	0	0	0
4	D	160	0	0	3	0
All	All	7494	0	6359	50	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1105:LYS:H	1:C:1123:HIS:HD2	1.15	0.92
1:C:1000:VAL:HG21	1:C:1040:ILE:HD12	1.64	0.80
1:D:1000:VAL:HG21	1:D:1040:ILE:HD12	1.65	0.78
1:B:1000:VAL:HG21	1:B:1040:ILE:HD12	1.66	0.78
1:D:984:HIS:CD2	1:D:1087:ARG:HH22	2.11	0.68
1:D:1087:ARG:HG3	1:D:1087:ARG:HH11	1.61	0.66
1:B:1115:MET:HE1	1:B:1125:VAL:HG21	1.78	0.65
1:B:1075:ILE:HD11	3:B:1202:UHB:H16	1.80	0.63
1:B:1057:ALA:O	1:D:1117:HIS:HE1	1.81	0.62
1:C:1105:LYS:H	1:C:1123:HIS:CD2	2.07	0.61
1:D:1129:PRO:HA	1:D:1134:LEU:HB3	1.83	0.61
1:A:1057:ALA:O	1:C:1117:HIS:HE1	1.85	0.60
1:C:1075:ILE:HD11	3:C:1202:UHB:H20	1.83	0.59
1:D:1087:ARG:HG3	1:D:1087:ARG:NH1	2.19	0.57
1:C:972:MET:HG2	1:C:994:ILE:HD11	1.87	0.55
1:C:1083:VAL:HG13	1:C:1092:CYS:SG	2.47	0.54
1:D:984:HIS:CD2	1:D:1087:ARG:NH2	2.75	0.54
1:A:972:MET:HG2	1:A:994:ILE:HD11	1.90	0.53
1:D:972:MET:HG2	1:D:994:ILE:HD11	1.92	0.51
1:B:972:MET:HG2	1:B:994:ILE:HD11	1.93	0.50
1:B:1115:MET:CE	1:B:1125:VAL:HG21	2.42	0.48
1:D:1036:VAL:HG22	1:D:1097:LEU:HG	1.95	0.48
1:A:1079:THR:HG23	4:A:1320:HOH:O	2.12	0.48
1:C:1036:VAL:HG22	1:C:1097:LEU:HG	1.94	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1040:ILE:HD11	1:D:1097:LEU:CD2	2.45	0.47
1:D:1117:HIS:HD2	4:D:1335:HOH:O	1.96	0.47
1:A:1083:VAL:HG23	1:A:1084:HIS:CE1	2.50	0.47
1:B:1040:ILE:HD11	1:B:1097:LEU:CD2	2.45	0.46
1:B:1115:MET:HG2	4:B:1475:HOH:O	2.16	0.46
1:A:1037:ASN:HA	1:A:1040:ILE:HG12	1.97	0.46
1:C:1040:ILE:HD11	1:C:1097:LEU:CD2	2.47	0.45
1:B:1040:ILE:HD11	1:B:1097:LEU:HD21	1.99	0.44
1:D:1107:PHE:CG	1:D:1119:PRO:HG2	2.52	0.44
1:A:1083:VAL:HG23	1:A:1084:HIS:ND1	2.32	0.44
1:D:964:GLU:HG2	1:D:1151:TYR:OH	2.18	0.44
1:C:959:SER:HB2	1:C:962:ASP:HB2	1.99	0.44
1:A:1027:ARG:NH1	1:A:1139:TYR:OH	2.51	0.44
1:A:1011:HIS:HE1	4:A:1413:HOH:O	2.01	0.43
1:D:1011:HIS:HE1	4:D:1378:HOH:O	2.02	0.43
1:A:1082:PRO:HD2	4:A:1422:HOH:O	2.18	0.43
1:A:1083:VAL:HG22	1:A:1092:CYS:SG	2.59	0.42
1:D:1040:ILE:HD11	1:D:1097:LEU:HD21	2.00	0.42
1:D:1067:LYS:HE3	4:D:1411:HOH:O	2.20	0.42
1:D:1110:PHE:HB2	1:D:1130:SER:HB3	2.02	0.41
1:B:1044:PHE:HB3	1:B:1059:ILE:HD13	2.00	0.41
1:C:1040:ILE:HD11	1:C:1097:LEU:HD21	2.01	0.41
1:A:1083:VAL:CG2	1:A:1092:CYS:SG	3.09	0.41
1:B:1108:LEU:HD12	1:B:1126:THR:HB	2.03	0.41
1:C:972:MET:HG2	1:C:994:ILE:CD1	2.51	0.40
1:C:1000:VAL:HG21	1:C:1040:ILE:CD1	2.44	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	199/227 (88%)	195 (98%)	4 (2%)	0	100	100
1	B	197/227 (87%)	197 (100%)	0	0	100	100
1	C	206/227 (91%)	206 (100%)	0	0	100	100
1	D	197/227 (87%)	192 (98%)	4 (2%)	1 (0%)	34	26
All	All	799/908 (88%)	790 (99%)	8 (1%)	1 (0%)	56	52

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	1052	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	170/192 (88%)	166 (98%)	4 (2%)	57	56
1	B	171/192 (89%)	168 (98%)	3 (2%)	66	68
1	C	174/192 (91%)	168 (97%)	6 (3%)	44	41
1	D	166/192 (86%)	162 (98%)	4 (2%)	57	56
All	All	681/768 (89%)	664 (98%)	17 (2%)	55	54

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	961	ASP
1	A	966	GLN
1	A	1054	MET
1	A	1100	ARG
1	B	962	ASP
1	B	991	ARG
1	B	1100	ARG
1	C	957	GLN
1	C	1036	VAL
1	C	1051	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	1054	MET
1	C	1083	VAL
1	C	1100	ARG
1	D	1036	VAL
1	D	1087	ARG
1	D	1100	ARG
1	D	1110	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1011	HIS
1	A	1048	HIS
1	B	1011	HIS
1	B	1048	HIS
1	C	1048	HIS
1	C	1117	HIS
1	C	1123	HIS
1	D	1011	HIS
1	D	1023	HIS
1	D	1117	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	UHB	A	1202	-	36,44,44	1.95	11 (30%)	42,65,65	1.96	10 (23%)
3	UHB	B	1202	-	36,44,44	1.85	9 (25%)	42,65,65	1.94	12 (28%)
3	UHB	C	1202	-	36,44,44	1.98	7 (19%)	42,65,65	1.98	8 (19%)
3	UHB	D	1201	-	36,44,44	2.79	14 (38%)	42,65,65	3.13	17 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UHB	A	1202	-	1/1/9/11	0/16/55/55	0/6/6/6
3	UHB	B	1202	-	1/1/9/11	0/16/55/55	0/6/6/6
3	UHB	C	1202	-	-	0/16/55/55	0/6/6/6
3	UHB	D	1201	-	2/2/9/11	0/16/55/55	1/6/6/6

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1201	UHB	C17-N18	-7.15	1.34	1.47
3	D	1201	UHB	O29-C24	-5.59	1.29	1.43
3	D	1201	UHB	O26-C22	-4.63	1.37	1.43
3	D	1201	UHB	O26-C25	-4.29	1.35	1.41
3	A	1202	UHB	O29-C24	-2.94	1.35	1.43
3	D	1201	UHB	C24-C23	-2.90	1.45	1.53
3	B	1202	UHB	O29-C24	-2.87	1.36	1.43
3	D	1201	UHB	C14-C12	-2.75	1.48	1.52
3	D	1201	UHB	O28-C23	-2.30	1.37	1.43
3	A	1202	UHB	O28-C23	-2.28	1.37	1.43
3	A	1202	UHB	O26-C25	-2.25	1.38	1.41
3	A	1202	UHB	C19-N18	-2.25	1.43	1.47
3	B	1202	UHB	C17-N18	-2.25	1.43	1.47
3	A	1202	UHB	C20-N15	2.04	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1202	UHB	C36-N35	2.13	1.38	1.33
3	D	1201	UHB	C31-N34	2.14	1.46	1.39
3	B	1202	UHB	C03-C04	2.14	1.43	1.39
3	A	1202	UHB	C32-N37	2.21	1.38	1.35
3	B	1202	UHB	C36-N37	2.26	1.36	1.32
3	A	1202	UHB	C12-N11	2.27	1.41	1.35
3	D	1201	UHB	C17-C16	2.32	1.60	1.51
3	B	1202	UHB	C12-N11	2.34	1.41	1.35
3	A	1202	UHB	C04-C05	2.39	1.43	1.40
3	B	1202	UHB	C04-C05	2.58	1.43	1.40
3	C	1202	UHB	C03-C04	2.71	1.44	1.39
3	D	1201	UHB	C12-N11	2.72	1.42	1.35
3	C	1202	UHB	C16-N15	2.84	1.54	1.46
3	C	1202	UHB	C12-N11	2.96	1.42	1.35
3	B	1202	UHB	C16-N15	2.99	1.55	1.46
3	C	1202	UHB	C36-N37	3.08	1.37	1.32
3	D	1201	UHB	C04-C05	3.14	1.44	1.40
3	A	1202	UHB	C16-N15	3.17	1.55	1.46
3	D	1201	UHB	C22-C21	4.51	1.64	1.53
3	A	1202	UHB	C21-N18	4.54	1.41	1.34
3	D	1201	UHB	C23-C22	5.01	1.60	1.53
3	B	1202	UHB	C23-C22	5.03	1.60	1.53
3	B	1202	UHB	C21-N18	5.19	1.42	1.34
3	C	1202	UHB	C21-N18	5.33	1.42	1.34
3	A	1202	UHB	C23-C22	5.64	1.61	1.53
3	C	1202	UHB	C23-C22	6.12	1.62	1.53
3	D	1201	UHB	C21-N18	6.84	1.45	1.34

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1201	UHB	C24-C23-C22	-5.65	94.85	101.64
3	D	1201	UHB	O27-C21-N18	-5.09	115.31	121.66
3	D	1201	UHB	O13-C12-C14	-4.58	112.53	121.02
3	D	1201	UHB	C03-C04-C05	-4.22	115.53	120.73
3	C	1202	UHB	C03-C04-C05	-4.06	115.72	120.73
3	C	1202	UHB	O13-C12-C14	-3.81	113.97	121.02
3	B	1202	UHB	C03-C04-C05	-3.68	116.19	120.73
3	A	1202	UHB	C03-C04-C05	-3.67	116.21	120.73
3	B	1202	UHB	O27-C21-N18	-3.12	117.77	121.66
3	A	1202	UHB	O27-C21-N18	-2.86	118.09	121.66
3	A	1202	UHB	O26-C22-C21	-2.74	106.79	111.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1202	UHB	O27-C21-N18	-2.51	118.53	121.66
3	D	1201	UHB	O27-C21-C22	-2.49	113.06	119.42
3	D	1201	UHB	N39-C38-N35	-2.37	114.11	119.20
3	A	1202	UHB	O13-C12-C14	-2.35	116.66	121.02
3	B	1202	UHB	O13-C12-C14	-2.20	116.95	121.02
3	B	1202	UHB	O26-C22-C21	-2.19	107.66	111.13
3	D	1201	UHB	C25-O26-C22	-2.17	105.34	109.11
3	D	1201	UHB	C06-C07-N09	-2.14	105.11	106.24
3	C	1202	UHB	C22-C21-N18	2.02	122.76	118.38
3	A	1202	UHB	C22-C21-N18	2.23	123.19	118.38
3	B	1202	UHB	C20-N15-C16	2.24	113.74	108.90
3	B	1202	UHB	C17-C16-N15	2.34	114.81	110.63
3	B	1202	UHB	C05-C04-N11	2.44	124.48	119.36
3	D	1201	UHB	O26-C25-N30	2.46	113.25	108.10
3	B	1202	UHB	C22-C21-N18	2.50	123.79	118.38
3	A	1202	UHB	C05-C04-N11	2.58	124.76	119.36
3	C	1202	UHB	C12-C14-N15	2.80	120.25	113.20
3	D	1201	UHB	O26-C22-C21	2.82	115.59	111.13
3	D	1201	UHB	C12-C14-N15	3.06	120.92	113.20
3	D	1201	UHB	C05-C04-N11	3.07	125.80	119.36
3	B	1202	UHB	C12-C14-N15	3.40	121.78	113.20
3	A	1202	UHB	C12-C14-N15	3.45	121.90	113.20
3	B	1202	UHB	C14-C12-N11	3.55	121.68	114.46
3	A	1202	UHB	C14-C12-N11	3.83	122.25	114.46
3	A	1202	UHB	C14-N15-C20	4.57	117.82	111.07
3	B	1202	UHB	C24-C25-N30	4.82	121.65	114.29
3	B	1202	UHB	C14-N15-C20	5.03	118.50	111.07
3	C	1202	UHB	C14-C12-N11	5.08	124.81	114.46
3	C	1202	UHB	C24-C25-N30	5.09	122.07	114.29
3	A	1202	UHB	C24-C25-N30	5.31	122.41	114.29
3	D	1201	UHB	C24-C25-N30	5.32	122.42	114.29
3	C	1202	UHB	C14-N15-C20	5.46	119.14	111.07
3	D	1201	UHB	C14-C12-N11	5.57	125.79	114.46
3	D	1201	UHB	C14-N15-C16	5.97	119.89	111.07
3	D	1201	UHB	C22-C21-N18	6.13	131.63	118.38
3	D	1201	UHB	C14-N15-C20	9.63	125.30	111.07

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	B	1202	UHB	C24
3	A	1202	UHB	C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
3	D	1201	UHB	C24
3	D	1201	UHB	C22

There are no torsion outliers.

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	1201	UHB	C16-C17-C19-C20-N15-N18

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1202	UHB	1	0
3	C	1202	UHB	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	201/227 (88%)	0.35	15 (7%) 17 18	18, 27, 58, 87	0
1	B	203/227 (89%)	0.21	9 (4%) 38 40	16, 27, 55, 80	0
1	C	208/227 (91%)	0.08	8 (3%) 44 46	16, 27, 53, 66	0
1	D	199/227 (87%)	0.73	30 (15%) 3 3	19, 35, 64, 86	0
All	All	811/908 (89%)	0.34	62 (7%) 17 18	16, 29, 58, 87	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	960	PRO	9.0
1	D	1131	VAL	8.8
1	D	963	LYS	5.8
1	D	962	ASP	5.8
1	D	1132	ASN	5.7
1	D	1052	GLY	5.7
1	A	962	ASP	5.6
1	A	1132	ASN	5.3
1	D	1110	PHE	5.1
1	C	1051	ILE	5.0
1	A	1131	VAL	4.8
1	D	964	GLU	4.8
1	D	1133	GLY	4.7
1	A	1051	ILE	4.5
1	B	1132	ASN	4.5
1	C	955	TYR	4.4
1	D	1135	ALA	4.3
1	D	1112	ALA	4.2
1	D	1001	CYS	4.1
1	C	963	LYS	4.0
1	A	1133	GLY	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	1113	MET	3.9
1	A	1130	SER	3.8
1	B	1131	VAL	3.7
1	D	965	PHE	3.7
1	A	1110	PHE	3.6
1	B	1050	TYR	3.4
1	D	980	ARG	3.4
1	D	1082	PRO	3.2
1	B	1083	VAL	3.2
1	B	954	LEU	3.1
1	D	1134	LEU	3.1
1	A	961	ASP	3.1
1	D	1051	ILE	3.1
1	D	1129	PRO	3.1
1	C	953	ASN	3.0
1	A	1050	TYR	3.0
1	D	966	GLN	3.0
1	D	1050	TYR	2.9
1	D	1085	LYS	2.8
1	D	1130	SER	2.8
1	B	1133	GLY	2.7
1	A	963	LYS	2.6
1	B	963	LYS	2.6
1	C	1132	ASN	2.5
1	D	974	SER	2.5
1	C	1052	GLY	2.5
1	C	1082	PRO	2.4
1	D	1041	HIS	2.4
1	A	1061	PHE	2.4
1	D	1037	ASN	2.4
1	C	1085	LYS	2.3
1	D	1136	LEU	2.3
1	A	1029	LEU	2.3
1	D	1079	THR	2.2
1	A	966	GLN	2.2
1	D	1083	VAL	2.2
1	D	1101	VAL	2.2
1	D	1087	ARG	2.1
1	A	1112	ALA	2.1
1	B	1085	LYS	2.1
1	B	978	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	UHB	D	1201	39/39	0.71	0.22	2.02	43,48,57,58	0
3	UHB	C	1202	39/39	0.83	0.17	1.61	20,40,49,54	0
3	UHB	A	1202	39/39	0.88	0.15	0.32	22,29,37,43	0
3	UHB	B	1202	39/39	0.88	0.14	0.10	22,30,40,42	0
2	ZN	B	1201	1/1	1.00	0.03	-1.54	36,36,36,36	0
2	ZN	A	1201	1/1	1.00	0.03	-1.91	32,32,32,32	0
2	ZN	C	1201	1/1	0.99	0.03	-2.13	34,34,34,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.