



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:21 PM GMT

PDB ID : 3TPO  
Title : Crystal structure of D192A/E396A mutant of mouse importin alpha2  
Authors : Hirano, H.; Matsuura, Y.  
Deposited on : 2011-09-08  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	<div> <div>11%</div> <div>67%</div> <div>14%</div> <div>•</div> <div>17%</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3650 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Importin subunit alpha-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	0	0
			3342	2124	573	634	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	192	ALA	ASP	ENGINEERED MUTATION	UNP P52293
A	396	ALA	GLU	ENGINEERED MUTATION	UNP P52293

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	308	Total	O	0	0
			308	308		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	78.34Å 89.76Å 99.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.94 – 2.10 38.94 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.6 (38.94-2.10) 99.7 (38.94-2.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.32 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.160 , 0.192 0.159 , 0.192	Depositor DCC
$R_{free}$ test set	2115 reflections (5.35%)	DCC
Wilson B-factor (Å <sup>2</sup> )	32.3	Xtriage
Anisotropy	0.403	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 54.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 41671 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	3650	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.38% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.31	19/3399 (0.6%)	1.20	17/4627 (0.4%)

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	152	SER	CB-OG	-7.98	1.31	1.42
1	A	132	ASP	CB-CG	7.52	1.67	1.51
1	A	271	SER	CB-OG	-7.52	1.32	1.42
1	A	91	GLU	CB-CG	-7.46	1.38	1.52
1	A	399	TRP	CD2-CE2	7.11	1.49	1.41
1	A	277	TYR	CG-CD1	6.85	1.48	1.39
1	A	273	TRP	CD2-CE2	6.61	1.49	1.41
1	A	105	SER	CB-OG	-6.52	1.33	1.42
1	A	258	ARG	CZ-NH1	6.28	1.41	1.33
1	A	357	TRP	CG-CD2	6.25	1.54	1.43
1	A	184	TRP	CD2-CE2	5.99	1.48	1.41
1	A	142	TRP	CD2-CE2	5.96	1.48	1.41
1	A	258	ARG	CD-NE	-5.90	1.36	1.46
1	A	95	GLN	CD-OE1	5.87	1.36	1.24
1	A	126	SER	CB-OG	-5.61	1.34	1.42
1	A	150	GLY	N-CA	5.23	1.53	1.46
1	A	250	GLU	CD-OE1	5.10	1.31	1.25
1	A	306	GLU	CD-OE1	5.05	1.31	1.25
1	A	357	TRP	CD2-CE2	5.02	1.47	1.41

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	258	ARG	NE-CZ-NH2	-16.68	111.96	120.30
1	A	258	ARG	NE-CZ-NH1	10.14	125.37	120.30
1	A	240	LYS	C-N-CA	-9.49	97.97	121.70
1	A	117	ARG	NE-CZ-NH2	-7.75	116.43	120.30
1	A	48	LEU	CA-CB-CG	7.12	131.68	115.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	48	LEU	CB-CG-CD1	6.31	121.73	111.00
1	A	238	ARG	NE-CZ-NH1	6.14	123.37	120.30
1	A	105	SER	CB-CA-C	-6.12	98.46	110.10
1	A	87	SER	C-N-CA	-5.98	106.76	121.70
1	A	258	ARG	CB-CG-CD	-5.84	96.42	111.60
1	A	223	CYS	N-CA-CB	-5.78	100.19	110.60
1	A	331	VAL	CG1-CB-CG2	5.72	120.05	110.90
1	A	132	ASP	CB-CG-OD2	5.58	123.33	118.30
1	A	264	ASP	CB-CG-OD2	5.44	123.20	118.30
1	A	152	SER	CB-CA-C	-5.35	99.94	110.10
1	A	390	ASP	CB-CG-OD1	-5.30	113.53	118.30
1	A	425	LEU	CA-CB-CG	5.06	126.93	115.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3342	0	3425	50	0
2	A	308	0	0	10	0
All	All	3650	0	3425	50	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:247:ASP:HB3	2:A:736:HOH:O	1.45	1.15
1:A:44:ASP:OD1	1:A:45:GLU:HB3	1.58	1.03
1:A:44:ASP:HB2	1:A:315:ARG:HH22	1.23	1.01
1:A:107:GLU:HG2	2:A:601:HOH:O	1.63	0.97
1:A:477:GLN:HE21	1:A:489:LEU:HA	1.32	0.92
1:A:44:ASP:CB	1:A:315:ARG:HH22	1.86	0.87

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:LYS:HG3	2:A:692:HOH:O	1.83	0.79
1:A:386:LEU:HD21	1:A:425:LEU:HD13	1.65	0.77
1:A:482:GLU:HG3	1:A:483:SER:N	2.01	0.74
1:A:477:GLN:NE2	1:A:489:LEU:HA	2.02	0.73
1:A:44:ASP:HB2	1:A:315:ARG:NH2	2.03	0.71
1:A:348:LYS:HD2	2:A:560:HOH:O	1.93	0.68
1:A:207:ASP:OD1	1:A:251:GLN:NE2	2.28	0.67
1:A:70:ASN:HB3	2:A:604:HOH:O	1.98	0.62
1:A:372:GLN:HG3	2:A:664:HOH:O	2.01	0.61
1:A:91:GLU:O	1:A:95:GLN:HG2	2.00	0.60
1:A:435:LYS:HD3	1:A:438:GLN:HE21	1.68	0.59
1:A:70:ASN:N	2:A:793:HOH:O	2.38	0.57
1:A:462:ILE:O	1:A:466:GLU:HG2	2.04	0.57
1:A:45:GLU:HB2	2:A:725:HOH:O	2.06	0.56
1:A:470:LEU:HD13	1:A:496:PHE:CD1	2.42	0.55
1:A:456:GLU:OE1	1:A:459:LYS:HE2	2.06	0.54
1:A:45:GLU:HG3	1:A:45:GLU:O	2.06	0.54
1:A:247:ASP:CB	2:A:736:HOH:O	2.23	0.53
1:A:385:VAL:CG1	1:A:393:THR:HG22	2.38	0.53
1:A:490:ASN:OD1	1:A:494:LYS:HD3	2.08	0.53
1:A:479:HIS:HD2	1:A:481:ASN:HB3	1.73	0.52
1:A:385:VAL:HG13	1:A:393:THR:HG22	1.92	0.51
1:A:481:ASN:OD1	1:A:484:VAL:HG23	2.10	0.51
1:A:477:GLN:HE21	1:A:489:LEU:CA	2.15	0.49
1:A:425:LEU:HG	1:A:440:ILE:HG23	1.96	0.48
1:A:285:ARG:HD2	2:A:593:HOH:O	2.15	0.46
1:A:273:TRP:CD2	1:A:312:PRO:HB3	2.52	0.45
1:A:463:MET:HA	1:A:466:GLU:HG3	1.99	0.45
1:A:448:PHE:HB3	1:A:495:TYR:CZ	2.53	0.44
1:A:482:GLU:CG	1:A:483:SER:N	2.78	0.44
1:A:95:GLN:HA	1:A:95:GLN:HE21	1.83	0.43
1:A:482:GLU:HA	1:A:485:TYR:CE2	2.54	0.43
1:A:225:TYR:CE2	1:A:229:LEU:HD11	2.53	0.43
1:A:240:LYS:HD3	1:A:280:ASP:O	2.18	0.43
1:A:386:LEU:HD21	1:A:425:LEU:CD1	2.41	0.43
1:A:44:ASP:HB3	1:A:273:TRP:CH2	2.54	0.42
1:A:225:TYR:HE2	1:A:229:LEU:HD11	1.85	0.42
1:A:429:LEU:HA	1:A:429:LEU:HD23	1.87	0.42
1:A:479:HIS:O	1:A:485:TYR:HD2	2.02	0.41
1:A:150:GLY:HA3	1:A:154:GLN:OE1	2.21	0.41
1:A:257:VAL:HG22	1:A:294:VAL:CG1	2.51	0.41

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:479:HIS:CD2	1:A:481:ASN:HB3	2.53	0.41
1:A:155:THR:HG21	1:A:192:ALA:HB2	2.03	0.40
1:A:341:PRO:HB3	1:A:381:PHE:CZ	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	434/529 (82%)	417 (96%)	15 (4%)	2 (0%)	34	30

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	471	ASP
1	A	484	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	367/447 (82%)	354 (96%)	13 (4%)	43	44

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	ASN
1	A	83	LYS
1	A	85	ILE
1	A	95	GLN
1	A	152	SER
1	A	258	ARG
1	A	305	THR
1	A	331	VAL
1	A	348	LYS
1	A	349	THR
1	A	434	THR
1	A	442	ASP
1	A	480	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	52	ASN
1	A	86	ASN
1	A	95	GLN
1	A	177	HIS
1	A	261	HIS
1	A	283	ASN
1	A	438	GLN
1	A	477	GLN
1	A	479	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

There are no ligands in this entry.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	438/529 (82%)	0.60	56 (12%) 5 6	21, 34, 84, 116	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	489	LEU	8.6
1	A	485	TYR	8.2
1	A	496	PHE	5.6
1	A	478	ARG	5.5
1	A	475	ALA	5.5
1	A	474	GLU	5.5
1	A	480	GLU	5.3
1	A	476	LEU	5.2
1	A	490	ASN	4.7
1	A	493	GLU	4.7
1	A	492	ILE	4.6
1	A	482	GLU	4.5
1	A	484	VAL	4.3
1	A	71	GLN	4.2
1	A	486	LYS	4.1
1	A	455	GLY	4.1
1	A	470	LEU	4.0
1	A	432	LYS	4.0
1	A	487	ALA	3.9
1	A	477	GLN	3.9
1	A	44	ASP	3.9
1	A	431	ALA	3.9
1	A	454	LEU	3.9
1	A	479	HIS	3.7
1	A	491	LEU	3.5
1	A	495	TYR	3.5
1	A	483	SER	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	458	GLU	3.2
1	A	107	GLU	3.0
1	A	457	THR	3.0
1	A	108	LYS	3.0
1	A	472	LYS	2.8
1	A	471	ASP	2.8
1	A	186	LEU	2.8
1	A	494	LYS	2.8
1	A	74	VAL	2.6
1	A	183	VAL	2.5
1	A	189	ILE	2.5
1	A	473	ILE	2.5
1	A	468	GLY	2.5
1	A	451	ALA	2.5
1	A	88	ASN	2.4
1	A	158	VAL	2.4
1	A	462	ILE	2.3
1	A	465	GLU	2.3
1	A	109	GLN	2.3
1	A	182	ALA	2.2
1	A	185	ALA	2.2
1	A	430	SER	2.2
1	A	72	GLY	2.1
1	A	232	THR	2.1
1	A	167	PHE	2.1
1	A	441	LEU	2.1
1	A	456	GLU	2.1
1	A	171	LEU	2.0
1	A	70	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.