



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 10, 2016 – 09:11 AM EST

PDB ID : 5TVG  
Title : Crystal structure of an alpha,alpha-trehalose-phosphate synthase (UDP-forming) from Burkholderia vietnamiensis  
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)  
Deposited on : 2016-11-08  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20028320  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20028320


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	<div> <div></div> <div>89% 8% .</div> </div>
1	B	481	<div> <div>2%</div> <div>88% 6% 6%</div> </div>
1	C	481	<div> <div>5%</div> <div>87% 8% 5%</div> </div>
1	D	481	<div> <div>%</div> <div>86% 9% 5%</div> </div>
1	E	481	<div> <div>6%</div> <div>87% 5% 7%</div> </div>
1	F	481	<div> <div>%</div> <div>86% 8% 5%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	481	
1	H	481	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	503	-	-	X	-
3	GOL	A	505	-	-	-	X
3	GOL	D	503	-	-	-	X
3	GOL	H	502	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 28914 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha,alpha-trehalose-phosphate synthase (UDP-forming).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	468	Total	C	N	O	S	0	5	0
			3687	2338	676	657	16			
1	B	454	Total	C	N	O	S	0	0	0
			3505	2232	627	630	16			
1	C	458	Total	C	N	O	S	0	1	0
			3542	2248	639	639	16			
1	D	456	Total	C	N	O	S	0	0	0
			3547	2252	645	634	16			
1	E	447	Total	C	N	O	S	0	1	0
			3423	2176	616	615	16			
1	F	456	Total	C	N	O	S	0	1	0
			3537	2250	636	635	16			
1	G	439	Total	C	N	O	S	0	1	0
			3291	2089	591	595	16			
1	H	443	Total	C	N	O	S	0	1	0
			3311	2101	590	607	13			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP A4JGS8
A	-6	ALA	-	expression tag	UNP A4JGS8
A	-5	HIS	-	expression tag	UNP A4JGS8
A	-4	HIS	-	expression tag	UNP A4JGS8
A	-3	HIS	-	expression tag	UNP A4JGS8
A	-2	HIS	-	expression tag	UNP A4JGS8
A	-1	HIS	-	expression tag	UNP A4JGS8
A	0	HIS	-	expression tag	UNP A4JGS8
B	-7	MET	-	initiating methionine	UNP A4JGS8
B	-6	ALA	-	expression tag	UNP A4JGS8
B	-5	HIS	-	expression tag	UNP A4JGS8
B	-4	HIS	-	expression tag	UNP A4JGS8
B	-3	HIS	-	expression tag	UNP A4JGS8

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	HIS	-	expression tag	UNP A4JGS8
B	-1	HIS	-	expression tag	UNP A4JGS8
B	0	HIS	-	expression tag	UNP A4JGS8
C	-7	MET	-	initiating methionine	UNP A4JGS8
C	-6	ALA	-	expression tag	UNP A4JGS8
C	-5	HIS	-	expression tag	UNP A4JGS8
C	-4	HIS	-	expression tag	UNP A4JGS8
C	-3	HIS	-	expression tag	UNP A4JGS8
C	-2	HIS	-	expression tag	UNP A4JGS8
C	-1	HIS	-	expression tag	UNP A4JGS8
C	0	HIS	-	expression tag	UNP A4JGS8
D	-7	MET	-	initiating methionine	UNP A4JGS8
D	-6	ALA	-	expression tag	UNP A4JGS8
D	-5	HIS	-	expression tag	UNP A4JGS8
D	-4	HIS	-	expression tag	UNP A4JGS8
D	-3	HIS	-	expression tag	UNP A4JGS8
D	-2	HIS	-	expression tag	UNP A4JGS8
D	-1	HIS	-	expression tag	UNP A4JGS8
D	0	HIS	-	expression tag	UNP A4JGS8
E	-7	MET	-	initiating methionine	UNP A4JGS8
E	-6	ALA	-	expression tag	UNP A4JGS8
E	-5	HIS	-	expression tag	UNP A4JGS8
E	-4	HIS	-	expression tag	UNP A4JGS8
E	-3	HIS	-	expression tag	UNP A4JGS8
E	-2	HIS	-	expression tag	UNP A4JGS8
E	-1	HIS	-	expression tag	UNP A4JGS8
E	0	HIS	-	expression tag	UNP A4JGS8
F	-7	MET	-	initiating methionine	UNP A4JGS8
F	-6	ALA	-	expression tag	UNP A4JGS8
F	-5	HIS	-	expression tag	UNP A4JGS8
F	-4	HIS	-	expression tag	UNP A4JGS8
F	-3	HIS	-	expression tag	UNP A4JGS8
F	-2	HIS	-	expression tag	UNP A4JGS8
F	-1	HIS	-	expression tag	UNP A4JGS8
F	0	HIS	-	expression tag	UNP A4JGS8
G	-7	MET	-	initiating methionine	UNP A4JGS8
G	-6	ALA	-	expression tag	UNP A4JGS8
G	-5	HIS	-	expression tag	UNP A4JGS8
G	-4	HIS	-	expression tag	UNP A4JGS8
G	-3	HIS	-	expression tag	UNP A4JGS8
G	-2	HIS	-	expression tag	UNP A4JGS8
G	-1	HIS	-	expression tag	UNP A4JGS8

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP A4JGS8
H	-7	MET	-	initiating methionine	UNP A4JGS8
H	-6	ALA	-	expression tag	UNP A4JGS8
H	-5	HIS	-	expression tag	UNP A4JGS8
H	-4	HIS	-	expression tag	UNP A4JGS8
H	-3	HIS	-	expression tag	UNP A4JGS8
H	-2	HIS	-	expression tag	UNP A4JGS8
H	-1	HIS	-	expression tag	UNP A4JGS8
H	0	HIS	-	expression tag	UNP A4JGS8

- Molecule 2 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: C<sub>9</sub>H<sub>14</sub>N<sub>2</sub>O<sub>12</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	C	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	D	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	E	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	F	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	G	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	E	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	F	1	Total	C	O	0	0
			6	3	3		
3	G	1	Total	C	O	0	0
			6	3	3		
3	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	276	Total	O	0	0
			276	276		
5	B	154	Total	O	0	0
			154	154		
5	C	72	Total	O	0	0
			72	72		
5	D	65	Total	O	0	1
			66	66		
5	E	59	Total	O	0	0
			59	59		
5	F	101	Total	O	0	0
			101	101		
5	G	35	Total	O	0	0
			35	35		
5	H	27	Total	O	0	0
			27	27		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)







- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)



- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	96.17Å 103.02Å 218.47Å 90.00° 96.42° 90.00°	Depositor
Resolution (Å)	46.54 – 2.30 48.02 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.9 (46.54-2.30) 98.9 (48.02-2.30)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.57 (at 2.29Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.178 , 0.225 0.173 , 0.222	Depositor DCC
$R_{free}$ test set	1991 reflections (1.07%)	DCC
Wilson B-factor (Å <sup>2</sup> )	39.3	Xtriage
Anisotropy	0.678	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 49.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	28914	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.55% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, UDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.55	0/3793	0.66	1/5154 (0.0%)
1	B	0.44	1/3588 (0.0%)	0.61	2/4880 (0.0%)
1	C	0.38	0/3629	0.54	0/4935
1	D	0.36	0/3635	0.53	0/4945
1	E	0.36	0/3510	0.53	0/4777
1	F	0.40	0/3625	0.56	0/4930
1	G	0.34	0/3372	0.53	0/4589
1	H	0.34	0/3398	0.51	0/4637
All	All	0.40	1/28550 (0.0%)	0.56	3/38847 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	103	GLU	CB-CG	5.13	1.61	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	453	LEU	CA-CB-CG	5.58	128.14	115.30
1	A	421	MET	CG-SD-CE	5.37	108.79	100.20
1	B	67	LEU	CA-CB-CG	5.32	127.55	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3687	0	3609	33	0
1	B	3505	0	3401	18	0
1	C	3542	0	3418	22	1
1	D	3547	0	3426	21	0
1	E	3423	0	3233	18	0
1	F	3537	0	3444	24	0
1	G	3291	0	3036	16	0
1	H	3311	0	3022	16	1
2	A	25	0	11	0	0
2	B	25	0	11	1	0
2	C	25	0	11	1	0
2	D	25	0	11	0	0
2	E	25	0	11	0	0
2	F	25	0	11	0	0
2	G	25	0	11	0	0
2	H	25	0	11	0	0
3	A	30	0	40	6	0
3	B	6	0	8	1	0
3	C	6	0	8	1	0
3	D	12	0	16	0	0
3	E	6	0	8	0	0
3	F	6	0	8	0	0
3	G	6	0	8	0	0
3	H	6	0	8	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	D	1	0	0	0	0
5	A	276	0	0	6	0
5	B	154	0	0	2	0
5	C	72	0	0	2	0
5	D	66	0	0	1	0
5	E	59	0	0	3	0
5	F	101	0	0	3	0
5	G	35	0	0	0	0
5	H	27	0	0	0	0
All	All	28914	0	26781	160	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344:ARG:HH12	3:A:503:GOL:H11	1.38	0.88
1:B:43:ASN:HB3	1:B:66:THR:HB	1.66	0.76
1:B:76:GLN:OE1	1:B:109:ARG:NH2	2.18	0.75
1:A:109:ARG:NH1	5:A:602:HOH:O	2.25	0.69
1:A:344:ARG:HH22	3:A:503:GOL:H32	1.59	0.67
1:B:213:LEU:HD22	1:B:222:VAL:HG21	1.77	0.67
1:A:344:ARG:NH1	3:A:503:GOL:H11	2.11	0.66
1:A:314:GLU:OE1	5:A:601:HOH:O	2.14	0.66
1:D:43:ASN:HB3	1:D:66:THR:HB	1.79	0.65
1:G:9:ASN:OD1	1:G:77:TYR:OH	2.16	0.64
1:F:352:ARG:O	5:F:601:HOH:O	2.15	0.64
1:F:43:ASN:HB3	1:F:66:THR:HB	1.79	0.63
1:A:208:SER:O	1:A:210:ASP:N	2.33	0.61
1:A:336:GLN:NE2	5:A:604:HOH:O	2.29	0.61
1:B:67:LEU:HD21	1:B:117:GLN:HG3	1.82	0.60
1:A:34:GLN:NE2	1:A:454:ARG:HH22	1.99	0.60
1:A:340:ARG:HH12	1:E:329:GLN:HG2	1.66	0.59
1:E:314:GLU:OE2	5:E:601:HOH:O	2.16	0.59
1:D:213:LEU:HD12	1:D:222:VAL:HG21	1.85	0.58
1:B:340:ARG:NH2	5:B:603:HOH:O	2.36	0.58
1:C:67:LEU:HD21	1:C:117:GLN:HG3	1.85	0.58
1:D:92:TYR:CD1	1:D:363:ARG:HD3	2.40	0.57
1:A:34:GLN:HE22	1:A:454:ARG:HH22	1.53	0.56
1:C:43:ASN:HB3	1:C:66:THR:HB	1.88	0.56
1:C:9:ASN:O	1:C:42:TRP:HB3	2.06	0.56
1:F:354:SER:O	5:F:601:HOH:O	2.18	0.55
1:A:27:GLY:O	1:A:446:ARG:HD3	2.06	0.55
1:B:139:ALA:HB2	1:B:181:TYR:CE1	2.41	0.55
1:A:9:ASN:O	1:A:42:TRP:HB3	2.06	0.55
1:D:264:ASP:O	1:D:299:ALA:HA	2.08	0.54
1:F:89:VAL:HG11	1:F:168:VAL:HG23	1.89	0.54
1:C:54:PRO:HA	1:C:67:LEU:HD13	1.89	0.54
1:E:363:ARG:HD2	5:E:604:HOH:O	2.06	0.54
1:H:89:VAL:HG11	1:H:168:VAL:HG23	1.90	0.54
1:A:244[A]:ARG:NH2	5:A:603:HOH:O	2.27	0.54
1:D:76:GLN:HB3	1:D:103:GLU:HA	1.90	0.54
1:A:314:GLU:HG2	1:E:318:ARG:NH2	2.23	0.53
1:F:33:LYS:O	1:F:61:ASN:ND2	2.40	0.53
1:D:79:ARG:HD2	1:D:305:ASP:OD2	2.09	0.53
1:F:438:ARG:NH2	5:F:608:HOH:O	2.41	0.53
1:B:264:ASP:O	1:B:299:ALA:HA	2.08	0.53
1:A:340:ARG:NH1	1:E:329:GLN:HG2	2.24	0.52

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:89:VAL:HG11	1:D:168:VAL:HG23	1.91	0.52
1:F:76:GLN:HB3	1:F:103:GLU:HA	1.91	0.52
1:C:153:PHE:HB2	1:C:181:TYR:CD1	2.45	0.51
1:A:46:ILE:HD13	1:A:71:ARG:CZ	2.41	0.51
1:C:79:ARG:HD2	1:C:305:ASP:OD2	2.10	0.51
1:F:29:MET:HG3	1:F:33:LYS:HE3	1.93	0.51
1:A:234:ILE:CG1	3:A:503:GOL:H12	2.41	0.51
1:H:73:ASP:O	1:H:77:TYR:HB3	2.12	0.50
1:F:318:ARG:NH2	1:H:314:GLU:HG2	2.25	0.50
1:F:163:ASP:N	1:F:163:ASP:OD1	2.43	0.50
1:B:318:ARG:NH2	1:C:314:GLU:HG2	2.27	0.50
1:F:27:GLY:O	1:F:446:ARG:HD3	2.12	0.50
1:C:89:VAL:HG11	1:C:168:VAL:HG23	1.93	0.49
1:H:139:ALA:HB2	1:H:181:TYR:CE1	2.46	0.49
1:D:153:PHE:HB2	1:D:181:TYR:CD1	2.47	0.49
1:E:41:GLY:O	1:E:66:THR:HA	2.12	0.49
1:H:92:TYR:CD1	1:H:363[B]:ARG:HD3	2.47	0.49
1:C:352:ARG:O	5:C:601:HOH:O	2.20	0.49
1:A:264:ASP:O	1:A:299:ALA:HA	2.13	0.49
1:D:227:ILE:HG12	1:D:445:TRP:CD1	2.48	0.49
1:H:2:SER:HB3	1:H:125:ASP:O	2.13	0.49
1:C:363:ARG:HD2	1:C:363:ARG:HA	1.64	0.48
1:A:340:ARG:HG3	1:A:342:TYR:CE1	2.48	0.48
1:D:163:ASP:HB2	5:D:608:HOH:O	2.13	0.48
1:D:254:LEU:HD11	1:D:259:LEU:HD22	1.96	0.48
1:D:258:LYS:HD3	1:D:355:GLN:HG2	1.96	0.48
1:G:99:PHE:CD2	1:G:169:PRO:HG2	2.48	0.47
1:H:55:ALA:O	1:H:65:ALA:HA	2.14	0.47
1:H:163:ASP:OD1	1:H:163:ASP:N	2.44	0.47
1:A:79:ARG:HD2	1:A:305:ASP:OD2	2.15	0.47
1:D:74:TYR:OH	1:D:305:ASP:OD2	2.26	0.47
1:C:139:ALA:HB2	1:C:181:TYR:CE1	2.50	0.47
1:E:264:ASP:O	1:E:299:ALA:HA	2.14	0.47
1:F:264:ASP:O	1:F:299:ALA:HA	2.14	0.47
1:B:11:VAL:HG22	1:B:39:TRP:CD1	2.50	0.47
2:B:501:UDP:PB	3:B:502:GOL:H11	2.55	0.47
1:B:314:GLU:HG2	1:C:318:ARG:NH2	2.30	0.47
1:D:54:PRO:HD3	1:D:117:GLN:OE1	2.14	0.47
1:F:9:ASN:O	1:F:42:TRP:HB3	2.15	0.47
1:F:311:ARG:NH1	1:F:314:GLU:OE2	2.47	0.46
1:E:89:VAL:HG11	1:E:168:VAL:HG23	1.97	0.46

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:LEU:O	1:A:178:MET:HG3	2.16	0.46
1:B:259:LEU:HD21	1:B:261:MET:CE	2.46	0.46
1:C:360:THR:HA	1:C:388:SER:HB2	1.98	0.46
1:C:20:SER:O	1:C:344:ARG:HD3	2.16	0.46
1:E:3:ARG:HB2	1:E:37:GLY:HA2	1.97	0.46
1:F:163:ASP:OD2	1:G:92:TYR:OH	2.21	0.46
1:A:139:ALA:HB2	1:A:181:TYR:CE1	2.51	0.46
1:F:73:ASP:O	1:F:77:TYR:HB3	2.16	0.46
1:D:314:GLU:HG2	1:G:318:ARG:NH2	2.31	0.45
1:H:92:TYR:HB2	1:H:363[B]:ARG:HD3	1.98	0.45
1:B:54:PRO:HD3	1:B:117:GLN:OE1	2.16	0.45
1:B:408:HIS:HD2	5:B:740:HOH:O	1.99	0.45
1:F:264:ASP:O	1:F:300:PRO:HD2	2.15	0.45
1:A:0:HIS:HD2	1:A:1:MET:HG3	1.82	0.45
1:E:9:ASN:O	1:E:42:TRP:HB3	2.17	0.45
1:H:264:ASP:O	1:H:299:ALA:HA	2.16	0.45
1:H:213:LEU:HD23	1:H:213:LEU:HA	1.77	0.45
2:C:501:UDP:O2A	3:C:502:GOL:O3	2.22	0.45
1:F:139:ALA:HB2	1:F:181:TYR:CE1	2.52	0.45
1:G:264:ASP:O	1:G:299:ALA:HA	2.16	0.44
1:E:363:ARG:HD3	1:E:363:ARG:HA	1.69	0.44
1:A:344:ARG:NH2	3:A:503:GOL:H32	2.30	0.44
1:C:2:SER:HB3	1:C:125:ASP:O	2.18	0.44
1:C:354:SER:O	5:C:601:HOH:O	2.20	0.44
1:G:79:ARG:HD2	1:G:305:ASP:OD2	2.17	0.44
1:A:89:VAL:HG11	1:A:168:VAL:HG23	1.99	0.44
1:G:204:ILE:HG22	1:G:215:ALA:HB1	2.00	0.44
1:A:234:ILE:HG12	3:A:503:GOL:H12	2.00	0.43
1:C:46:ILE:HA	1:C:69:LEU:O	2.18	0.43
1:G:303:ARG:HD2	1:G:309:TYR:CZ	2.52	0.43
1:A:360:THR:HA	1:A:388:SER:HB2	1.99	0.43
1:A:336:GLN:NE2	5:A:610:HOH:O	2.44	0.43
1:A:43:ASN:HB3	1:A:66:THR:HB	2.00	0.43
1:G:55:ALA:O	1:G:65:ALA:HA	2.18	0.43
1:H:168:VAL:HG12	1:H:170:PRO:HD2	1.99	0.43
1:F:99:PHE:CG	1:F:169:PRO:HG2	2.53	0.43
1:G:168:VAL:HG12	1:G:170:PRO:HD2	2.00	0.43
1:F:167:VAL:O	1:F:169:PRO:HD3	2.19	0.43
1:F:280:GLU:HG3	1:F:327:PHE:HE2	1.84	0.42
1:G:73:ASP:O	1:G:77:TYR:HB3	2.19	0.42
1:D:263:VAL:HG11	1:D:347:LEU:HD13	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:79:ARG:HD2	1:F:305:ASP:OD2	2.17	0.42
1:F:42:TRP:CD1	1:F:69:LEU:HG	2.54	0.42
1:G:153:PHE:HB2	1:G:181:TYR:CD1	2.54	0.42
1:B:153:PHE:HB2	1:B:181:TYR:CD1	2.55	0.42
1:H:92:TYR:HB2	1:H:363[B]:ARG:CD	2.49	0.42
1:H:76:GLN:OE1	1:H:109:ARG:NH2	2.52	0.42
1:D:99:PHE:CD2	1:D:169:PRO:HG2	2.55	0.42
1:G:139:ALA:HB2	1:G:181:TYR:CE1	2.55	0.42
1:A:46:ILE:HD13	1:A:71:ARG:NH2	2.35	0.42
1:G:453:LEU:HA	1:G:453:LEU:HD12	1.84	0.42
1:B:374:VAL:HG11	1:B:433:ASN:HB3	2.03	0.41
1:E:358:TYR:CZ	1:E:415:LEU:HD11	2.55	0.41
1:E:452:ASP:OD2	5:E:602:HOH:O	2.21	0.41
1:B:153:PHE:HB2	1:B:181:TYR:CE1	2.55	0.41
1:E:153:PHE:HB2	1:E:181:TYR:CD1	2.54	0.41
1:E:73:ASP:O	1:E:77:TYR:HB3	2.21	0.41
1:C:6:VAL:HG23	1:C:32:LEU:HD21	2.02	0.41
1:D:42:TRP:CD1	1:D:69:LEU:HG	2.55	0.41
1:E:153:PHE:HB2	1:E:181:TYR:CE1	2.56	0.41
1:F:46:ILE:HA	1:F:69:LEU:O	2.20	0.41
1:D:318:ARG:NH2	1:G:314:GLU:HG2	2.36	0.41
1:A:42:TRP:CD1	1:A:69:LEU:HG	2.56	0.41
1:D:139:ALA:HB2	1:D:181:TYR:CE1	2.55	0.41
1:E:360:THR:HA	1:E:388:SER:HB2	2.02	0.41
1:E:318:ARG:HH11	1:E:318:ARG:HD2	1.76	0.41
1:C:11:VAL:HG22	1:C:39:TRP:CD1	2.56	0.41
1:H:42:TRP:CE2	1:H:44:GLY:HA2	2.56	0.41
1:A:46:ILE:HA	1:A:69:LEU:O	2.20	0.40
1:B:42:TRP:HE3	1:B:78:TYR:HH	1.67	0.40
1:D:47:VAL:O	1:D:70:THR:HA	2.22	0.40
1:H:360:THR:HA	1:H:388:SER:HB2	2.02	0.40
1:C:153:PHE:HB2	1:C:181:TYR:CE1	2.56	0.40
1:B:318:ARG:HH21	1:C:314:GLU:HG2	1.86	0.40
1:A:343:GLU:HG2	5:A:702:HOH:O	2.21	0.40
1:G:227:ILE:HG12	1:G:445:TRP:CD1	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2:SER:OG	1:H:209:ASP:OD1[2_556]	2.13	0.07

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	471/481 (98%)	456 (97%)	13 (3%)	2 (0%)	39	48
1	B	448/481 (93%)	437 (98%)	11 (2%)	0	100	100
1	C	453/481 (94%)	442 (98%)	10 (2%)	1 (0%)	52	64
1	D	452/481 (94%)	440 (97%)	11 (2%)	1 (0%)	52	64
1	E	442/481 (92%)	431 (98%)	11 (2%)	0	100	100
1	F	453/481 (94%)	442 (98%)	11 (2%)	0	100	100
1	G	432/481 (90%)	420 (97%)	12 (3%)	0	100	100
1	H	440/481 (92%)	428 (97%)	12 (3%)	0	100	100
All	All	3591/3848 (93%)	3496 (97%)	91 (2%)	4 (0%)	56	68

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	209	ASP
1	A	210	ASP
1	C	22	GLY
1	D	22	GLY

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/383 (97%)	367 (99%)	3 (1%)	86	94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	346/383 (90%)	342 (99%)	4 (1%)	78	89
1	C	348/383 (91%)	340 (98%)	8 (2%)	58	75
1	D	351/383 (92%)	346 (99%)	5 (1%)	74	86
1	E	326/383 (85%)	320 (98%)	6 (2%)	66	82
1	F	350/383 (91%)	346 (99%)	4 (1%)	80	90
1	G	301/383 (79%)	299 (99%)	2 (1%)	88	95
1	H	302/383 (79%)	297 (98%)	5 (2%)	68	83
All	All	2694/3064 (88%)	2657 (99%)	37 (1%)	74	86

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	132	ASP
1	A	266	LEU
1	A	364	ASP
1	B	49	THR
1	B	132	ASP
1	B	266	LEU
1	B	364	ASP
1	C	67	LEU
1	C	98	ARG
1	C	132	ASP
1	C	192	LYS
1	C	266	LEU
1	C	288	ASP
1	C	363	ARG
1	C	364	ASP
1	D	132	ASP
1	D	266	LEU
1	D	363	ARG
1	D	364	ASP
1	D	408	HIS
1	E	132	ASP
1	E	266	LEU
1	E	318	ARG
1	E	363	ARG
1	E	364	ASP
1	E	408	HIS
1	F	132	ASP
1	F	192	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	266	LEU
1	F	364	ASP
1	G	132	ASP
1	G	364	ASP
1	H	132	ASP
1	H	163	ASP
1	H	266	LEU
1	H	358	TYR
1	H	364	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	GLN
1	C	9	ASN
1	F	140	HIS
1	G	9	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 3 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	UDP	A	501	-	20,26,26	0.99	1 (5%)	24,40,40	2.78	4 (16%)
3	GOL	A	502	-	5,5,5	0.43	0	5,5,5	0.39	0
3	GOL	A	503	-	5,5,5	0.40	0	5,5,5	0.47	0
3	GOL	A	504	-	5,5,5	0.40	0	5,5,5	1.00	0
3	GOL	A	505	-	5,5,5	0.32	0	5,5,5	0.31	0
3	GOL	A	506	-	5,5,5	0.39	0	5,5,5	0.61	0
2	UDP	B	501	-	20,26,26	0.90	1 (5%)	24,40,40	2.63	2 (8%)
3	GOL	B	502	-	5,5,5	0.26	0	5,5,5	0.79	0
2	UDP	C	501	-	20,26,26	0.95	1 (5%)	24,40,40	2.64	2 (8%)
3	GOL	C	502	-	5,5,5	0.37	0	5,5,5	0.28	0
2	UDP	D	501	-	20,26,26	0.94	1 (5%)	24,40,40	2.64	2 (8%)
3	GOL	D	502	-	5,5,5	0.23	0	5,5,5	0.59	0
3	GOL	D	503	-	5,5,5	0.31	0	5,5,5	0.31	0
2	UDP	E	501	-	20,26,26	1.03	1 (5%)	24,40,40	2.65	3 (12%)
3	GOL	E	502	-	5,5,5	0.21	0	5,5,5	0.55	0
2	UDP	F	501	-	20,26,26	0.92	1 (5%)	24,40,40	2.64	2 (8%)
3	GOL	F	502	-	5,5,5	0.30	0	5,5,5	0.46	0
2	UDP	G	501	-	20,26,26	0.92	1 (5%)	24,40,40	2.63	2 (8%)
3	GOL	G	502	-	5,5,5	0.30	0	5,5,5	0.41	0
2	UDP	H	501	-	20,26,26	1.03	1 (5%)	24,40,40	2.63	2 (8%)
3	GOL	H	502	-	5,5,5	0.28	0	5,5,5	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UDP	A	501	-	-	0/12/32/32	0/2/2/2
3	GOL	A	502	-	-	0/4/4/4	0/0/0/0
3	GOL	A	503	-	-	0/4/4/4	0/0/0/0
3	GOL	A	504	-	-	0/4/4/4	0/0/0/0
3	GOL	A	505	-	-	0/4/4/4	0/0/0/0
3	GOL	A	506	-	-	0/4/4/4	0/0/0/0
2	UDP	B	501	-	-	0/12/32/32	0/2/2/2
3	GOL	B	502	-	-	0/4/4/4	0/0/0/0
2	UDP	C	501	-	-	0/12/32/32	0/2/2/2
3	GOL	C	502	-	-	0/4/4/4	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UDP	D	501	-	-	0/12/32/32	0/2/2/2
3	GOL	D	502	-	-	0/4/4/4	0/0/0/0
3	GOL	D	503	-	-	0/4/4/4	0/0/0/0
2	UDP	E	501	-	-	0/12/32/32	0/2/2/2
3	GOL	E	502	-	-	0/4/4/4	0/0/0/0
2	UDP	F	501	-	-	0/12/32/32	0/2/2/2
3	GOL	F	502	-	-	0/4/4/4	0/0/0/0
2	UDP	G	501	-	-	0/12/32/32	0/2/2/2
3	GOL	G	502	-	-	0/4/4/4	0/0/0/0
2	UDP	H	501	-	-	0/12/32/32	0/2/2/2
3	GOL	H	502	-	-	0/4/4/4	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	UDP	C4-N3	3.04	1.38	1.33
2	G	501	UDP	C4-N3	3.05	1.38	1.33
2	F	501	UDP	C4-N3	3.06	1.38	1.33
2	C	501	UDP	C4-N3	3.06	1.38	1.33
2	H	501	UDP	C4-N3	3.08	1.38	1.33
2	D	501	UDP	C4-N3	3.08	1.38	1.33
2	B	501	UDP	C4-N3	3.10	1.38	1.33
2	E	501	UDP	C4-N3	3.10	1.38	1.33

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	UDP	C5-C4-N3	-3.57	114.52	123.28
2	F	501	UDP	C5-C4-N3	-3.53	114.61	123.28
2	A	501	UDP	C5-C4-N3	-3.53	114.61	123.28
2	D	501	UDP	C5-C4-N3	-3.51	114.67	123.28
2	E	501	UDP	C5-C4-N3	-3.51	114.67	123.28
2	G	501	UDP	C5-C4-N3	-3.50	114.69	123.28
2	B	501	UDP	C5-C4-N3	-3.50	114.69	123.28
2	H	501	UDP	C5-C4-N3	-3.48	114.74	123.28
2	A	501	UDP	O2B-PB-O1B	-2.10	103.77	110.63
2	E	501	UDP	O3B-PB-O2B	2.07	115.03	107.44
2	A	501	UDP	O3B-PB-O2B	2.08	115.10	107.44
2	E	501	UDP	C4-N3-C2	11.99	126.84	114.21
2	B	501	UDP	C4-N3-C2	12.02	126.88	114.21
2	D	501	UDP	C4-N3-C2	12.03	126.88	114.21
2	G	501	UDP	C4-N3-C2	12.03	126.89	114.21

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	H	501	UDP	C4-N3-C2	12.03	126.89	114.21
2	C	501	UDP	C4-N3-C2	12.06	126.91	114.21
2	F	501	UDP	C4-N3-C2	12.09	126.95	114.21
2	A	501	UDP	C4-N3-C2	12.21	127.07	114.21

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	503	GOL	6	0
2	B	501	UDP	1	0
3	B	502	GOL	1	0
2	C	501	UDP	1	0
3	C	502	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	468/481 (97%)	0.05	2 (0%) 93 95	28, 38, 60, 109	0
1	B	454/481 (94%)	0.11	10 (2%) 65 73	28, 47, 72, 97	0
1	C	458/481 (95%)	0.32	25 (5%) 29 37	37, 60, 84, 109	0
1	D	456/481 (94%)	0.00	5 (1%) 82 86	39, 57, 82, 97	0
1	E	447/481 (92%)	0.39	30 (6%) 21 29	32, 66, 108, 151	0
1	F	456/481 (94%)	0.11	5 (1%) 82 86	39, 56, 77, 97	0
1	G	439/481 (91%)	0.44	53 (12%) 6 9	40, 67, 111, 131	0
1	H	443/481 (92%)	0.66	54 (12%) 5 9	54, 81, 111, 143	0
All	All	3621/3848 (94%)	0.26	184 (5%) 32 41	28, 58, 99, 151	0

All (184) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	55	ALA	6.8
1	G	68	GLY	6.5
1	G	42	TRP	6.4
1	E	20	SER	6.1
1	G	77	TYR	5.8
1	E	19	PRO	5.4
1	E	48	GLY	5.3
1	G	64	TYR	5.2
1	G	37	GLY	5.1
1	G	78	TYR	5.1
1	G	39	TRP	5.1
1	G	120	ALA	5.0
1	H	122	LEU	4.9
1	H	453	LEU	4.8
1	H	450	VAL	4.6
1	E	17	THR	4.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	41	GLY	4.5
1	G	62	VAL	4.5
1	G	31	ALA	4.5
1	G	44	GLY	4.4
1	C	466	ALA	4.4
1	G	114	LEU	4.4
1	G	69	LEU	4.3
1	C	64	TYR	4.3
1	G	113	MET	4.3
1	H	229	VAL	4.2
1	E	42	TRP	4.2
1	H	48	GLY	4.2
1	E	57	ARG	4.1
1	G	52	ALA	4.1
1	G	70	THR	4.1
1	H	40	PHE	4.1
1	E	453	LEU	4.1
1	G	72	ARG	4.0
1	B	56	VAL	4.0
1	H	50	PRO	4.0
1	G	56	VAL	4.0
1	C	12	ALA	4.0
1	G	118	LEU	3.9
1	G	36	GLY	3.9
1	B	211	GLY	3.9
1	H	61	ASN	3.8
1	G	40	PHE	3.8
1	H	114	LEU	3.8
1	G	119	ALA	3.8
1	E	49	THR	3.8
1	G	43	ASN	3.7
1	G	63	THR	3.7
1	C	206	THR	3.7
1	H	384	VAL	3.7
1	H	124	PRO	3.6
1	G	38	VAL	3.6
1	C	460	ALA	3.6
1	H	45	GLU	3.6
1	E	39	TRP	3.6
1	H	42	TRP	3.6
1	G	49	THR	3.6
1	E	29	MET	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	211	GLY	3.5
1	D	53	ALA	3.5
1	C	462	VAL	3.4
1	G	76	GLN	3.4
1	H	120	ALA	3.4
1	E	119	ALA	3.4
1	G	67	LEU	3.4
1	E	115	ALA	3.4
1	G	50	PRO	3.3
1	H	64	TYR	3.3
1	G	45	GLU	3.3
1	E	38	VAL	3.2
1	B	0	HIS	3.2
1	G	57	ARG	3.2
1	G	21	ALA	3.2
1	G	11	VAL	3.1
1	E	150	PRO	3.1
1	A	211	GLY	3.1
1	C	205	GLY	3.1
1	H	138	PHE	3.0
1	E	11	VAL	3.0
1	E	44	GLY	3.0
1	G	7	VAL	3.0
1	H	121	LEU	3.0
1	G	73	ASP	3.0
1	H	383	GLY	3.0
1	C	459	ALA	2.9
1	F	56	VAL	2.9
1	E	4	LEU	2.9
1	E	64	TYR	2.9
1	H	4	LEU	2.9
1	E	78	TYR	2.9
1	E	138	PHE	2.9
1	C	92	TYR	2.9
1	H	2	SER	2.9
1	C	468	ARG	2.9
1	G	10	ARG	2.8
1	G	54	PRO	2.8
1	H	147	VAL	2.8
1	C	467	GLY	2.8
1	H	52	ALA	2.8
1	H	37	GLY	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	59	ASP	2.7
1	H	31	ALA	2.7
1	H	457	ALA	2.7
1	H	69	LEU	2.7
1	E	72	ARG	2.7
1	H	150	PRO	2.7
1	D	456	VAL	2.7
1	G	138	PHE	2.7
1	H	129	TRP	2.6
1	H	32	LEU	2.6
1	H	94	SER	2.6
1	H	456	VAL	2.6
1	E	8	SER	2.6
1	H	119	ALA	2.6
1	H	44	GLY	2.6
1	G	24	LEU	2.5
1	H	54	PRO	2.5
1	C	212	MET	2.5
1	G	60	GLY	2.5
1	H	146	GLY	2.5
1	G	41	GLY	2.5
1	E	21	ALA	2.5
1	D	211	GLY	2.5
1	B	59	ASP	2.5
1	C	219	VAL	2.4
1	F	60	GLY	2.4
1	C	94	SER	2.4
1	G	65	ALA	2.4
1	H	65	ALA	2.4
1	H	47	VAL	2.4
1	F	1	MET	2.4
1	H	356	VAL	2.4
1	E	145	LEU	2.4
1	E	74	TYR	2.3
1	B	170	PRO	2.3
1	G	53	ALA	2.3
1	E	147	VAL	2.3
1	H	46	ILE	2.3
1	A	456	VAL	2.3
1	B	89	VAL	2.3
1	B	168	VAL	2.3
1	G	51	ASP	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	49	THR	2.2
1	H	145	LEU	2.2
1	G	6	VAL	2.2
1	H	380	ALA	2.2
1	H	29	MET	2.2
1	C	89	VAL	2.2
1	F	38	VAL	2.2
1	F	62	VAL	2.2
1	E	18	ARG	2.2
1	C	463	THR	2.2
1	G	32	LEU	2.2
1	C	214	HIS	2.2
1	H	430	HIS	2.2
1	H	89	VAL	2.2
1	H	357	GLY	2.1
1	D	52	ALA	2.1
1	E	40	PHE	2.1
1	C	19	PRO	2.1
1	C	461	SER	2.1
1	G	29	MET	2.1
1	D	46	ILE	2.1
1	H	123	ARG	2.1
1	C	31	ALA	2.1
1	C	47	VAL	2.1
1	C	52	ALA	2.1
1	G	66	THR	2.1
1	H	167	VAL	2.1
1	H	433	ASN	2.1
1	H	168	VAL	2.1
1	E	41	GLY	2.1
1	C	11	VAL	2.1
1	E	54	PRO	2.1
1	G	117	GLN	2.0
1	H	254	LEU	2.0
1	B	47	VAL	2.0
1	G	71	ARG	2.0
1	C	164	MET	2.0
1	C	36	GLY	2.0
1	B	169	PRO	2.0
1	H	26	VAL	2.0
1	B	64	TYR	2.0
1	H	25	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	GOL	A	505	6/6	0.86	0.38	13.26	66,79,90,99	0
3	GOL	D	503	6/6	0.91	0.29	8.20	66,73,76,77	0
3	GOL	H	502	6/6	0.85	0.21	2.47	59,64,68,68	0
3	GOL	A	506	6/6	0.90	0.21	1.65	36,63,71,78	0
3	GOL	D	502	6/6	0.98	0.16	1.27	41,45,50,54	0
3	GOL	A	504	6/6	0.98	0.18	1.20	27,32,39,44	0
3	GOL	B	502	6/6	0.98	0.17	1.01	37,42,47,49	0
3	GOL	E	502	6/6	0.97	0.15	0.82	45,48,52,53	0
3	GOL	A	503	6/6	0.93	0.17	0.66	39,64,68,69	0
2	UDP	A	501	25/25	0.97	0.16	0.51	26,37,57,66	0
2	UDP	H	501	25/25	0.91	0.16	0.35	59,86,106,108	0
3	GOL	F	502	6/6	0.97	0.17	0.33	39,42,48,49	0
2	UDP	C	501	25/25	0.96	0.15	0.08	38,56,71,73	0
2	UDP	E	501	25/25	0.96	0.14	-0.02	40,60,83,85	0
2	UDP	F	501	25/25	0.96	0.14	-0.02	41,53,71,73	0
2	UDP	B	501	25/25	0.97	0.13	-0.19	37,56,76,81	0
3	GOL	G	502	6/6	0.96	0.13	-0.27	59,62,63,64	0
2	UDP	D	501	25/25	0.96	0.13	-0.31	41,51,61,68	0
2	UDP	G	501	25/25	0.96	0.11	-0.77	53,61,78,82	0
3	GOL	C	502	6/6	0.96	0.14	-0.88	42,45,48,52	0
3	GOL	A	502	6/6	0.95	0.16	-1.57	32,37,41,44	0
4	MG	D	504	1/1	0.97	0.08	-2.27	61,61,61,61	0
4	MG	A	507	1/1	0.98	0.09	-2.37	38,38,38,38	0
4	MG	B	503	1/1	0.98	0.07	-2.99	50,50,50,50	0

## 6.5 Other polymers

There are no such residues in this entry.