



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:33 PM GMT

PDB ID : 3TYE  
Title : Dihydropteroate Synthase in complex with DHP-STZ  
Authors : Yun, M.-K.; White, S.W.  
Deposited on : 2011-09-24  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	297	<div> <div>10%</div> <div> <div></div> <div>71%</div> <div>17%</div> <div>•</div> <div>10%</div> </div> </div>
1	B	297	<div> <div>10%</div> <div> <div></div> <div>70%</div> <div>17%</div> <div>•</div> <div>13%</div> </div> </div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4276 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydropteroate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	267	Total	C	N	O	S	0	1	0
			2076	1307	358	394	17			
1	B	259	Total	C	N	O	S	0	1	0
			2013	1265	349	383	16			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP Q81VW8
A	-18	GLY	-	EXPRESSION TAG	UNP Q81VW8
A	-17	SER	-	EXPRESSION TAG	UNP Q81VW8
A	-16	SER	-	EXPRESSION TAG	UNP Q81VW8
A	-15	HIS	-	EXPRESSION TAG	UNP Q81VW8
A	-14	HIS	-	EXPRESSION TAG	UNP Q81VW8
A	-13	HIS	-	EXPRESSION TAG	UNP Q81VW8
A	-12	HIS	-	EXPRESSION TAG	UNP Q81VW8
A	-11	HIS	-	EXPRESSION TAG	UNP Q81VW8
A	-10	HIS	-	EXPRESSION TAG	UNP Q81VW8
A	-9	SER	-	EXPRESSION TAG	UNP Q81VW8
A	-8	SER	-	EXPRESSION TAG	UNP Q81VW8
A	-7	GLY	-	EXPRESSION TAG	UNP Q81VW8
A	-5	VAL	-	EXPRESSION TAG	UNP Q81VW8
A	-4	PRO	-	EXPRESSION TAG	UNP Q81VW8
A	-3	ARG	-	EXPRESSION TAG	UNP Q81VW8
A	-2	GLY	-	EXPRESSION TAG	UNP Q81VW8
A	-1	SER	-	EXPRESSION TAG	UNP Q81VW8
A	0	HIS	-	EXPRESSION TAG	UNP Q81VW8
A	1	MET	-	EXPRESSION TAG	UNP Q81VW8
B	-19	MET	-	EXPRESSION TAG	UNP Q81VW8
B	-18	GLY	-	EXPRESSION TAG	UNP Q81VW8
B	-17	SER	-	EXPRESSION TAG	UNP Q81VW8
B	-16	SER	-	EXPRESSION TAG	UNP Q81VW8
B	-15	HIS	-	EXPRESSION TAG	UNP Q81VW8

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	EXPRESSION TAG	UNP Q81VW8
B	-13	HIS	-	EXPRESSION TAG	UNP Q81VW8
B	-12	HIS	-	EXPRESSION TAG	UNP Q81VW8
B	-11	HIS	-	EXPRESSION TAG	UNP Q81VW8
B	-10	HIS	-	EXPRESSION TAG	UNP Q81VW8
B	-9	SER	-	EXPRESSION TAG	UNP Q81VW8
B	-8	SER	-	EXPRESSION TAG	UNP Q81VW8
B	-7	GLY	-	EXPRESSION TAG	UNP Q81VW8
B	-5	VAL	-	EXPRESSION TAG	UNP Q81VW8
B	-4	PRO	-	EXPRESSION TAG	UNP Q81VW8
B	-3	ARG	-	EXPRESSION TAG	UNP Q81VW8
B	-2	GLY	-	EXPRESSION TAG	UNP Q81VW8
B	-1	SER	-	EXPRESSION TAG	UNP Q81VW8
B	0	HIS	-	EXPRESSION TAG	UNP Q81VW8
B	1	MET	-	EXPRESSION TAG	UNP Q81VW8

- Molecule 2 is 4-[[[(2-AMINO-4-OXO-3,4,7,8-TETRAHYDROPTERIDIN-6-YL)METHYL]AMINO]-N-(1,3-THIAZOL-2-YL)BENZENESULFONAMIDE (three-letter code: XTZ) (formula: C<sub>16</sub>H<sub>16</sub>N<sub>8</sub>O<sub>3</sub>S<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			29	16	8	3	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 2-AMINO-6-METHYLIDENE-6,7-DIHYDROPTERIDIN-4(3H)-ONE (three-letter code: XHP) (formula: C<sub>7</sub>H<sub>7</sub>N<sub>5</sub>O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			13	7	5	1		

- Molecule 5 is 4-AMINO-N-(1,3-THIAZOL-2-YL)BENZENESULFONAMIDE (three-letter code: YTZ) (formula:  $C_9H_9N_3O_2S_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	S	0	0
			16	9	3	2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	42	Total 42	O 42	0	0
6	B	42	Total 42	O 42	0	0





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	97.33Å 97.33Å 263.83Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.66 – 2.30 44.73 – 2.30	Depositor EDS
% Data completeness (in resolution range)	95.0 (45.66-2.30) 95.0 (44.73-2.30)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.65 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.254 , 0.294 0.273 , 0.327	Depositor DCC
$R_{free}$ test set	1638 reflections (5.37%)	DCC
Wilson B-factor (Å <sup>2</sup> )	40.8	Xtriage
Anisotropy	0.934	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 63.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	2 of 32280 reflections (0.006%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4276	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	78.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.40 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.5336e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XHP, YTZ, XTZ, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.69	0/2110	0.78	0/2845
1	B	0.66	1/2043 (0.0%)	0.74	0/2751
All	All	0.68	1/4153 (0.0%)	0.76	0/5596

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	39	TYR	CE1-CZ	5.78	1.46	1.38

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	69	PRO	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2076	0	2101	40	0
1	B	2013	0	2034	29	0
2	A	29	0	16	0	0
3	A	20	0	0	0	0
3	B	25	0	0	1	0
4	B	13	0	7	2	0
5	B	16	0	9	1	0
6	A	42	0	0	2	0
6	B	42	0	0	0	0
All	All	4276	0	4167	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:THR:HG22	1:B:194:GLU:H	1.35	0.88
1:B:161:ILE:HG23	1:B:209:LEU:HD21	1.59	0.85
1:A:78:GLU:OE1	1:A:78:GLU:HA	1.80	0.82
1:A:23:MET:HE1	1:A:254:ARG:HD2	1.62	0.80
1:A:80:ILE:O	1:A:84:VAL:HG23	1.85	0.75
1:A:42:VAL:HA	1:A:86:MET:CE	2.18	0.72
1:B:189:PHE:O	1:B:191:LYS:HG3	1.89	0.72
1:A:42:VAL:HA	1:A:86:MET:HE1	1.72	0.71
1:A:108:ALA:O	1:A:112:ILE:HD12	1.92	0.68
1:A:8:ARG:NH2	6:A:307:HOH:O	2.26	0.67
1:B:22:ILE:H	1:B:58:HIS:HD1	1.44	0.66
1:B:192:THR:HG22	1:B:194:GLU:N	2.12	0.63
4:B:901:XHP:C6A	3:B:278:SO4:O3	2.46	0.63
1:B:77:GLU:HA	1:B:77:GLU:OE2	1.97	0.63
1:A:155:ASN:C	1:A:155:ASN:HD22	2.03	0.61
1:B:55:GLU:OE1	1:B:55:GLU:HA	1.99	0.61
1:A:9:CYS:SG	1:A:117:HIS:HB3	2.41	0.60
1:B:145:MET:HA	1:B:184:ASP:HB3	1.82	0.60
1:A:149:ASP:OD1	1:A:150:ASN:ND2	2.35	0.59
1:B:27:ASN:O	1:B:28:VAL:HB	2.04	0.58
1:B:99:SER:HB3	1:B:118:ILE:HB	1.86	0.57
1:A:18:GLU:HG3	1:A:19:LYS:HG2	1.87	0.57
1:A:89:ALA:HA	1:A:92:LYS:HE3	1.87	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:VAL:O	1:A:80:ILE:HD12	2.06	0.55
1:A:80:ILE:HG12	1:A:110:GLN:HG3	1.90	0.54
1:A:164:LEU:O	1:A:168:ILE:HD12	2.08	0.54
1:B:117:HIS:O	1:B:140:VAL:HB	2.07	0.54
1:A:23:MET:CE	1:A:254:ARG:HD2	2.36	0.54
1:A:128:GLU:O	1:A:131:ILE:HG22	2.08	0.54
1:A:7:LEU:HD21	1:A:141:PRO:HG3	1.90	0.53
1:A:23:MET:HE1	1:A:254:ARG:CD	2.36	0.53
1:A:172:LYS:NZ	1:A:178:ASP:OD1	2.27	0.52
1:B:18:GLU:HG3	1:B:19:LYS:HG2	1.91	0.52
1:A:145:MET:HA	1:A:184:ASP:HB3	1.91	0.52
1:B:28:VAL:HG13	1:B:82:ARG:HE	1.74	0.51
1:A:184:ASP:OD2	1:A:185:PRO:HD2	2.11	0.51
1:B:128:GLU:O	1:B:131:ILE:HG22	2.11	0.51
1:A:9:CYS:HB3	6:A:320:HOH:O	2.11	0.50
1:A:75:SER:HB3	1:A:78:GLU:HG2	1.94	0.50
1:A:203:LEU:HD11	1:A:215:LEU:HD13	1.92	0.49
1:A:165:TYR:HA	1:A:168:ILE:HD13	1.96	0.47
1:A:53:ARG:HD2	1:A:54:ASP:OD1	2.14	0.47
1:A:185:PRO:HB3	1:A:206:LEU:HD11	1.96	0.47
1:A:156:LEU:O	1:A:160:MET:HG3	2.15	0.46
1:B:58:HIS:C	1:B:59:ILE:HG13	2.35	0.46
1:B:58:HIS:O	1:B:97:PRO:HD2	2.15	0.46
1:A:84:VAL:O	1:A:88:GLN:HG3	2.17	0.45
1:B:20:THR:HG21	1:B:246:ILE:HD11	1.98	0.45
1:A:106:GLU:HG2	1:A:106:GLU:H	1.55	0.44
1:A:74:VAL:HG22	1:A:75:SER:H	1.82	0.44
1:B:66:SER:O	1:B:67:THR:HG23	2.17	0.44
1:B:203:LEU:HD11	1:B:215:LEU:HD13	1.99	0.44
1:A:155:ASN:ND2	1:A:155:ASN:C	2.69	0.44
1:B:244:LEU:HD11	1:B:248:LYS:HE2	1.99	0.44
1:A:78:GLU:CA	1:A:78:GLU:OE1	2.58	0.43
1:A:75:SER:HB3	1:A:78:GLU:CG	2.48	0.43
1:A:11:GLU:H	1:A:11:GLU:HG3	1.53	0.43
1:B:113:GLU:OE1	1:B:138:TYR:OH	2.29	0.43
1:B:165:TYR:CE1	1:B:209:LEU:HD22	2.54	0.43
1:A:185:PRO:HG3	1:A:203:LEU:HD21	2.00	0.43
1:A:42:VAL:HG22	1:A:86:MET:HE3	2.01	0.42
1:B:261:MET:CE	1:B:264:MET:CE	2.98	0.42
1:A:258:VAL:O	1:A:262:SER:HB2	2.20	0.41
1:B:99:SER:HA	1:B:118:ILE:O	2.20	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:242:VAL:HG13	1:B:253:VAL:HG11	2.03	0.41
4:B:901:XHP:H6AA	5:B:902:YTZ:H6	1.85	0.41
1:B:77:GLU:CA	1:B:77:GLU:OE2	2.68	0.41
1:B:28:VAL:HB	1:B:63:GLY:O	2.20	0.41
1:B:157:MET:HE2	1:B:205:GLN:HB2	2.02	0.41
1:A:84:VAL:HG13	1:A:114:ALA:HB2	2.03	0.41
1:B:122:ILE:HA	1:B:145:MET:HB3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	264/297 (89%)	249 (94%)	15 (6%)	0	100	100
1	B	254/297 (86%)	240 (94%)	14 (6%)	0	100	100
All	All	518/594 (87%)	489 (94%)	29 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	223/247 (90%)	210 (94%)	13 (6%)	25	33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	215/247 (87%)	206 (96%)	9 (4%)	36	49
All	All	438/494 (89%)	416 (95%)	22 (5%)	30	41

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	11	GLU
1	A	83	VAL
1	A	86	MET
1	A	91	SER
1	A	93	GLU
1	A	113	GLU
1	A	117	HIS
1	A	151	MET
1	A	155	ASN
1	A	197	LEU
1	A	203	LEU
1	A	272	ILE
1	B	2	LYS
1	B	7	LEU
1	B	11	GLU
1	B	28	VAL
1	B	83	VAL
1	B	149	ASP
1	B	183	LEU
1	B	194	GLU
1	B	197	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	137	HIS
1	A	155	ASN
1	B	88	GLN
1	B	137	HIS
1	B	180	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	SO4	A	278	-	4,4,4	0.24	0	6,6,6	0.33	0
3	SO4	A	279	-	4,4,4	0.13	0	6,6,6	0.34	0
3	SO4	A	280	-	4,4,4	0.18	0	6,6,6	0.61	0
3	SO4	A	281	-	4,4,4	0.17	0	6,6,6	0.12	0
2	XTZ	A	801	-	26,32,32	2.40	4 (15%)	27,46,46	2.64	11 (40%)
3	SO4	B	278	-	4,4,4	0.36	0	6,6,6	0.41	0
3	SO4	B	279	-	4,4,4	0.14	0	6,6,6	0.23	0
3	SO4	B	280	-	4,4,4	0.14	0	6,6,6	0.84	0
3	SO4	B	281	-	4,4,4	0.17	0	6,6,6	0.35	0
3	SO4	B	282	-	4,4,4	0.17	0	6,6,6	0.19	0
4	XHP	B	901	-	11,14,14	3.11	5 (45%)	9,20,20	2.84	6 (66%)
5	YTZ	B	902	-	14,17,17	3.09	1 (7%)	18,24,24	2.40	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	278	-	-	0/0/0/0	0/0/0/0
3	SO4	A	279	-	-	0/0/0/0	0/0/0/0
3	SO4	A	280	-	-	0/0/0/0	0/0/0/0
3	SO4	A	281	-	-	0/0/0/0	0/0/0/0
2	XTZ	A	801	-	-	0/12/25/25	0/4/4/4
3	SO4	B	278	-	-	0/0/0/0	0/0/0/0
3	SO4	B	279	-	-	0/0/0/0	0/0/0/0
3	SO4	B	280	-	-	0/0/0/0	0/0/0/0
3	SO4	B	281	-	-	0/0/0/0	0/0/0/0
3	SO4	B	282	-	-	0/0/0/0	0/0/0/0
4	XHP	B	901	-	-	0/0/9/9	0/1/2/2
5	YTZ	B	902	-	-	0/9/11/11	0/2/2/2

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	902	YTZ	C4-S1	-11.39	1.59	1.76
2	A	801	XTZ	C9-S1	-9.12	1.62	1.76
4	B	901	XHP	C10-N5	-4.75	1.26	1.32
4	B	901	XHP	C2-N1	-3.91	1.28	1.35
2	A	801	XTZ	C10-N6	-2.65	1.35	1.40
2	A	801	XTZ	C3-C2	2.54	1.48	1.41
4	B	901	XHP	C10-C9	3.09	1.46	1.41
4	B	901	XHP	C6-N5	4.84	1.44	1.36
4	B	901	XHP	C9-N1	5.11	1.45	1.34
2	A	801	XTZ	C4-N4	5.75	1.36	1.28

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	902	YTZ	O2-S1-O1	-8.75	107.94	119.54
2	A	801	XTZ	O1-S1-O2	-8.35	108.46	119.54
4	B	901	XHP	C10-C4-N3	-3.83	118.35	123.59
2	A	801	XTZ	C3-C16-N2	-3.27	119.11	123.59
4	B	901	XHP	C10-C9-N1	-3.12	116.86	122.18
2	A	801	XTZ	C14-C6-N5	-2.25	116.75	121.06
2	A	801	XTZ	N2-C1-N3	-2.22	121.89	125.53
4	B	901	XHP	N3-C2-N1	-2.04	122.19	125.53
2	A	801	XTZ	C8-C9-C13	-2.00	117.74	120.42
4	B	901	XHP	C7-N8-C9	2.23	122.55	117.36
2	A	801	XTZ	O1-S1-C9	2.24	110.79	107.96
2	A	801	XTZ	C12-C11-N7	2.69	116.28	109.36
5	B	902	YTZ	C7-C6-N3	2.91	116.87	109.36

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	901	XHP	C4-C10-C9	3.00	117.34	114.60
2	A	801	XTZ	C9-S1-N6	3.01	110.74	106.87
2	A	801	XTZ	C1-N3-C2	3.29	121.93	114.54
2	A	801	XTZ	C8-C9-S1	3.87	124.27	119.78
2	A	801	XTZ	C16-N2-C1	4.88	122.72	115.94
4	B	901	XHP	C4-N3-C2	5.24	123.20	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	278	SO4	1	0
4	B	901	XHP	2	0
5	B	902	YTZ	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	267/297 (89%)	0.88	31 (11%) 6 10	40, 75, 123, 158	0
1	B	259/297 (87%)	0.87	30 (11%) 6 10	51, 75, 110, 135	0
All	All	526/594 (88%)	0.88	61 (11%) 6 10	40, 75, 119, 158	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	79	GLU	5.1
1	A	74	VAL	4.8
1	B	106	GLU	4.2
1	A	10	GLY	4.2
1	B	80	ILE	3.7
1	B	36	GLY	3.7
1	B	75	SER	3.6
1	B	67	THR	3.6
1	A	4	ASP	3.6
1	A	13	THR	3.5
1	A	30	PRO	3.4
1	A	9	CYS	3.3
1	B	174	ALA	3.2
1	B	129	PRO	3.2
1	A	77	GLU	3.1
1	B	76	VAL	3.0
1	A	8	ARG	3.0
1	A	37	GLY	3.0
1	B	244	LEU	2.9
1	B	12	TYR	2.9
1	A	70	GLY	2.9
1	A	165	TYR	2.9
1	A	137	HIS	2.9
1	B	203	LEU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	71	PHE	2.7
1	B	127	ALA	2.7
1	B	77	GLU	2.7
1	B	105	ALA	2.7
1	A	203	LEU	2.7
1	B	78	GLU	2.7
1	A	73	LYS	2.6
1	A	69	PRO	2.6
1	A	215	LEU	2.5
1	A	208	VAL	2.5
1	B	134	VAL	2.5
1	B	103	TYR	2.5
1	A	206	LEU	2.5
1	A	250[A]	CYS	2.5
1	B	81	LYS	2.4
1	B	95	LYS	2.4
1	B	65	GLU	2.4
1	A	214	LEU	2.4
1	B	219	ARG	2.3
1	A	112	ILE	2.3
1	B	228	ASP	2.3
1	A	187	ILE	2.2
1	A	62	ILE	2.2
1	B	243	CYS	2.2
1	A	106	GLU	2.2
1	B	27	ASN	2.2
1	A	81	LYS	2.1
1	B	242	VAL	2.1
1	A	80	ILE	2.1
1	B	112	ILE	2.1
1	A	46	VAL	2.1
1	A	213	VAL	2.1
1	A	75	SER	2.1
1	B	208	VAL	2.1
1	B	123	TRP	2.0
1	B	209	LEU	2.0
1	A	5	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	SO4	B	282	5/5	0.93	0.27	1.05	103,104,105,105	0
5	YTZ	B	902	16/16	0.75	0.28	0.93	140,143,147,148	0
4	XHP	B	901	13/13	0.81	0.20	0.16	88,89,91,91	0
2	XTZ	A	801	29/29	0.88	0.19	-0.02	71,87,106,106	0
3	SO4	A	278	5/5	0.97	0.14	-0.87	83,83,85,86	0
3	SO4	A	281	5/5	0.92	0.21	-	95,95,96,96	0
3	SO4	B	280	5/5	0.83	0.14	-	97,97,99,99	0
3	SO4	B	281	5/5	0.88	0.24	-	114,115,115,116	0
3	SO4	A	279	5/5	0.82	0.16	-	129,129,129,130	0
3	SO4	B	278	5/5	0.96	0.13	-	103,104,104,105	0
3	SO4	A	280	5/5	0.89	0.12	-	105,105,106,106	0
3	SO4	B	279	5/5	0.88	0.13	-	125,126,126,126	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.