



Full wwPDB/EMDatabank EM Map/Model Validation Report ⓘ

Jan 17, 2017 – 01:51 PM EST

PDB ID : 5U6P
EMDB ID: : EMD-8512
Title : Structure of the human HCN1 hyperpolarization-activated cyclic nucleotide-gated ion channel in complex with cAMP
Authors : Lee, C.-H.; MacKinnon, R.
Deposited on : 2016-12-08
Resolution : 3.51 Å(reported)

This is a Full wwPDB/EMDatabank EM Map/Model Validation Report
for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY




The reported resolution of this entry is 3.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	114402	924
Ramachandran outliers	111179	726
Sidechain outliers	111093	686

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	660	 72% 24%
1	B	660	 72% 24%
1	C	660	 72% 24%
1	D	660	 72% 24%
2	E	19	 100%
2	F	19	 100%
2	G	19	 100%
2	H	19	 100%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 15640 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	504	Total	C	N	O	S	0	0
			3793	2472	648	644	29		
1	B	504	Total	C	N	O	S	0	0
			3793	2472	648	644	29		
1	C	504	Total	C	N	O	S	0	0
			3793	2472	648	644	29		
1	D	504	Total	C	N	O	S	0	0
			3793	2472	648	644	29		


- Molecule 2 is a protein called Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 11.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	E	19	Total	C	N	O	0	0
			95	57	19	19		
2	F	19	Total	C	N	O	0	0
			95	57	19	19		
2	G	19	Total	C	N	O	0	0
			95	57	19	19		
2	H	19	Total	C	N	O	0	0
			95	57	19	19		

- Molecule 3 is ADENOSINE-3',5'-CYCLIC-MONOPHOSPHATE (three-letter code: CMP) (formula: C₁₀H₁₂N₅O₆P).




Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			22	10	5	6	1	
3	B	1	Total	C	N	O	P	0
			22	10	5	6	1	
3	C	1	Total	C	N	O	P	0
			22	10	5	6	1	
3	D	1	Total	C	N	O	P	0
			22	10	5	6	1	



- Molecule 1: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 11

Chain D: 72% 24%



- Molecule 2: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 11

Chain E: 100%

There are no outlier residues recorded for this chain.

- Molecule 2: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 11

Chain F: 100%

There are no outlier residues recorded for this chain.

- Molecule 2: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 11

Chain G: 100%

There are no outlier residues recorded for this chain.

- Molecule 2: Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 11

Chain H: 100%

There are no outlier residues recorded for this chain.

4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	125339	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	Not provided	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	Not provided	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3300	Depositor
Magnification	Not provided	Depositor
Image detector	Not provided	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 2$	RMSZ	$\# Z > 2$
1	A	0.41	0/3885	0.67	0/5281
1	B	0.41	0/3885	0.67	0/5281
1	C	0.41	0/3885	0.67	0/5281
1	D	0.41	0/3885	0.67	0/5281
All	All	0.41	0/15540	0.67	0/21124

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3793	0	3512	15	0
1	B	3793	0	3512	14	0
1	C	3793	0	3512	15	0
1	D	3793	0	3512	15	0
2	E	95	0	21	0	0
2	F	95	0	21	0	0
2	G	95	0	21	0	0
2	H	95	0	21	0	0
3	A	22	0	11	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	22	0	11	1	0
3	C	22	0	11	1	0
3	D	22	0	11	1	0
All	All	15640	0	14176	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:901:CMP:C2	3:B:901:CMP:H2	0.97	1.50
3:D:901:CMP:H2	3:D:901:CMP:C2	0.97	1.48
3:A:901:CMP:H2	3:A:901:CMP:C2	0.97	1.48
3:C:901:CMP:H2	3:C:901:CMP:C2	0.97	1.48
1:D:319:VAL:HG11	1:D:374:ILE:HD11	1.91	0.52
1:C:319:VAL:HG11	1:C:374:ILE:HD11	1.91	0.52
1:A:319:VAL:HG11	1:A:374:ILE:HD11	1.91	0.52
1:B:319:VAL:HG11	1:B:374:ILE:HD11	1.91	0.51
1:A:295:VAL:O	1:A:298:ILE:HG22	2.13	0.49
1:A:418:MET:CE	1:A:431:ILE:HG21	2.43	0.49
1:D:295:VAL:O	1:D:298:ILE:HG22	2.13	0.49
1:C:163:GLY:HA3	1:C:175:TRP:CZ2	2.48	0.49
1:A:163:GLY:HA3	1:A:175:TRP:CZ2	2.48	0.49
1:B:163:GLY:HA3	1:B:175:TRP:CZ2	2.48	0.49
1:D:418:MET:CE	1:D:431:ILE:HG21	2.43	0.49
1:C:295:VAL:O	1:C:298:ILE:HG22	2.12	0.48
1:D:163:GLY:HA3	1:D:175:TRP:CZ2	2.48	0.48
1:B:295:VAL:O	1:B:298:ILE:HG22	2.12	0.48
1:B:418:MET:CE	1:B:431:ILE:HG21	2.43	0.48
1:C:418:MET:CE	1:C:431:ILE:HG21	2.43	0.48
1:C:548:ARG:NH2	1:D:575:GLU:O	2.48	0.47
1:A:316:GLN:O	1:A:320:PRO:HD2	2.15	0.47
1:A:228:SER:HB2	1:A:270:ARG:HG3	1.97	0.47
1:B:316:GLN:O	1:B:320:PRO:HD2	2.15	0.47
1:D:316:GLN:O	1:D:320:PRO:HD2	2.15	0.46
1:C:316:GLN:O	1:C:320:PRO:HD2	2.15	0.46
1:D:228:SER:HB2	1:D:270:ARG:HG3	1.97	0.46
1:C:472:THR:CB	1:C:535:GLY:HA3	2.46	0.46
1:B:228:SER:HB2	1:B:270:ARG:HG3	1.97	0.46
1:C:228:SER:HB2	1:C:270:ARG:HG3	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:356:MET:HA	1:B:382:GLY:HA3	1.98	0.46
1:D:472:THR:CB	1:D:535:GLY:HA3	2.46	0.45
1:B:472:THR:CB	1:B:535:GLY:HA3	2.46	0.45
1:D:356:MET:HA	1:D:382:GLY:HA3	1.98	0.45
1:A:356:MET:HA	1:A:382:GLY:HA3	1.98	0.45
1:A:472:THR:CB	1:A:535:GLY:HA3	2.46	0.45
1:C:356:MET:HA	1:C:382:GLY:HA3	1.98	0.45
1:B:414:VAL:HG22	1:C:449:ILE:HD12	1.98	0.45
1:B:188:LEU:O	1:B:192:MET:HG2	2.19	0.43
1:A:188:LEU:O	1:A:192:MET:HG2	2.19	0.43
1:C:188:LEU:O	1:C:192:MET:HG2	2.19	0.42
1:D:188:LEU:O	1:D:192:MET:HG2	2.19	0.42
1:A:449:ILE:HD12	1:D:414:VAL:HG22	2.00	0.42
1:A:124:GLN:O	1:A:128:LYS:HG3	2.20	0.42
1:D:124:GLN:O	1:D:128:LYS:HG3	2.20	0.42
1:B:124:GLN:O	1:B:128:LYS:HG3	2.20	0.41
1:C:124:GLN:O	1:C:128:LYS:HG3	2.20	0.41
1:A:548:ARG:NH2	1:B:575:GLU:O	2.54	0.41
1:A:372:LEU:HD11	1:D:350:PHE:CG	2.56	0.40
1:B:153:MET:O	1:B:157:LEU:HG	2.22	0.40
1:C:414:VAL:HG22	1:D:449:ILE:HD12	2.02	0.40
1:A:153:MET:O	1:A:157:LEU:HG	2.22	0.40
1:C:134:ILE:HD11	1:C:209:ASP:CB	2.52	0.40
1:C:209:ASP:CB	1:C:210:PRO:HD3	2.51	0.40
1:A:209:ASP:CB	1:A:210:PRO:HD3	2.51	0.40
1:B:209:ASP:CB	1:B:210:PRO:HD3	2.51	0.40
1:D:209:ASP:CB	1:D:210:PRO:HD3	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	498/660 (76%)	482 (97%)	16 (3%)	0	100	100
1	B	498/660 (76%)	482 (97%)	16 (3%)	0	100	100
1	C	498/660 (76%)	482 (97%)	16 (3%)	0	100	100
1	D	498/660 (76%)	482 (97%)	16 (3%)	0	100	100
All	All	1992/2640 (76%)	1928 (97%)	64 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	352/565 (62%)	352 (100%)	0	100	100
1	B	352/565 (62%)	352 (100%)	0	100	100
1	C	352/565 (62%)	352 (100%)	0	100	100
1	D	352/565 (62%)	352 (100%)	0	100	100
All	All	1408/2260 (62%)	1408 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	398	GLN
1	B	398	GLN
1	C	398	GLN
1	D	398	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	CMP	A	901	-	20,25,25	1.20	1 (5%)	18,39,39	2.40	3 (16%)
3	CMP	B	901	-	20,25,25	1.20	1 (5%)	18,39,39	2.40	3 (16%)
3	CMP	C	901	-	20,25,25	1.21	1 (5%)	18,39,39	2.41	3 (16%)
3	CMP	D	901	-	20,25,25	1.20	1 (5%)	18,39,39	2.39	3 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CMP	A	901	-	-	0/0/31/31	0/4/4/4
3	CMP	B	901	-	-	0/0/31/31	0/4/4/4
3	CMP	C	901	-	-	0/0/31/31	0/4/4/4
3	CMP	D	901	-	-	0/0/31/31	0/4/4/4

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	901	CMP	C5-C4	3.14	1.47	1.40
3	B	901	CMP	C5-C4	3.14	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	901	CMP	C5-C4	3.17	1.47	1.40
3	A	901	CMP	C5-C4	3.18	1.47	1.40

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	901	CMP	N3-C2-N1	-7.81	122.73	128.87
3	B	901	CMP	N3-C2-N1	-7.78	122.76	128.87
3	A	901	CMP	N3-C2-N1	-7.75	122.78	128.87
3	D	901	CMP	N3-C2-N1	-7.72	122.80	128.87
3	A	901	CMP	O3'-C3'-C4'	-3.44	107.97	110.72
3	D	901	CMP	O3'-C3'-C4'	-3.40	108.00	110.72
3	B	901	CMP	O3'-C3'-C4'	-3.38	108.02	110.72
3	C	901	CMP	O3'-C3'-C4'	-3.35	108.04	110.72
3	B	901	CMP	O2P-P-O1P	3.22	119.30	108.67
3	C	901	CMP	O2P-P-O1P	3.23	119.30	108.67
3	A	901	CMP	O2P-P-O1P	3.23	119.30	108.67
3	D	901	CMP	O2P-P-O1P	3.24	119.35	108.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	901	CMP	1	0
3	B	901	CMP	1	0
3	C	901	CMP	1	0
3	D	901	CMP	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.