



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:41 PM GMT

PDB ID : 3UK6  
Title : Crystal Structure of the Tip48 (Tip49b) hexamer  
Authors : Petukhov, M.; Dagkessamanskaja, A.; Bommer, M.; Barrett, T.; Tsaneva, I.; Yakimov, A.; Queval, R.; Shvetsov, A.; Khodorkovskiy, M.; Kas, E.; Grigoriev, M.  
Deposited on : 2011-11-09  
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2184 (3.00-2.92)
Clashscore	102246	2552 (3.00-2.92)
Ramachandran outliers	100387	2468 (3.00-2.92)
Sidechain outliers	100360	2471 (3.00-2.92)
RSRZ outliers	91569	2201 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	368	<div> <div>73%</div> <div>7%</div> <div>19%</div> </div>
1	B	368	<div> <div>72%</div> <div>8%</div> <div>18%</div> </div>
1	C	368	<div> <div>78%</div> <div>8%</div> <div>13%</div> </div>
1	D	368	<div> <div>72%</div> <div>8%</div> <div>19%</div> </div>
1	E	368	<div> <div>70%</div> <div>9%</div> <div>21%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	368	<div><div><div></div><div></div><div></div></div><div><div>%</div><div>73%</div><div>7%</div><div>•</div><div>18%</div></div></div>
1	G	368	<div><div><div></div><div></div><div></div></div><div><div>2%</div><div>80%</div><div>10%</div><div>•</div><div>10%</div></div></div>
1	H	368	<div><div><div></div><div></div><div></div></div><div><div>4%</div><div>70%</div><div>5%</div><div></div><div>25%</div></div></div>
1	I	368	<div><div><div></div><div></div><div></div></div><div><div>4%</div><div>73%</div><div>6%</div><div>•</div><div>20%</div></div></div>
1	J	368	<div><div><div></div><div></div><div></div></div><div><div>2%</div><div>75%</div><div>7%</div><div></div><div>18%</div></div></div>
1	K	368	<div><div><div></div><div></div><div></div></div><div><div>13%</div><div>71%</div><div>5%</div><div></div><div>23%</div></div></div>
1	L	368	<div><div><div></div><div></div><div></div></div><div><div>5%</div><div>59%</div><div>•</div><div>37%</div></div></div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 22870 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RuvB-like 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	298	Total	C	N	O	S	0	0	0
			1944	1211	345	379	9			
1	B	300	Total	C	N	O	S	0	0	0
			1962	1228	350	377	7			
1	C	321	Total	C	N	O	S	0	0	0
			2117	1324	372	412	9			
1	D	299	Total	C	N	O	S	0	0	0
			1932	1211	341	371	9			
1	E	290	Total	C	N	O	S	0	0	0
			1886	1178	331	368	9			
1	F	301	Total	C	N	O	S	0	0	0
			1964	1232	346	377	9			
1	G	330	Total	C	N	O	S	0	0	0
			2182	1368	387	417	10			
1	H	277	Total	C	N	O	S	0	0	0
			1731	1083	304	339	5			
1	I	294	Total	C	N	O	S	0	0	0
			1829	1140	323	359	7			
1	J	300	Total	C	N	O	S	0	0	0
			1857	1155	337	360	5			
1	K	283	Total	C	N	O	S	0	0	0
			1752	1089	310	351	2			
1	L	233	Total	C	N	O	S	0	0	0
			1392	868	246	274	4			

There are 131 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
A	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
A	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
A	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
A	465	GLU	-	EXPRESSION TAG	UNP Q9Y230

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
A	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
B	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
B	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
B	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
B	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
B	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
B	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
C	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
C	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
C	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
C	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
C	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
D	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
D	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
D	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
D	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
D	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
D	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
E	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
E	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
E	464	LEU	-	EXPRESSION TAG	UNP Q9Y230

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
E	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
E	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
E	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
F	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
F	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
F	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
F	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
F	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
F	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
G	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
G	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
G	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
G	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
G	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
G	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
H	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
H	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
H	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
H	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
H	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
H	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
I	237	GLY	-	EXPRESSION TAG	UNP Q9Y230

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
I	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
I	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
I	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
I	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
I	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
J	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
J	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
J	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
J	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
J	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
J	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
K	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
K	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
K	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
K	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
K	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
K	471	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	236	ALA	-	EXPRESSION TAG	UNP Q9Y230
L	237	GLY	-	EXPRESSION TAG	UNP Q9Y230
L	238	ALA	-	EXPRESSION TAG	UNP Q9Y230
L	464	LEU	-	EXPRESSION TAG	UNP Q9Y230
L	465	GLU	-	EXPRESSION TAG	UNP Q9Y230
L	466	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	467	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	468	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	469	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	470	HIS	-	EXPRESSION TAG	UNP Q9Y230
L	471	HIS	-	EXPRESSION TAG	UNP Q9Y230

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{10}\text{P}_2$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	B	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	J	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	C	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	I	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	D	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	H	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	F	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	K	1	Total 25	C 9	N 5	O 9	P 2	0	0
2	E	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	L	1	Total 27	C 10	N 5	O 10	P 2	0	0
2	G	1	Total 27	C 10	N 5	O 10	P 2	0	0







- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2




- Molecule 1: RuvB-like 2





• Molecule 1: RuvB-like 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.07Å 186.28Å 129.86Å 90.00° 108.95° 90.00°	Depositor
Resolution (Å)	43.19 – 2.95 59.49 – 2.95	Depositor EDS
% Data completeness (in resolution range)	97.1 (43.19-2.95) 97.1 (59.49-2.95)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.35 (at 2.96Å)	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
R, $R_{free}$	0.241 , 0.264 0.264 , 0.269	Depositor DCC
$R_{free}$ test set	5177 reflections (5.00%)	DCC
Wilson B-factor (Å <sup>2</sup> )	80.1	Xtriage
Anisotropy	0.407	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 118.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 103572 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	22870	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.50	0/1965	0.65	0/2683
1	B	0.52	0/1985	0.70	1/2713 (0.0%)
1	C	0.54	0/2145	0.69	0/2934
1	D	0.50	0/1954	0.70	1/2671 (0.0%)
1	E	0.51	0/1907	0.67	0/2607
1	F	0.55	0/1986	0.70	0/2716
1	G	0.51	0/2210	0.70	0/3022
1	H	0.48	0/1750	0.63	0/2402
1	I	0.52	0/1850	0.71	2/2534 (0.1%)
1	J	0.50	0/1876	0.66	0/2571
1	K	0.50	0/1767	0.66	0/2426
1	L	0.49	0/1393	0.65	0/1907
All	All	0.51	0/22788	0.68	4/31186 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	69	ALA	C-N-CA	7.31	137.65	122.30
1	D	263	GLY	C-N-CA	5.89	136.43	121.70
1	B	265	THR	C-N-CA	5.41	133.66	122.30
1	I	381	GLU	N-CA-CB	5.33	120.20	110.60

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1944	0	1658	14	0
1	B	1962	0	1688	20	0
1	C	2117	0	1803	16	0
1	D	1932	0	1649	17	0
1	E	1886	0	1610	13	0
1	F	1964	0	1695	18	0
1	G	2182	0	1901	18	0
1	H	1731	0	1380	10	0
1	I	1829	0	1451	12	0
1	J	1857	0	1451	12	0
1	K	1752	0	1353	12	0
1	L	1392	0	1052	8	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
2	E	27	0	12	0	0
2	F	27	0	12	1	0
2	G	27	0	12	0	0
2	H	27	0	12	0	0
2	I	27	0	12	0	0
2	J	27	0	12	0	0
2	K	25	0	9	0	0
2	L	27	0	12	0	0
All	All	22870	0	18832	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:101:THR:HG21	1:I:125:ARG:HB3	1.58	0.83
1:A:101:THR:HG21	1:A:125:ARG:HB3	1.61	0.81
1:J:101:THR:HG21	1:J:125:ARG:HB3	1.60	0.81

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:101:THR:HG21	1:E:125:ARG:HB3	1.61	0.80
1:G:101:THR:HG21	1:G:125:ARG:HB3	1.62	0.80
1:F:101:THR:HG21	1:F:125:ARG:HB3	1.62	0.80
1:B:101:THR:HG21	1:B:125:ARG:HB3	1.63	0.80
1:C:101:THR:HG21	1:C:125:ARG:HB3	1.63	0.80
1:D:101:THR:HG21	1:D:125:ARG:HB3	1.65	0.77
1:D:389:VAL:HG11	1:F:451:LEU:HD23	1.69	0.74
1:A:382:MET:HG3	1:A:421:VAL:HB	1.74	0.70
1:E:382:MET:HG3	1:E:421:VAL:HB	1.74	0.70
1:B:263:GLY:H	1:B:264:ASP:HB3	1.57	0.69
1:C:382:MET:HG3	1:C:421:VAL:HB	1.76	0.68
1:F:382:MET:HG3	1:F:421:VAL:HB	1.75	0.67
1:B:382:MET:HG3	1:B:421:VAL:HB	1.76	0.67
1:I:382:MET:HG3	1:I:421:VAL:HB	1.77	0.66
1:H:328:THR:HG21	1:H:344:HIS:HB3	1.77	0.66
1:A:328:THR:HG21	1:A:344:HIS:HB3	1.78	0.65
1:J:328:THR:HG21	1:J:344:HIS:HB3	1.78	0.65
1:D:328:THR:HG21	1:D:344:HIS:HB3	1.77	0.65
1:G:382:MET:HG3	1:G:421:VAL:HB	1.78	0.64
1:L:328:THR:HG21	1:L:344:HIS:HB3	1.79	0.64
1:D:382:MET:HG3	1:D:421:VAL:HB	1.78	0.64
1:G:248:ASP:HA	1:G:276:ILE:HD13	1.80	0.63
1:K:328:THR:HG21	1:K:344:HIS:HB3	1.78	0.63
1:G:328:THR:HG21	1:G:344:HIS:HB3	1.80	0.62
1:F:328:THR:HG21	1:F:344:HIS:HB3	1.81	0.62
1:B:328:THR:HG21	1:B:344:HIS:HB3	1.80	0.62
1:E:328:THR:HG21	1:E:344:HIS:HB3	1.80	0.62
1:F:338:THR:CG2	1:F:340:TYR:H	2.14	0.61
1:C:328:THR:HG21	1:C:344:HIS:HB3	1.81	0.61
1:A:338:THR:CG2	1:A:340:TYR:H	2.14	0.61
1:I:338:THR:CG2	1:I:340:TYR:H	2.14	0.60
1:J:338:THR:CG2	1:J:340:TYR:H	2.15	0.60
1:L:338:THR:CG2	1:L:340:TYR:H	2.15	0.60
1:D:338:THR:CG2	1:D:340:TYR:H	2.14	0.60
1:C:338:THR:CG2	1:C:340:TYR:H	2.15	0.60
1:K:405:LEU:HD22	1:K:429:VAL:HG13	1.84	0.60
1:B:338:THR:CG2	1:B:340:TYR:H	2.16	0.59
1:D:389:VAL:CG1	1:F:451:LEU:HD23	2.33	0.59
1:E:338:THR:CG2	1:E:340:TYR:H	2.14	0.59
1:I:328:THR:HG21	1:I:344:HIS:HB3	1.83	0.58
1:K:343:PRO:HB3	1:L:440:THR:CG2	2.33	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:405:LEU:HD22	1:A:429:VAL:HG13	1.86	0.58
1:G:338:THR:CG2	1:G:340:TYR:H	2.17	0.58
1:K:338:THR:CG2	1:K:340:TYR:H	2.16	0.57
1:H:338:THR:CG2	1:H:340:TYR:H	2.17	0.56
1:B:62:MET:HG3	1:C:411:LEU:HD13	1.87	0.56
1:A:343:PRO:HB3	1:B:440:THR:CG2	2.37	0.55
1:B:405:LEU:HD22	1:B:429:VAL:HG13	1.89	0.55
1:E:61:GLU:CB	1:F:411:LEU:HD21	2.36	0.54
1:I:338:THR:HG22	1:I:340:TYR:H	1.72	0.54
1:E:405:LEU:HD22	1:E:429:VAL:HG13	1.90	0.54
1:G:247:ILE:HG22	1:G:276:ILE:HG12	1.88	0.54
1:K:49:GLN:HE22	1:K:360:THR:H	1.55	0.54
1:D:338:THR:HG22	1:D:340:TYR:H	1.73	0.54
1:D:263:GLY:HA3	1:D:264:ASP:CB	2.39	0.53
1:C:368:LYS:CB	1:C:391:THR:HG21	2.39	0.52
1:F:405:LEU:HD22	1:F:429:VAL:HG13	1.91	0.52
1:L:338:THR:HG22	1:L:340:TYR:H	1.75	0.52
1:C:49:GLN:HE22	1:C:360:THR:H	1.57	0.52
1:D:405:LEU:HD22	1:D:429:VAL:HG13	1.91	0.52
1:C:405:LEU:HD22	1:C:429:VAL:HG13	1.92	0.52
1:F:338:THR:HG22	1:F:340:TYR:H	1.75	0.51
1:A:338:THR:HG22	1:A:340:TYR:H	1.75	0.51
1:J:338:THR:HG22	1:J:340:TYR:H	1.76	0.51
1:A:49:GLN:HE22	1:A:360:THR:H	1.56	0.51
1:L:405:LEU:HD22	1:L:429:VAL:HG13	1.92	0.51
1:B:338:THR:HG22	1:B:340:TYR:H	1.75	0.51
1:A:61:GLU:CB	1:B:411:LEU:HD21	2.41	0.51
1:H:405:LEU:HD22	1:H:429:VAL:HG13	1.92	0.50
1:K:338:THR:HG22	1:K:340:TYR:H	1.75	0.50
1:C:368:LYS:HA	1:C:391:THR:CG2	2.41	0.50
1:J:29:ARG:HA	1:J:92:GLN:HE21	1.76	0.50
1:E:338:THR:HG23	1:E:340:TYR:H	1.75	0.50
1:E:49:GLN:HE22	1:E:360:THR:H	1.59	0.50
1:G:19:ILE:HD12	1:G:19:ILE:H	1.77	0.50
1:F:301:VAL:HG21	1:F:326:MET:CE	2.42	0.50
1:I:381:GLU:CD	1:I:382:MET:H	2.16	0.49
1:A:124:ARG:HD2	1:B:261:PHE:O	2.13	0.49
1:H:54:ARG:HH11	1:K:432:LEU:HD21	1.77	0.49
1:F:49:GLN:HE22	1:F:360:THR:H	1.60	0.49
1:I:343:PRO:HB3	1:J:440:THR:CG2	2.43	0.49
1:H:338:THR:HG22	1:H:340:TYR:H	1.75	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:405:LEU:HD22	1:G:429:VAL:HG13	1.95	0.49
1:C:338:THR:HG23	1:C:340:TYR:H	1.77	0.49
1:D:364:GLU:HA	1:D:395:LEU:HD11	1.95	0.49
1:B:301:VAL:HG21	1:B:326:MET:CE	2.43	0.48
1:C:351:LEU:HD23	1:C:354:LEU:HD12	1.96	0.48
1:G:338:THR:HG23	1:G:340:TYR:H	1.79	0.48
1:F:338:THR:HG23	1:F:340:TYR:H	1.79	0.47
1:J:364:GLU:HA	1:J:395:LEU:HD11	1.97	0.47
1:C:338:THR:HG22	1:C:340:TYR:H	1.79	0.47
1:D:49:GLN:HE22	1:D:360:THR:H	1.62	0.47
1:J:338:THR:HG23	1:J:340:TYR:H	1.80	0.46
1:E:301:VAL:HG21	1:E:326:MET:CE	2.45	0.46
1:H:390:LEU:HG	1:H:426:ILE:HD12	1.96	0.46
1:L:338:THR:HG23	1:L:340:TYR:H	1.81	0.46
1:F:364:GLU:HA	1:F:395:LEU:HD11	1.98	0.46
1:E:338:THR:HG22	1:E:340:TYR:H	1.79	0.46
1:D:343:PRO:HB3	1:I:440:THR:CG2	2.46	0.46
1:C:443:MET:HA	1:C:443:MET:CE	2.46	0.46
1:A:338:THR:HG23	1:A:340:TYR:H	1.80	0.45
1:G:338:THR:HG22	1:G:340:TYR:H	1.82	0.45
1:J:351:LEU:HD23	1:J:354:LEU:HD12	1.99	0.45
1:K:364:GLU:HA	1:K:395:LEU:HD11	1.98	0.45
1:B:49:GLN:HE22	1:B:360:THR:H	1.64	0.45
1:B:343:PRO:HB2	1:B:351:LEU:HD11	1.99	0.45
1:G:287:GLY:O	1:G:289:ALA:N	2.50	0.45
1:J:305:ASP:HA	1:J:336:ARG:HB2	1.98	0.45
1:L:351:LEU:HD23	1:L:354:LEU:HD12	1.99	0.45
1:E:364:GLU:HA	1:E:395:LEU:HD11	1.99	0.44
1:F:450:PHE:C	1:F:450:PHE:CD1	2.90	0.44
1:C:301:VAL:HG21	1:C:326:MET:CE	2.47	0.44
1:I:301:VAL:HG21	1:I:326:MET:CE	2.48	0.44
1:C:364:GLU:HA	1:C:395:LEU:HD11	1.99	0.44
1:E:305:ASP:HA	1:E:336:ARG:HB2	1.99	0.44
1:B:338:THR:HG23	1:B:340:TYR:H	1.83	0.44
1:L:301:VAL:HG21	1:L:326:MET:CE	2.48	0.43
1:A:443:MET:HA	1:A:443:MET:CE	2.48	0.43
1:D:351:LEU:HD23	1:D:354:LEU:HD12	2.00	0.43
1:G:301:VAL:HG21	1:G:326:MET:CE	2.48	0.43
1:I:338:THR:HG23	1:I:340:TYR:H	1.83	0.43
1:B:305:ASP:HA	1:B:336:ARG:HB2	2.01	0.43
1:I:335:ILE:O	1:I:338:THR:HB	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:351:LEU:HD23	1:G:354:LEU:HD12	2.00	0.43
1:G:364:GLU:HA	1:G:395:LEU:HD11	2.00	0.43
1:D:305:ASP:HA	1:D:336:ARG:HB2	2.01	0.43
1:G:63:ILE:HG12	1:G:68:ILE:HG21	2.01	0.43
1:A:364:GLU:HA	1:A:395:LEU:HD11	2.01	0.43
1:H:54:ARG:HD2	1:K:432:LEU:HD21	2.01	0.42
1:G:248:ASP:HA	1:G:276:ILE:CD1	2.46	0.42
1:F:301:VAL:HG21	1:F:326:MET:HE2	2.00	0.42
1:F:305:ASP:HA	1:F:336:ARG:HB2	2.00	0.42
1:B:364:GLU:HA	1:B:395:LEU:HD11	2.01	0.42
1:D:124:ARG:HD2	1:I:261:PHE:O	2.19	0.42
1:J:301:VAL:HG21	1:J:326:MET:CE	2.49	0.42
1:G:19:ILE:HD12	1:G:19:ILE:N	2.35	0.41
1:F:47:VAL:O	2:F:1450:ADP:N6	2.53	0.41
1:B:74:LEU:HB2	1:B:354:LEU:HD13	2.02	0.41
1:H:55:ALA:HB1	1:K:433:PHE:CE2	2.55	0.41
1:A:301:VAL:HG21	1:A:326:MET:CE	2.50	0.41
1:K:338:THR:HG23	1:K:340:TYR:H	1.84	0.41
1:H:301:VAL:HG21	1:H:326:MET:CE	2.50	0.41
1:J:387:TYR:HD1	1:J:387:TYR:HA	1.70	0.41
1:B:343:PRO:HB3	1:C:440:THR:CG2	2.50	0.41
1:F:390:LEU:HA	1:F:390:LEU:HD23	1.91	0.41
1:G:413:CYS:O	1:G:416:ARG:HG3	2.20	0.41
1:D:338:THR:HG23	1:D:340:TYR:H	1.81	0.40
1:E:351:LEU:HD23	1:E:354:LEU:HD12	2.02	0.40
1:D:301:VAL:HG21	1:D:326:MET:CE	2.50	0.40
1:H:51:ALA:O	1:K:432:LEU:HD22	2.22	0.40
1:B:390:LEU:HA	1:B:390:LEU:HD23	1.92	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	288/368 (78%)	283 (98%)	5 (2%)	0	100	100
1	B	290/368 (79%)	280 (97%)	9 (3%)	1 (0%)	46	81
1	C	313/368 (85%)	304 (97%)	7 (2%)	2 (1%)	30	70
1	D	289/368 (78%)	278 (96%)	8 (3%)	3 (1%)	19	58
1	E	280/368 (76%)	275 (98%)	5 (2%)	0	100	100
1	F	291/368 (79%)	280 (96%)	8 (3%)	3 (1%)	19	58
1	G	324/368 (88%)	312 (96%)	12 (4%)	0	100	100
1	H	263/368 (72%)	259 (98%)	4 (2%)	0	100	100
1	I	282/368 (77%)	272 (96%)	9 (3%)	1 (0%)	39	78
1	J	284/368 (77%)	276 (97%)	6 (2%)	2 (1%)	26	67
1	K	265/368 (72%)	261 (98%)	4 (2%)	0	100	100
1	L	207/368 (56%)	203 (98%)	4 (2%)	0	100	100
All	All	3376/4416 (76%)	3283 (97%)	81 (2%)	12 (0%)	39	78

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	255	GLN
1	D	264	ASP
1	F	450	PHE
1	D	254	THR
1	F	445	GLU
1	J	266	GLY
1	I	253	ARG
1	C	254	THR
1	D	255	GLN
1	F	449	ALA
1	J	18	ARG
1	B	263	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	153/307 (50%)	143 (94%)	10 (6%)	21	56
1	B	155/307 (50%)	146 (94%)	9 (6%)	25	62
1	C	168/307 (55%)	156 (93%)	12 (7%)	18	52
1	D	150/307 (49%)	141 (94%)	9 (6%)	24	60
1	E	149/307 (48%)	136 (91%)	13 (9%)	13	40
1	F	156/307 (51%)	145 (93%)	11 (7%)	18	52
1	G	175/307 (57%)	162 (93%)	13 (7%)	17	49
1	H	122/307 (40%)	115 (94%)	7 (6%)	25	62
1	I	125/307 (41%)	117 (94%)	8 (6%)	22	57
1	J	122/307 (40%)	116 (95%)	6 (5%)	31	68
1	K	116/307 (38%)	109 (94%)	7 (6%)	24	60
1	L	84/307 (27%)	80 (95%)	4 (5%)	31	69
All	All	1675/3684 (46%)	1566 (94%)	109 (6%)	21	56

All (109) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	ILE
1	A	324	LEU
1	A	333	THR
1	A	350	LEU
1	A	382	MET
1	A	390	LEU
1	A	407	THR
1	A	411	LEU
1	A	441	GLN
1	A	443	MET
1	B	260	LEU
1	B	333	THR
1	B	336	ARG
1	B	350	LEU
1	B	378	GLU
1	B	382	MET
1	B	390	LEU
1	B	407	THR
1	B	411	LEU
1	C	17	THR
1	C	260	LEU
1	C	324	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	333	THR
1	C	350	LEU
1	C	378	GLU
1	C	382	MET
1	C	390	LEU
1	C	407	THR
1	C	411	LEU
1	C	441	GLN
1	C	443	MET
1	D	127	ILE
1	D	333	THR
1	D	336	ARG
1	D	350	LEU
1	D	378	GLU
1	D	382	MET
1	D	390	LEU
1	D	407	THR
1	D	441	GLN
1	E	64	ARG
1	E	127	ILE
1	E	306	ILE
1	E	324	LEU
1	E	333	THR
1	E	350	LEU
1	E	378	GLU
1	E	381	GLU
1	E	382	MET
1	E	384	GLU
1	E	390	LEU
1	E	407	THR
1	E	441	GLN
1	F	324	LEU
1	F	333	THR
1	F	336	ARG
1	F	350	LEU
1	F	378	GLU
1	F	382	MET
1	F	390	LEU
1	F	407	THR
1	F	411	LEU
1	F	441	GLN
1	F	450	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	15	ASP
1	G	46	MET
1	G	127	ILE
1	G	324	LEU
1	G	333	THR
1	G	350	LEU
1	G	378	GLU
1	G	382	MET
1	G	390	LEU
1	G	407	THR
1	G	411	LEU
1	G	416	ARG
1	G	443	MET
1	H	333	THR
1	H	378	GLU
1	H	390	LEU
1	H	407	THR
1	H	410	SER
1	H	411	LEU
1	H	441	GLN
1	I	127	ILE
1	I	267	GLU
1	I	324	LEU
1	I	333	THR
1	I	382	MET
1	I	390	LEU
1	I	407	THR
1	I	443	MET
1	J	260	LEU
1	J	333	THR
1	J	336	ARG
1	J	350	LEU
1	J	407	THR
1	J	441	GLN
1	K	40	ARG
1	K	46	MET
1	K	324	LEU
1	K	333	THR
1	K	350	LEU
1	K	390	LEU
1	K	407	THR
1	L	285	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	L	333	THR
1	L	350	LEU
1	L	443	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	GLN
1	A	302	HIS
1	B	49	GLN
1	B	302	HIS
1	C	49	GLN
1	C	302	HIS
1	D	49	GLN
1	D	302	HIS
1	E	49	GLN
1	E	302	HIS
1	F	49	GLN
1	F	302	HIS
1	G	302	HIS
1	H	302	HIS
1	I	302	HIS
1	J	92	GLN
1	J	251	ASN
1	J	302	HIS
1	K	49	GLN
1	L	302	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	ADP	A	1450	-	22,29,29	0.58	0	27,45,45	0.66	0
2	ADP	B	1450	-	22,29,29	0.59	0	27,45,45	0.66	0
2	ADP	C	1450	-	22,29,29	0.70	0	27,45,45	0.63	0
2	ADP	D	1450	-	22,29,29	0.55	0	27,45,45	0.68	1 (3%)
2	ADP	E	1450	-	22,29,29	0.58	0	27,45,45	0.72	0
2	ADP	F	1450	-	22,29,29	0.60	0	27,45,45	0.67	0
2	ADP	G	1450	-	22,29,29	0.57	0	27,45,45	0.88	1 (3%)
2	ADP	H	1450	-	22,29,29	0.69	0	27,45,45	0.69	0
2	ADP	I	1450	-	22,29,29	0.58	0	27,45,45	0.68	0
2	ADP	J	1450	-	22,29,29	0.64	0	27,45,45	0.62	0
2	ADP	K	1450	-	17,26,29	0.65	0	18,38,45	0.74	0
2	ADP	L	1450	-	22,29,29	0.56	0	27,45,45	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	B	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	C	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	D	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	E	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	F	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	G	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	H	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	I	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	J	1450	-	-	0/12/32/32	0/3/3/3
2	ADP	K	1450	-	-	0/2/22/32	0/3/3/3
2	ADP	L	1450	-	-	0/12/32/32	0/3/3/3

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	G	1450	ADP	PA-O3A-PB	-3.18	121.99	132.67
2	D	1450	ADP	O3A-PA-O5'	2.15	108.64	102.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	1450	ADP	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	298/368 (80%)	0.00	1 (0%) 94 87	53, 87, 127, 149	0
1	B	300/368 (81%)	-0.04	4 (1%) 79 61	46, 82, 118, 137	0
1	C	321/368 (87%)	-0.05	1 (0%) 94 87	46, 76, 104, 125	0
1	D	299/368 (81%)	0.11	2 (0%) 89 76	57, 90, 125, 143	0
1	E	290/368 (78%)	0.02	4 (1%) 78 59	49, 85, 140, 170	0
1	F	301/368 (81%)	0.03	5 (1%) 73 53	43, 77, 114, 147	0
1	G	330/368 (89%)	0.01	7 (2%) 67 46	46, 81, 121, 146	0
1	H	277/368 (75%)	0.26	14 (5%) 32 18	73, 112, 148, 173	0
1	I	294/368 (79%)	0.24	13 (4%) 38 22	58, 106, 139, 154	0
1	J	300/368 (81%)	0.07	8 (2%) 58 37	61, 105, 136, 155	0
1	K	283/368 (76%)	0.71	47 (16%) 2 1	75, 95, 117, 159	0
1	L	233/368 (63%)	0.40	20 (8%) 13 6	69, 123, 170, 185	0
All	All	3526/4416 (79%)	0.14	126 (3%) 46 28	43, 92, 137, 185	0

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	K	89	GLY	6.5
1	K	272	VAL	6.0
1	B	259	ALA	5.9
1	K	413	CYS	5.9
1	L	399	LEU	5.3
1	L	250	ILE	5.2
1	K	242	VAL	5.1
1	K	43	SER	4.9
1	K	51	ALA	4.6
1	L	295	VAL	4.5
1	I	280	VAL	4.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	L	36	ALA	4.3
1	K	86	ILE	4.2
1	L	243	SER	4.0
1	K	402	ALA	4.0
1	K	119	LEU	4.0
1	G	7	THR	3.7
1	K	415	LYS	3.7
1	K	104	ALA	3.6
1	K	106	SER	3.6
1	G	421	VAL	3.5
1	H	421	VAL	3.4
1	L	402	ALA	3.4
1	H	52	ALA	3.4
1	H	390	LEU	3.4
1	K	397	THR	3.3
1	K	313	ASN	3.2
1	D	268	ILE	3.2
1	L	279	LYS	3.2
1	L	249	VAL	3.1
1	K	276	ILE	3.1
1	L	440	THR	3.1
1	K	362	TYR	3.1
1	I	362	TYR	3.1
1	K	97	ASP	3.1
1	G	389	VAL	3.0
1	K	24	ALA	3.0
1	K	23	GLY	3.0
1	K	350	LEU	3.0
1	K	280	VAL	2.9
1	L	245	HIS	2.9
1	H	123	PHE	2.9
1	H	277	ASN	2.9
1	G	289	ALA	2.9
1	L	76	ALA	2.9
1	H	79	PRO	2.8
1	H	352	ASP	2.8
1	C	386	ALA	2.8
1	J	22	ILE	2.8
1	K	88	MET	2.8
1	E	106	SER	2.8
1	J	36	ALA	2.7
1	K	378	GLU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	L	272	VAL	2.7
1	K	281	ALA	2.7
1	K	31	LEU	2.7
1	J	244	LEU	2.7
1	I	421	VAL	2.7
1	I	408	ALA	2.7
1	L	280	VAL	2.7
1	H	96	PRO	2.6
1	G	257	PHE	2.6
1	L	123	PHE	2.6
1	H	276	ILE	2.6
1	K	320	MET	2.6
1	K	123	PHE	2.6
1	K	434	LEU	2.6
1	L	359	THR	2.6
1	G	47	VAL	2.6
1	H	95	GLY	2.5
1	B	42	ALA	2.5
1	H	45	GLY	2.5
1	K	315	ALA	2.5
1	G	386	ALA	2.5
1	F	443	MET	2.5
1	K	101	THR	2.5
1	E	409	ALA	2.4
1	I	75	ILE	2.4
1	K	277	ASN	2.4
1	H	295	VAL	2.4
1	K	414	ARG	2.4
1	I	76	ALA	2.4
1	L	275	GLN	2.4
1	D	281	ALA	2.3
1	I	382	MET	2.3
1	I	357	VAL	2.3
1	J	430	TYR	2.3
1	J	46	MET	2.3
1	J	47	VAL	2.3
1	K	443	MET	2.3
1	K	102	ALA	2.3
1	J	31	LEU	2.3
1	K	417	LYS	2.3
1	K	432	LEU	2.2
1	F	131	ILE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	242	VAL	2.2
1	B	409	ALA	2.2
1	I	385	ASP	2.2
1	I	263	GLY	2.2
1	I	259	ALA	2.2
1	L	383	SER	2.2
1	K	286	GLU	2.2
1	K	312	LEU	2.2
1	K	298	ILE	2.1
1	K	129	VAL	2.1
1	F	446	TYR	2.1
1	K	39	PRO	2.1
1	K	32	GLY	2.1
1	L	321	ALA	2.1
1	H	323	VAL	2.1
1	K	359	THR	2.1
1	A	30	GLY	2.1
1	B	370	ILE	2.1
1	L	248	ASP	2.1
1	F	373	ILE	2.1
1	H	101	THR	2.1
1	K	246	GLU	2.0
1	E	429	VAL	2.0
1	J	76	ALA	2.0
1	F	35	ASP	2.0
1	I	97	ASP	2.0
1	K	380	VAL	2.0
1	L	244	LEU	2.0
1	K	85	ALA	2.0
1	K	294	GLY	2.0
1	I	257	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ADP	I	1450	27/27	0.86	0.30	1.18	110,126,135,137	0
2	ADP	F	1450	27/27	0.94	0.22	0.16	65,71,84,86	0
2	ADP	C	1450	27/27	0.94	0.21	0.03	66,74,80,82	0
2	ADP	L	1450	27/27	0.91	0.22	-0.08	117,125,133,135	0
2	ADP	G	1450	27/27	0.96	0.20	-0.15	59,68,75,77	0
2	ADP	E	1450	27/27	0.96	0.18	-0.26	74,83,88,89	0
2	ADP	K	1450	25/27	0.84	0.24	-0.28	79,90,94,98	0
2	ADP	J	1450	27/27	0.93	0.19	-0.32	92,113,131,133	0
2	ADP	H	1450	27/27	0.94	0.22	-0.36	94,102,116,118	0
2	ADP	D	1450	27/27	0.97	0.19	-0.45	73,78,94,101	0
2	ADP	B	1450	27/27	0.96	0.17	-0.71	58,70,81,83	0
2	ADP	A	1450	27/27	0.95	0.18	-0.75	73,78,83,84	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.