



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 10:38 PM GMT

PDB ID : 1ULB
Title : APPLICATION OF CRYSTALLOGRAPHIC AND MODELING METHODS
IN THE DESIGN OF PURINE NUCLEOSIDE PHOSPHORYLASE IN-
HIBITORS
Authors : Ealick, S.E.; Rule, S.A.; Carter, D.C.; Greenhough, T.J.; Babu, Y.S.; Cook,
W.J.; Habash, J.; Helliwell, J.R.; Stoeckler, J.D.; Parksjunior, R.E.; Chen,
S.-F.; Bugg, C.E.
Deposited on : 1991-11-05
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3829 (2.80-2.72)
Ramachandran outliers	100387	3767 (2.80-2.72)
Sidechain outliers	100360	3770 (2.80-2.72)
RSRZ outliers	91569	3352 (2.80-2.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2279 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PURINE NUCLEOSIDE PHOSPHORYLASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	289	Total	C	N	O	S	0	0	0
			2258	1434	395	413	16			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GUANINE (three-letter code: GUN) (formula: C₅H₅N₅O).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			11	5	5	1		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PURINE NUCLEOSIDE PHOSPHORYLASE



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	142.90 Å 142.90 Å 165.20 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 2.75 29.15 – 2.79	Depositor EDS
% Data completeness (in resolution range)	(Not available) ((Not available)-2.75) 47.2 (29.15-2.79)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 2.80 Å)	Xtriage
Refinement program	PROLSQ	Depositor
R, R_{free}	0.204 , (Not available) 0.271 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	68.8	Xtriage
Anisotropy	0.097	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 53.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 7671 reflections	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	2279	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GUN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	1/2310 (0.0%)	1.48	39/3125 (1.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	239	SER	C-N	-10.16	1.10	1.34

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	239	SER	O-C-N	-13.87	100.51	122.70
1	A	239	SER	CA-C-N	9.43	137.95	117.20
1	A	5	TYR	CB-CG-CD1	-8.97	115.62	121.00
1	A	185	ARG	NE-CZ-NH2	8.02	124.31	120.30
1	A	84	ARG	NE-CZ-NH2	7.76	124.18	120.30
1	A	101	ARG	NE-CZ-NH2	7.74	124.17	120.30
1	A	76	ARG	NE-CZ-NH2	7.66	124.13	120.30
1	A	154	ARG	NE-CZ-NH2	7.60	124.10	120.30
1	A	133	ARG	NE-CZ-NH2	7.53	124.07	120.30
1	A	234	ARG	NE-CZ-NH2	7.43	124.01	120.30
1	A	158	ARG	NE-CZ-NH2	7.34	123.97	120.30
1	A	148	ARG	NE-CZ-NH2	7.30	123.95	120.30
1	A	24	ARG	NE-CZ-NH2	7.28	123.94	120.30
1	A	171	ARG	NE-CZ-NH2	7.20	123.90	120.30
1	A	67	ARG	NE-CZ-NH2	7.01	123.81	120.30
1	A	173	ARG	NE-CZ-NH2	6.44	123.52	120.30
1	A	229	ARG	NE-CZ-NH2	6.30	123.45	120.30
1	A	58	ARG	NE-CZ-NH2	6.28	123.44	120.30
1	A	60	THR	O-C-N	6.20	132.62	122.70
1	A	80	MET	CG-SD-CE	6.14	110.03	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	61	VAL	CB-CA-C	-6.13	99.74	111.40
1	A	130	MET	CG-SD-CE	6.07	109.91	100.20
1	A	81	MET	CG-SD-CE	6.05	109.89	100.20
1	A	87	MET	CG-SD-CE	6.03	109.85	100.20
1	A	181	MET	CG-SD-CE	5.99	109.79	100.20
1	A	260	VAL	O-C-N	5.92	132.17	122.70
1	A	170	MET	CG-SD-CE	5.86	109.58	100.20
1	A	194	MET	CG-SD-CE	5.82	109.52	100.20
1	A	207	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	A	162	MET	CG-SD-CE	5.82	109.50	100.20
1	A	219	MET	CG-SD-CE	5.71	109.34	100.20
1	A	247	MET	CG-SD-CE	5.63	109.20	100.20
1	A	285	PRO	O-C-N	5.54	131.56	122.70
1	A	249	TYR	CB-CA-C	5.53	121.45	110.40
1	A	279	MET	CG-SD-CE	5.51	109.02	100.20
1	A	5	TYR	CB-CG-CD2	5.51	124.31	121.00
1	A	168	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	A	242	THR	O-C-N	-5.14	114.47	122.70
1	A	61	VAL	N-CA-C	5.00	124.51	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2258	0	2234	230	0
2	A	10	0	0	1	0
3	A	11	0	5	0	0
All	All	2279	0	2239	230	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 51.

All (230) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:GLY:O	1:A:35:LEU:HD12	1.36	1.26
1:A:60:THR:O	1:A:62:PRO:HD2	1.05	1.21
1:A:60:THR:O	1:A:62:PRO:CD	1.98	1.11
1:A:284:LEU:HD21	1:A:289:SER:OG	1.48	1.09
1:A:124:PHE:HD2	1:A:241:ILE:HG12	1.14	1.08
1:A:148:ARG:O	1:A:148:ARG:HG3	1.56	1.04
1:A:22:LYS:HE2	1:A:23:HIS:CE1	1.94	1.02
1:A:84:ARG:HH22	1:A:113:VAL:HG23	1.23	1.02
1:A:124:PHE:CD2	1:A:241:ILE:HG12	1.94	1.01
1:A:97:THR:HG21	1:A:227:VAL:HG21	1.42	0.97
1:A:47:ILE:HG23	1:A:67:ARG:HG3	1.46	0.96
1:A:98:PHE:N	1:A:99:PRO:HD2	1.81	0.95
1:A:235:VAL:O	1:A:236:PHE:HB3	1.64	0.95
1:A:61:VAL:O	1:A:62:PRO:O	1.87	0.91
1:A:60:THR:C	1:A:62:PRO:HD2	1.91	0.90
1:A:93:LEU:HD23	1:A:144:GLN:HG3	1.53	0.90
1:A:84:ARG:NH2	1:A:113:VAL:HG23	1.86	0.89
1:A:98:PHE:N	1:A:99:PRO:CD	2.38	0.86
1:A:284:LEU:CD2	1:A:289:SER:OG	2.24	0.85
1:A:3:ASN:O	1:A:5:TYR:N	2.09	0.85
1:A:87:MET:HE1	1:A:144:GLN:HG2	1.59	0.84
1:A:259:GLU:C	1:A:261:LEU:H	1.73	0.84
1:A:253:GLU:O	1:A:254:LYS:HG3	1.76	0.84
1:A:249:TYR:O	1:A:250:GLU:HG2	1.81	0.81
1:A:87:MET:CE	1:A:144:GLN:HG2	2.09	0.81
1:A:41:LYS:HD2	1:A:272:GLU:OE1	1.81	0.81
1:A:42:LEU:HD22	1:A:69:VAL:HG22	1.65	0.79
1:A:6:THR:O	1:A:9:ASP:HB2	1.83	0.79
1:A:34:GLY:C	1:A:35:LEU:HD12	2.03	0.79
1:A:124:PHE:HE2	1:A:241:ILE:HD11	1.49	0.78
1:A:240:LEU:CD1	1:A:267:ALA:HB1	2.16	0.75
1:A:110:THR:HG23	1:A:234:ARG:HD2	1.67	0.75
1:A:235:VAL:HG12	1:A:236:PHE:H	1.53	0.74
1:A:111:LEU:HB2	1:A:233:LEU:HD23	1.70	0.74
1:A:274:PHE:CZ	1:A:278:LEU:HD11	2.23	0.74
1:A:14:ALA:O	1:A:18:LEU:HB2	1.87	0.73
1:A:202:THR:HG22	1:A:204:ALA:H	1.54	0.73
1:A:273:GLN:O	1:A:277:ILE:HG12	1.89	0.73
1:A:254:LYS:O	1:A:255:ALA:HB3	1.89	0.73
1:A:62:PRO:C	1:A:64:HIS:H	1.90	0.72
1:A:25:PRO:HB3	1:A:79:VAL:HG22	1.70	0.72
1:A:36:GLY:O	1:A:39:THR:HB	1.89	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:178:TRP:CZ2	1:A:183:GLU:HG2	2.25	0.72
1:A:22:LYS:CE	1:A:23:HIS:CE1	2.72	0.70
1:A:187:LEU:O	1:A:187:LEU:HD23	1.92	0.70
1:A:259:GLU:C	1:A:261:LEU:N	2.44	0.70
1:A:135:HIS:HA	1:A:192:TYR:O	1.92	0.70
1:A:6:THR:O	1:A:9:ASP:N	2.24	0.69
1:A:113:VAL:HG21	1:A:221:THR:HG23	1.73	0.69
1:A:254:LYS:O	1:A:255:ALA:CB	2.40	0.69
1:A:97:THR:HG22	1:A:97:THR:O	1.92	0.69
1:A:29:ILE:HD13	1:A:80:MET:HE3	1.75	0.68
1:A:284:LEU:HD21	1:A:289:SER:HG	1.56	0.68
1:A:47:ILE:CG2	1:A:67:ARG:HG3	2.21	0.68
1:A:235:VAL:O	1:A:236:PHE:CB	2.41	0.68
1:A:125:GLU:HA	1:A:125:GLU:OE1	1.95	0.67
1:A:137:ASN:HB2	1:A:222:VAL:HG11	1.76	0.66
1:A:244:LYS:HD3	1:A:245:VAL:H	1.61	0.66
1:A:84:ARG:HH22	1:A:113:VAL:CG2	2.05	0.65
1:A:60:THR:HG23	1:A:91:TYR:OH	1.96	0.65
1:A:28:ALA:HB1	1:A:103:PHE:CE2	2.33	0.64
1:A:248:ASP:C	1:A:250:GLU:N	2.50	0.64
1:A:3:ASN:O	1:A:4:GLY:C	2.37	0.63
1:A:249:TYR:O	1:A:250:GLU:CG	2.47	0.63
1:A:240:LEU:HD11	1:A:267:ALA:HB1	1.78	0.63
1:A:120:LEU:HD23	1:A:206:CYS:SG	2.38	0.63
1:A:64:HIS:O	1:A:66:GLY:N	2.31	0.63
1:A:235:VAL:HG12	1:A:236:PHE:N	2.13	0.63
1:A:248:ASP:C	1:A:250:GLU:H	1.99	0.62
1:A:240:LEU:HD13	1:A:267:ALA:HB1	1.80	0.62
1:A:139:PRO:O	1:A:144:GLN:HB3	1.98	0.61
1:A:25:PRO:HG3	1:A:70:PHE:HE2	1.65	0.61
1:A:22:LYS:H	1:A:22:LYS:HD3	1.66	0.61
1:A:97:THR:C	1:A:99:PRO:HD2	2.20	0.61
1:A:39:THR:HG22	1:A:40:ASP:N	2.15	0.61
1:A:76:ARG:NH1	1:A:76:ARG:HG2	2.15	0.61
1:A:76:ARG:HG2	1:A:76:ARG:HH11	1.66	0.60
1:A:111:LEU:HD12	1:A:235:VAL:HG13	1.83	0.60
1:A:62:PRO:C	1:A:64:HIS:N	2.55	0.60
1:A:124:PHE:CE2	1:A:241:ILE:HD11	2.34	0.60
1:A:222:VAL:O	1:A:226:ILE:HG13	2.01	0.60
1:A:274:PHE:O	1:A:278:LEU:HD12	2.02	0.59
1:A:61:VAL:HG23	1:A:62:PRO:HD3	1.83	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:GLY:O	1:A:5:TYR:C	2.39	0.58
1:A:89:GLU:OE1	1:A:91:TYR:HE2	1.86	0.58
1:A:244:LYS:HG3	1:A:245:VAL:N	2.17	0.58
1:A:138:LEU:N	1:A:139:PRO:HD2	2.19	0.58
1:A:168:ARG:O	1:A:172:GLN:HG3	2.03	0.58
1:A:112:VAL:HA	1:A:236:PHE:O	2.04	0.57
1:A:125:GLU:O	1:A:126:VAL:C	2.43	0.57
1:A:271:LEU:HD12	1:A:271:LEU:O	2.05	0.57
1:A:131:LEU:CD1	1:A:171:ARG:HD2	2.34	0.57
1:A:128:ASP:O	1:A:129:ILE:HG12	2.05	0.57
1:A:207:ARG:NH1	1:A:246:ILE:O	2.37	0.57
1:A:120:LEU:HD11	1:A:217:VAL:HB	1.87	0.57
1:A:6:THR:H	1:A:9:ASP:HB2	1.70	0.57
1:A:238:PHE:CE1	1:A:274:PHE:HE2	2.23	0.56
1:A:89:GLU:HB3	1:A:91:TYR:CE2	2.39	0.56
1:A:44:GLN:HB2	1:A:72:PHE:HD2	1.70	0.56
1:A:97:THR:CG2	1:A:97:THR:O	2.53	0.56
1:A:234:ARG:HH11	1:A:234:ARG:HG3	1.71	0.56
1:A:138:LEU:N	1:A:139:PRO:CD	2.69	0.56
1:A:242:THR:O	1:A:243:ASN:CB	2.53	0.56
1:A:42:LEU:HD13	1:A:80:MET:SD	2.46	0.56
1:A:174:ALA:HA	1:A:278:LEU:HD21	1.87	0.55
1:A:167:ASP:O	1:A:171:ARG:HG3	2.07	0.55
1:A:92:PRO:HB2	1:A:94:TRP:NE1	2.22	0.55
1:A:73:LEU:HD11	1:A:276:SER:OG	2.07	0.55
1:A:202:THR:HG22	1:A:204:ALA:N	2.22	0.54
1:A:160:PRO:HG3	1:A:230:HIS:HD2	1.72	0.54
1:A:22:LYS:HD3	1:A:22:LYS:N	2.23	0.54
1:A:274:PHE:CE2	1:A:278:LEU:HD11	2.43	0.53
1:A:244:LYS:HG3	1:A:245:VAL:O	2.08	0.53
1:A:60:THR:C	1:A:62:PRO:CD	2.63	0.53
1:A:238:PHE:CZ	1:A:278:LEU:HD13	2.43	0.53
1:A:194:MET:HB3	1:A:222:VAL:HG21	1.91	0.53
1:A:244:LYS:CG	1:A:245:VAL:N	2.72	0.53
1:A:242:THR:O	1:A:243:ASN:HB3	2.09	0.52
1:A:194:MET:CB	1:A:222:VAL:HG21	2.39	0.52
1:A:271:LEU:O	1:A:275:VAL:HG12	2.09	0.52
1:A:123:LYS:O	1:A:123:LYS:HD3	2.09	0.52
1:A:238:PHE:HZ	1:A:278:LEU:HD13	1.72	0.52
1:A:42:LEU:HD23	1:A:71:GLY:HA3	1.90	0.52
1:A:251:SER:O	1:A:252:LEU:CB	2.58	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:ASN:ND2	1:A:215:ASP:OD1	2.42	0.52
1:A:69:VAL:HG13	1:A:80:MET:HB3	1.92	0.52
1:A:31:CYS:HA	1:A:114:THR:OG1	2.11	0.52
1:A:251:SER:O	1:A:252:LEU:HB2	2.10	0.51
1:A:235:VAL:CG1	1:A:236:PHE:H	2.22	0.51
1:A:42:LEU:CD2	1:A:69:VAL:HG22	2.39	0.51
1:A:73:LEU:HB3	1:A:78:CYS:SG	2.50	0.51
1:A:263:ALA:O	1:A:268:ALA:HB2	2.11	0.51
1:A:124:PHE:CE2	1:A:241:ILE:CD1	2.94	0.50
1:A:43:THR:CG2	1:A:44:GLN:N	2.74	0.50
1:A:124:PHE:CD2	1:A:241:ILE:CG1	2.81	0.50
1:A:127:GLY:O	1:A:128:ASP:O	2.28	0.50
1:A:34:GLY:C	1:A:35:LEU:CD1	2.77	0.50
1:A:22:LYS:HE2	1:A:23:HIS:ND1	2.24	0.50
1:A:222:VAL:HB	1:A:223:PRO:HD3	1.94	0.50
1:A:207:ARG:O	1:A:211:LYS:HB2	2.11	0.50
1:A:84:ARG:NH2	1:A:113:VAL:CG2	2.68	0.50
1:A:137:ASN:HB2	1:A:222:VAL:CG1	2.41	0.50
1:A:152:ASP:C	1:A:154:ARG:H	2.15	0.50
1:A:103:PHE:O	1:A:106:LEU:HB2	2.12	0.49
1:A:113:VAL:CG2	1:A:221:THR:HG23	2.42	0.49
1:A:111:LEU:CB	1:A:233:LEU:HD23	2.41	0.49
1:A:89:GLU:CB	1:A:91:TYR:CE2	2.96	0.49
1:A:206:CYS:SG	1:A:244:LYS:HD2	2.52	0.49
1:A:96:VAL:CG2	1:A:97:THR:N	2.76	0.49
1:A:287:LYS:O	1:A:288:ALA:HB3	2.13	0.49
1:A:92:PRO:HB2	1:A:94:TRP:CE2	2.48	0.48
1:A:49:ASP:C	1:A:51:SER:H	2.16	0.48
1:A:97:THR:CG2	1:A:227:VAL:HG21	2.28	0.48
1:A:165:ALA:HB3	1:A:166:TYR:CD1	2.48	0.48
1:A:128:ASP:C	1:A:129:ILE:HG12	2.35	0.47
1:A:202:THR:HB	1:A:205:GLU:HG3	1.96	0.47
1:A:176:SER:O	1:A:179:LYS:HB2	2.14	0.47
1:A:193:VAL:HG13	1:A:193:VAL:O	2.15	0.47
1:A:227:VAL:HG12	1:A:227:VAL:O	2.15	0.47
1:A:242:THR:O	1:A:242:THR:OG1	2.31	0.47
1:A:25:PRO:HG3	1:A:70:PHE:CE2	2.47	0.47
1:A:42:LEU:HD22	1:A:69:VAL:CG2	2.39	0.47
1:A:240:LEU:HG	1:A:240:LEU:O	2.13	0.47
1:A:120:LEU:CD2	1:A:206:CYS:SG	3.02	0.47
1:A:184:GLN:C	1:A:184:GLN:HE21	2.17	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:249:TYR:C	1:A:250:GLU:HG2	2.34	0.47
1:A:42:LEU:CD2	1:A:71:GLY:HA3	2.45	0.47
1:A:37:GLY:C	1:A:39:THR:H	2.17	0.46
1:A:50:TYR:OH	1:A:81:MET:HG2	2.15	0.46
1:A:29:ILE:HD13	1:A:80:MET:CE	2.44	0.46
1:A:152:ASP:O	1:A:154:ARG:N	2.49	0.46
1:A:98:PHE:O	1:A:102:VAL:HG13	2.15	0.46
1:A:243:ASN:HB2	1:A:244:LYS:H	1.36	0.46
1:A:43:THR:HG23	1:A:44:GLN:N	2.31	0.45
1:A:252:LEU:HA	1:A:252:LEU:HD23	1.73	0.45
1:A:2:GLU:HG3	1:A:4:GLY:H	1.81	0.45
1:A:251:SER:O	1:A:252:LEU:HG	2.16	0.45
1:A:38:LEU:CD2	1:A:275:VAL:HG11	2.46	0.45
1:A:98:PHE:H	1:A:99:PRO:HD2	1.75	0.45
1:A:137:ASN:CB	1:A:222:VAL:HG11	2.46	0.45
1:A:126:VAL:HG22	1:A:242:THR:HA	1.98	0.45
1:A:195:VAL:O	1:A:219:MET:HA	2.16	0.45
1:A:87:MET:HE3	1:A:144:GLN:HG2	1.97	0.45
1:A:25:PRO:CB	1:A:79:VAL:HG22	2.43	0.44
1:A:131:LEU:CD2	1:A:238:PHE:CD1	3.00	0.44
1:A:139:PRO:CG	1:A:194:MET:HG2	2.47	0.44
1:A:131:LEU:HB2	1:A:188:GLN:O	2.17	0.44
1:A:34:GLY:O	1:A:35:LEU:CD1	2.31	0.44
1:A:66:GLY:HA2	1:A:82:GLN:O	2.18	0.44
1:A:34:GLY:N	2:A:292:SO4:O3	2.50	0.44
1:A:22:LYS:H	1:A:22:LYS:CD	2.30	0.44
1:A:23:HIS:O	1:A:25:PRO:HD3	2.17	0.44
1:A:21:THR:HG23	1:A:23:HIS:H	1.82	0.44
1:A:131:LEU:HD23	1:A:238:PHE:CD1	2.53	0.43
1:A:38:LEU:HD12	1:A:38:LEU:O	2.19	0.43
1:A:178:TRP:CE2	1:A:183:GLU:HG2	2.54	0.43
1:A:119:GLY:O	1:A:244:LYS:CB	2.66	0.43
1:A:38:LEU:HD22	1:A:275:VAL:HG11	2.01	0.43
1:A:81:MET:SD	1:A:99:PRO:HB3	2.58	0.43
1:A:74:ASN:CG	1:A:74:ASN:O	2.56	0.43
1:A:117:ALA:O	1:A:241:ILE:HA	2.19	0.43
1:A:25:PRO:HG2	1:A:106:LEU:HD23	2.01	0.43
1:A:131:LEU:CD2	1:A:238:PHE:CE1	3.02	0.43
1:A:160:PRO:HG3	1:A:230:HIS:CD2	2.54	0.42
1:A:257:HIS:O	1:A:257:HIS:CG	2.71	0.42
1:A:49:ASP:HA	1:A:67:ARG:HB2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:LEU:HA	1:A:93:LEU:HD13	1.73	0.42
1:A:6:THR:HG23	1:A:8:GLU:HB2	2.02	0.42
1:A:7:TYR:HD2	1:A:155:PHE:CE2	2.37	0.42
1:A:208:VAL:CG2	1:A:209:LEU:N	2.83	0.42
1:A:37:GLY:C	1:A:39:THR:N	2.73	0.42
1:A:38:LEU:HA	1:A:272:GLU:HG2	2.00	0.42
1:A:176:SER:O	1:A:179:LYS:N	2.52	0.42
1:A:175:LEU:HA	1:A:175:LEU:HD12	1.73	0.42
1:A:202:THR:HB	1:A:205:GLU:CG	2.50	0.41
1:A:152:ASP:C	1:A:154:ARG:N	2.73	0.41
1:A:38:LEU:HG	1:A:80:MET:CE	2.50	0.41
1:A:285:PRO:CG	1:A:286:ASP:H	2.27	0.41
1:A:240:LEU:HD21	1:A:263:ALA:HA	2.02	0.41
1:A:114:THR:O	1:A:115:ASN:HB3	2.20	0.41
1:A:235:VAL:CG1	1:A:236:PHE:N	2.79	0.41
1:A:248:ASP:O	1:A:250:GLU:N	2.54	0.41
1:A:28:ALA:CB	1:A:103:PHE:CD2	3.04	0.41
1:A:132:ILE:HG21	1:A:132:ILE:HD13	1.87	0.41
1:A:222:VAL:HG23	1:A:222:VAL:H	1.62	0.41
1:A:93:LEU:HD23	1:A:144:GLN:CG	2.38	0.41
1:A:203:VAL:O	1:A:207:ARG:HG2	2.21	0.41
1:A:41:LYS:O	1:A:42:LEU:C	2.57	0.40
1:A:224:GLU:H	1:A:224:GLU:HG2	1.47	0.40
1:A:220:SER:O	1:A:221:THR:HB	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	287/289 (99%)	218 (76%)	46 (16%)	23 (8%)	1 2

All (23) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	4	GLY
1	A	61	VAL
1	A	62	PRO
1	A	65	ALA
1	A	128	ASP
1	A	236	PHE
1	A	243	ASN
1	A	250	GLU
1	A	252	LEU
1	A	285	PRO
1	A	33	SER
1	A	118	GLY
1	A	246	ILE
1	A	255	ALA
1	A	153	GLU
1	A	180	GLN
1	A	221	THR
1	A	288	ALA
1	A	254	LYS
1	A	108	VAL
1	A	126	VAL
1	A	182	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	240/240 (100%)	176 (73%)	64 (27%)	0 1

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	2	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	6	THR
1	A	21	THR
1	A	22	LYS
1	A	31	CYS
1	A	39	THR
1	A	40	ASP
1	A	42	LEU
1	A	43	THR
1	A	44	GLN
1	A	56	PHE
1	A	58	ARG
1	A	59	SER
1	A	61	VAL
1	A	67	ARG
1	A	69	VAL
1	A	78	CYS
1	A	79	VAL
1	A	80	MET
1	A	86	HIS
1	A	93	LEU
1	A	96	VAL
1	A	102	VAL
1	A	105	LEU
1	A	112	VAL
1	A	123	LYS
1	A	126	VAL
1	A	128	ASP
1	A	129	ILE
1	A	131	LEU
1	A	135	HIS
1	A	147	LEU
1	A	148	ARG
1	A	151	ASN
1	A	152	ASP
1	A	153	GLU
1	A	158	ARG
1	A	167	ASP
1	A	168	ARG
1	A	175	LEU
1	A	184	GLN
1	A	185	ARG
1	A	187	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	207	ARG
1	A	208	VAL
1	A	219	MET
1	A	224	GLU
1	A	229	ARG
1	A	234	ARG
1	A	236	PHE
1	A	239	SER
1	A	242	THR
1	A	246	ILE
1	A	249	TYR
1	A	256	ASN
1	A	261	LEU
1	A	266	GLN
1	A	269	GLN
1	A	271	LEU
1	A	273	GLN
1	A	276	SER
1	A	281	SER
1	A	284	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	HIS
1	A	151	ASN
1	A	184	GLN
1	A	256	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GUN	A	290	-	9,12,12	1.72	2 (22%)	7,17,17	4.03	4 (57%)
2	SO4	A	291	-	4,4,4	1.12	0	6,6,6	0.52	0
2	SO4	A	292	-	4,4,4	1.05	0	6,6,6	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GUN	A	290	-	-	0/0/0/0	0/2/2/2
2	SO4	A	291	-	-	0/0/0/0	0/0/0/0
2	SO4	A	292	-	-	0/0/0/0	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	290	GUN	C4-N3	-2.22	1.32	1.36
3	A	290	GUN	C6-N1	3.83	1.40	1.33

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	290	GUN	C5-C6-N1	-8.42	112.07	123.59
3	A	290	GUN	N3-C2-N1	-2.26	124.00	127.44
3	A	290	GUN	C4-C5-N7	3.20	112.42	109.48
3	A	290	GUN	C6-N1-C2	5.18	123.12	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	292	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/289 (100%)	-0.12	8 (2%) 56 50	8, 27, 52, 58	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	249	TYR	4.2
1	A	112	VAL	3.2
1	A	289	SER	3.2
1	A	113	VAL	2.8
1	A	65	ALA	2.7
1	A	288	ALA	2.4
1	A	1	MET	2.3
1	A	2	GLU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	SO4	A	291	5/5	0.99	0.18	0.04	15,16,16,16	0
2	SO4	A	292	5/5	0.97	0.09	-0.85	49,49,50,50	0
3	GUN	A	290	11/11	0.97	0.12	-1.75	26,27,28,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.